

AM

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
11 March 2004 (11.03.2004)

PCT

(10) International Publication Number
WO 2004/020583 A2

(51) International Patent Classification⁷: **C12N**

4000, Route 206 and Provinceline Road, Princeton, NJ
08543-4000 (US).

(21) International Application Number:
PCT/US2003/026491

(22) International Filing Date: 26 August 2003 (26.08.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/406,385 27 August 2002 (27.08.2002) US

(71) Applicant (for all designated States except US): **BRIS-
TOL-MYERS SQUIBB COMPANY** [US/US]; P. O. Box

(72) Inventors; and
(75) Inventors/Applicants (for US only): **HUANG, Fei**
[CN/US]; 12 Castleton Road, Princeton, NJ 08540 (US).
HAN, Xia [CN/US]; 1 JFK Blvd. Apt. 42G, Somerset,
NJ 08873 (US). **REEVES, Karen, A.** [JM/US]; 112
Honeysuckle Drive, Ewing, NJ 08638 (US). **AMLER,**
Lucas [DE/US]; 103 Brandon Road, Pennington, NJ
08534 (US). **FAIRCHILD, Craig, R.** [US/US]; 768
Dawes Drive, Yardley, PA 19067 (US). **LEE, Francis, Y.**
[US]; 363 Lang Court, Yardley, CT 19067 (US). **SHAW,**
Peter [GB/US]; 7 Concord Lane, Yardley, PA 19067 (US).

[Continued on next page]

(54) Title: IDENTIFICATION OF POLYNUCLEOTIDES FOR PREDICTING ACTIVITY OF COMPOUNDS THAT INTER-
ACT WITH AND/OR MODULATE PROTEIN TYROSINE KINASES AND/OR PROTEIN TYROSINE KINASE PATHWAYS IN
BREAST CELLS



WO 2004/020583 A2



(57) Abstract: The present invention describes polynucleotides that have been discovered to correlate to the relative intrinsic sensitivity or resistance of cells, e.g., breast cell lines, to treatment with compounds that interact with and modulate, e.g., inhibit, protein tyrosine kinases, such as, for example, members of the Src family of tyrosine kinases, e.g., Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. These polynucleotides have been shown, through a weighted voting cross validation program, to have utility in predicting the resistance and sensitivity of breast cell lines to the compounds. The expression level or phosphorylation status of some polynucleotides is regulated by treatment with a particular protein tyrosine kinase inhibitor compound, thus indicating that these polynucleotides are involved in the protein tyrosine kinase signal transduction

[Continued on next page]

BEST AVAILABLE COPY



(74) **Agents:** D'AMICO, Stephen, C. et al.; Bristol-Myers Squibb Company, P.O. Box 4000, Route 206 and Province-line Road, Princeton, NJ 08543-4000 (US).

(81) **Designated States (national):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

pathway, e.g., Src tyrosine kinase. Such polynucleotides, whose expression levels correlate highly with drug sensitivity or resistance and which are modulated by treatment with the compounds, comprise polynucleotide predictor or marker sets useful in methods of predicting drug response, and as prognostic or diagnostic indicators in disease management, particularly in those disease areas, e.g., breast cancer, in which signaling through the protein tyrosine kinase pathway, such as the Src tyrosine kinase pathway, is involved with the disease process.

IDENTIFICATION OF POLYNUCLEOTIDES FOR PREDICTING ACTIVITY OF
COMPOUNDS THAT INTERACT WITH AND/OR MODULATE PROTEIN
TYROSINE KINASES AND/OR PROTEIN TYROSINE KINASE PATHWAYS IN
BREAST CELLS

5

This application claims benefit to provisional application U.S. Serial No. 60/406,385 filed August 27, 2002, under 35 U.S.C. 119(e). The entire teachings of the referenced applications are incorporated herein by reference.

10

FIELD OF THE INVENTION

The present invention relates generally to the field of pharmacogenomics, and more specifically to new and alternative methods and procedures to determine drug sensitivity in patients, and particularly in patients with breast cancer. This invention allows the development of individualized genetic profiles which aid in treating
15 diseases and disorders based on patient response at a molecular level.

BACKGROUND OF THE INVENTION

Breast cancer is a disease with extensive histoclinical heterogeneity. Although conventional histological and clinical features have been correlated with prognosis,
20 the same apparent prognostic type of breast tumors vary widely in their responsiveness to therapy and consequent survival of the patient. New prognostic and predictive markers are needed to accurately foretell a patient's response to drugs in the clinic. Such markers would facilitate the individualization of therapy for each patient.

The problem may be solved by the identification of new parameters that can
25 better predict a patient's sensitivity to treatment or therapy. The classification of patient samples is a crucial aspect of cancer diagnosis and treatment. The association of a patient's response to drug treatment with molecular and genetic markers can open up new opportunities for drug development in non-responding patients, or distinguish a drug's indication among other treatment choices because of higher confidence in the
30 efficacy. Further, the pre-selection of patients who are likely to respond well to a medicine, drug, or combination therapy may reduce the number of patients needed in

a clinical study or accelerate the time needed to complete a clinical development program (M. Cockett et al., 2000, *Current Opinion in Biotechnology*, 11:602-609).

The major goal of pharmacogenomics research is to identify genetic markers that accurately predict a given patient's response to drugs in the clinic; such individualized genetic assessment would greatly facilitate personalized treatment. An approach of this nature is particularly needed in cancer treatment and therapy, where commonly used agents are ineffective in many patients, and side effects are frequent. The ability to predict drug sensitivity in patients is particularly challenging because drug responses reflect both the properties intrinsic to the target cells and also a host's metabolic properties. Efforts by those in the art to use genetic information to predict drug sensitivity have primarily focused on individual polynucleotides that have broad effects, such as the multidrug resistant polynucleotides, *mdr1* and *mrr1* (P. Sonneveld, 2000, *J. Intern. Med.*, 247:521-534).

The development of microarray technologies for large scale characterization of polynucleotide expression pattern makes it possible to systematically search for multiple molecular markers and to categorize cancers into distinct subgroups that are not evident by traditional histopathological methods (J. Khan et al., 1998, *Cancer Res.*, 58:5009-5013; A.A. Alizadeh et al., 2000, *Nature*, 403:503-511; M. Bittner et al., 2000, *Nature*, 406:536-540; J. Khan et al., 2001, *Nature Medicine*, 7(6):673-679; and T.R. Golub et al., 1999, *Science*, 286:531-537; U. Alon et al., 1999, *Proc. Natl. Acad. Sci. USA*, 96:6745-6750). Such technologies and molecular tools have made it possible to monitor the expression levels of a large number of transcripts within a cell at any given time (see, e.g., Schena et al., 1995, *Science*, 270:467-470; Lockhart et al., 1996, *Nature Biotechnology*, 14:1675-1680; Blanchard et al., 1996, *Nature Biotechnology*, 14:1649; and U.S. Pat. No. 5,569,588, issued Oct. 29, 1996 to Ashby et al.).

How differential polynucleotide expression is associated with health and disease is a basis of functional genomics, which is defined as the study of all of the polynucleotides expressed by a specific cell or a group of cells and the changes in their expression pattern during development, disease, or environmental exposure. Hybridization arrays, used to study polynucleotide expression, allow polynucleotide expression analysis on a genomic scale by permitting the examination of changes in

expression of literally thousands of polynucleotides at one time. In general, for hybridization arrays, gene-specific sequences (probes) are immobilized on a solid state matrix. These sequences are then queried with labeled copies of nucleic acids from biological samples (targets). The underlying theory is that the greater the
5 expression of a gene, the greater the amount of labeled target and thus, the greater output of signal. (W.M. Freeman et al., 2000, *BioTechniques*, 29:1042-1055).

Recent studies have demonstrated that polynucleotide expression information generated by microarray analysis of human tumors can predict clinical outcome (L.J. van't Veer et al., 2002, *Nature*, 415:530-536; M. West et al., 2001, *Proc. Natl. Acad. Sci. USA*, 98:11462-11467; T. Sorlie et al., 2001, *Proc. Natl. Acad. Sci. USA*, 98:10869-10874; M. Shipp et al., 2002, *Nature Medicine*, 8(1):68-74). These findings
10 bring hope that cancer treatment will be vastly improved by better predicting the response of individual tumors to therapy.

Needed in the art are new and alternative methods and procedures to
15 determine drug sensitivity in patients and which are necessary to treat diseases and disorders, particularly cancers such as breast cancer, based on patient response at a molecular level. By using cultured cells as a model of *in vivo* effects, the present invention advantageously focuses on cell-intrinsic properties that are exposed in cell culture and involves identified polynucleotides that correlate with drug sensitivity.
20 The presently described discovery and identification of polynucleotides/marker polynucleotides (predictor polynucleotides and polynucleotide sets) in cell lines assayed *in vitro* can be used to correlate with drug responses *in vivo*, and thus can be extended to clinical situations in which the same polynucleotides are used to predict responses to drugs and/or chemotherapeutic agents by patients, with particular regard
25 to breast cancer patients.

SUMMARY OF THE INVENTION

The present invention describes the identification of marker polynucleotides whose expression levels are highly correlated with drug sensitivity in breast cell lines
30 that are either sensitive or resistant to protein tyrosine kinase inhibitor compounds. More particularly, the protein tyrosine kinases that are inhibited in accordance with the present invention include members of the Src family of tyrosine kinases, for

example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. For a review of these and other protein tyrosine kinases, see, for example, P. Blume-Jensen and T. Hunter, 2001, "Oncopolynucleotide Kinase Signaling", *Nature*, 411:355-365. Some
5 of these polynucleotides are also modulated by the tyrosine kinase inhibitor compounds, in particular, src tyrosine kinase inhibitor compounds, which indicates their involvement in the protein tyrosine kinase signaling pathway. These polynucleotides or "markers" show utility in predicting a host's response to a drug and/or drug treatment. Similar expression pattern of these polynucleotides to breast
10 cell lines is also seen in primary breast tumors which indicates co-regulation of these marker polynucleotides.

It is an aspect of this invention to provide a cell culture model to identify polynucleotides whose expression levels correlate with drug sensitivity of cells associated with a disease state, or with a host having a disease. In accordance with the
15 present invention, oligonucleotide microarrays were utilized to measure the expression levels of a large number of polynucleotides in a panel of untreated cell lines, particularly breast cell lines, for which drug sensitivity to a protein tyrosine kinase inhibitor compound was determined. The determination of the polynucleotide expression profiles in the untreated cells allowed a prediction of chemosensitivity and
20 the identification of marker polynucleotides whose expression levels highly correlated with sensitivity to drugs or compounds that modulate, preferably inhibit, protein tyrosine kinase or the pathway in which the protein tyrosine kinase, e.g., src tyrosine kinase, is involved. The marker polynucleotides are thus able to be utilized as one or more predictors to foresee a patient's response to drugs or drug treatments that
25 directly or indirectly affect protein tyrosine kinase activity.

It is another aspect of the present invention to provide a method of determining or predicting if an individual requiring drug or chemotherapeutic treatment or therapy for a disease state, or a cancer or tumor of a particular type, e.g., a breast cancer or breast tumor, will successfully respond or will not respond to the
30 drug or chemotherapeutic treatment or therapy prior to the administration of such treatment or chemotherapy. Preferably, the treatment or therapy involves a protein tyrosine kinase modulating agent, e.g., an inhibitor of the protein tyrosine kinase

activity. The protein tyrosine kinases whose activities can be inhibited by inhibitor compounds according to this invention include, for example, members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Also in accordance with the present invention, cells from a patient tissue sample, e.g., a breast tumor or cancer biopsy, are assayed to determine their polynucleotide expression pattern prior to treatment with a protein tyrosine kinase modulating compound or drug, preferably a src tyrosine kinase inhibitor. The resulting polynucleotide expression profile of the test cells before exposure to the compound or drug is compared with the polynucleotide expression pattern of the predictor set of polynucleotides that have been described and shown herein (Table 2). In addition, in such a method, the polynucleotide expression pattern of subsets of predictor polynucleotides, i.e., the sets of 15 and 7 polynucleotides as set forth in Tables 4-5, respectively, can also be used. These polynucleotides are derived from the control panel of the untreated cells that have been determined to be either resistant or sensitive to the drug or compound, i.e., FIG. 1 and Table 1.

Success or failure of treatment with a drug can be determined based on the polynucleotide expression pattern of cells from the test tissue (test cells), e.g., a tumor or cancer biopsy, as being relatively similar to or different from the polynucleotide expression pattern of the predictor set of polynucleotides. Thus, if the test cells show a polynucleotide expression profile which corresponds to that of the predictor set of polynucleotides in the control panel of cells which are sensitive to the drug or compound, it is highly likely or predicted that the individual's cancer or tumor will respond favorably to treatment with the drug or compound. By contrast, if the test cells show a polynucleotide expression pattern corresponding to that of the predictor set of polynucleotides of the control panel of cells which are resistant to the drug or compound, it is highly likely or predicted that the individual's cancer or tumor will not respond to treatment with the drug or compound.

It is a further aspect of this invention to provide screening assays for determining if a cancer patient will be susceptible or resistant to treatment with a drug or compound, particularly, a drug or compound directly or indirectly involved in a protein tyrosine kinase activity or a protein tyrosine kinase pathway. Such protein

tyrosine kinases include, without limitation, members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors.

5 In a more particular aspect, the present invention provides screening assays for determining if a cancer patient will be susceptible or resistant to treatment with a drug or compound, particularly, a drug or compound directly or indirectly involved in src tyrosine kinase activity or the src tyrosine kinase pathway.

It is another aspect of the present invention to provide a method of monitoring the treatment of a patient having a disease treatable by a compound or agent that
10 modulates a protein tyrosine kinase, including members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. This can be accomplished by comparing the resistance or sensitivity polynucleotide expression profile of cells from a patient tissue sample, e.g., a tumor or cancer biopsy,
15 e.g., a breast cancer or tumor sample, prior to treatment with a drug or compound that inhibits the protein tyrosine kinase activity and again following treatment with the drug or compound. The isolated test cells from the patient's tissue sample are assayed to determine their polynucleotide expression pattern before and after exposure to a compound or drug, such as, e.g., a src tyrosine kinase inhibitor. The resulting
20 polynucleotide expression profile of the test cells before and after treatment is compared with the polynucleotide expression pattern of the predictor set and subsets of polynucleotides that have been described and shown herein to be highly expressed in the control panel of cells that are either resistant or sensitive to the drug or compound. Thus, if a patient's response becomes one that is sensitive to treatment by
25 a protein tyrosine kinase inhibitor compound, based on a correlation of the expression profile of the predictor polynucleotides, the patient's treatment prognosis can be qualified as favorable and treatment can continue. Also, if after treatment with a drug or compound, the test cells do not show a change in their polynucleotide expression profile that corresponds to the control panel of cells that are sensitive to the drug or
30 compound, this can serve as an indicator that the current treatment should be modified, changed, or even discontinued. Such a monitoring process can indicate

success or failure of a patient's treatment with a drug or compound, and the monitoring processes can be repeated as necessary or desired.

It is a further aspect of the present invention to provide predictor polynucleotides and predictor sets of polynucleotides having both diagnostic and prognostic value in disease areas in which signaling through a protein tyrosine kinase or a protein tyrosine kinase pathway is of importance, e.g., in cancers and tumors, in immunological disorders, conditions or dysfunctions, or in disease states in which cell signaling and/or proliferation controls are abnormal or aberrant. Such protein tyrosine kinases whose direct or indirect modulation can be associated with a disease state or condition, include members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. In accordance with this invention, the use of predictor polynucleotides, or a predictor polynucleotide set or subset (such as the predictor polynucleotides of Table 2, and the predictor polynucleotide subsets of Tables 4-5) is to forecast or foretell an outcome prior to having any knowledge about a biological system, or a cellular response.

It is yet another aspect of the present invention to assemble polynucleotides, such as those listed in Table 2, or the subset of polynucleotides as listed in Tables 4-5, that highly correlate with resistance or sensitivity to protein tyrosine kinase inhibitor drugs or compounds, into predictor polynucleotide sets, so as to predict, or reasonably foretell the effect of either the protein tyrosine inhibitor compounds, or compounds that affect the protein tyrosine kinase signaling pathway(s) in different biological systems, or for cellular responses. The predictor polynucleotide sets can be used in *in vitro* assays of drug response by test cells to predict *in vivo* outcome. In accordance with this invention, the various predictor polynucleotide sets described herein, or the combination of these predictor sets with other polynucleotides or other co-variants of these polynucleotides, can be used, for example, to predict how patients with cancer or a tumor might respond to therapeutic intervention with compounds that modulate protein tyrosine kinases, or modulate signaling through an entire protein tyrosine kinase regulatory pathway. The predictor sets of polynucleotides, or co-variants of these polynucleotides, can be used to predict how patients with a cancer or tumor respond to therapy employing compounds that modulate a tyrosine kinase, or the

activity of a tyrosine kinase, such as protein tyrosine kinase members of the Src family, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors.

Another object of the present invention is to provide one or more specialized
5 microarrays, e.g., oligonucleotide microarrays or cDNA microarrays, comprising those polynucleotides or combinations thereof, as described herein, showing expression profiles that correlate with either sensitivity or resistance to protein tyrosine kinase inhibitor compounds. Such microarrays can be employed in *in vitro* assays for assessing the expression level of the polynucleotides on the microarrays in
10 the test cells from tumor biopsies, for example, and determining whether these test cells will be likely to be resistant or sensitive to the protein tyrosine kinase inhibitor compound(s). For example, a specialized microarray can be prepared using some or all of the polynucleotides, polynucleotide subsets, or combinations thereof, as described herein and shown in Tables 2, 4 and 5. Cells from a tissue or organ biopsy
15 can be isolated and exposed to one or more inhibitor compounds. Following application of nucleic acids isolated from both untreated and treated cells to one or more of the specialized microarrays, the pattern of polynucleotide expression of the tested cells can be determined and compared with that of the predictor polynucleotide pattern from the control panel of cells used to create the predictor polynucleotide set
20 on the microarray. Based upon the polynucleotide expression pattern results from the cells undergoing testing, it can be determined if the cells show a resistant or a sensitive profile of polynucleotide expression. Whether or not the tested cells from a tissue or organ biopsy will respond to a protein tyrosine kinase inhibitor compound, and the course of treatment or therapy, can then be determined or evaluated based on
25 the information gleaned from the results of the specialized microarray analysis.

It is a further aspect of the present invention to provide a kit for determining or predicting drug susceptibility or resistance by a patient having a disease, with particular regard to a cancer or tumor, namely, a breast cancer or tumor. Such kits are useful in a clinical setting for testing a patient's biopsied tumor or cancer sample, for
30 example, to determine or predict if the patient's tumor or cancer will be resistant or sensitive to a given treatment or therapy with a drug, compound, chemotherapy agent, or biological agent that is directly or indirectly involved with modification, preferably,

- inhibition, of the activity of a protein tyrosine kinase or a cell signaling pathway involving protein tyrosine kinase activity. Provided in the kit are one or more microarrays, e.g., oligonucleotide microarrays or cDNA microarrays, comprising those polynucleotides that correlate with resistance and sensitivity to protein tyrosine
- 5 kinase modulators, particularly, inhibitors of members of the Src family of protein tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as inhibitors of the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases; and, in suitable containers, the modulator agents/compounds for use in testing cells from patient tissue specimens or patient samples; and instructions for use.
- 10 In addition, kits contemplated by the present invention can include reagents or materials for the monitoring of the expression of the predictor or marker polynucleotides of the invention at the level of mRNA or protein, using other techniques and systems practiced in the art, e.g., RT-PCR assays, which employ primers designed on the basis of one or more of the predictor polynucleotides
- 15 described herein, immunoassays, such as enzyme linked immunosorbent assays (ELISAs), immunoblotting, e.g., Western blots, or *in situ* hybridization, and the like, as further described herein. The kits according to the present invention can also comprise predictor polynucleotides as set forth in Table 2, and/or one or more of the predictor polynucleotide subsets as presented in Tables 4-5 herein.
- 20 Another aspect of the present invention is to provide one or more polynucleotides among those of the predictor polynucleotides identified herein that can serve as targets for the development of drug therapies for disease treatment. Such targets can be particularly applicable to treatment of breast disease, such as breast cancers or tumors. Because these predictor polynucleotides are differentially
- 25 expressed in sensitive and resistant cells, their expression pattern is correlated with the relative intrinsic sensitivity of cells to treatment with compounds that interact with and/or inhibit protein tyrosine kinases, including members of the Src family of protein tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases.
- 30 Accordingly, the polynucleotides highly expressed in resistant cells can serve as targets for the development of new drug therapies for those tumors which are resistant to protein tyrosine kinase inhibitor compounds.

Yet another object of the present invention is to provide antibodies, either polyclonal or monoclonal, directed against one or more of the protein tyrosine kinase biomarker polypeptides, or peptides thereof, encoded by the predictor polynucleotides. Such antibodies can be used in a variety of ways, for example, to
5 purify, detect, and target the protein tyrosine kinase biomarker polypeptides of the present invention, including both *in vitro* and *in vivo* diagnostic, detection, screening, and/or therapeutic methods, and the like. Included among the protein tyrosine kinase biomarker polypeptides of this invention are members of the Src family of protein tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as
10 the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases.

Yet another object of the present invention is to provide antisense reagents, including siRNA, RNAi, and ribozyme reagents, directed against one or more of the protein tyrosine kinase biomarker polypeptides, or peptides thereof, encoded by the predictor polynucleotides. Such antisense reagents can be used in a variety of ways,
15 for example, to detect, to target, and inhibit the expression of the protein tyrosine kinase biomarker polypeptides of the present invention, including both *in vitro* and *in vivo* diagnostic, detection, screening, and/or therapeutic methods, and the like. Included among the protein tyrosine kinase biomarker polypeptides of this invention are members of the Src family of protein tyrosine kinases, for example, Src, Fgr, Fyn,
20 Yes, Blk, Hck, Lck and Lyn, as well as the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases.

The invention also relates to an antisense compound 8 to 30 nucleotides in length that specifically hybridizes to a nucleic acid molecule encoding the human protein tyrosine kinase biomarker polypeptides of the present invention, wherein said
25 antisense compound inhibits the expression of the human protein tyrosine kinase biomarker polypeptides.

The invention further relates to a method of inhibiting the expression of the human protein tyrosine kinase biomarker polypeptides of the present invention in human cells or tissues comprising contacting said cells or tissues *in vitro*, or *in vivo*,
30 with an antisense compound of the present invention so that expression of the protein tyrosine kinase biomarker polypeptides is inhibited.

The present invention is also directed to a method of identifying a compound that modulates the biological activity of protein tyrosine kinase biomarker polypeptides, comprising the steps of, (a) combining a candidate modulator compound with protein tyrosine kinase biomarker polypeptides in the presence of an
5 antisense molecule that antagonizes the activity of the protein tyrosine kinase biomarker polypeptides selected from the group consisting of SEQ ID NO:534 thru 557, and (b) identifying candidate compounds that reverse the antagonizing effect of the peptide.

The present invention is also directed to a method of identifying a compound
10 that modulates the biological activity of protein tyrosine kinase biomarker polypeptides, comprising the steps of, (a) combining a candidate modulator compound with protein tyrosine kinase biomarker polypeptides in the presence of a small molecule that antagonizes the activity of the protein tyrosine kinase biomarker polypeptides selected from the group consisting of SEQ ID NO:534 thru 557, and (b)
15 identifying candidate compounds that reverse the antagonizing effect of the peptide.

The present invention is also directed to a method of identifying a compound that modulates the biological activity of protein tyrosine kinase biomarker polypeptides, comprising the steps of, (a) combining a candidate modulator compound with protein tyrosine kinase biomarker polypeptides in the presence of a
20 small molecule that agonizes the activity of the protein tyrosine kinase biomarker polypeptides selected from the group consisting of SEQ ID NO:534 thru 557, and (b) identifying candidate compounds that reverse the agonizing effect of the peptide.

Further aspects, features, and advantages of the present invention will be better appreciated upon a reading of the detailed description of the invention when
25 considered in connection with the accompanying figures or drawings.

DESCRIPTION OF THE FIGURES

The file of this patent contains at least one Figure executed in color. Copies of this patent with color Figure(s) will be provided by the Patent and Trademark Office
30 upon request and payment of the necessary fee.

FIG. 1 illustrates a polynucleotide expression pattern according to the present invention. The 137 polynucleotides that highly correlated with a resistance/sensitivity

phenotype classification of the 23 breast cell lines for the protein tyrosine kinase inhibitor compound BMS-A are shown. Each row corresponds to a polynucleotide, with the columns corresponding to expression level in the different cell lines. Expression levels for each polynucleotide were normalized across all 23 breast cell lines such that the median is 0 and the standard derivation is 1. The expression levels greater than the median are shaded in red, and those below the mean are shaded in green. The individual polynucleotides encoding the protein tyrosine kinase biomarkers of the invention are indicated at the right (details of the biomarkers are also shown in the Table 2). The cell lines labeled in red are classified as resistant, and those labeled in blue are classified as sensitive to BMS-A according to their IC₅₀.

FIG. 2 The examples of polynucleotides whose expression levels are not only correlated with the sensitivity or resistance of breast cell lines to treatment with a protein tyrosine kinase inhibitor compound (e.g., BMS-A), but also differentially down regulated by treatment with the compound. Eleven breast cell lines (5 sensitive and 6 resistant cell lines as indicated in bold in the Table 1) were used in a drug treatment study. Cells were treated with or without the BMS-A compound (0.4 μ M) in 0.1% DMSO for 24 hours. Expression profiling was performed, the polynucleotide expression of a cell line treated with drug was compared pair-wisely to the polynucleotide expression of the same cell line without drug treatment. Five sensitive cell lines without drug treatment are indicated with lightly shaded bars ("A" side of graph); five sensitive cell lines with drug treatment are indicated in darkly shaded bars ("A" side of graph); six resistant cell lines without drug treatment are indicated in darkly shaded bars ("B" side of graph); six resistant cell lines with drug treatment are indicated in lightly shaded bars ("B" side of graph).

FIG. 3 The examples of polynucleotide whose expression is down regulated by BMS-A compound treatment in a dose and time dependent manner in a prostate cell line PC3. Cells are treated without or with 0.025 μ M, 0.1 μ M and 0.4 μ M of the BMS-A compound for 4 hours or 24 hours. The relative polynucleotide expression level of treated cells is compared to the corresponding untreated control which is set to 1. Drug concentrations and time of treatment are indicated.

FIG. 4 Immunoblot analysis of EphA2 protein level and tyrosine phosphorylation status in nine breast tumor cell lines. Cells were treated with 0.1 μ M

BMS-A for 1 hour. Cell lysates were immuno-precipitated with EphA2 antibody and blotted with EphA2 antibody (to assess EphA2 protein level) or anti-phosphotyrosine antibody (to assess EphA2 tyrosine phosphorylation status). Cell lines with or without drug treatment are indicated. The results indicate that EphA2 protein level does not
5 change upon one hour drug treatment, but the phosphorylation of tyrosine residues is dramatically decreased with the drug treatment.

FIG. 5 shows the error rates of different predictor sets comprising the marker polynucleotides with differential selection and combination for the BMS-A protein tyrosine kinase inhibitor compound in the leave-one-out cross validation tests. The
10 Genecluster software was used to select polynucleotides and predict classifications using a "weighted-voting leave-one-out cross-validation algorithm", as described herein. A different number of polynucleotides was selected in the predictor set from (i) the 137 polynucleotides, or (ii) the 40 polynucleotides modulated by BMS-A treatment as shown in Table 2, for predicting resistant and sensitive classes to BMS-A
15 in the breast cell lines. FIG. 5 demonstrates that a different selection and different combination of polynucleotides in a predictor set achieve different error rates in the leave-one-out cross validation. When the predictor sets were selected from 137 polynucleotides as shown in Table 2, the lowest error rate of 6.3% was achieved in the leave-one-out cross validation with 15 markers. Another predictor set comprised of 7
20 polynucleotides selected from the 40 polynucleotides that were modulated by the drug treatment achieved an error rate of 3.1%. These results indicate that polynucleotides which are not only correlated with drug sensitivity, but also modulated by the drug, can provide a better and more accurate prediction in a predictor set.

FIG. 6 shows the error rate comparison for predicting the sensitivity
25 classification of compound BMS-A in the breast cell lines and random permutation tests in leave-one-out cross validation. When a predictor set contained either 7 or 15 polynucleotides selected from different polynucleotide groups, the error rate of the leave-one-out cross validation tests for predicting sensitivity of BMS-A in the 23 breast cell lines was 3.1% and 6.3% respectively. In contrast, the real error rates
30 ranged from 30% to 83% when the same number of polynucleotides in a predictor set was used in 20 cases in which classification for the breast cell lines was randomly assigned. This result demonstrates that the error rate value for predicting sensitivity

of BMS-A in the 23 breast cell lines is significantly lower than the error rate for predicting sensitivity for the 23 breast cell lines when their classification is randomly assigned in 20 cases.

FIG. 7 The expression pattern of the 137 marker polynucleotides in 134 primary breast tumors. These 137 polynucleotides are highly correlated with a resistance/sensitivity phenotype classification of the 23 breast cell lines for the protein tyrosine kinase inhibitor compound BMS-A according to the present invention (as shown in FIG.1). Each row corresponds to a gene, with the columns corresponding to expression level in the different breast tumor samples. Expression levels for each polynucleotide were normalized across all 134 breast tumor samples such that the median is 0 and the standard derivation is 1. The expression levels greater than the median are shaded in red, and those below the mean are shaded in green. The order of individual polynucleotides encoding the protein tyrosine kinase biomarkers of the invention are the same as indicated in FIG.1. The expression pattern clearly shows that a group of primary breast tumors (as indicated by the arrow) highly expressed sensitive markers of protein tyrosine kinase inhibitor compound of the invention. By contrast, another different group highly expressed resistant markers.

DESCRIPTION OF THE TABLES

Table 1 presents the resistance/sensitivity phenotype classification of the 23 breast cell lines for the protein tyrosine kinase inhibitor compound BMS-A based on IC_{50} results. The IC_{50} for each cell line was assessed in by MTS assays as described in Example 1 (Methods). The mean IC_{50} values along with standard deviations (SD) were calculated from 2 to 5 individual determinations for each cell line as shown. The IC_{50} unit is μM . The mean IC_{50} for each cell line was log-transformed to $\log_{10}(IC_{50})$ and the mean $\log_{10}(IC_{50})$ across the 23 breast cell lines for BMS-A was calculated and used to normalize the IC_{50} data for each cell line. The cell lines with a $\log_{10}(IC_{50})$ below the mean $\log_{10}(IC_{50})$ were defined as sensitive to the compound, while those having a $\log_{10}(IC_{50})$ above the mean $\log_{10}(IC_{50})$ were considered to be resistant. The cell lines presented in bold were used in the drug induction study as described herein.

TABLE 1

#	Cell Lines	mean IC ₅₀ (μM) to BMS-A	SD	Log(IC ₅₀)	Normalized Log(IC ₅₀)	Classification
1	MDA-MB-157	0.0055	0.0035	-2.25924	-2.25405	Sensitive
2	MDA-MB-231	0.0095	0.0058	-2.02422	-2.03843	Sensitive
3	HCC1954	0.0242	0.0172	-1.61621	-1.66411	Sensitive
4	HCC70	0.0337	0.0160	-1.47214	-1.53193	Sensitive
5	BT-20	0.1652	0.1036	-0.78195	-0.89871	Sensitive
6	HCC1806	0.2194	0.1508	-0.65884	-0.78576	Sensitive
7	HS578T	0.6472	0.5885	-0.18898	-0.35469	Sensitive
8	HCC1419	2.5093	0.2280	0.399548	0.18525	Resistant
9	SK-BR-3	2.7534	0.8410	0.439867	0.22224	Resistant
10	AU-565	5.2399	3.2627	0.719322	0.47863	Resistant
11	HCC38	6.6327	3.1673	0.821688	0.57254	Resistant
12	BT-474	6.7375	4.1515	0.828502	0.57880	Resistant
13	MDA-MB-468	7.1258	4.0960	0.852833	0.60112	Resistant
14	HCC1428	7.2926	4.1436	0.862881	0.61034	Resistant
15	MDA-MB-435S	7.7800	2.3643	0.89098	0.63612	Resistant
16	H3396	8.1950	3.2549	0.91355	0.65682	Resistant
17	BT-549	9.0576	1.1419	0.957014	0.69670	Resistant
18	ZR-75-30	9.2632	0.5827	0.966762	0.70564	Resistant
19	MCF7	>9.5238	1.95E-07	0.978811	0.71670	Resistant
20	MCF7/Her2	>9.5238	1.8E-07	0.978811	0.71670	Resistant
21	MDA-MB-436	>9.5238	1.51E-07	0.978811	0.71670	Resistant
22	ZR-75-1	>9.5238	1.8E-07	0.978811	0.71670	Resistant
23	MDA-MB-453	>9.5238		0.978811	0.71670	Resistant
	Mean IC ₅₀ across all 23 cell lines	5.2744		0.197626		
	SD	3.9565		1.08998		

Table 2 shows a polynucleotide list derived from three analysis algorithms that demonstrated a high correlation between expression pattern and resistance/sensitivity classification to BMS-A. The polynucleotide number, relative expression pattern, i.e., sensitive or resistant, Genbank Accession number, polynucleotide description, Unigene cluster number, SEQ ID NO: for the nucleic acid sequence of the gene, SEQ ID NO: for the amino acid sequence coded for by the polynucleotide (if available) and PID (protein ID), are presented in Table 2. For each gene, the DNA and encoded amino acid sequence represented by SEQ ID NOs. in Table 2 are set forth in the Sequence Listing.

TABLE 2

Markers highly correlated to BMS-A in expression pattern and resistance/sensitivity classification

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
1	Sensitive cells	NM_004431	yes	EphA2	Hs.171596	1	138	NP_004422
2	Sensitive cells	AF025304		EphB2	Hs.125124	2	139	AA094602
3	Sensitive cells	AU147399	yes	caveolin 1, caveolae protein, 22kD	Hs.74034	3	140	NP_001744
4	Sensitive cells	NM_001233	yes	caveolin 2	Hs.139851	4	141	NP_001224
5	Sensitive cells	NM_000700	yes	annexin A1	Hs.78225	5	142	NP_000691
6	Sensitive cells	NM_004039		annexin A2	Hs.406239	6	143	NP_004030
7	Sensitive cells	BG107577		parvin, alpha	Hs.44077	7	144	Q9NVD7
8	Sensitive cells	BE965369	yes	coagulation factor II (thrombin) receptor-like 1	Hs.154299	8	145	XP_003671
9	Sensitive cells	NM_001993	yes	coagulation factor III (thromboplastin, tissue factor)	Hs.62192	9	146	NP_001984
10	Sensitive cells	BF792126		Homo sapiens, clone IMAGE:4344858, mRNA	Hs.432974	10	147	P1_453619
11	Sensitive cells	BE856341		layilin	Hs.133015	11	148	Q96NF3
12	Sensitive cells	U17496		proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7)	Hs.180062	12	149	P28062
13	Sensitive cells	NM_002800		proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2)	Hs.381081	13	150	NP_002791
14	Sensitive cells	NM_000311		prion protein (p27-30) (Creutzfeld-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia)	Hs.74621	14	151	P04156
15	Sensitive cells	NM_003739	yes	aldo-keto reductase family 1, member C3 (3-alpha hydroxysteroid dehydrogenase, type II)	Hs.78183	15	152	NP_003730
16	Sensitive cells	NM_020639		ankyrin repeat domain 3	Hs.55565	16	153	NP_065690
17	Sensitive cells	AF208043	yes	interferon, gamma-inducible protein 16	Hs.155530	17	154	Q16666
18	Sensitive cells	AF003837	yes	jagged 1 (Alagille syndrome)	Hs.91143	18	155	P78504
19	Sensitive cells	BC002832	yes	butyrophilin, subfamily 3, member A2	Hs.87497	19	156	AAF76140
20	Sensitive cells	NM_006994	yes	butyrophilin, subfamily 3, member A3	Hs.167741	20	157	NP_008925
21	Sensitive cells	AF327443		calpastatin	Hs.359682	21	158	XP_051211

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
22	Sensitive cells	NM_021615	yes	carbohydrate (N-acetylglucosamine 6-O) sulfotransferase 6	Hs.157439	22	159	NP_067628
23	Sensitive cells	AF104857	yes	CDC42 effector protein (Rho GTPase binding) 3	Hs.260024	23	160	NP_006440
24	Sensitive cells	AL136896		suppressor of cytokine signaling 5	Hs.169836	24	161	O75159
25	Sensitive cells	AL565621	yes	coactosin-like protein	Hs.289092	25	162	AAH16702
26	Sensitive cells	BF111719		alkylglycerone phosphate synthase	Hs.22580	26	163	O00116
27	Sensitive cells	N36770		dual specificity phosphatase 10	Hs.177534	27	164	NP_009138
28	Sensitive cells	AW575374	yes	ELK3, ETS-domain protein (SRF accessory protein 2)	Hs.288555	28	165	NP_005221
29	Sensitive cells	AW269335	yes	endothelial differentiation, lysophosphatidic acid G-protein-coupled receptor, 2	Hs.75794	29	166	NP_001392
30	Sensitive cells	BC001247	yes	epithelial protein lost in neoplasm beta	Hs.10706	30	167	Q9UHB6
31	Sensitive cells	BE669858		hypothetical protein FLJ39885	Hs.319825	31	168	NP_689916
32	Sensitive cells	NM_000127		exostoses (multiple) 1	Hs.184161	32	169	NP_000118
33	Sensitive cells	NM_002589		BH-protocadherin (brain-heart)	Hs.34073	33	170	O60245
34	Sensitive cells	AI133452		fibrinogen, gamma polypeptide	Hs.75431	34	171	AAH21674
35	Sensitive cells	NM_006101		highly expressed in cancer, rich in leucine heptad repeats	Hs.58169	35	172	NP_006092
36	Sensitive cells	AL135264		ESTs, Moderately similar to hypothetical protein FLJ20489	Hs.406100	36		
37	Sensitive cells	NM_014164		FXVD domain-containing ion transport regulator 5	Hs.333418	37	173	NP_054883
38	Sensitive cells	BC003502		small fragment nuclease	Hs.7527	38	174	Q9Y3B8
39	Sensitive cells	AA780067		heparan sulfate (glucosamine) 3-O-sulfotransferase 3B1	Hs.159572	39	175	Q9Y662
40	Sensitive cells	AA702248	yes	Homo sapiens cDNA FLJ14241 fis, clone OVARC1000533	Hs.183765	40		
41	Sensitive cells	BC004372		CD44 antigen (homing function and Indian blood group system)	Hs.169610	41	176	Q9U136
42	Sensitive cells	BF688144		Homo sapiens mRNA; cDNA DKFZp762O2215 (from clone DKFZp762O2215)	Hs.331666	42		
43	Sensitive cells	NM_018067		hypothetical protein FLJ10350	Hs.177596	43	177	NP_060537
44	Sensitive cells	BG111761		guanine nucleotide binding protein (G protein), gamma 12	Hs.8107	44	178	Q9UBI6
45	Sensitive cells	NM_017821		nucleoredoxin	Hs.374534	45	179	NP_060291

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
46	Sensitive cells	AA722799		endothelial and smooth muscle cell-derived neuropilin-like protein	Hs.173374	46	180	Q96PD2
47	Sensitive cells	BC006436		hypothetical protein MGC13105	Hs.22744	47	181	AAH06436
48	Sensitive cells	NM_006548	yes	IGF-II mRNA-binding protein 2	Hs.30299	48	182	NP_006539
49	Sensitive cells	NM_002194		inositol polyphosphate-1-phosphatase	Hs.32309	49	183	NP_002185
50	Sensitive cells	BG251556		KIAA1949 protein	Hs.101150	50	184	BAB85535
51	Sensitive cells	J03202		laminin, gamma 1 (formerly LAMB2)	Hs.432855	51	185	NP_002284
52	Sensitive cells	NM_000245	yes	met proto-oncogene (hepatocyte growth factor receptor)	Hs.316752	52	186	NP_000236
53	Sensitive cells	NM_002444		moesin	Hs.170328	53	187	NP_002435
54	Sensitive cells	NM_012334	yes	myosin X	Hs.61638	54	188	NP_036466
55	Sensitive cells	AI769569		ESTs	Hs.112472	55		
56	Sensitive cells	NM_002633	yes	phosphoglucosyltransferase 1	Hs.1869	56	189	NP_002624
57	Sensitive cells	BC004295	yes	polymyrase I and transcript release factor	Hs.29759	57	190	O00535
58	Sensitive cells	NM_016205		platelet derived growth factor C	Hs.43080	58	191	Q9UL22
59	Sensitive cells	NM_004815	yes	PTPL1-associated RhoGAP 1	Hs.70983	59	192	NP_004806
60	Sensitive cells	NM_002872		ras-related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2)	Hs.301175	60	193	NP_002863
61	Sensitive cells	AF329267		SH3-domain kinase binding protein 1	Hs.153260	61	194	XP_039010
62	Sensitive cells	AI572079		snail homolog 2 (Drosophila)	Hs.93005	62	195	AAH14890
63	Sensitive cells	NM_001549		interferon-induced protein with tetratricopeptide repeats 4	Hs.181874	63	196	O14879
64	Sensitive cells	D50683		transforming growth factor, beta receptor II (70-80kD)	Hs.82028	64	197	NP_003233
65	Sensitive cells	NM_005902		MAD (mothers against decapentaplegic, Drosophila) homolog 3	Hs.288261	65	198	Q92940
66	Sensitive cells	NM_014452		tumor necrosis factor receptor superfamily, member 21	Hs.159651	66	199	NP_055267
67	Sensitive cells	AB017644		ubiquitin-conjugating enzyme E2E 3 (homologous to yeast UBC4/5)	Hs.4890	67	200	XP_096160
68	Sensitive cells	BC002323		zyxin	Hs.75873	68	201	Q15942
69	Resistant cells	AL157452		Homo sapiens mRNA; cDNA DKFZp761C1712 (from clone DKFZp761C1712)	Hs.4774	69		

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
70	Resistant cells	BF752277		hypothetical protein FLJ20151	Hs.279916	70	202	Q9NXM9
71	Resistant cells	BF512299		ESTs	Hs.438672	71		
72	Resistant cells	AL049381	yes	Homo sapiens mRNA; cDNA DKFZp586j2118 (from clone DKFZp586j2118)	Hs.21851	72		
73	Resistant cells	NM_002585	yes	pre-B-cell leukemia transcription factor 1	Hs.155691	73	203	NP_002576
74	Resistant cells	T68445		anaphase-promoting complex subunit 7	Hs.52763	74	204	Q96AC4
75	Resistant cells	BF308645		PRex1 KIAA1415 protein	Hs.109315	75	205	Q8TCU6
76	Resistant cells	AF088867	yes	anterior gradient 2 (Xenopus laevis) homolog	Hs.413945	76	206	AF088867_1
77	Resistant cells	NM_004040	yes	Human HepG2 3' region cDNA, clone hmd1f06.	Hs.204354	77	207	NP_004031
78	Resistant cells	AF151810	yes	serologically defined colon cancer antigen 28	Hs.84700	78	208	Q9Y365
79	Resistant cells	NM_004252		transmembrane 7 superfamily member 2	Hs.31130	79	209	NP_004243
80	Resistant cells	NM_005749	yes	transducer of ERBB2, 1	Hs.178137	80	210	NP_005740
81	Resistant cells	NM_003225	yes	trefoil factor 1 (breast cancer, estrogen-inducible sequence expressed in)	Hs.350470	81	211	NP_003216
82	Resistant cells	AA181060	yes	Homo sapiens cDNA FLJ31753 fis, clone NT2R2007468	Hs.349283	82		
83	Resistant cells	AL050025		adaptor-related protein complex 1, gamma 1 subunit	Hs.5344	83	212	CAB43244
84	Resistant cells	NM_001089		ATP-binding cassette, sub-family A (ABC1), member 3	Hs.26630	84	213	NP_001080
85	Resistant cells	NM_004915		ATP-binding cassette, sub-family G (WHITE), member 1	Hs.10237	85	214	NP_004906
86	Resistant cells	AL523275		CALM1 calmodulin 1 (phosphorylase kinase, delta)	Hs.374441	86	215	AAH00454
87	Resistant cells	NM_001218	yes	carbonic anhydrase XII	Hs.5338	87	216	NP_001209
88	Resistant cells	NM_016286		dicarbonyl/L-xylulose reductase	Hs.9857	88	217	NP_057370
89	Resistant cells	BC000185		carnitine palmitoyltransferase I, liver	Hs.259785	89	218	AAH00185
90	Resistant cells	NM_005505		scavenger receptor class B, member 1	Hs.180616	90	219	NP_005496
91	Resistant cells	NM_016048		CGI-111 protein	Hs.11085	91	220	NP_057132
92	Resistant cells	BC000195		CGI-81 protein	Hs.279583	92	221	NP_057109
93	Resistant cells	NM_001306		claudin 3	Hs.25640	93	222	NP_001297
94	Resistant cells	BC000021		cytochrome b-561	Hs.355264	94	223	NP_001906
95	Resistant cells	W68084		EGF-like-domain, multiple 5	Hs.5599	95	224	Q9H1U4
96	Resistant cells	AA825563	yes	ESTs	Hs.445708	96		

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
97	Resistant cells	BE887449		Homo sapiens cDNA FLJ34170 fis, clone FCBBF3015396.	Hs.32112	97		
98	Resistant cells	AI123815	yes	hypothetical protein FLJ21963	Hs.13222	98	225	Q9H6R3
99	Resistant cells	AI308862		RAB21, member RAS oncogene family	Hs.184627	99	226	Q9UL25
100	Resistant cells	AW006352		EST	Hs.159643	100		
101	Resistant cells	AL554277		chromosome 17 open reading frame 28	Hs.11067	101	227	Q9NT34
102	Resistant cells	BG289001		hypothetical protein LOC253782	Hs.387400	102		
103	Resistant cells	AI935915		hypothetical protein LOC112868	Hs.97837	103	228	XP_053402
104	Resistant cells	NM_017689	yes	hypothetical protein FLJ20151	Hs.279916	104	229	NP_060159
105	Resistant cells	NM_017966		hypothetical protein FLJ20847	Hs.13479	105	230	NP_060436
106	Resistant cells	AI923458		Williams Beuren syndrome chromosome region 21	Hs.182476	106	231	NP_112585
107	Resistant cells	NM_000597		insulin-like growth factor binding protein 2 (36kD)	Hs.433326	107	232	NP_000588
108	Resistant cells	U90304		iroquois homeobox protein 5	Hs.25351	108	233	P78411
109	Resistant cells	NM_004968		islet cell autoantigen 1 (69kD)	Hs.167927	109	234	NP_004959
110	Resistant cells	AL563283		androgen-induced basic leucine zipper	Hs.372924	110	235	NP_570968
111	Resistant cells	AA135522		KIAA0089 protein	Hs.82432	111	236	AAH28726
112	Resistant cells	AI867102	yes	solute carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 1	Hs.184276	112	237	XP_051621
113	Resistant cells	AW134976		KIAA0984 protein	Hs.11912	113	238	BAA76828
114	Resistant cells	AW665865		KIAA1069 protein	Hs.193143	114	239	BAA83021
115	Resistant cells	AB051487		nucleoporin 210	Hs.270404	115	240	BAB40814
116	Resistant cells	AB050049		methylcrotonoyl-Coenzyme A carboxylase 2 (beta)	Hs.167531	116	241	Q9HCC0
117	Resistant cells	NM_016835		microtubule-associated protein tau	Hs.101174	117	242	NP_058519
118	Resistant cells	AK002075		myelin gene expression factor 2	Hs.44268	118	243	NP_057216
119	Resistant cells	NM_000933		Homo sapiens mRNA; cDNA DKFZp434E235 (from clone DKFZp434E235)	Hs.348724	119	244	NP_000924
120	Resistant cells	AI435670		prostate epithelium-specific Ets transcription factor	Hs.79414	120	245	NP_036523
121	Resistant cells	NM_006443		putative c-Myc-responsive	Hs.109752	121	246	NP_006434
122	Resistant cells	AW263542		ESTs	Hs.403937	122		AAH15948

Gene No.	Highly Expressed in	Genbank Accession #	Modulated by BMS-A	Unigene Title	Unigene Cluster	DNA SEQ ID NO:	Amino Acid SEQ ID NO:	Protein ID
123	Resistant cells	AF153330		dual specificity phosphatase 16	Hs.20281	123	247	Q9BY84
124	Resistant cells	BC002702		solute carrier family 25 (mitochondrial carrier; ornithine transporter) member 15	Hs.78457	124	248	Q9Y619
125	Resistant cells	NM_006416		solute carrier family 35 (CMP-sialic acid transporter), member 1	Hs.82921	125	249	NP_006407
126	Resistant cells	NM_030674		solute carrier family 38, member 1	Hs.18272	126	250	NP_109599
127	Resistant cells	AF212371		spinster-like protein	Hs.379091	127	251	AAH08325
128	Resistant cells	AF096304		solute carrier family 19 (thiamine transporter), member 2	Hs.30246	128	252	AAD09765
129	Resistant cells	AK000948		trichorhinophalangeal syndrome I	Hs.26102	129	253	Q9UHF7
130	Resistant cells	AI859834		ESTs, Moderately similar to hypothetical protein FLJ20489	Hs.445020	130		
131	Resistant cells	BF512846		ESTs	Hs.442762	131		
132	Resistant cells	NM_022969	yes	fibroblast growth factor receptor 2 (bacteria-expressed kinase, keratinocyte growth factor receptor, craniofacial dysostosis 1, Crouzon syndrome, Pfeiffer syndrome, Jackson-Weiss syndrome)	Hs.278581	132	254	NP_075258
133	Resistant cells	AA741493	yes	ESTs	Hs.143842	133		
134	Resistant cells	NM_001424		epithelial membrane protein 2	Hs.29191	134	255	P54851
135	Resistant cells	AW242920	yes	ESTs	Hs.129368	135		
136	Resistant cells	W44413		small protein effector 1 of Cdc42	Hs.22065	136	256	Q9HB17
137	Resistant cells	AK021717		Homo sapiens cDNA FLJ11655 fis, clone HEMBA1004554	Hs.287436	137		

Table 3 presents a resistance/sensitivity prediction of the 23 breast cell lines for BMS-A in the 'leave one out' cross validation test using a Weighted Voting algorithm. The true class is assigned as in Table 1, based on the IC₅₀ results. The predicted class was determined by using the optimal 15 and 7 polynucleotides as the predictor set to predict the resistance or sensitive class. These polynucleotides were selected either from the 137 polynucleotides derived from three analysis methods as shown in Table 2, or from 40 drug treatment modulated polynucleotides as indicated in Table 2. "S" represents Sensitive; "R" represents Resistant. The PS score refers to prediction strength for each prediction made on a cell line by the predictor set. The PS score ranges from 0 to 1, i.e., corresponding from low to high confidence in making the prediction. The error predictions are indicated by an asterisk (*).

TABLE 3

Cell Line	True Class	15 markers from 137 polynucleotides in Table 2			7 modulated markers from 40 polynucleotides as indicated in Table 2		
		Predicted Class	PS score	Error?	Predicted Class	PS score	Error?
MDAMB157	S	S	0.627		S	0.696	
MDAMB231	S	S	0.857		S	1.000	
HCC1954	S	S	0.416		S	0.847	
HCC70	S	S	0.695		S	1.000	
BT20	S	S	0.586		S	0.794	
HCC1806	S	S	0.985		S	1.000	
Hs578T	S	S	0.775		S	0.570	
HCC1419	R	R	1.000		R	1.000	
SkBr3	R	R	0.852		R	0.992	
AU565	R	R	0.629		R	0.763	
HCC38	R	S	0.101	*	S	0.501	*
BT474	R	R	0.938		R	1.000	
MDAMB468	R	R	0.392		R	0.416	
HCC1428	R	R	0.623		R	0.939	
MDAMB435S	R	S	0.723	*	R	0.324	
H3396	R	R	1.000		R	1.000	
BT549	R	R	0.029		R	0.012	
Zr-75-30	R	R	0.958		R	1.000	
MCF7	R	R	0.911		R	1.000	
Her2MCF7	R	R	0.991		R	1.000	
MDAMB436	R	R	0.340		R	0.412	
Zr-75-1	R	R	1.000		R	1.000	
MDAMB453	R	R	0.983		R	1.000	

Table 4 lists the predictor set of 15 polynucleotides used in prediction as shown in Table 3. These 15 polynucleotides were selected from the 137

polynucleotides derived from three analysis methods as shown in Table 2. The relative expression pattern, i.e., sensitive or resistant, polynucleotide description and Unigene cluster number for this 15 predictor polynucleotide subset are indicated in Table 4.

5

TABLE 4

Highly Expressed in:	Modulated by BMS-A	Unigene Title	Unigene Cluster No
Sensitive cells		EphB2	Hs.125124
Sensitive cells		parvin, alpha	Hs.44077
Sensitive cells	yes	coagulation factor II (thrombin) receptor-like 1	Hs.154299
Sensitive cells	yes	aldo-keto reductase family 1, member C3	Hs.78183
Sensitive cells	yes	interferon, gamma-inducible protein 16	Hs.155530
Sensitive cells	yes	jagged 1 (Alagille syndrome)	Hs.91143
Sensitive cells		hypothetical protein MGC13105	Hs.22744
Sensitive cells		snail homolog 2 (Drosophila)	Hs.93005
Resistant cells		Homo sapiens mRNA cDNA DKFZp761C1712	Hs.4774
Resistant cells	yes	Homo sapiens cDNA FLJ31753 fis, clone NT2RI2007468	Hs.349283
Resistant cells		ATP-binding cassette, sub-family A (ABC1), member 3	Hs.26630
Resistant cells		CGI-81 protein	Hs.279583
Resistant cells	yes	ESTs	Hs.445708
Resistant cells		EST	Hs.159643
Resistant cells		hypothetical protein LOC112868	Hs.97837

Table 5 lists the predictor set of 7 polynucleotides used in prediction as shown in Table 3. These 7 polynucleotides were selected from the 40 polynucleotides that were modulated by drug treatment as indicated in Table 2. The relative expression pattern, i.e., sensitive or resistant, polynucleotide description and Unigene cluster number for this 7 predictor polynucleotide subset are indicated in Table 5.

10

TABLE 5

Highly Expressed in:	Modulated by BMS-A	Unigene Title	Unigene Cluster No
Resistant cells	yes	Homo sapiens cDNA FLJ31753 fis, clone NT2RI2007468	Hs.349283
Sensitive cells	yes	jagged 1 (Alagille syndrome)	Hs.91143
Sensitive cells	yes	interferon, gamma-inducible protein 16	Hs.155530
Sensitive cells	yes	coagulation factor II (thrombin) receptor-like 1	Hs.154299
Resistant cells	yes	ESTs	Hs.445708
Sensitive cells	yes	aldo-keto reductase family 1, member C3	Hs.78183
Sensitive cells	yes	polymerase I and transcript release factor	Hs.29759

Table 6 lists the representative RT-PCR primer sets for each of the protein tyrosine kinase biomarker polynucleotides of the present invention. The SEQ ID NO: for each RT-PCR primer is provided (SEQ ID NO:257 thru 530).

5

TABLE 6

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
NM_004431	Forward Primer	TCCTCACACTAAGAGGGCAGA	257
NM_004431	Reverse Primer	ACCTCAACACAACCAAGCATC	258
AF025304	Forward Primer	TCAGTGAGTACAACGCCACAG	259
AF025304	Reverse Primer	CTTCTCCTGGATGCTTGTCTG	260
NM_001753	Forward Primer	CCACCTTCACTGTGACGAAAT	261
NM_001753	Reverse Primer	CCAGATGTGCAGGAAAGAGAG	262
NM_001233	Forward Primer	AGCTGTCTGCACATCTGGATT	263
NM_001233	Reverse Primer	CCTGGGGTCCAAGTATTCAAT	264
NM_000700	Forward Primer	CATCAAGCCATGAAAGGTGTT	265
NM_000700	Reverse Primer	ACAAAGAGCCACCAGGATTTT	266
NM_004039	Forward Primer	GAAGTATGTTCCCAAGTGGA	267
NM_004039	Reverse Primer	AACCAGGTTTCAGGAAAGCATT	268
BG107577	Forward Primer	TTTCGTGAACAAGCACCTGA	269
BG107577	Reverse Primer	ATGAGCTCAAAGGCAAAGGA	270
BE965369	Forward Primer	GTTTAAAATCCGGATTGGCAT	271
BE965369	Reverse Primer	GTGGCCGTGATAATTTTGTAA	272
NM_001993	Forward Primer	AAAATGGAAGGAAATTGGGTG	273
NM_001993	Reverse Primer	TGCCCAGAATACCAATGTCTC	274
BF792126	Forward Primer	TCGGTGAATTCAAGGACCAT	275
BF792126	Reverse Primer	GCTGCCTTCAAGGATCTCAC	276
E856341	Forward Primer	TGCCAGGTAAAGCTCTGTCC	277
E856341	Reverse Primer	GTCCTGTGGATGAGCATGTG	278
U17496	Forward Primer	ATCTCCAGAGCTCGCTTTACC	279
U17496	Reverse Primer	TTCACCCGTAAGGCACTAATG	280
NM_002800	Forward Primer	TATGGTTATGTGGATGCAGCA	281
NM_002800	Reverse Primer	AGATGACTCGATGGTCCACAC	282
NM_000311	Forward Primer	CCGAGTAAGCCAAAAACCAA	283
NM_000311	Reverse Primer	CTCATCCATGGGCCTGTAGT	284
NM_003739	Forward Primer	GGTAGGAACCTTTCACCAACA	285
NM_003739	Reverse Primer	CTTGAGTCCTGGCTTGTTGAG	286
NM_020639	Forward Primer	TACTTGGGTGAGTCCTTGTGG	287
NM_020639	Reverse Primer	GACTCTTAGGCCTGTGGCTCT	288
AF208043	Forward Primer	GGAGTAAGGTGTCCGAGGAAC	289
AF208043	Reverse Primer	CTGACATTTGGCCACTGTTTT	290
AF003837	Forward Primer	CCTGTAACATAGCCCGAAACA	291
AF003837	Reverse Primer	AGTTGTCTCCATCCACACAGG	292
BC002832	Forward Primer	ACGTGTATGCAGATGGAAAGG	293
BC002832	Reverse Primer	CAGAGGCTGTGACGTTGTGTA	294
NM_006994	Forward Primer	AATTTGTGCAGTTGGGAGATG	295
NM_006994	Reverse Primer	TGATCTCTACCCTGCAGCTGT	296
AF327443	Forward Primer	CATCTGACTTCACCTGTGGGT	297
AF327443	Reverse Primer	TTCTGACTGTCCCTGCTGACT	298
NM_021615	Forward Primer	ACCCCGACGTCTTCTACCTAA	299

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
NM_021615	Reverse Primer	GCAGATAGGCATCAAACACGT	300
AF104857	Forward Primer	AGTTCCCTGGGCATAATGAGT	301
AF104857	Reverse Primer	AACATGAGAGCTTGGGATCCT	302
AL136896	Forward Primer	AGCCGAATCCACTCTCATGT	303
AL136896	Reverse Primer	TAACAAGGCACAGCAAGCAG	304
AL565621	Forward Primer	CTCAGACCTTTGCCCTTCTCT	305
AL565621	Reverse Primer	TCCGGCTCAGACTGAATAAGA	306
BF111719	Forward Primer	CACACATGGGCATTTGCTTA	307
BF111719	Reverse Primer	GGATATGCAGTGGGAAGGAA	308
BC020608	Forward Primer	CACCGAGAATCCTTACACCAA	309
BC020608	Reverse Primer	CAGAATCCATCCTCCTTCCTC	310
AW575374	Forward Primer	CATGCACACACACAGAATG	311
AW575374	Reverse Primer	TTTCCTTTGGAACTGGGATT	312
NM_001401	Forward Primer	CTTGCTGAATTCAACTCTGCC	313
NM_001401	Reverse Primer	AAACCACAGAGTGGTCATTGC	314
BC001247	Forward Primer	AGGAGAAGGAAGACAAGCCAG	315
BC001247	Reverse Primer	CTTGCTGATTTCGTCTTCAGG	316
BE669858	Forward Primer	CTGCTTGAGACTGTTCTGGCT	317
BE669858	Reverse Primer	GATTAGAGGGCTTCCTCATGG	318
NM_000127	Forward Primer	CAAGGGGAAGAGGTACCTGAC	319
NM_000127	Reverse Primer	TCTGTCACAGCGAGAATCCTT	320
NM_002589	Forward Primer	GACTCTGGGCGTCTCTGAAG	321
NM_002589	Reverse Primer	CAGCAACAAGCCAGTCTCAA	322
AI133452	Forward Primer	ACATCATGAGTTGGTCCTTGC	323
AI133452	Reverse Primer	AATCTGCAATGCCACAGGTAG	324
NM_006101	Forward Primer	TCCTCATACATGGCCTCACA	325
NM_006101	Reverse Primer	TGTCGGCACCACATCAAAA	326
AL135264	Forward Primer	GGTGCAGGTTGACACTGAAA	327
AL135264	Reverse Primer	AAGGTTACACAGGACACAGG	328
NM_014164	Forward Primer	ATCACAGGCATCATCATCCTC	329
NM_014164	Reverse Primer	GGTTGTCAGCTCCTGTTTCTG	330
BC003502	Forward Primer	GGGGTGTAGGTGGGAGTCAC	331
BC003502	Reverse Primer	AGTGCCTTCAGCCAAAATGT	332
AA780067	Forward Primer	GCCATCCTCTTGATAAGCTGA	333
AA780067	Reverse Primer	TCTTCCAGGATTCTCTTTGG	334
AA702248	Forward Primer	GATTGCAGATCCTATGCAGGA	335
AA702248	Reverse Primer	GCATCCAGGACAACACAAAGT	336
BC004372	Forward Primer	AAGGTGGAGCAAACACAACC	337
BC004372	Reverse Primer	TCCACTTGGCTTTCTGTCTT	338
BF688144	Forward Primer	CAAGTGCCCATTTAGGTTTGA	339
BF688144	Reverse Primer	ACTGACAGATGGCTCATTTGG	340
NM_018067	Forward Primer	GAACACCAGAGACACTCCTGC	341
NM_018067	Reverse Primer	ACATCCTGGTAGGTGATGCAG	342
BG111761	Forward Primer	CGCATCTGTCCAGCATCTTA	343
BG111761	Reverse Primer	CAAAACCGGGACGCTAACT	344
NM_017821	Forward Primer	AGAAACAGTGGATCACGTTGG	345
NM_017821	Reverse Primer	TTCCAAGGGAATACCCAAAAC	346
AA722799	Forward Primer	GTTTCCACTTTTCCCAGTGC	347
AA722799	Reverse Primer	TCACATGAAACGATTCTCTGCT	348
BC006436	Forward Primer	AATGTCAAAAGTGTGGGCAAG	349
BC006436	Reverse Primer	ATGTGGACCGAGTAAAGGCTT	350
NM_006548	Forward Primer	CAGTCCCGGGTAGATATCCAT	351
NM_006548	Reverse Primer	TCTTCGGCTAGTTGGTCTCA	352

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
NM_002194	Forward Primer	TGATTTGCCACAGTTGGTGTA	353
NM_002194	Reverse Primer	CTAGGTATGCGTCTCTGCAGG	354
BG251556	Forward Primer	CAGCCTGGTTTACAAATTCCA	355
BG251556	Reverse Primer	TGGGGAAAACCTAAGGCAAAGT	356
J03202	Forward Primer	CAACAATGAAGCCTGCTCTTC	357
J03202	Reverse Primer	CCTGCTTCAGTGAGAGAATGG	358
NM_000245	Forward Primer	AGGACCGGTTTCATCAACTTCT	359
NM_000245	Reverse Primer	TCAATGTAGGACTGGTCCGTC	360
NM_002444	Forward Primer	AAATGGTGCCTTCAAGACCTT	361
NM_002444	Reverse Primer	CCGGCCTATACTCCTACAAGG	362
NM_012334	Forward Primer	TAATGGTGGTCTGAACAAGGC	363
NM_012334	Reverse Primer	AGTTGGCCCAAGTCCTTAAAA	364
AI769569	Forward Primer	CATGGAGGAGCCATACAACA	365
AI769569	Reverse Primer	TTTGTCTGCTCCCAAATTC	366
NM_002633	Forward Primer	TGCTTTGTATGAGACCCCAAC	367
NM_002633	Reverse Primer	CATCTTTCTCACGGATGTGGT	368
BC004295	Forward Primer	AGAAGACAGAGAGGTGAGCCC	369
BC004295	Reverse Primer	TGGGACCCTAATTTTCTGGAC	370
NM_016205	Forward Primer	ACCCTTGAGTTTTCGCCTCT	371
NM_016205	Reverse Primer	GGATCAAAGCAAAACCTGGA	372
NM_004815	Forward Primer	GCCCCTTTGTATAGGACTGC	373
NM_004815	Reverse Primer	AATTCCAGTGAGGCACAAATG	374
NM_002872	Forward Primer	CAAGACCTGCCTTCTCATCAG	375
NM_002872	Reverse Primer	GAAGACGTCCGTCTGTGGATA	376
AF329267	Forward Primer	CAATTCTCTCAGCAGACCTGG	377
AF329267	Reverse Primer	ACCACGGAGTCAAAACCTTCT	378
AI572079	Forward Primer	CCCCAAGGCACATACTGTAA	379
AI572079	Reverse Primer	TGCCCATTTGTTGAACTAAAGC	380
NM_001549	Forward Primer	GAACATGCTGACCAAGCAGA	381
NM_001549	Reverse Primer	CAGTTGTGTCCACCCTTCCT	382
D50683	Forward Primer	AACAATACTGGCTGATCACCG	383
D50683	Reverse Primer	CATGGAGTGTGATCACTGTGG	384
NM_005902	Forward Primer	GGACTGCAGTGTGGAGTTCA	385
NM_005902	Reverse Primer	GAGAGGGGAGGGAGACAGAC	386
NM_014452	Forward Primer	GGTTTATAAGCCTTTGCCAGG	387
NM_014452	Reverse Primer	GTGGGAAAAGTCACACTGCAT	388
AB017644	Forward Primer	CTCCTCCTAATTGCAGTGTCTG	389
AB017644	Reverse Primer	GTGATAGATTCTGGTGC GGAA	390
BC002323	Forward Primer	CCTCAGGTCCAACCTCATGT	391
BC002323	Reverse Primer	GTGCCCCAATTTTGTATTG	392
AL157452	Forward Primer	AGCCTTGCTCTCCCTTGGATT	393
AL157452	Reverse Primer	TCAGTTGCCCCCTCTACAACC	394
BF752277	Forward Primer	AAGGCCCTGGATTCTCACTC	395
BF752277	Reverse Primer	GCCAGGACACCTTCAGAGAG	396
BF512299	Forward Primer	AAGAGCCTCCCAAAGGAAA	397
BF512299	Reverse Primer	GGGAAATGAAAGTGGCAAGA	398
AL049381	Forward Primer	TTGTTGGTTTTATTCTCCCCC	399
AL049381	Reverse Primer	CAGTTGGAATCAAAAGGGACA	400
NM_002585	Forward Primer	AGTGAGGAAGCCAAAGAGGAG	401
NM_002585	Reverse Primer	TTTGGCAGCATAAATATTGGC	402
T68445	Forward Primer	CAGAGAGGGAACCACCAGAG	403
T68445	Reverse Primer	CCCTGGGGAAATTAATGA	404
BF308645	Forward Primer	CTCTGTCCGGAAAGGAGAGA	405

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
BF308645	Reverse Primer	GAACTTTGACGACACCGACA	406
AF088867	Forward Primer	CTCTGGCCAGAGATACCACAG	407
AF088867	Reverse Primer	CATCAAGGGTTTGTGCTTGT	408
NM_004040	Forward Primer	AACTATGTGGCCGACATTGAG	409
NM_004040	Reverse Primer	CACCGAGAAGCACATGAGAAT	410
AF151810	Forward Primer	CCTGAAGAACCGTGATGTCAT	411
AF151810	Reverse Primer	CTGTGCTCTGGATGAGGTAGC	412
NM_004252	Forward Primer	CACATCCCCTTTCTTGACAAA	413
NM_004252	Reverse Primer	GATGAGGCACTCAGTGAGGAG	414
NM_005749	Forward Primer	TTGAAACCTAATTTTGTGGCG	415
NM_005749	Reverse Primer	AAATGTTGACACGTCTCCTGG	416
NM_003225	Forward Primer	CCTAATACCATCGACGTCCCT	417
NM_003225	Reverse Primer	AGCTCTGGGACTAATCACCGT	418
AA181060	Forward Primer	AAAAGGCTGACAACTGACCA	419
AA181060	Reverse Primer	TCACAGCCTAGGTAAGAGCCA	420
AL050025	Forward Primer	CAGGTACGAATTTTGCGGTTA	421
AL050025	Reverse Primer	TCGCAATCCACTCTCTGACTT	422
NM_001089	Forward Primer	CTCCTTCAGCTTCATGGTCAG	423
NM_001089	Reverse Primer	TCTGGCTCAGAGTCATCCAGT	424
NM_004915	Forward Primer	CAACCCAGCAGATTTTGTTCAT	425
NM_004915	Reverse Primer	CGAGGTCTCTCTTGTGGTCTG	426
AL523275	Forward Primer	TCTTTGCATTGAGATTGGTCC	427
AL523275	Reverse Primer	ACCGTGAAAAATGCACATCTC	428
NM_001218	Forward Primer	CCTTCAATCCGTCCTATGACA	429
NM_001218	Reverse Primer	GGAAGCAGCTCTTCAATGTTG	430
NM_016286	Forward Primer	GAGTGAATGCAGTAAACCCCA	431
NM_016286	Reverse Primer	CACTCAGCAGAAAGAGGATGG	432
BC000185	Forward Primer	CATCGAGGACGCTACTTCAAG	433
BC000185	Reverse Primer	AAAATAGGCCTGACGACACCT	434
NM_005505	Forward Primer	TTGGACAACTGGGAAGATTG	435
NM_005505	Reverse Primer	ACGTACTGGGCATAGTGCATC	436
NM_016048	Forward Primer	GGGGATATTATTAGCGTGGGA	437
NM_016048	Reverse Primer	TGCCGCTTCTACTTCTGGTAA	438
BC000195	Forward Primer	TCCAATCACATTTCTATCGG	439
BC000195	Reverse Primer	GATTCCATTTACGGGGAAAAA	440
NM_001306	Forward Primer	AACCTGCATGGACTGTGAAAC	441
NM_001306	Reverse Primer	AATATCAAGTGCCCTTCCAG	442
BC000021	Forward Primer	GCAAGTATAGCGCATTTGAGC	443
BC000021	Reverse Primer	CGTCTTGAAGTCCATGGAGAG	444
W68084	Forward Primer	TTAGATCTGAAGCCCTGGGTT	445
W68084	Reverse Primer	TGCTTGGTGAACATAACACCA	446
AA825563	Forward Primer	AGAAGAAAAACCCAAATGGCA	447
AA825563	Reverse Primer	TCCATAGTGGTTTTTACCAGCA	448
BE887449	Forward Primer	TGCGTACCAGGATTGGTTAAG	449
BE887449	Reverse Primer	GATGTCCAACAAAACGCTCAT	450
AI123815	Forward Primer	TGAGCATGGTATACTTTTGGG	451
AI123815	Reverse Primer	AAGCTTATAGGAATGGGCCAG	452
AI308862	Forward Primer	TGGGAAAATTTAAAACCCACA	453
AI308862	Reverse Primer	TCAAAGTGCCCTTTGGTAGTG	454
AW006352	Forward Primer	TCCTCAAACACAAAATCCCAG	455
AW006352	Reverse Primer	CTCCTACTATGGGCCTCCAAC	456
AL554277	Forward Primer	GAAGCAGATCGTCCTGAACTG	457
AL554277	Reverse Primer	GCTCATCATCCTCTTCTCCCT	458

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
BG289001	Forward Primer	TCCCAATAGCTTGTGGATCAG	459
BG289001	Reverse Primer	ATCAACCAGGAAGCCAACCTTT	460
AI935915	Forward Primer	GACCAACACCTCTCCTAAGGG	461
AI935915	Reverse Primer	GTTGGGAGGGGACCATAGTTA	462
NM_017689	Forward Primer	GAAATAGCAAAAACAAGGCC	463
NM_017689	Reverse Primer	CAATGCAGCACATGCTAGAAA	464
NM_017966	Forward Primer	CAGAATGTAAAGGGTGGGGAT	465
NM_017966	Reverse Primer	CCCTGAGACCTGGTTTACCTC	466
AI923458	Forward Primer	GATGGCAGCTATGAAGTCCTG	467
AI923458	Reverse Primer	GCATTCCAGCTATCACCTGAA	468
NM_000597	Forward Primer	CACCTCTACTCCCTGCACATC	469
NM_000597	Reverse Primer	AGAAGAGATGACACTCGGGGT	470
U90304	Forward Primer	TTTGGCTAAAGACCCGAAAAT	471
U90304	Reverse Primer	TCTCTCTCTCTCGGTGATGGA	472
NM_004968	Forward Primer	GAGCAGGAAAGATGATGCAAG	473
NM_004968	Reverse Primer	AAGTATCTGAGATGGCCCGAT	474
AL563283	Forward Primer	CTCTGGAATGGACTGAAGCTG	475
AL563283	Reverse Primer	AAAAGTCCAGGAGCTGGAGAG	476
AA135522	Forward Primer	CACCTCATCACAACACCCTCT	477
AA135522	Reverse Primer	TGCTAGGATCCACCCTCCTAT	478
AI867102	Forward Primer	CTCTTCCCAGCTCCTGATTCT	479
AI867102	Reverse Primer	CTGAAGGACTGAAGGGAGCTT	480
AW134976	Forward Primer	ACATGCTGTGTGGTAGAGGCT	481
AW134976	Reverse Primer	AACATGCATGCATTGTACCAA	482
AW665865	Forward Primer	TTCCAGGAAGAACATCATTCG	483
AW665865	Reverse Primer	CTTTTCCTTCAGGGAACCAAG	484
AB051487	Forward Primer	TTCTCAGCCAAAGCAGATGTT	485
AB051487	Reverse Primer	TGCTTCTCCTCAGCAATTTGT	486
AB050049	Forward Primer	ACTATGGGATGTGTGGCAGAG	487
AB050049	Reverse Primer	GCTCTTTTAAAGCCGCTTCAT	488
NM_016835	Forward Primer	AAAGAGGCTGACCTTCCAGAG	489
NM_016835	Reverse Primer	AAGGCAAGGCCTATTTTCAA	490
AK002075	Forward Primer	GAAGCAATGAATAGCATGGGA	491
AK002075	Reverse Primer	CCATTCCCTCCAGTCACACTGT	492
NM_000933	Forward Primer	TCGGTCTTGGCTACTTGAAGA	493
NM_000933	Reverse Primer	CAGCGTTCCAGAAAATCTGAG	494
NM_012391	Forward Primer	AAGGAGTTGCTACTCAAGCCC	495
NM_012391	Reverse Primer	CTTGTAATACTGGCGGATGGA	496
NM_006443	Forward Primer	CCATCCTTGGGTGTAGGCTAT	497
NM_006443	Reverse Primer	CTCGAAGTATCGATCCAGCAG	498
BC015948	Forward Primer	ATGTGCCCTCACATCTGTTTC	499
BC015948	Reverse Primer	GGGTTTTAACAGCAGGGTAGC	500
AF153330	Forward Primer	GAAATCAGTCTACCAAGGGGC	501
AF153330	Reverse Primer	CGACTTTGCAATCTTGACACA	502
BC002702	Forward Primer	GAAGAGTGGGCAAACATGAAA	503
BC002702	Reverse Primer	CCCACCTGGGAGTAAGTCTTC	504
NM_006416	Forward Primer	CCAGGTGACCTACCAGTTGAA	505
NM_006416	Reverse Primer	TTCCACCACCACTTTTGTAGC	506
NM_030674	Forward Primer	TGGCAAACACTGGAATCCTAC	507
NM_030674	Reverse Primer	TCTGTAGAGAGGTGGCTCCAA	508
AF212371	Forward Primer	CGGATGCTCAGCATCTTCTAC	509
AF212371	Reverse Primer	ACTACCAGGAACAGCAGCAGA	510
AF096304	Forward Primer	AGGCAATCCGATTACGACTT	511

Genbank Accession No.	RT-PCR Primer Type	Rt-PCR Primer Sequence	SEQ ID NO:
AF096304	Reverse Primer	CTCTGCCTCCTTCATCAACAG	512
AK000948	Forward Primer	AGAAGGACTTCTCCAGCAAGG	513
AK000948	Reverse Primer	CTGGGACAGAATGGACAGTGT	514
AI859834	Forward Primer	TGGCCATTTCAGACAGCATTA	515
AI859834	Reverse Primer	CAGCTACTTGGGAGGCTGAG	516
BF512846	Forward Primer	GGGCCCCACTTGACTCATTTA	517
BF512846	Reverse Primer	GCCTGCAGAGATCTCACTTTG	518
NM_022969	Forward Primer	ACAGGATGGGCCTCTCTATGT	519
NM_022969	Reverse Primer	TCCTCAGGAACACGGTTAATG	520
AA741493	Forward Primer	ACACCTTGGTACCACCAATCA	521
AA741493	Reverse Primer	GGTCTCTTGCCCTTCATCCAGT	522
NM_001424	Forward Primer	GCATCGCCTTCTTCATCTTC	523
NM_001424	Reverse Primer	CGTAGCTGCCTTCTCTGGTC	524
AW242920	Forward Primer	TTCATGCGTGAAAGTGTGAAG	525
AW242920	Reverse Primer	TTTGATCAAAGGGTGTTCATCAG	526
W44413	Forward Primer	GGTAGGGAGCTTCTCAGCAA	527
W44413	Reverse Primer	GTTAGCCCAGAGGAGCTCAA	528
AK021717	Forward Primer	CACAGAAAACACCCCCACTT	529
AK021717	Reverse Primer	ACTGTATGGAGGCCCAAGTTG	530

DETAILED DESCRIPTION OF THE INVENTION

The present invention describes the identification of polynucleotides that correlate with drug sensitivity or resistance of untreated cell lines to determine or predict sensitivity of the cells to a drug, compound, or biological agent. These polynucleotides, called marker or predictor polynucleotides herein, can be employed for predicting drug response. The marker polynucleotides have been determined in an *in vitro* assay employing microarray technology to monitor simultaneously the expression pattern of thousands of discrete polynucleotides in untreated cells, whose sensitivity to compounds or drugs, in particular, compounds that modulate, e.g., inhibit, protein tyrosine kinase or protein tyrosine kinase activity is tested. The protein tyrosine kinases, or activities thereof, associated with response to a drug, compound, or biological agent include, for example, members of the Src family of protein tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases. (See, e.g., P. Blume-Jensen and T. Hunter, 2001, "Oncopolynucleotide Kinase Signaling", *Nature*, 411:355-365).

The assay according to this invention has allowed the identification of the marker polynucleotides, called protein tyrosine kinase biomarkers herein, having

expression levels in the cells that are highly correlated with drug sensitivity exhibited by the cells. Such marker polynucleotides encompass the above-listed protein tyrosine kinase-encoding polynucleotides, and serve as useful molecular tools for predicting a response to drugs, compounds, biological agents, chemotherapeutic agents, and the like, preferably those drugs and compounds, and the like, that affect protein tyrosine kinase activity via direct or indirect inhibition or antagonism of the protein tyrosine kinase function or activity.

In its preferred aspect, the present invention describes polynucleotides that correlate with sensitivity or resistance of breast cell lines to treatment with a protein tyrosine kinase inhibitor compound, e.g., BMS-A, as described herein. (FIG. 1 and Table 2). The protein tyrosine kinase inhibitor compound, BMS-A, utilized for identifying the polynucleotide predictor sets of this invention, was described in WO 00/62778, published October 26, 2000, and is hereby incorporated by reference in its entirety. BMS-A has potent inhibitory activity for a number of protein tyrosine kinases, for example, members of the Src family of protein tyrosine kinases, including Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as the Bcr-abl, Jak, PDGFR, c-kit and Eph receptors protein tyrosine kinases. Specifically, for the BMS-A protein tyrosine kinase inhibitor compound analyzed, the expression of 137 predictor polynucleotides was found to correlate with resistance/sensitivity of the breast cell lines to the compound.

In accordance with the invention, an approach has been discovered in which polynucleotides and combinations of polynucleotides have been identified whose expression pattern, in a subset of cell lines, correlates to and can be used as an *in vitro* predictor of cellular response to treatment or therapy with one compound, or with a combination or series of compounds, that are known to inhibit or activate the function of a protein, enzyme, or molecule (e.g., a receptor) that is directly or indirectly involved in cell proliferation, cell responses to external stimuli, (such as ligand binding), or signal transduction, e.g., a protein tyrosine kinase. Preferred are antagonists or inhibitors of the function of a given protein, e.g., a tyrosine kinase.

In a preferred aspect, the BMS-A protein tyrosine kinase inhibitor was employed to determine drug sensitivity in a panel of breast cell lines following exposure of the cells to this compound. Some of the cell lines were determined to be

resistant to treatment with the inhibitor compound, while others were determined to be sensitive to the inhibitor. (Table 1). A subset of the cell lines examined provided an expression pattern or profile of polynucleotides, and combinations of polynucleotides, that correlated to, and thus serve as a predictor of, a response by the cells to the inhibitor compound, and to compounds having similar modes of action and/or structure. (Figure 1 and Tables 2 and 4-5).

Such a predictor set of cellular polynucleotide expression patterns correlating with sensitivity or resistance of cells following exposure of the cells to a drug, or a combination of drugs, provides a useful tool for screening a cancer, tumor, or patient test sample before treatment with the drug or a drug combination. The screening technique allows a prediction of cells of a cancer, tumor, or test sample exposed to a drug, or a combination of drugs, based on the polynucleotide expression results of the predictor set, as to whether or not the cancer, tumor, or test sample, and hence a patient harboring the cancer and/or tumor, will or will not respond to treatment with the drug or drug combination. In addition, the predictor polynucleotides or predictor polynucleotide set can also be utilized as described herein for monitoring the progress of disease treatment or therapy in those patients undergoing treatment involving a protein tyrosine kinase, e.g., src tyrosine kinase, inhibitor compound or chemotherapeutic agent for a disease, e.g., breast cancer.

According to a particular embodiment of the present invention, oligonucleotide microarrays were utilized to measure the expression levels of over 44,792 probe sets in a panel of 23 untreated breast cell lines for which the drug sensitivity to the protein tyrosine kinase inhibitor compound was determined. This analysis was performed to determine whether the polynucleotide expression signatures of untreated cells were sufficient for the prediction of chemosensitivity. Data analysis allowed the identification of marker polynucleotides whose expression levels were found to be highly correlated with drug sensitivity. In addition, the treatment of cells with the BMS-A protein tyrosine kinase inhibitor compound also provided polynucleotide expression signatures predictive of sensitivity to the compound. Thus, in one of its embodiments, the present invention provides these polynucleotides, i.e., polynucleotide "markers" or "biomarkers" or "predictors", which show utility in predicting drug response upon treatment or exposure of cells to a drug.

In particular, the marker or predictor polynucleotides are protein tyrosine kinase biomarkers/polynucleotides encoding protein tyrosine kinase biomarker proteins/polypeptides, such as a src tyrosine kinase inhibitor biomarker.

5 The performance of the polynucleotide expression and marker polynucleotide identification analyses embraced by the present invention is described in further detail and without limitation herein below.

IC₅₀ Determination and Phenotype Classification Based on Sensitivity of Twenty-three Breast Cell Lines to Src tyrosine kinase Inhibitor Compounds

20 Twenty-three breast cell lines were treated with a protein tyrosine kinase inhibitor compound (i.e., BMS-A) to determine the individual IC₅₀ value. The average IC₅₀ values, along with standard deviations, were calculated from 2 to 5 individual determinations for each cell line. As shown in Table 1, a large variation in the IC₅₀ values (>1000-fold) was observed for the compound among the twenty-three breast cell lines.

15 The IC₅₀ value for each cell line was log₁₀ transformed. The mean of log₁₀(IC₅₀) across the twenty-three breast cell lines was calculated for the compound. The log₁₀(IC₅₀) for each cell line was normalized to the mean of log₁₀(IC₅₀) across the twenty-three breast cell lines for the compound. The cell lines with a log₁₀(IC₅₀) below the mean of log₁₀(IC₅₀) were classified as sensitive to the compound, and those
20 with a log₁₀(IC₅₀) above the mean of log₁₀(IC₅₀) were classified as resistant. Table 1 presents the resistance/sensitivity classifications of the twenty-three breast cell lines to the BMS-A compound. As observed in Table 1, seven cell lines were classified as sensitive and sixteen cell lines were classified as resistant to the protein tyrosine kinase inhibitor compound.

25 Identifying Polynucleotides that Significantly Correlated with Drug Resistance/Sensitivity Classification

Expression profiling data of 44,792 probe sets represented on the HG-U133 array set for twenty-three untreated breast cell lines were obtained and preprocessed as described in Example 1, Methods. The preprocessed data containing 5322
30 polynucleotides were analyzed using K-mean Nearest Neighborhood (KNN) algorithm and "signal to noise model" (T.R. Golub et al., 1999, Science, 286:531-537) to identify polynucleotides whose expression patterns were strongly correlated with

the drug resistance/sensitivity classification (Table 1). An “idealized expression pattern” corresponds to a polynucleotide that is uniformly high in one class (e.g., sensitive) and uniformly low in the other class (e.g., resistant). Initially, a KNN analysis was performed in which a correlation coefficient was obtained for each
5 polynucleotide using “signal to noise model”. The correlation coefficient, which is a measure of relative classification separation, is obtained using the following formula:

$$P(g,c)=(\mu_1 - \mu_2) / (\sigma_1 + \sigma_2).$$

10 In the above formula, for $P(g,c)$, P represents correlation coefficient between expression for gene, g , and the sensitivity/resistance classification, c ; μ_1 represents the mean polynucleotide expression level of samples in class 1; μ_2 represents the mean polynucleotide expression level of samples in class 2; σ_1 represents the standard deviation of polynucleotide expression for samples in class 1; and σ_2
15 represents the standard deviation of polynucleotide expression for samples in class 2.

Large values of $P(g,c)$ indicate a strong correlation between polynucleotide expression and resistance/sensitivity classification. When the correlation is compared to that of a random permutation test (randomly assigned classification), a significance measurement p -value is obtained. Then, the polynucleotides can be ranked according
20 to the correlation coefficient obtained from this analysis, with the highest value indicating the best correlation of polynucleotide expression level with the resistance/sensitivity classification to the protein tyrosine kinase inhibitor compound in the twenty-three breast cell lines.

The KNN analysis demonstrated that hundreds of polynucleotides correlated
25 to the drug resistance/sensitivity classification for the compound. Therefore, for greater stringency, three different methods were applied to select a smaller subset of polynucleotides that correlated with the drug resistance/sensitive classification for the compound:

First, a permutation test was performed to calculate the significance of the
30 correlation coefficients obtained in the above-described KNN analysis. 350 polynucleotides whose ‘ p ’ value was less than or equal to 0.01 were selected. Second,

the Pearson correlation coefficient (a dimensionless index that ranges from -1.0 to 1.0), was calculated, in which the IC₅₀ data were considered as a continuous variable and a linear regression model was utilized to correlate polynucleotide expression level with IC₅₀ values for the twenty-three breast cell lines. Those polynucleotides with a correlation coefficient greater than 0.35 or less than -0.35 were selected (p < 0.05). Finally, Welch t-test was performed, the polynucleotides with p-values equal to or less than 0.05 were selected.

When the three analyses were performed to select polynucleotides correlated with the drug resistance/sensitivity classification for compound BMS-A, the polynucleotide lists from the three analysis methods were obtained and compared. It was observed that there were 168 polynucleotides overlapped from the three analyses. Of these, 32 polynucleotides were redundantly represented more than once on the 168 polynucleotide list, and removed to just leaving one copy per unique gene. Therefore, 137 unique polynucleotides are identified and listed in Table 2. There are 68 polynucleotides highly expressed in the cell lines that were classified as sensitive to BMS-A, while 69 polynucleotides are highly expressed in the cell lines that were classified as resistant to BMS-A. Examples of the polynucleotides include caveolin-1, caveolin-2, and annexin A1 and annexin A2, which are substrates for src tyrosine kinase (M.T. Brown and J.A. Cooper, 1996, *Biochemica et Biophysica Acta*, 1287:121-149). EphA2 and EphB2 are tyrosine kinase receptors, they have diverse roles in carcinopolynucleotidesis (M. Nakamoto and A. D. Bergemann, 2002, *Microscopy Research and Technique* 59:58-67).

Identification of polynucleotides modulated by drug treatment

To identify polynucleotides regulated by a protein tyrosine kinase inhibitor compound, e.g., BMS-A, 11 breast cell lines (indicated in bold in the Table 1) having an IC₅₀ ranging from 0.0055 to 9.5 μ M were used in a drug treatment study. Cells were treated with or without the BMS-A compound (0.4 μ M) in 0.1% DMSO for 24 hours. Expression profiling was performed, and the data were analyzed using GeneChip[®] Expression Analysis software MAS 5.0 (Affymetrix, Santa Clara, CA). The polynucleotide expression of a cell line treated with drug was compared pairwisely to the polynucleotide expression of the same cell line without drug treatment.

A change in p-value was calculated, indicating an increase, decrease or no change in polynucleotide expression. When the p-value was less than 0.0025, the change was considered to be significant. Analysis was performed for all 11 cell lines to compare the polynucleotide expression with and without drug treatment.

5 In addition, a pair-wise t-test with permutation analysis was applied. Polynucleotides that were significantly modulated by the drug treatment in sensitive cell lines and/or in resistant cell lines were identified. Polynucleotides whose expression was significantly changed in at least 3 cell lines were considered to be modulated by the drug. The polynucleotides, whose expression was significantly
10 correlated with drug resistance/sensitivity classification and modulated by drug treatment as well, are indicated in Table 2. Examples of such polynucleotides include EphA2 and caveolin-2, which were highly expressed in sensitive cells and were down regulated by treatment with the protein tyrosine kinase inhibitor compound BMS-A only in sensitive cell lines as shown in Figure 2.

15 Down regulation of the marker polynucleotides by the protein tyrosine kinase inhibitor compound treatment is also seen in PC3 prostate cell line which is tested to be very sensitive to BMS-A. As illustrated in Figure 3, a dose and time dependent polynucleotide expression decrease of EphA2 and caveolin-2 is observed when compared to the untreated control.

20 Since EphA2 belongs to family of tyrosine kinase receptors, it is possible to test whether cells treated with the protein tyrosine kinase inhibitor compound BMS-A would affect phosphorylation status of EphA2. Immunoblot analysis of protein level and phosphorylation status of EphA2 in nine breast tumor cell lines is shown in Figure 4. Cells were treated with 0.1 μ M of BMS-A for one hour. Cell lysates were
25 immuno-precipitated with EphA2 antibody and blot with EphA2 antibody or anti-phosphotyrosine antibody. The results indicate that EphA2 protein level does not change upon the drug treatment for one hour, but the phosphorylation at tyrosine residue is dramatically decreased with the drug treatment. Recombinant human EphA2 protein was also tested in an *in vitro* kinase assay and showed auto
30 dephosphorylation upon the protein tyrosine kinase inhibitor compound BMS-A treatment with an inhibitory IC_{50} of 17 nM.

The identification of those polynucleotides whose expression levels are not only correlated with the sensitivity or resistance of breast cell lines to treatment with a protein tyrosine kinase inhibitor compound (e.g., BMS-A), but also differentially regulated or modified by treatment with the compound can provide additional
5 information about biological function or activity. The expression levels of these polynucleotides are regulated, or their phosphorylation level is modulated by the inhibitor compound indicating these polynucleotides are likely to be directly or indirectly involved in one or more protein tyrosine kinase signaling pathways, for example, protein tyrosine kinases that are members of the Src family of tyrosine
10 kinases, including Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors.

Utility of highly correlated polynucleotides to make predictions

Polynucleotides that correlate to a specific property of a biological system can be used to make predictions about that biological system and other biological systems.
15 The Genecluster software or other programs can be used to select polynucleotides and combinations of polynucleotides that can predict properties using a “weighted-voting cross-validation algorithm” (T.R. Golub et al., 1999, *Science*, 286:531-537). In particular, the Genecluster software was used to build predictors that demonstrate the utility of polynucleotides that correlate to drug sensitivity and resistance. As used
20 herein, the terms “predictor” or “predictor sets” are used as follows: a predictor or a predictor set refers to a single gene, or combination of polynucleotides, whose expression pattern or properties can be used to make predictions, with different error rates, about a property or characteristic of any given biological system.

The ability of polynucleotide expression patterns to predict a
25 resistance/sensitive classification was further investigated using a “weighted-voting cross-validation algorithm” which uses a leave one out cross-validation strategy as described by T.R. Golub et al., 1999, *Science*, 286:531-537. The program was formatted to select the optimal number of polynucleotides whose expression pattern could be used to predict, with optimal accuracy, the classification of a cell line based
30 on resistance or sensitivity toward a given protein tyrosine kinase inhibitor compound, e.g., BMS-A. A brief description of the cross-validation strategy of the program is described.

Based on the leave-one-out cross-validation strategy, a total of twenty-three prediction analyses (i.e., the number of cell lines in the data set) were performed in an iterative manner and the results of all twenty-three prediction analyses were combined to select the optimal number of polynucleotides that had optimal predictive accuracy.

- 5 In each separate prediction analysis, one cell line was withheld from the data set, and an optimal number polynucleotide predictor was built, based on the remaining twenty-two cell lines, and was subsequently used to predict the class of the withheld sample.

Figure 5 shows the real error rates using different numbers of polynucleotides in the predictor set and using different selections and combinations of markers for
10 predicting classes among the breast cell lines which were either resistant or sensitive to BMS-A. When the predictor sets were selected from the 137 polynucleotides as shown in Table 2, the lowest error rate of 6.3% was achieved in the cross-validation tests with 15 markers. Another predictor set comprised of 7 different polynucleotides selected from the 40 polynucleotides that were modulated by the drug treatment
15 achieved an error rate of 3.1%. This result indicates that polynucleotides which are not only correlated with drug sensitivity, but also modulated by drug, can provide a better and more accurate prediction in a predictor set.

The real error rates for predicting the sensitivity class of breast cell lines to BMS-A were compared with the real error rates using the same number of
20 polynucleotides as the predictor set in 20 cases in which classification for the breast cell lines was randomly assigned. As shown in FIG. 6, in the cross-validation tests, when the predictor set contained either 7 or 15 polynucleotides selected from different polynucleotide groups, the error rate for predicting sensitivity of BMS-A in the 23 breast cell lines was 3.1% and 6.3%, respectively. By contrast, the real error rates
25 ranged from 30% to 83% when using same number of polynucleotides for the predictor set in 20 cases in which classification for the breast cell lines was randomly assigned. This result demonstrated that the error rate value for predicting sensitivity to BMS-A in 23 breast cell lines was significantly lower than the error rate for predicting randomly assigned classification.

30 Table 3 shows the prediction accuracy of the optimal 15 and 7 polynucleotide predictor sets for the resistance/sensitive classification of the twenty-three breast cell lines to BMS-A in the leave-one-out cross validation tests. When a 15 polynucleotide

predictor set selected from the 137 polynucleotides which were derived from above mentioned three analysis methods (i.e., KNN, Pearson correlation between polynucleotide expression level and IC₅₀ values for the twenty-three breast cell lines, and t-test) was used in a leave-one-out cross-validation test, twenty-one out of twenty-
5 three samples were correctly predicted and two resistant cell lines, HCC38 and MDA-MB-435S were predicted to be sensitive to BMS-A. This resulted in a 6.3% real error rate, calculated as follows:

$$10 \quad \frac{(2/16 \text{ resistant} + 0/7 \text{ sensitive}) \times 100\%}{2}$$

When a 7 polynucleotide predictor set, selected from the 40 drug treatment modulated polynucleotides that were part of the 137 polynucleotides in Table 2, was used in a leave-one-out cross-validation test, only one resistant cell line, HCC38, was predicted to be sensitive to BMS-A. This resulted in a 3.1% real error rate, calculated
15 as follows:

$$\frac{(1/16 \text{ resistant} + 0/7 \text{ sensitive}) \times 100\%}{2}$$

20 In addition, a Prediction Strength ("PS") score for each prediction made on a cell line by the predictor set can be obtained from the Genecluster software. The "PS" score ranges from 0 to 1, measuring the margin of victory in each prediction using weighted-voting cross-validation algorithm (see, e.g., T.R. Golub et al., 1999, *Science*, 286:531-537). The higher the value of a PS score is, the more confident the
25 prediction make. The PS score values for each cell line using the optimal 15 or 7 polynucleotide predictor set, obtained as described above for BMS-A, are shown in Table 3. Note that even though the cell line BT549 was predicted correct to be resistant with both the 15 and 7 polynucleotide predictor sets, the PS score was very low, which means the confidence of prediction is low.

30 It will be appreciated that the exact number of polynucleotides that should comprise an optimal predictor set is not particularly established or defined. It is unlikely in the real world that any predictor set can be obtained with 100% or absolute

accuracy. This is due to the fact that there is a trade-off between the amount of additional information and robustness that are gained by adding more polynucleotides, and the amount of noise that is concomitantly added. In accordance with the present invention, different numbers of polynucleotides were tested in the predictor sets; data
5 were obtained and analyzed for a protein tyrosine kinase inhibitor, BMS-A. The selection of marker polynucleotides for use in the prediction set was well within the total number of polynucleotides, as shown in Table 2, that strongly correlated with the sensitivity class distinction.

Thus, in accordance with the present invention, an approach has been
10 developed in which polynucleotides and combinations of polynucleotides have been discovered whose expression pattern in a subset of cell lines correlates with, and can be used as a predictor of, response to treatment with compounds that inhibit the function of protein tyrosine kinases.

Predictor sets, error rates and algorithms used to demonstrate utility

15 The number of polynucleotides in any given predictor or predictor set may influence the error rate of the predictor set in cross validation experiments and with other mathematical algorithms. The data show that the error rate of a predictor is somewhat dependent on the number of polynucleotides in the predictor set and the contribution of each individual polynucleotide in the given predictor set and the
20 number of cell lines that are tested in the cross validation experiment. For example, in a given predictor set, one polynucleotide may contribute more significantly than other polynucleotides to the prediction.

It is very likely that if a polynucleotide significantly contributes to a predictor set, then it can be used in different combinations with other polynucleotides to
25 achieve different error rates in different predictor sets. For example, polynucleotide A alone gives an error rate of 30%. In combination with polynucleotides, B, C and D, the error rate becomes 10%; in combination with polynucleotides B, D and E, the error rate becomes 12%; while a combination of polynucleotide A with polynucleotides E-X gives an error rate of 8%, and so on. As demonstrated in FIG. 5,
30 different selection and combination of polynucleotides in a predictor set achieve different error rates in the cross-validation tests.

When the predictor sets were selected from the 137 polynucleotides as shown in Table 2, the lowest error rate of 6.3% was achieved in the cross-validation test with 15 markers as shown in Table 4. Another predictor set comprised of 7 polynucleotides (Table 5) selected from the 40 polynucleotides that were modulated by the drug treatment, achieved an error rate of 3.1%. This result indicates that polynucleotides which are not only correlated with drug sensitivity, but also modulated by the drug, can provide a better and more accurate prediction in a predictor set.

The error rates as described herein apply to the set of cell lines used in the cross-validation experiment. If a different set is used, or more cell lines are added to the original set tested, then different error rates may be obtained as described and understood by the skilled practitioner. Importantly, different combinations of polynucleotides that correlate to drug sensitivity can be used to build predictors with different prediction accuracy.

Expression pattern of the protein tyrosine kinase biomarkers in primary breast tumors

One hundred thirty-four primary breast tumor biopsies were obtained from clinic, and expression profiles of these samples were performed. The expression pattern of the 137 polynucleotides, that are highly correlated with a resistance/sensitivity phenotype classification of the 23 breast cell lines for the protein tyrosine kinase inhibitor compound BMS-A according to the present invention (as shown in FIG.1 and Table 2), were examined in the 134 primary breast tumors as demonstrated in Figure 7. Each row corresponds to a gene, with the columns corresponding to expression level in the different breast tumor samples. The individual polynucleotide encoding the protein tyrosine kinase biomarkers of the invention is in the same order as indicated in Figure 1. It is clear as shown in Figure 7 that a group of primary breast tumors (as indicated by the arrow) highly express the sensitive biomarkers of protein tyrosine kinase inhibitor of the invention. By contrast, another different group primary breast tumors highly express the resistant biomarkers. Although, whether these group of primary breast tumors highly expressing the sensitive biomarkers are really sensitive to the protein tyrosine kinase compounds, e.g., BMS-A is unknown and need to be tested, the fact that the primary breast tumors

exist similar expression pattern of the protein tyrosine kinase biomarkers as the sensitive breast cell lines gives a promise clue.

Applications of predictor sets

Predictor sets with different error rates can be used in different applications.

- 5 Predictor sets can be built from any combination of the polynucleotides listed in Table 2, or the predictor polynucleotide subsets of 15 and 7 polynucleotides, as presented in each of Tables 4 and 5, respectively, to make predictions about the likely effect of protein tyrosine modulator compounds, e.g., inhibitors, or compounds that affect a protein tyrosine kinase signaling pathway in different biological systems. The various
- 10 predictor sets described herein, or the combination of these predictor sets with other polynucleotides or other co-variants of these polynucleotides, can have broad utility. For example, the predictor sets can be used as diagnostic or prognostic indicators in disease management; they can be used to predict how patients with cancer might respond to therapeutic intervention with compounds that modulate the protein tyrosine
- 15 kinase family (e.g., the src tyrosine kinase family); and they can be used to predict how patients might respond to therapeutic intervention that modulate signaling through an entire protein tyrosine kinase regulatory pathway, such as, for example, the src tyrosine kinase regulatory pathway.

- 20 While the data described herein were generated in cell lines that are routinely used to screen for and identify compounds that have potential utility for cancer therapy, the predictors can have both diagnostic and prognostic value in other diseases areas in which signaling through a protein tyrosine kinase or a protein tyrosine kinase pathway is of importance, e.g., in immunology, or in cancers or tumors in which cell signaling and/or proliferation controls have gone awry. Such protein tyrosine kinases
- 25 and their pathways comprise, for example, members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Although the data described herein have been generated using the particularly exemplified protein tyrosine kinase inhibitor compound, BMS-A, three other protein
- 30 tyrosine kinase inhibitor compounds were tested in addition to BMS-A and were found to have similar sensitivity and resistance classifications in the 23 breast cell lines evaluated. Thus, the predictors can have both diagnostic and prognostic value

related to other inhibitor molecules, as well as any molecules or therapeutic interventions that affect protein tyrosine kinases, such as Src tyrosine kinase, or a protein tyrosine kinase signaling pathways, such as that of the Src tyrosine kinase.

Those having skill in the pertinent art will appreciate that protein tyrosine kinase pathways, e.g., the Src tyrosine kinase pathway, are present and functional in cell types other than cell lines of breast tissue. Therefore, the described predictor set of polynucleotides, or combinations of polynucleotides within the predictor set, can show utility for predicting drug sensitivity or resistance to compounds that interact with, or inhibit, a protein tyrosine kinase activity in cells from other tissues or organs associated with a disease state, or cancers or tumors derived from other tissue or organ types. Non-limiting examples of such cells, tissues and organs include colon, breast, lung, heart, prostate, testes, ovaries, cervix, esophagus, pancreas, spleen, liver, kidney, intestine, stomach, lymphocytic and brain, thereby providing a broad and advantageous applicability to the predictor polynucleotide sets described herein. Cells for analysis can be obtained by conventional procedures as known in the art, for example, tissue or organ biopsy, aspiration, sloughed cells, e.g., colonocytes, clinical or medical tissue, or cell sampling procedures.

Functionality of polynucleotides that make up a predictor set

The use of a predictor, or predictor set, (e.g., predictor polynucleotides, or a predictor set of polynucleotides) allows for the prediction of an outcome prior to having any knowledge about a biological system. Essentially, a predictor can be considered to be a tool that is useful in predicting the phenotype that is used to classify the biological system. In the specific embodiment provided by the present invention, the classification as "resistant" or "sensitive" is based on the IC_{50} value of each cell line to a compound (e.g., the protein tyrosine kinase inhibitor compound BMS-A as exemplified herein), relative to the mean $\log_{10}(IC_{50})$ value of the cell line panel (e.g., a twenty-three breast cell line panel, as exemplified herein).

As a particular example, a number of the polynucleotides described herein (Table 2) are known to be substrates for the src tyrosine kinase family, e.g., caveolin-1 and caveolin-2 (M.T. Brown and J.A. Cooper, 1996, *Biochemica et Biophysica Acta*, 1287:121-149). EphA2 is a tyrosine kinase receptor. The data presented herein demonstrated that EphA2 is highly expressed in the sensitive cell lines, and its

expression level and activity are down regulated by treatment of the protein tyrosine kinase inhibitor compound BMS-A. This is expected, since polynucleotides that contribute to a high predictor accuracy are likely to play a functional role in the pathway that is being modulated. For example, Herceptin therapy (i.e., antibody that
5 binds to the Her2 receptor and prevents function via internalization) is indicated when the Her2 polynucleotide is overexpressed. It is unlikely, although not impossible, that a therapy will have a therapeutic effect if the target enzyme is not expressed.

However, although the complete function of all of the polynucleotides and their functional products (proteins and mRNAs) that make up a predictor set are not
10 currently known, some of the polynucleotides are likely to be directly or indirectly involved in a protein tyrosine kinase signaling pathway, such as the Src tyrosine kinase signaling pathway. In addition, some of the polynucleotides in the predictor set may function in the metabolic or other resistance pathways specific to the compounds being tested. Notwithstanding, a knowledge about the function of the polynucleotides
15 is not a requisite for determining the accuracy of a predictor according to the practice of the present invention.

As described herein, polynucleotides have been discovered that correlate to the relative intrinsic sensitivity or resistance of breast cell lines to treatment with compounds that interact with and inhibit protein tyrosine kinases, e.g., Src tyrosine
20 kinase. These polynucleotides have been shown, through a weighted voting, leave-one-out, cross validation program, to have utility in predicting the intrinsic resistance and sensitivity of breast cell lines to these compounds.

An embodiment of the present invention relates to a method of determining or predicting if an individual requiring drug or chemotherapeutic treatment or therapy for
25 a disease, for example, a breast cancer or a breast tumor, will be likely to successfully respond or not respond to the drug or chemotherapeutic agent prior to subjecting the individual to such treatment or chemotherapy. The drug or chemotherapeutic agent can be one that modulates a protein tyrosine kinase activity or signaling involving a protein tyrosine kinase. Nonlimiting examples of such protein tyrosine kinases
30 include members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. In accordance with the method of the

invention, cells from a tissue or organ associated with disease, e.g., a patient biopsy of a tumor or cancer, preferably a breast cancer or tumor biopsy, are subjected to an *in vitro* assay as described herein, to determine their marker polynucleotide expression pattern (polynucleotides from Table 2 and/or the predictor polynucleotide subsets of
5 Tables 4-5) prior to their treatment with the compound or drug, preferably an inhibitor of a protein tyrosine kinase. The resulting polynucleotide expression profile of the cells before drug treatment is compared with the polynucleotide expression pattern of the same polynucleotides in cells that are either resistant or sensitive to the drug or compound, as provided by the present invention.

10 In another related embodiment, the present invention includes a method of predicting, prognosing, diagnosing, and/or determining whether an individual requiring drug therapy for a disease state or chemotherapeutic for cancer (e.g., breast cancer) will or will not respond to treatment prior to administration of treatment. The treatment or therapy preferably involves a protein tyrosine kinase modulating agent,
15 compound, or drug, for example, an inhibitor of the protein tyrosine kinase activity. Protein tyrosine kinases include, without limitation, members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Preferred is src tyrosine kinase and inhibitors thereof. In accordance with
20 this embodiment, cells from a patient's tissue sample, e.g., a breast tumor or cancer biopsy, are assayed to determine their polynucleotide expression pattern prior to treatment with the protein tyrosine kinase modulating agent, compound, or drug. The resulting polynucleotide expression profile of the test cells before exposure to the compound or drug is compared with that of one or more of the predictor subsets of
25 polynucleotides comprising either 15 or 7 polynucleotides as described herein and shown in Tables 4-5, respectively.

Success or failure of treatment of a patient's cancer or tumor with the drug can be determined based on the polynucleotide expression pattern of the patient's cells being tested, compared with the polynucleotide expression pattern of the predictor
30 polynucleotides in the resistant or sensitive panel of that have been exposed to the drug or compound and subjected to the predictor polynucleotide analysis detailed herein. Thus, if following exposure to the drug, the test cells show a polynucleotide

expression pattern corresponding to that of the predictor polynucleotide set of the control panel of cells that is sensitive to the drug or compound, it is highly likely or predicted that the individual's cancer or tumor will respond favorably to treatment with the drug or compound. By contrast, if, after drug exposure, the test cells show a
5 polynucleotide expression pattern corresponding to that of the predictor polynucleotide set of the control panel of cells that is resistant to the drug or compound, it is highly likely or predicted that the individual's cancer or tumor will not respond to treatment with the drug or compound.

In a related embodiment, screening assays are provided for determining if a
10 patient's cancer or tumor is or will be susceptible or resistant to treatment with a drug or compound, particularly, a drug or compound directly or indirectly involved in protein tyrosine kinase activity or a protein tyrosine kinase pathway, e.g., the Src tyrosine kinase activity or pathway.

Also provided by the present invention are monitoring assays to monitor the
15 progress of a drug treatment involving drugs or compounds that interact with or inhibit protein tyrosine kinase activity. Protein tyrosine kinases encompassed by these monitoring assays include members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Such *in vitro* assays are
20 capable of monitoring the treatment of a patient having a disease treatable by a compound or agent that modulates or interacts with a protein tyrosine kinase by comparing the resistance or sensitivity polynucleotide expression pattern of cells from a patient tissue sample, e.g., a tumor or cancer biopsy, preferably a breast cancer or tumor sample, prior to treatment with a drug or compound that inhibits the protein
25 tyrosine kinase activity and again following treatment with the drug or compound with the expression pattern of one or more of the predictor polynucleotide sets described, or combinations thereof. Isolated cells from the patient are assayed to determine their polynucleotide expression pattern before and after exposure to a compound or drug, preferably a protein tyrosine kinase inhibitor, to determine if a
30 change of the polynucleotide expression profile has occurred so as to warrant treatment with another drug or agent, or discontinuing current treatment. The resulting polynucleotide expression profile of the cells tested before and after

treatment is compared with the polynucleotide expression pattern of the predictor set of polynucleotides that have been described and shown herein to be highly expressed in cells that are either resistant or sensitive to the drug or compound. Alternatively, a patient's progress related to drug treatment or therapy can be monitored by obtaining a polynucleotide expression profile as described above, only after the patient has undergone treatment with a given drug or therapeutic compound. In this way, there is no need to test a patient sample prior to treatment with the drug or compound.

Such a monitoring process can indicate success or failure of a patient's treatment with a drug or compound based on the polynucleotide expression pattern of the cells isolated from the patient's sample, e.g., a tumor or cancer biopsy, as being relatively the same as or different from the polynucleotide expression pattern of the predictor polynucleotide set of the resistant or sensitive control panel of cells that have been exposed to the drug or compound and assessed for their polynucleotide expression profile following exposure. Thus, if, after treatment with a drug or compound, the test cells show a change in their polynucleotide expression profile from that seen prior to treatment to one which corresponds to that of the predictor polynucleotide set of the control panel of cells that are resistant to the drug or compound, it can serve as an indicator that the current treatment should be modified, changed, or even discontinued. Also, should a patient's response be one that shows sensitivity to treatment by a protein tyrosine kinase inhibitor compound, e.g., a Src tyrosine kinase inhibitor, based on correlation of the expression profile of the predictor polynucleotides of cells showing drug sensitivity with the polynucleotide expression profile from cells from a patient undergoing treatment, the patient's treatment prognosis can be qualified as favorable and treatment can continue. Further, if a patient has not been tested prior to drug treatment, the results obtained after treatment can be used to determine the resistance or sensitivity of the cells to the drug based on the polynucleotide expression profile compared with the predictor polynucleotide set.

In a related embodiment, the present invention embraces a method of monitoring the treatment of a patient having a disease treatable by a compound or agent that modulates a protein tyrosine kinase, i.e., breast cancer. Protein tyrosine kinases encompassed by such treatment monitoring assays include members of the Src

family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. For these assays, test cells from the patient are assayed to determine their polynucleotide expression pattern before and after exposure to a protein tyrosine kinase inhibitor compound or drug. The resulting polynucleotide expression profile of the cells tested before and after treatment is compared with the polynucleotide expression pattern of the predictor set of polynucleotides that have been described and shown herein to be highly expressed in cells that are either resistant or sensitive to the drug or compound. Thus, if a patient's response is or becomes one that is sensitive to treatment by a protein tyrosine kinase inhibitor compound, based on correlation of the expression profile of the predictor polynucleotides, the patient's treatment prognosis can be qualified as favorable and treatment can continue. Also, if after treatment with a drug or compound, the test cells do not exhibit a change in their polynucleotide expression profile to a profile that corresponds to that of the control panel of cells that are sensitive to the drug or compound, this serves as an indicator that the current treatment should be modified, changed, or even discontinued. Such monitoring processes can be repeated as necessary or desired and can indicate success or failure of a patient's treatment with a drug or compound, based on the polynucleotide expression pattern of the cells isolated from the patient's sample. The monitoring of a patient's response to a given drug treatment can also involve testing the patient's cells in the assay as described, only after treatment, rather than before and after treatment, with drug or active compound.

In a preferred embodiment, the present invention embraces a method of monitoring the treatment of a patient having a disease treatable by a compound or agent that modulates a src tyrosine kinase, i.e., breast cancer. The test cells from the patient are assayed to determine their polynucleotide expression pattern before and after exposure to a src tyrosine kinase inhibitor compound or drug. The resulting polynucleotide expression profile of the cells tested before and after treatment is compared with the polynucleotide expression pattern of the predictor set of polynucleotides that have been described and shown herein to be highly expressed in cells that are either resistant or sensitive to the drug or compound. Thus, if a patient's response is or becomes one that is sensitive to treatment by a src tyrosine kinase

inhibitor compound, based on correlation of the expression profile of the predictor polynucleotides, the patient's treatment prognosis can be qualified as favorable and treatment can continue. Also, if after treatment with a drug or compound, the test cells do not exhibit a change in their polynucleotide expression profile to a profile that
5 corresponds to that of the control panel of cells that are sensitive to the drug or compound, this serves as an indicator that the current treatment should be modified, changed, or even discontinued. Such monitoring processes can be repeated as necessary or desired and can indicate success or failure of a patient's treatment with a drug or compound, based on the polynucleotide expression pattern of the cells isolated
10 from the patient's sample. The monitoring of a patient's response to a given drug treatment can also involve testing the patient's cells in the assay as described only after treatment, rather than before and after treatment, with drug or active compound.

In another embodiment, the present invention encompasses a method of classifying whether a biological system, preferably cells from a tissue, organ, tumor or
15 cancer of an afflicted individual, will be resistant or sensitive to a compound that modulates the system. In a preferred aspect of this invention, the sensitivity or resistance of cells, e.g., those obtained from a tumor or cancer, to a protein tyrosine kinase inhibitor compound, or series of compounds, e.g., a Src tyrosine kinase inhibitor, is determined. Inhibitors can include those compounds, drugs, or biological
20 agents that inhibit, either directly or indirectly, the protein tyrosine kinases as described previously hereinabove. According to the method, a resistance/sensitivity profile of the cells after exposure to the protein tyrosine kinase inhibitor drug or compound can be determined via polynucleotide expression profiling protocols set forth herein. Such resistance/sensitivity profile of the cells reflects an IC_{50} value of
25 the cells to the compound(s) as determined using a suitable assay, such as an *in vitro* cytotoxicity assay as described in Example 1. A procedure of this sort can be performed using a variety of cell types and compounds that interact with the protein tyrosine kinase, or affect its activity in the signaling pathway of the protein tyrosine kinase.

30 In another of its embodiments, the present invention includes the preparation of one or more specialized microarrays (e.g., oligonucleotide microarrays or cDNA microarrays) comprising all of the polynucleotides in Tables 2, 4, or 5, or

combinations thereof, of the predictor polynucleotide sets described herein that have been demonstrated to be most highly correlated with sensitivity (or resistance) to protein tyrosine kinase modulators, particularly inhibitors of src tyrosine kinase. Preferably, the predictor polynucleotide sets are common for predicting sensitivity
5 among more than one protein tyrosine kinase modulator, e.g. a protein tyrosine kinase inhibitor such as a Src tyrosine kinase inhibitor, as demonstrated herein. In accordance with this aspect of the invention, the oligonucleotide sequences or cDNA sequences include any of the predictor polynucleotides or polynucleotide combinations as described herein, which are highly expressed in resistant or sensitive
10 cells, and are contained on a microarray, e.g., a oligonucleotide microarray or cDNA microarray in association with, or introduced onto, any supporting material, such as glass slides, nylon membrane filters, glass or polymer beads, chips, plates, or other types of suitable substrate material.

Cellular nucleic acid, e.g., RNA, is isolated either from cells undergoing
15 testing after exposure to a drug or compound that interacts with a protein tyrosine kinase as described herein, or its signaling pathway, or from cells being tested to obtain an initial determination or prediction of the cells' sensitivity to the drug or compound, and, ultimately, a prediction of treatment outcome with the drug or compound. The isolated nucleic acid is appropriately labeled and applied to one or
20 more of the specialized microarrays. The resulting pattern of polynucleotide expression on the specialized microarray is analyzed as described herein and known in the art. A pattern of polynucleotide expression correlating with either sensitivity or resistance to the drug or compound is able to be determined, e.g., via comparison with the polynucleotide expression pattern as shown in Figure 1 for the panel of cells
25 exposed to the protein tyrosine kinase inhibitor assayed herein.

In accordance with the specialized microarray embodiment of this invention, the microarray contains the polynucleotides of one or more of the predictor polynucleotide set(s) or subset(s), or a combination thereof, or all of the polynucleotides in Tables 2, 4, or 5, that are highly correlated with drug sensitivity or
30 resistance by a breast cell type. If the nucleic acid target isolated from test cells, such as tumor or cancer cells, preferably breast cancer or tumor cells, shows a high level of detectable binding to the polynucleotides of the predictor set for drug sensitivity

relative to control, then it can be predicted that a patient's cells will respond to the drug, or a series of drugs, and that the patient's response to the drug, or a series of drugs, will be favorable.

Such a result predicts that the cells of a tumor or cancer are good candidates
5 for the successful treatment or therapy utilizing the drug, or series of drugs. Alternatively, if the nucleic acid target isolated from test cells shows a high level of detectable binding to the polynucleotides of the predictor set for drug resistance, relative to control, then it can be predicted that a patient is likely not to respond to the drug, or a series of drugs, and that the patient's response to the drug, or a series of
10 drugs, is not likely to be favorable. Such a result predicts that the cells of a tumor or cancer are not good candidates for treatment or therapy utilizing the drug, or series of drugs.

The utilization of microarray technology is known and practiced in the art. Briefly, to determine polynucleotide expression using microarray technology,
15 polynucleotides, e.g., RNA, DNA, cDNA, preferably RNA, are isolated from a biological sample, e.g., cells, as described herein for breast cells, using procedures and techniques that are practiced in the art. The isolated nucleic acid is detectably labeled, e.g., fluorescent, enzyme, radionuclide, or chemiluminescent label, and applied to a microarray, e.g., the specialized microarrays provided by this invention. The array is
20 then washed to remove unbound material and visualized by staining or fluorescence, or other means known in the art depending on the type of label utilized.

In another embodiment of this invention, the predictor polynucleotides (Table 2), or one or more subsets of polynucleotides comprising the predictor polynucleotide sets (e.g., Tables 4-5) can be used as biomarkers for cells that are resistant or sensitive
25 to protein tyrosine kinase inhibitor compounds, e.g., Src tyrosine kinase inhibitors. With the predictor polynucleotides in hand, screening and detection assays can be carried out to determine whether or not a given compound, preferably a protein tyrosine kinase inhibitor compound such as a Src tyrosine kinase inhibitor compound, elicits a sensitive or a resistant phenotype following exposure of cells, e.g., cells taken
30 from a tumor or cancer biopsy sample, such as a breast cancer cell sample, to the compound. Thus, methods of screening, monitoring, detecting, prognosing and/or diagnosing to determine the resistance or sensitivity of cells to a drug or compound

that interacts with a protein tyrosine kinase, or a protein tyrosine kinase pathway, preferably an inhibitor compound, and to which the cells are exposed, are encompassed by the present invention.

Such methods embrace a variety of procedures and assays to determine and
5 assess the expression of polynucleotides, in particular, the predictor or src biomarker polynucleotides and predictor polynucleotide subsets as described herein (Tables 2, 4, and 5), in cells that have been exposed to drugs or compounds that interact with or effect a protein tyrosine kinase, or a protein tyrosine kinase pathway, wherein the protein tyrosine kinases include members of the Src family of tyrosine kinases, for
10 example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Suitable methods include detection and evaluation of polynucleotide activation or expression at the level of nucleic acid, e.g., DNA, RNA, mRNA, and detection and evaluation of encoded protein. For example, PCR assays as known and practiced in the art can be
15 employed to quantify RNA or DNA in cells being assayed for susceptibility to drug treatment, for example, protein tyrosine kinase inhibitors. (see Example 2, RT-PCR).

In another embodiment, the present invention is directed to a method of identifying cells, tissues, and/or patients that are predicted to be resistant to either protein tyrosine inhibitor compounds or compounds that affect protein tyrosine kinase
20 signaling pathways, e.g., Src tyrosine kinase, or that are resistant in different biological systems to those compounds. The method comprises the step(s) of (i) analyzing the expression of only those polynucleotides listed in Tables 2, 4, 5, or any combination thereof, that have been shown to be correlative to predicting resistant responses to such compounds; (ii) comparing the observed expression levels of those
25 correlative resistant polynucleotides in the test cells, tissues, and/or patients to the expression levels of those same polynucleotides in a cell line that is known to be resistant to the compounds; and (iii) predicting whether the cells, tissues, and/or patients are resistant to the compounds based upon the overall similarity of the observed expression of those polynucleotides in step (ii).

30 In another embodiment, the present invention is directed to a method of identifying cells, tissues, and/or patients that are predicted to be sensitive to either protein tyrosine inhibitor compounds or compounds that affect protein tyrosine kinase

signaling pathways, e.g., the Src tyrosine kinase, or that are sensitive in different biological systems to those compounds. The method involves the step(s) of (i) analyzing the expression of only those polynucleotides listed in Tables 2, 4, 5, or any combination thereof, that have been shown to be correlative to predicting sensitive responses to such compounds; (ii) comparing the observed expression levels of those correlative sensitive polynucleotides in the test cells, tissues, and/or patients to the expression levels of those same polynucleotides in a cell line that is known to be sensitive to the compounds; and (iii) predicting whether the cells, tissues, and/or patients are sensitive to the compounds based upon the overall similarity of the observed expression of those polynucleotides in step (ii).

The present invention further encompasses the detection and/or quantification of one or more of the protein tyrosine kinase biomarker proteins of the present invention using antibody-based assays (e.g., immunoassays) and/or detection systems. As mentioned, protein tyrosine kinases encompass members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Such assays include the following non-limiting examples, ELISA, immunofluorescence, fluorescence activated cell sorting (FACS), Western Blots, etc., as further described herein.

In another embodiment, the human protein tyrosine kinase biomarker polypeptides and/or peptides of the present invention, or immunogenic fragments or oligopeptides thereof, can be used for screening therapeutic drugs or compounds in a variety of drug screening techniques. The fragment employed in such a screening assay can be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. The reduction or abolition of activity of the formation of binding complexes between the biomarker protein and the agent being tested can be measured. Thus, the present invention provides a method for screening or assessing a plurality of compounds for their specific binding affinity with a protein kinase inhibitor biomarker polypeptide, or a bindable peptide fragment thereof, of this invention. The method comprises the steps of providing a plurality of compounds; combining the protein kinase inhibitor biomarker polypeptide, or a bindable peptide fragment thereof, with each of the plurality of compounds, for a time sufficient to

allow binding under suitable conditions; and detecting binding of the biomarker polypeptide or peptide to each of the plurality of test compounds, thereby identifying the compounds that specifically bind to the biomarker polypeptide or peptide. More specifically, the biomarker polypeptide or peptide is that of a Src tyrosine kinase inhibitor biomarkers.

Methods to identify compounds that modulate the activity of the human protein tyrosine kinase biomarker polypeptides and/or peptides provided in Table 2 by the present invention, comprise combining a candidate compound or drug modulator of protein kinases and measuring an effect of the candidate compound or drug modulator on the biological activity of the protein kinase inhibitor biomarker polypeptide or peptide. Such measurable effects include, for example, a physical binding interaction; the ability to cleave a suitable protein kinase substrate; effects on a native and cloned protein kinase biomarker-expressing cell line; and effects of modulators or other protein kinase-mediated physiological measures.

Another method of identifying compounds that modulate the biological activity of the protein tyrosine kinase biomarker polypeptides of the present invention comprises combining a potential or candidate compound or drug modulator of a protein tyrosine kinase biological activity, e.g., a Src tyrosine kinase, with a host cell that expresses the protein tyrosine kinase biomarker polypeptide and measuring an effect of the candidate compound or drug modulator on the biological activity of the protein tyrosine kinase biomarker polypeptides. The host cell can also be capable of being induced to express the protein tyrosine kinase biomarker polypeptide, e.g., via inducible expression. Physiological effects of a given modulator candidate on the protein tyrosine kinase biomarker polypeptide can also be measured. Thus, cellular assays for particular protein tyrosine kinase modulators, e.g., a src kinase modulator, can be either direct measurement or quantification of the physical biological activity of the protein tyrosine kinase biomarker polypeptide, or they may be measurement or quantification of a physiological effect. Such methods preferably employ a protein tyrosine kinase biomarker polypeptide as described herein, or an overexpressed recombinant protein tyrosine kinase biomarker polypeptide in suitable host cells containing an expression vector as described herein, wherein the protein tyrosine

kinase biomarker polypeptide is expressed, overexpressed, or undergoes up-regulated expression.

Another aspect of the present invention embraces a method of screening for a compound that is capable of modulating the biological activity of a protein tyrosine kinase biomarker polypeptide, e.g., a Src kinase biomarker polypeptide. The method comprises providing a host cell containing an expression vector harboring a nucleic acid sequence encoding a protein tyrosine kinase biomarker polypeptide, or a functional peptide or portion thereof (e.g., the src polypeptide, protein, peptide, or fragment sequences as set forth in Table 2, or the Sequence Listing herein); determining the biological activity of the expressed protein tyrosine kinase biomarker polypeptide in the absence of a modulator compound; contacting the cell with the modulator compound and determining the biological activity of the expressed protein tyrosine kinase biomarker polypeptide in the presence of the modulator compound. In such a method, a difference between the activity of the protein tyrosine kinase biomarker polypeptide in the presence of the modulator compound and in the absence of the modulator compound indicates a modulating effect of the compound.

Essentially any chemical compound can be employed as a potential modulator or ligand in the assays according to the present invention. Compounds tested as protein tyrosine kinase modulators can be any small chemical compound, or biological entity (e.g., protein, sugar, nucleic acid, or lipid). Test compounds are typically small chemical molecules and peptides. Generally, the compounds used as potential modulators can be dissolved in aqueous or organic (e.g., DMSO-based) solutions. The assays are designed to screen large chemical libraries by automating the assay steps and providing compounds from any convenient source. Assays are typically run in parallel, for example, in microtiter formats on microtiter plates in robotic assays. There are many suppliers of chemical compounds, including, for example, Sigma (St. Louis, MO), Aldrich (St. Louis, MO), Sigma-Aldrich (St. Louis, MO), Fluka Chemika-Biochemica Analytika (Buchs, Switzerland). Also, compounds can be synthesized by methods known in the art.

High throughput screening methodologies are particularly envisioned for the detection of modulators of the novel protein tyrosine kinase biomarker, e.g., src biomarker, polynucleotides and polypeptides described herein. Such high throughput

screening methods typically involve providing a combinatorial chemical or peptide library containing a large number of potential therapeutic compounds (e.g., ligand or modulator compounds). The combinatorial chemical libraries or ligand libraries are then screened in one or more assays to identify those library members (e.g., particular
5 chemical species or subclasses) that display a desired characteristic activity. The compounds so identified can serve as conventional lead compounds, or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated either by chemical synthesis or biological synthesis, prepared
10 by combining a number of chemical building blocks (i.e., reagents such as amino acids). As an example, a linear combinatorial library, e.g., a polypeptide or peptide library, is formed by combining a set of chemical building blocks in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide or peptide compound). Millions of chemical compounds can be synthesized through
15 such combinatorial mixing of chemical building blocks.

The preparation and screening of combinatorial chemical libraries is well known to those having skill in the pertinent art. Combinatorial libraries include, without limitation, peptide libraries (e.g. U.S. Patent No. 5,010,175; Furka, 1991, *Int. J. Pept. Prot. Res.*, 37:487-493; and Houghton et al., 1991, *Nature*, 354:84-88). Other
20 chemistries for generating chemical diversity libraries can also be used. Nonlimiting examples of chemical diversity library chemistries include, peptoids (PCT Publication No. WO 91/019735), encoded peptides (PCT Publication No. WO 93/20242), random bio-oligomers (PCT Publication No. WO 92/00091), benzodiazepines (U.S. Patent No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides
25 (Hobbs et al., 1993, *Proc. Natl. Acad. Sci. USA*, 90:6909-6913), vinylogous polypeptides (Hagihara et al., 1992, *J. Amer. Chem. Soc.*, 114:6568), nonpeptidal peptidomimetics with glucose scaffolding (Hirschmann et al., 1992, *J. Amer. Chem. Soc.*, 114:9217-9218), analogous organic synthesis of small compound libraries (Chen et al., 1994, *J. Amer. Chem. Soc.*, 116:2661), oligocarbamates (Cho et al., 1993,
30 *Science*, 261:1303), and/or peptidyl phosphonates (Campbell et al., 1994, *J. Org. Chem.*, 59:658), nucleic acid libraries (see Ausubel, Berger and Sambrook, all supra), peptide nucleic acid libraries (U.S. Patent No. 5,539,083), antibody libraries (e.g.,

Vaughn et al., 1996, *Nature Biotechnology*, 14(3):309-314) and PCT/US96/10287), carbohydrate libraries (e.g., Liang et al., 1996, *Science*, 274-1520-1522) and U.S. Patent No. 5,593,853), small organic molecule libraries (e.g., benzodiazepines, Baum C&EN, Jan. 18, 1993, page 33; and U.S. Patent No. 5,288,514; isoprenoids (U.S. Patent No. 5,569,588); thiazolidinones and metathiazanones (U.S. Patent No. 5,549,974); pyrrolidines (U.S. Patent Nos. 5,525,735 and 5,519,134); morpholino compounds (U.S. Patent No. 5,506,337); and the like.

Devices for the preparation of combinatorial libraries are commercially available (e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY; Symphony, Rainin, Woburn, MA; 433A Applied Biosystems, Foster City, CA; 9050 Plus, Millipore, Bedford, MA). In addition, a large number of combinatorial libraries are commercially available (e.g., ComGenex, Princeton, NJ; Asinex, Moscow, Russia; Tripos, Inc., St. Louis, MO; ChemStar, Ltd., Moscow, Russia; 3D Pharmaceuticals, Exton, PA; Martek Biosciences, Columbia, MD, and the like).

In one aspect, the invention provides solid phase-based *in vitro* assays in a high throughput format, where the cell or tissue expressing a tyrosine kinase protein/polypeptide/peptide is attached to a solid phase substrate. In such high throughput assays, it is possible to screen up to several thousand different modulators or ligands in a single day. In particular, each well of a microtiter plate can be used to perform a separate assay against a selected potential modulator, or, if concentration or incubation time effects are to be observed, every 5-10 wells can be used to test a single modulator. Thus, a single standard microtiter plate can be used in to assay about 96 modulators. If 1536 well plates are used, then a single plate can easily assay from about 100 to about 1500 different compounds. It is possible to assay several different plates per day; thus, for example, assay screens for up to about 6,000-20,000 different compounds are possible using the described integrated systems.

In another of its aspects, the present invention encompasses screening and small molecule (e.g., drug) detection assays which involve the detection or identification of small molecules that can bind to a given protein, i.e., a tyrosine kinase biomarker polypeptide or peptide, such as a Src tyrosine kinase biomarker polypeptide or peptide. Particularly preferred are assays suitable for high throughput screening methodologies.

In such binding-based detection, identification, or screening assays, a functional assay is not typically required. All that is needed, in general, is a target protein, preferably substantially purified, and a library or panel of compounds (e.g., ligands, drugs, or small molecules), or biological entities to be screened or assayed for
5 binding to the protein target. Preferably, most small molecules that bind to the target protein modulate the target's activity in some manner due to preferential, higher affinity binding to functional areas or sites on the protein.

An example of such an assay is the fluorescence based thermal shift assay (3-Dimensional Pharmaceuticals, Inc., 3DP, Exton, PA) as described in U.S. Patent Nos.
10 6,020,141 and 6,036,920 to Pantoliano et al. (See also, J. Zimmerman, 2000, *Gen. Eng. News*, 20(8)). The assay allows the detection of small molecules (e.g., drugs, ligands) that bind to expressed, and preferably purified, tyrosine kinase biomarker proteins/polypeptides/peptides, such as the Src tyrosine kinase, based on affinity of binding determinations by analyzing thermal unfolding curves of protein-drug or
15 ligand complexes. The drugs or binding molecules determined by this technique can be further assayed, if desired, by methods such as those described herein to determine if the molecules affect or modulate function or activity of the target protein.

To purify a tyrosine kinase biomarker polypeptide or peptide, e.g., Src tyrosine kinase, to measure a biological binding or ligand binding activity, the source may be a
20 whole cell lysate that can be prepared by successive freeze-thaw cycles (e.g., one to three) in the presence of standard protease inhibitors. The tyrosine kinase biomarker polypeptide can be partially or completely purified by standard protein purification methods, e.g., affinity chromatography using specific antibody(ies) described herein, or by ligands specific for an epitope tag engineered into the recombinant tyrosine
25 kinase biomarker polypeptide molecule, also as described herein. Binding activity can then be measured as described.

Compounds which are identified according to the methods provided herein, and which modulate or regulate the biological activity or physiology of the tyrosine kinase biomarker polypeptides according to the present invention, are a preferred
30 embodiment of this invention. It is contemplated that such modulatory compounds can be employed in treatment and therapeutic methods for treating a condition that is mediated by the tyrosine kinase biomarker polypeptides, e.g., Src tyrosine kinase

biomarker polypeptides, by administering to an individual in need of such treatment a therapeutically effective amount of the compound identified by the methods described herein.

5 In addition, the present invention provides methods for treating an individual in need of such treatment for a disease, disorder, or condition that is mediated by the tyrosine kinase biomarker polypeptides of the invention, comprising administering to the individual a therapeutically effective amount of the tyrosine kinase biomarker-modulating compound identified by a method provided herein. In accordance with this invention, the tyrosine kinase biomarker polypeptides or proteins encompassed by 10 the methods include members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors.

The present invention particularly provides methods for treating an individual in need of such treatment for a disease, disorder, or condition that is mediated by Src 15 biomarker polypeptides of the invention, comprising administering to the individual a therapeutically effective amount of the Src biomarker-modulating compound identified by a method provided herein.

The present invention further encompasses polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide having an amino acid 20 sequence of one or more of the protein tyrosine kinase biomarkers, preferably the Src biomarker amino acid sequences as set forth in Table 2. The present invention also encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the protein tyrosine kinase biomarkers of the invention.

The term "epitopes" as used herein, refers to portions of a polypeptide having 25 antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope" as used herein, refers to a portion of a protein that elicits an antibody response in an animal, as determined by any method 30 known in the art, for example, by the methods for generating antibodies described *infra*. (See, for example, Geysen et al., 1983, *Proc. Natl. Acad. Sci. USA*, 81:3998-4002). The term "antigenic epitope" as used herein refers to a portion of a protein to

which an antibody can immunospecifically bind to its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding, but does not necessarily exclude cross-reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic. Either the full-length protein or an antigenic peptide fragment can be used. Antibodies are preferably prepared from these regions or from discrete fragments in regions of the tyrosine kinase biomarker nucleic acid and protein sequences comprising an epitope. Polypeptide or peptide fragments that function as epitopes may be produced by any conventional means. (See, e.g., Houghten, 1985, *Proc. Natl. Acad. Sci. USA*, 82:5131-5135; and as described in U. S. Patent No. 4,631,211).

Moreover, antibodies can also be prepared from any region of the polypeptides and peptides of the protein tyrosine kinase biomarkers, including Src kinase biomarkers as described herein. In addition, if a polypeptide is a receptor protein, antibodies can be developed against an entire receptor or portions of the receptor, for example, the intracellular carboxy terminal domain, the amino terminal extracellular domain, the entire transmembrane domain, specific transmembrane segments, any of the intracellular or extracellular loops, or any portions of these regions. Antibodies can also be developed against specific functional sites, such as the site of ligand binding, or sites that are glycosylated, phosphorylated, myristylated, or amidated, for example.

In the present invention, antigenic epitopes for generating antibodies preferably contain a sequence of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30 amino acid residues. Combinations of the foregoing epitopes are included. Preferred polypeptides comprising immunogenic or antigenic epitopes are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof, as well as any combination of two, three, four, five or more of these antigenic epitopes. Such antigenic epitopes can be used as the target molecules in

immunoassays. (See, for instance, Wilson et al., 1984, *Cell*, 37:767-778; and Sutcliffe et al., 1983, *Science*, 219:660-666). The fragments as described herein are not to be construed, however, as encompassing any fragments which may be disclosed prior to the invention.

5 Protein tyrosine kinase biomarker polypeptides comprising one or more immunogenic epitopes which elicit an antibody response can be introduced together with a carrier protein, such as an albumin, to an animal system (such as rabbit or mouse). Alternatively, if the polypeptide is of sufficient length (e.g., at least about 15-25 amino acids), the polypeptide can be presented without a carrier. However,
10 immunogenic epitopes comprising as few as 5 to 10 amino acids have been shown to be sufficient to raise antibodies capable of binding to, at the very least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

Epitope-bearing polypeptides of the present invention can be used to induce antibodies according to methods well known in the art including, but not limited to, *in vivo* immunization, *in vitro* immunization, and phage display methods. See, e. g.,
15 Sutcliffe et al., *supra*; Wilson et al., *supra*; and Bittle et al., *supra*). If *in vivo* immunization is used, animals can be immunized with free peptide of appropriate size; however, the anti-peptide antibody titer can be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH), or tetanus toxoid (TT). For instance, peptides containing cysteine residues can be coupled to a
20 carrier using a linker such as maleimidobenzoyl-N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent, such as glutaraldehyde.

Peptides containing epitopes can also be synthesized as multiple antigen peptides (MAPs), first described by J.P. Tam et al. (1995, *Biomed. Pept., Proteins, Nucleic Acids*, 199, 1(3):123-32) and Calvo et al. (1993, *J. Immunol.*, 150(4):1403-12), which are hereby incorporated by reference in their entirety herein. MAPs contain multiple copies of a specific peptide attached to a non-immunogenic lysine core. MAP peptides usually contain four or eight copies of the peptide, which are
25 often referred to as MAP4 or MAP8 peptides. By way of non-limiting example, MAPs can be synthesized onto a lysine core matrix attached to a polyethylene glycol-polystyrene (PEG-PS) support. The peptide of interest is synthesized onto the lysine
30

residues using 9-fluorenylmethoxycarbonyl (Fmoc) chemistry. For example, Applied Biosystems (Foster City, CA) offers commercially available MAP resins, such as, for example, the Fmoc Resin 4 Branch and the Fmoc Resin 8 Branch which can be used to synthesize MAPs. Cleavage of MAPs from the resin is performed with standard trifluoroacetic acid (TFA)-based cocktails known in the art. Purification of MAPs, except for desalting, is not generally necessary. MAP peptides can be used in immunizing vaccines which elicit antibodies that recognize both the MAP and the native protein from which the peptide was derived.

Epitope-bearing peptides of the invention can also be incorporated into a coat protein of a virus, which can then be used as an immunogen or a vaccine with which to immunize animals, including humans, in order stimulate the production of anti-epitope antibodies. For example, the V3 loop of the gp120 glycoprotein of the human immunodeficiency virus type 1 (HIV-1) has been engineered to be expressed on the surface of rhinovirus. Immunization with rhinovirus displaying the V3 loop peptide yielded apparently effective mimics of the HIV-1 immunogens (as measured by their ability to be neutralized by anti-HIV-1 antibodies as well as by their ability to elicit the production of antibodies capable of neutralizing HIV-1 in cell culture). This techniques of using engineered viral particles as immunogens is described in more detail in Smith et al., 1997, *Behring Inst Mitt Feb*, (98):229-39; Smith et al., 1998, *J. Virol.*, 72:651-659; and Zhang et al., 1999, *Biol. Chem.*, 380:365-74), which are hereby incorporated by reference herein in their entirety.

Moreover, polypeptides or peptides containing epitopes according to the present invention can be modified, for example, by the addition of amino acids at the amino- and/or carboxy-terminus of the peptide. Such modifications are performed, for example, to alter the conformation of the epitope bearing polypeptide such that the epitope will have a conformation more closely related to the structure of the epitope in the native protein. An example of a modified epitope-bearing polypeptide of the invention is a polypeptide in which one or more cysteine residues have been added to the polypeptide to allow for the formation of a disulfide bond between two cysteines, thus resulting in a stable loop structure of the epitope-bearing polypeptide under non-reducing conditions. Disulfide bonds can form between a cysteine residue added to the polypeptide and a cysteine residue of the naturally-occurring epitope, or between

two cysteines which have both been added to the naturally-occurring epitope-bearing polypeptide.

In addition, it is possible to modify one or more amino acid residues of the naturally-occurring epitope-bearing polypeptide by substitution with cysteines to promote the formation of disulfide bonded loop structures. Cyclic thioether molecules of synthetic peptides can be routinely generated using techniques known in the art, e.g., as described in PCT publication WO 97/46251, incorporated in its entirety by reference herein. Other modifications of epitope-bearing polypeptides contemplated by this invention include biotinylation.

For the production of antibodies *in vivo*, host animals, such as rabbits, rats, mice, sheep, or goats, are immunized with either free or carrier-coupled peptides or MAP peptides, for example, by intraperitoneal and/or intradermal injection. Injection material is typically an emulsion containing about 100 µg of peptide or carrier protein and Freund's adjuvant, or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal can be increased by selection of anti-peptide antibodies, e.g., by adsorption of the peptide onto a solid support and elution of the selected antibodies according to methods well known in the art.

As one having skill in the art will appreciate, and as discussed above, the tyrosine kinase biomarker polypeptides of the present invention, which include the following: e.g., members of the Src family of tyrosine kinases, such as Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors, and which comprise an immunogenic or antigenic epitope, can be fused to other polypeptide sequences. For example, the polypeptides of the present invention can be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgD, or IgM), or portions thereof, e.g., CH1, CH2, CH3, or any combination thereof, and portions thereof, or with albumin (including, but not limited to, recombinant human albumin, or fragments or variants thereof (see, e. g., U. S. Patent No. 5,876,969; EP Patent No. 0 413 622; and U.S. Patent No.

5,766,883, incorporated by reference in their entirety herein), thereby resulting in chimeric polypeptides. Such fusion proteins may facilitate purification and may increase half-life *in vivo*. This has been shown for chimeric proteins containing the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. (see, e.g.,
5 Traunecker et al., 1988, *Nature*, 331:84-86).

Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner, such as IgG or Fc fragments (see, e.g., WO 96/22024 and WO
10 99/04813). IgG fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion disulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than are monomeric polypeptides, or fragments thereof, alone. (See, e.g., Fountoulakis et al., 1995, *J. Biochem.*, 270:3958-3964).

Nucleic acids encoding epitopes can also be recombined with a polynucleotide of interest as an epitope tag (e.g., the hemagglutinin ("HA") tag or flag tag) to aid in
15 detection and purification of the expressed polypeptide. For example, a system for the ready purification of non-denatured fusion proteins expressed in human cell lines has been described by Janknecht et al., (1991, *Proc. Natl. Acad. Sci. USA*, 88:8972- 897). In this system, the polynucleotide of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the polynucleotide is
20 translationally fused to an amino-terminal tag having six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto an Ni^{2+} nitriloacetic acid-agarose column and histidine-tagged proteins are selectively eluted with imidazole-containing
25 buffers.

Additional fusion proteins of the invention can be generated by employing the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling"). DNA shuffling can be employed to modulate the activities of polypeptides of the invention; such methods can be used to
30 generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al., 1997, *Curr. Opinion Biotechnol.*, 8:724-

33; Harayama, 1998, *Trends Biotechnol.*, 16(2):76-82; Hansson, et al., 1999, *J. Mol. Biol.*, 287:265-76; and Lorenzo and Blasco, 1998, *Biotechniques*, 24(2):308-313, the contents of each of which are hereby incorporated by reference in its entirety.

In an embodiment of the invention, alteration of polynucleotides
5 corresponding to one or more of the src biomarker polynucleotide sequences as set forth in Table 2, and the polypeptides encoded by these polynucleotides, can be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments by homologous or site-specific recombination to generate variation in the polynucleotide sequence. In another embodiment, polynucleotides of the
10 invention, or their encoded polypeptides, may be altered by being subjected to random mutapolynucleotidesis by error-prone PCR, random nucleotide insertion, or other methods, prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of this invention may be recombined with one or more components,
15 motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

Another aspect of the present invention relates to antibodies and T-cell antigen receptors (TCRs), which immunospecifically bind to a polypeptide, polypeptide fragment, or variant one or more of the src biomarker amino acid sequences as set
20 forth in Table 2, and/or an epitope thereof, of the present invention (as determined by immunoassays well known in the art for assaying specific antibody-antigen binding).

A bispecific or bifunctional antibody is an artificial hybrid antibody having two different heavy/light chain pairs and two different binding sites. Bispecific antibodies can be produced by a variety of methods, including fusion of hybridomas or linking of Fab' fragments. (See, e. g., Songsivilai & Lachmann, 1990, *Clin. Exp.*
25 *Immunol.*, 79:315-321; Kostelny et al., 1992, *J. Immunol.*, 148:1547-1553). In addition, bispecific antibodies can be formed as "diabodies" (See, Holliger et al., 1993, *Proc. Natl. Acad. Sci. USA*, 90:6444-6448), or "Janusins" (See, Traunecker et al., 1991, *EMBO J.*, 10:3655-3659 and Traunecker et al., 1992, *Int. J. Cancer Suppl.*
30 7:51-52-127).

Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain

antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id antibodies to antibodies of the invention), intracellularly made antibodies (i.e., intrabodies), and epitope-binding fragments of any of the above. The term "antibody", as used herein,
5 refers to immunoglobulin molecules and immunologically active portions or fragments of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM, IgD, IgA and IgY), class or subclass (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) of immunoglobulin
10 molecule. Preferably, immunoglobulin is an IgG1, an IgG2, or an IgG4 isotype.

Immunoglobulins may have both a heavy and a light chain. An array of IgG, IgE, IgM, IgD, IgA, and IgY heavy chains can be paired with a light chain of the kappa or lambda types. Most preferably, the antibodies of the present invention are human antigen-binding antibodies and antibody fragments and include, but are not
15 limited to, Fab, Fab' F(ab')₂, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and fragments comprising either a V_L or V_H domain. Antigen-binding antibody fragments, including single-chain antibodies, can comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, and CH1, CH2, and CH3 domains. Also included in
20 connection with the invention are antigen-binding fragments comprising any combination of variable region(s) with a hinge region, and CH1, CH2, and CH3 domains. The antibodies of the invention can be from any animal origin including birds and mammals. Preferably, the antibodies are of human, murine (e. g., mouse and rat), donkey, sheep, rabbit, goat, guinea pig, camel, horse, or chicken origin. As
25 used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries or from animals transgenic for one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described *infra* and, for example, in U.S. Patent No. 5,939,598.

30 The antibodies of the present invention can be monospecific, bispecific, trispecific, or of greater multispecificity. Multispecific antibodies can be specific for different epitopes of a polypeptide of the present invention, or can be specific for both

a polypeptide of the present invention, and a heterologous epitope, such as a heterologous polypeptide or solid support material. (See, e.g., WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt et al., 1991, *J. Immunol.*, 147:60-69; U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; and
5 Kostelny et al., 1992, *J. Immunol.*, 148:1547-1553).

Antibodies of the present invention can be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) can be specified, e.g., by N-terminal and C-terminal positions, by size in contiguous amino
10 acid residues, or as presented in the sequences defined in Table 2 herein. Further included in accordance with the present invention are antibodies which bind to polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent, or moderately stringent, hybridization conditions as described herein.

15 The antibodies of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof) can bind immunospecifically to a polypeptide or polypeptide fragment or to a variant human protein tyrosine kinase biomarker of the invention, e.g., the Src biomarker proteins as set forth in Table 2, and/or monkey src biomarker protein.

20 By way of non-limiting example, an antibody can be considered to bind to a first antigen preferentially if it binds to the first antigen with a dissociation constant (Kd) that is less than the antibody's Kd for the second antigen. In another non-limiting embodiment, an antibody can be considered to bind to a first antigen preferentially if it binds to the first antigen with an affinity that is at least one order of
25 magnitude less than the antibody's Ka for the second antigen. In another non-limiting embodiment, an antibody can be considered to bind to a first antigen preferentially if it binds to the first antigen with an affinity that is at least two orders of magnitude less than the antibody's Kd for the second antigen.

In another nonlimiting embodiment, an antibody may be considered to bind to
30 a first antigen preferentially if it binds to the first antigen with an off rate (koff) that is less than the antibody's koff for the second antigen. In another nonlimiting embodiment, an antibody can be considered to bind to a first antigen preferentially if

it binds to the first antigen with an affinity that is at least one order of magnitude less than the antibody's koff for the second antigen. In another nonlimiting embodiment, an antibody can be considered to bind to a first antigen preferentially if it binds to the first antigen with an affinity that is at least two orders of magnitude less than the antibody's koff for the second antigen.

Antibodies of the present invention can also be described or specified in terms of their binding affinity to a tyrosine kinase biomarker polypeptide of the present invention, e.g., members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. Preferred binding affinities include those with a dissociation constant or Kd of less than 5×10^{-2} M, 1×10^{-2} M, 5×10^{-3} M, 1×10^{-3} M, 5×10^{-4} M, or 1×10^{-4} M. More preferred binding affinities include those with a dissociation constant or Kd less than 5×10^{-5} M, 1×10^{-5} M, 5×10^{-6} M, 1×10^{-6} M, 5×10^{-7} M, 1×10^{-7} M, 5×10^{-8} M, or 1×10^{-8} M. Even more preferred antibody binding affinities include those with a dissociation constant or Kd of less than 5×10^{-9} M, 1×10^{-9} M, 5×10^{-10} M, 1×10^{-10} M, 5×10^{-11} M, 1×10^{-11} M, 5×10^{-12} M, 1×10^{-12} M, 5×10^{-13} M, 1×10^{-13} M, 5×10^{-14} M, 1×10^{-14} M, 5×10^{-15} M, or 1×10^{-15} M.

In specific embodiments, antibodies of the invention bind to the protein tyrosine kinase biomarker polypeptides, or fragments, or variants thereof, with an off rate (koff) of less than or equal to about $5 \times 10^{-2} \text{ sec}^{-1}$, $1 \times 10^{-2} \text{ sec}^{-1}$, $5 \times 10^{-3} \text{ sec}^{-1}$, or $1 \times 10^{-3} \text{ sec}^{-1}$. More preferably, antibodies of the invention bind to src biomarker protein polypeptides or fragments or variants thereof with an off rate (koff) of less than or equal to about $5 \times 10^{-4} \text{ sec}^{-1}$, $1 \times 10^{-4} \text{ sec}^{-1}$, $5 \times 10^{-5} \text{ sec}^{-1}$, $1 \times 10^{-5} \text{ sec}^{-1}$, $5 \times 10^{-6} \text{ sec}^{-1}$, $1 \times 10^{-6} \text{ sec}^{-1}$, $5 \times 10^{-7} \text{ sec}^{-1}$, or $1 \times 10^{-7} \text{ sec}^{-1}$.

In other embodiments, antibodies of the invention bind to protein tyrosine kinase biomarker polypeptides or fragments or variants thereof with an on rate (kon) of greater than or equal to $1 \times 10^3 \text{ M}^{-1} \text{ sec}^{-1}$, $5 \times 10^3 \text{ M}^{-1} \text{ sec}^{-1}$, $1 \times 10^4 \text{ M}^{-1} \text{ sec}^{-1}$, or $5 \times 10^4 \text{ M}^{-1} \text{ sec}^{-1}$. More preferably, antibodies of the invention bind to protein tyrosine kinase biomarker polypeptides or fragments or variants thereof with an on rate greater than or equal to $1 \times 10^5 \text{ M}^{-1} \text{ sec}^{-1}$, $5 \times 10^5 \text{ M}^{-1} \text{ sec}^{-1}$, $1 \times 10^6 \text{ M}^{-1} \text{ sec}^{-1}$, $5 \times 10^6 \text{ M}^{-1} \text{ sec}^{-1}$, or $1 \times 10^7 \text{ M}^{-1} \text{ sec}^{-1}$.

The present invention also provides antibodies that competitively inhibit the binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays as described herein. In preferred embodiments, the antibody competitively inhibits
5 binding to an epitope by at least 95%, at least 90%, at least 85 %, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.

Antibodies of the present invention can act as agonists or antagonists of the protein tyrosine kinase biomarker polypeptides of the present invention. For example, the present invention includes antibodies which disrupt receptor/ligand interactions
10 with polypeptides of the invention either partially or fully. The invention includes both receptor-specific antibodies and ligand-specific antibodies. The invention also includes receptor-specific antibodies which do not prevent ligand binding, but do prevent receptor activation. Receptor activation (i.e., signaling) can be determined by techniques described herein or as otherwise known in the art. For example, receptor
15 activation can be determined by detecting the phosphorylation (e.g., on tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by Western Blot analysis. In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50% of the activity in the
20 absence of the antibody.

In another embodiment of the present invention, antibodies that immunospecifically bind to a protein tyrosine kinase biomarker, or a fragment or variant thereof, comprise a polypeptide having the amino acid sequence of any one of the heavy chains expressed by an anti-protein tyrosine kinase biomarker antibody-
25 expressing cell line of the invention, and/or any one of the light chains expressed by an anti-protein tyrosine kinase biomarker antibody-expressing cell line of the invention.

In another embodiment of the present invention, antibodies that immunospecifically bind to a tyrosine kinase biomarker protein or a fragment or
30 variant thereof, comprise a polypeptide having the amino acid sequence of any one of the V_H domains of a heavy chain expressed by an anti-protein tyrosine kinase biomarker antibody-expressing cell line, and/or any one of the V_L domains of a light

chain expressed by an anti-protein tyrosine kinase biomarker antibody-expressing cell line. In preferred embodiments, antibodies of the present invention comprise the amino acid sequence of a V_H domain and V_L domain expressed by a single anti-protein tyrosine kinase biomarker protein antibody-expressing cell line. In alternative
5 embodiments, antibodies of the present invention comprise the amino acid sequence of a V_H domain and a V_L domain expressed by two different anti-protein tyrosine kinase biomarker antibody-expressing cell lines.

 Molecules comprising, or alternatively consisting of, antibody fragments or variants of the V_H and/or V_L domains expressed by an anti-protein tyrosine kinase
10 biomarker antibody-expressing cell line that immunospecifically bind to a tyrosine kinase biomarker protein, e.g., Src tyrosine kinase, are also encompassed by the invention, as are nucleic acid molecules encoding these V_H and V_L domains, molecules, fragments and/or variants.

 The present invention also provides antibodies that immunospecifically bind
15 to a polypeptide, or polypeptide fragment or variant of a tyrosine kinase biomarker protein, e.g., a Src kinase biomarker protein, wherein such antibodies comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one, two, three, or more of the V_H CDRs contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody expressing cell lines. In particular,
20 the invention provides antibodies that immunospecifically bind to a tyrosine kinase biomarker protein, comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of a V_H CDR1 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody expressing cell lines. In another embodiment, antibodies that immunospecifically bind to a tyrosine kinase biomarker
25 protein, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a V_H CDR2 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody expressing cell lines. In a preferred embodiment, antibodies that immunospecifically bind to a tyrosine kinase biomarker protein, comprise, or alternatively consist of, a polypeptide having the amino acid
30 sequence of a V_H CDR3 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody expressing cell line of the invention. Molecules comprising, or alternatively consisting of, these antibodies or antibody

fragments or variants thereof that immunospecifically bind to a tyrosine kinase biomarker protein or a tyrosine kinase biomarker protein fragment or variant thereof are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments and/or variants.

5 The present invention also provides antibodies that immunospecifically bind to a polypeptide, or polypeptide fragment or variant of a tyrosine kinase biomarker protein, e.g., a Src kinase biomarker protein, wherein the antibodies comprise, or alternatively consist of, a polypeptide having an amino acid sequence of any one, two, three, or more of the V_L CDRs contained in a heavy chain expressed by one or more
10 anti-tyrosine kinase biomarker protein antibody expressing cell lines of the invention. In particular, the invention provides antibodies that immunospecifically bind to a tyrosine kinase biomarker protein, comprising, or alternatively consisting of, a polypeptide having the amino acid sequence of a V_L CDR1 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody-expressing
15 cell lines of the invention. In another embodiment, antibodies that immunospecifically bind to a src biomarker protein, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a V_L CDR2 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody-expressing cell lines of the invention. In a preferred embodiment, antibodies that
20 immunospecifically bind to a tyrosine kinase biomarker protein, comprise, or alternatively consist of, a polypeptide having the amino acid sequence of a V_L CDR3 contained in a heavy chain expressed by one or more anti-tyrosine kinase biomarker protein antibody-expressing cell lines of the invention. Molecules comprising, or alternatively consisting of, these antibodies, or antibody fragments or variants thereof,
25 that immunospecifically bind to a tyrosine kinase biomarker protein or a tyrosine kinase biomarker protein fragment or variant thereof are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments and/or variants.

 The present invention also provides antibodies (including molecules
30 comprising, or alternatively consisting of, antibody fragments or variants) that immunospecifically bind to a tyrosine kinase biomarker protein, polypeptide or polypeptide fragment or variant of a tyrosine kinase biomarker protein, e.g., Src

tyrosine kinase, wherein the antibodies comprise, or alternatively consist of, one, two, three, or more V_H CDRs, and one, two, three or more V_L CDRs, as contained in a heavy chain or light chain expressed by one or more anti-tyrosine kinase biomarker protein antibody-expressing cell lines of the invention. In particular, the invention

5 provides antibodies that immunospecifically bind to a polypeptide or polypeptide fragment or variant of a tyrosine kinase biomarker protein, wherein the antibodies comprise, or alternatively consist of, a V_H CDR1 and a V_L CDR1, a V_H CDR1 and a V_L CDR2, a V_H CDR1 and a V_L CDR3, a V_H CDR2 and a V_L CDR1, V_H CDR2 and V_L CDR2, a V_H CDR2 and a V_L CDR3, a V_H CDR3 and a V_H CDR1, a V_H CDR3 and

10 a V_L CDR2, a V_H CDR3 and a V_L CDR3, or any combination thereof, of the V_H CDRs and V_L CDRs contained in a heavy chain or light chain immunoglobulin molecule expressed by one or more anti-tyrosine kinase biomarker protein antibody-expressing cell lines of the invention. In a preferred embodiment, one or more of these combinations are from a single anti-tyrosine kinase biomarker protein antibody-

15 expressing cell line of the invention. Molecules comprising, or alternatively consisting of, fragments or variants of these antibodies that immunospecifically bind to the tyrosine kinase biomarker proteins are also encompassed by the invention, as are nucleic acid molecules encoding these antibodies, molecules, fragments or variants.

20 The present invention also provides nucleic acid molecules, generally isolated, encoding an antibody of the invention (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof). In a specific embodiment, a nucleic acid molecule of the invention encodes an antibody (including

25 molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), comprising, or alternatively consisting of, a V_H domain having an amino acid sequence of any one of the V_H domains of a heavy chain expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention and a V_L domain having an amino acid sequence of a light chain expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention. In

30 another embodiment, a nucleic acid molecule of the invention encodes an antibody (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), comprising, or alternatively consisting of, a V_H domain having an

amino acid sequence of any one of the V_H domains of a heavy chain expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention, or a V_L domain having an amino acid sequence of a light chain expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention.

5 The present invention also provides antibodies that comprise, or alternatively consist of, variants (including derivatives) of the antibody molecules (e.g., the V_H domains and/or V_L domains) described herein, which antibodies immunospecifically bind to a tyrosine kinase biomarker protein or fragment or variant thereof, e.g., a Src tyrosine kinase polypeptide.

10 Standard techniques known to those of skill in the art can be used to introduce mutations in the nucleotide sequence encoding a molecule of the invention, including, for example, site-directed mutapolynucleotidesis and PCR-mediated mutapolynucleotidesis which result in amino acid substitutions. Preferably the molecules are immunoglobulin molecules. Also preferably, the variants (including
15 derivatives) encode less than 50 amino acid substitutions, less than 40 amino acid substitutions, less than 30 amino acid substitutions, less than 25 amino acid substitutions, less than 20 amino acid substitutions, less than 15 amino acid substitutions, less than 10 amino acid substitutions, less than 5 amino acid substitutions, less than 4 amino acid substitutions, less than 3 amino acid
20 substitutions, or less than 2 amino acid substitutions, relative to the reference V_H domain, V_H CDR1, V_H CDR2, V_H CDR3, V_L domain, V_L CDR1, V_L CDR2, or V_L CDR3.

 A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a side chain with a similar
25 charge. Families of amino acid residues having side chains with similar charges have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine,
30 proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Alternatively, mutations can be introduced randomly along all

or part of the coding sequence, such as by saturation mutapolynucleotidesis. The resultant mutants can be screened for biological activity to identify mutants that retain activity.

For example, it is possible to introduce mutations only in framework regions
5 or only in CDR regions of an antibody molecule. Introduced mutations can be silent or neutral missense mutations, i.e., have no, or little, effect on an antibody's ability to bind antigen. These types of mutations can be useful to optimize codon usage, or to improve hybridoma antibody production. Alternatively, non-neutral missense mutations can alter an antibody's ability to bind antigen. The location of most silent
10 and neutral missense mutations is likely to be in the framework regions, while the location of most non-neutral missense mutations is likely to be in the CDRs, although this is not an absolute requirement. One of skill in the art is able to design and test mutant molecules with desired properties, such as no alteration in antigen binding activity or alteration in binding activity (e.g., improvements in antigen binding
15 activity or change in antibody specificity). Following mutapolynucleotidesis, the encoded protein may routinely be expressed and the functional and/or biological activity of the encoded protein can be determined using techniques described herein or by routinely modifying techniques known and practiced in the art.

In a specific embodiment, an antibody of the invention (including a molecule
20 comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds to protein tyrosine kinase biomarker polypeptides or fragments or variants thereof, comprises, or alternatively consists of, an amino acid sequence encoded by a nucleotide sequence that hybridizes to a nucleotide sequence that is complementary to that encoding one of the V_H or V_L domains expressed by one
25 or more anti-tyrosine kinase biomarker protein antibody-expressing cell lines of the invention, preferably under stringent conditions, e.g., hybridization to filter-bound DNA in 6x sodium chloride/sodium citrate (SSC) at about 45°C followed by one or more washes in 0.2 x SSC/0.1% SDS at about 50°C-65°C, preferably under highly stringent conditions, e.g., hybridization to filter-bound nucleic acid in 6xSSC at about
30 45°C followed by one or more washes in 0.1xSSC/0.2% SDS at about 68°C, or under other stringent hybridization conditions which are known to those of skill in the art

(see, for example, Ausubel, F.M. et al., eds., 1989, Current Protocols in Molecular Biology, Vol. I, Green Publishing Associates, Inc. and John Wiley & Sons, Inc., New York at pages 6.3.1-6.3.6 and 2.10.3). Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

5 It is well known within the art that polypeptides, or fragments or variants thereof, with similar amino acid sequences often have similar structure and many of the same biological activities. Thus, in one embodiment, an antibody (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds to a protein tyrosine kinase biomarker
10 polypeptide or fragments or variants of a tyrosine kinase biomarker polypeptide, comprises, or alternatively consists of, a V_H domain having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical to the amino acid sequence of a V_H domain of a
15 heavy chain expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention.

 In another embodiment, an antibody (including a molecule comprising, or alternatively consisting of, an antibody fragment or variant thereof), that immunospecifically binds to a tyrosine kinase biomarker polypeptide, or fragments or
20 variants of a tyrosine kinase biomarker protein polypeptide, comprises, or alternatively consists of, a V_L domain having an amino acid sequence that is at least 35%, at least 40%, at least 45%, at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, or at least 99% identical to the amino acid sequence of a V_L domain of a light chain
25 expressed by an anti-tyrosine kinase biomarker protein antibody-expressing cell line of the invention.

 The present invention also provides antibodies (including molecules comprising, or alternatively consisting of, antibody fragments or variants thereof), that down-regulate the cell-surface expression of a tyrosine kinase biomarker protein, as
30 determined by any method known in the art such as, for example, FACS analysis or immunofluorescence assays. By way of a non-limiting hypothesis, such down-regulation can be the result of antibody-induced internalization of a tyrosine kinase

biomarker protein. Such antibodies can comprise, or alternatively consist of, a portion (e. g., V_H CDR1, V_H CDR2, V_H CDR3, V_L CDR1, V_L CDR2, or V_L CDR3) of a V_H or V_L domain having an amino acid sequence of an antibody of the invention, or a fragment or variant thereof.

5 In another embodiment, an antibody that down-regulates the cell-surface expression of a tyrosine kinase biomarker protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_H domain of an antibody of the invention, or a fragment or variant thereof and a V_L domain of an antibody of the invention, or a fragment or variant thereof. In another embodiment, an antibody that
10 down-regulates the cell-surface expression of a tyrosine kinase biomarker protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_H domain and a V_L domain from a single antibody (or scFv or Fab fragment) of the invention, or fragments or variants thereof. In another embodiment, an antibody that down-regulates the cell-surface expression of a tyrosine kinase biomarker protein
15 comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_H domain of an antibody of the invention, or a fragment or variant thereof. In another embodiment, an antibody that down-regulates the cell-surface expression of a tyrosine kinase biomarker protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_L domain of an antibody of the
20 invention, or a fragment or variant thereof.

In a preferred embodiment, an antibody that down-regulates the cell-surface expression of a tyrosine kinase biomarker protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_H CDR3 of an antibody of the invention, or a fragment or variant thereof. In another preferred embodiment, an
25 antibody that down-regulates the cell-surface expression of a tyrosine kinase biomarker protein comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_L CDR3 of an antibody of the invention, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

30 In another preferred embodiment, an antibody that enhances the activity of a tyrosine kinase biomarker protein, or a fragment or variant thereof, comprises, or alternatively consists of, a polypeptide having the amino acid sequence of a V_L CDR3

of an antibody of the invention, or a fragment or variant thereof. Nucleic acid molecules encoding these antibodies are also encompassed by the invention.

As nonlimiting examples, antibodies of the present invention can be used to purify, detect, and target the protein tyrosine kinase polypeptides of the present invention, including both *in vitro* and *in vivo* diagnostic, detection, screening, and/or therapeutic methods. For example, the antibodies have been used in immunoassays for qualitatively and quantitatively measuring levels of src biomarker polypeptides in biological samples. (See, e.g., Harlow et al., *Antibodies : A Laboratory Manual*, Cold Spring Harbor Laboratory Press, 2nd Ed. 1988, which is incorporated by reference herein in its entirety).

By way of another nonlimiting example, antibodies of the invention can be administered to individuals as a form of passive immunization. Alternatively, antibodies of the present invention can be used for epitope mapping to identify the epitope(s) that are bound by the antibody. Epitopes identified in this way can, in turn, for example, be used as vaccine candidates, i.e., to immunize an individual to elicit antibodies against the naturally-occurring forms of one or more tyrosine kinase biomarker proteins.

As discussed in more detail below, the antibodies of the present invention can be used either alone or in combination with other compositions. The antibodies can further be recombinantly fused to a heterologous polypeptide at the N-or C-terminus, or chemically conjugated (including covalent and non-covalent conjugations) to polypeptides or other compositions. For example, antibodies of the present invention can be recombinantly fused or conjugated to molecules that are useful as labels in detection assays and to effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995 and EP 396, 387.

The antibodies of the invention include derivatives that are modified, i.e., by the covalent attachment of any type of molecule to the antibody. For example, without limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications can be

carried out by known techniques, including, but not limited to, specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, and the like. In addition, the antibody derivative can contain one or more non-classical amino acids.

5 The antibodies of the present invention can be generated by any suitable method known in the art. Polyclonal antibodies directed against an antigen or immunogen of interest can be produced by various procedures well known in the art. For example, a tyrosine kinase biomarker polypeptide or peptide of the invention can be administered to various host animals as elucidated above to induce the production
10 of sera containing polyclonal antibodies specific for the biomarker antigen. Various adjuvants can also be used to increase the immunological response, depending on the host species; adjuvants include, but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet
15 hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

Monoclonal antibodies can be prepared using a wide variety of techniques known in the art, including the use of hybridoma, recombinant and phage display
20 technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques as known and practiced in the art and as taught, for example, in Kohler and Milstein, 1975, *Nature*, 256:495-497; Harlow et al., *Antibodies : A Laboratory Manual*, Cold Spring Harbor Laboratory Press, 2nd Ed. 1988; and Hammerling, et al., In: *Monoclonal Antibodies and T-Cell Hybridomas*,
25 Elsevier, N. Y., pages 563-681, 1981, the contents of which are incorporated herein by reference in their entirety. The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and does not necessarily refer to the method
30 by which it is produced. Techniques involving continuous cell line cultures can also be used. In addition to the hybridoma technique, other techniques include the trioma technique, the human B-cell hybridoma technique (Kozbor et al., 1983, *Immunol.*

Today, 4:72), and the EBV-hybridoma technique (Cole et al., 1985. In: *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, Inc., pp. 77-96).

Methods for producing and screening for specific antibodies using hybridoma technology are routine and well known in the art. As a nonlimiting example, mice can
5 be immunized with a tyrosine kinase polypeptide or peptide of the invention, or variant thereof, or with a cell expressing the polypeptide or peptide or variant thereof. Once an immune response is detected, e.g., antibodies specific for the antigen are detected in the sera of immunized mice, the spleen is harvested and splenocytes are isolated. The splenocytes are then fused by well known techniques to any suitable
10 myeloma cells, for example cells from cell line SP2/0 or P3X63-AG8.653 available from the ATCC. Hybridomas are selected and cloned by limiting dilution techniques. The hybridoma clones are then assayed by methods known in the art to determine and select those cells that secrete antibodies capable of binding to a polypeptide of the invention. Ascites fluid, which generally contains high levels of antibodies, can be
15 generated by immunizing mice with positive hybridoma clones.

Another well known method for producing both polyclonal and monoclonal human B cell lines is transformation using Epstein Barr Virus (EBV). Protocols for generating EBV-transformed B cell lines are commonly known in the art, such as, for example, the protocol outlined in Chapter 7.22 of *Current Protocols in Immunology*,
20 Coligan et al., Eds., 1994, John Wiley & Sons, NY, which is hereby incorporated by reference herein in its entirety. The source of B cells for transformation is commonly human peripheral blood, but B cells for transformation can also be obtained from other sources including, but not limited to, lymph node, tonsil, spleen, tumor tissue, and infected tissues. Tissues are generally prepared as single cell suspensions prior to
25 EBV transformation. In addition, T cells that may be present in the B cell samples can be either physically removed or inactivated (e.g., by treatment with cyclosporin A). The removal of T cells is often advantageous, because T cells from individuals seropositive for anti-EBV antibodies can suppress B cell immortalization by EBV. In general, a sample containing human B cells is inoculated with EBV and cultured for
30 3-4 weeks. A typical source of EBV is the culture supernatant of the B95-8 cell line (ATCC; VR-1492). Physical signs of EBV transformation can generally be seen toward the end of the 3-4 week culture period.

By phase-contrast microscopy, transformed cells appear large, clear and “hairy”; they tend to aggregate in tight clusters of cells. Initially, EBV lines are generally polyclonal. However, over prolonged periods of cell culture, EBV lines can become monoclonal as a result of the selective outgrowth of particular B cell clones.

5 Alternatively, polyclonal EBV transformed lines can be subcloned (e.g., by limiting dilution) or fused with a suitable fusion partner and plated at limiting dilution to obtain monoclonal B cell lines. Suitable fusion partners for EBV transformed cell lines include mouse myeloma cell lines (e.g., SP2/0, X63-Ag8.653), heteromyeloma cell lines (human x mouse ; e.g., SPAM-8, SBC-H20, and CB-F7), and human cell

10 lines (e.g., GM 1500, SKO-007, RPMI 8226, and KR-4). Thus, the present invention also includes a method of generating polyclonal or monoclonal human antibodies against protein tyrosine kinase polypeptides and peptides of the invention, or fragments thereof, comprising EBV-transformation of human B cells.

Antibody fragments that recognize specific epitopes can be generated by

15 known techniques. For example, Fab and F(ab')₂ fragments of the invention can be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F (ab')₂ fragments). F(ab')₂ fragments contain the variable region, the light chain constant region and the CH1 domain of the heavy chain.

20 Antibodies encompassed by the present invention can also be generated using various phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such phage can be utilized to display antigen binding domains expressed from a repertoire or

25 combinatorial antibody library (e.g., human or murine). Phage expressing an antigen binding domain that binds to the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured onto a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv, or disulfide stabilized

30 antibody domains recombinantly fused to either the phage polynucleotide III or polynucleotide VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et

al., 1995, *J. Immunol. Methods*, 182:41-50; Ames et al., 1995, *J. Immunol. Methods*, 184:177-186; Kettleborough et al., 1994, *Eur. J. Immunol.*, 24:952-958; Persic et al., 1997, *Gene*, 187:9-18; Burton et al., 1994, *Advances in Immunology*, 57:191-280; PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO
5 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108, each of which is incorporated herein by reference in its entirety.

10 As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as described in detail below.

15 Examples of techniques that can be used to produce single-chain Fvs and antibodies include those described in U.S. Patent Nos. 4,946,778 and 5,258,498; Huston et al., 1991, *Methods in Enzymology*, 203:46-88; Shu et al., 1993, *Proc. Natl. Acad. Sci. USA*, 90:7995-7999; and Skerra et al., 1988, *Science*, 240:1038-1040. For some uses, including the *in vivo* use of antibodies in humans and in *in vitro* detection
20 assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal immunoglobulin and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art.
25 (See, e.g., Morrison, 1985, *Science*, 229:1202; Oi et al., 1986, *BioTechniques*, 4:214; Gillies et al., 1989, *J. Immunol. Methods*, 125:191-202; and U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816,397, which are incorporated herein by reference in their entirety).

Humanized antibodies are antibody molecules from non-human species that
30 bind to the desired antigen and have one or more complementarity determining regions (CDRs) from the nonhuman species and framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework

regions are substituted with corresponding residues from the CDR and framework regions of the donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework residues to identify
5 framework residues important for antigen binding, and by sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent Nos. 5,693,762 and 5,585,089; and Riechmann et al., 1988, *Nature*, 332:323, which are incorporated herein by reference in their entireties). Antibodies can be humanized using a variety of techniques known in the art, including, for
10 example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089); veneering or resurfacing (EP 592,106; EP 519,596; Padlan, 1991, *Molecular Immunology*, 28(4/5):489-498; Studnicka et al., 1994, *Protein Engineering*, 7(6):805-814; Roguska et al., 1994, *Proc. Natl. Acad. Sci. USA*, 91:969-973; and chain shuffling (U.S. Patent No. 5,565,332).

15 Completely human antibodies can be made by a variety of methods known in the art, including the phage display methods described above, using antibody libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of
20 which is incorporated herein by reference in its entirety.

Completely human antibodies are particularly desirable for therapeutic treatment of human patients, so as to avoid or alleviate immune reaction to foreign protein. Human antibodies can be made by a variety of methods known in the art, including the phage display methods described above, using antibody libraries derived
25 from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

Human antibodies can also be produced using transgenic mice which are
30 incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin polynucleotides. For example, the human heavy and light chain immunoglobulin polynucleotide complexes can be introduced randomly,

or by homologous recombination, into mouse embryonic stem cells. Alternatively, the human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells, in addition to the human heavy and light chain polynucleotides. The mouse heavy and light chain immunoglobulin polynucleotides can be rendered nonfunctional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous deletion of the J_H region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention.

Thus, using such a technique, it is possible to produce useful human IgG, IgA, IgM, IgD and IgE antibodies. For an overview of the technology for producing human antibodies, see Lonberg and Huszar, 1995, *Intl. Rev. Immunol.*, 13:65-93. For a detailed discussion of the technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825; 5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; 5,939,598; 6,075,181; and 6,114,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Fremont, CA), Protein Design Labs, Inc. (Mountain View, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to the above described technologies.

Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection". In this approach, a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., 1988, *BioTechnology*, 12:899-903).

Further, antibodies to the protein tyrosine kinase polypeptides of the invention can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" protein

tyrosine kinase biomarker polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan and Bona, 1989, *FASEB J.*, 7(5):437-444 and Nissinoff, 1991, *J. Immunol.*, 147(8):2429-2438). For example, antibodies which bind to and competitively inhibit polypeptide multimerization and/or binding of

5 a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize the polypeptide and/or its ligand, e.g., in therapeutic regimens. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used to neutralize polypeptide ligand. For example, such anti-

10 idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligands/receptors, and thereby activate or block its biological activity.

Intrabodies are antibodies, often scFvs, that are expressed from a recombinant nucleic acid molecule and are engineered to be retained intracellularly (e.g., retained in the cytoplasm, endoplasmic reticulum, or periplasm of the host cells). Intrabodies

15 can be used, for example, to ablate the function of a protein to which the intrabody binds. The expression of intrabodies can also be regulated through the use of inducible promoters in the nucleic acid expression vector comprising nucleic acid encoding the intrabody. Intrabodies of the invention can be produced using methods known in the art, such as those disclosed and reviewed in Chen et al., 1994, *Hum.*

20 *Polynucleotide Ther.*, 5:595-601; Marasco, W.A., 1997, *Polynucleotide Ther.*, 4:11-15; Rondon and Marasco, 1997, *Annu. Rev. Microbiol.*, 51:257-283; Proba et al., 1998, *J. Mol. Biol.*, 275:245-253; Cohen et al., 1998, *Oncogene*, 17:2445-2456; Ohage and Steipe, 1999, *J. Mol. Biol.*, 291:1119-1128; Ohage et al., 1999, *J. Mol. Biol.*, 291:1129-1134; Wirtz and Steipe, 1999, *Protein Sci.*, 8:2245-2250; and Zhu et

25 al., 1999, *J. Immunol. Methods*, 231:207-222.

XenoMouse Technology Antibodies in accordance with the invention are preferably prepared by the utilization of a transgenic mouse that has a substantial portion of the human antibody producing genome inserted into its genome, but that is rendered deficient in the production of endogenous murine antibodies (e.g.,

30 XenoMouse strains available from Abgenix Inc., Fremont, CA). Such mice are capable of producing human immunoglobulin molecules and are virtually deficient in the production of murine immunoglobulin molecules. Technologies utilized for

achieving the same are disclosed in the patents, applications, and references disclosed herein.

The ability to clone and reconstruct megabase-sized human loci in YACs and to introduce them into the mouse germline provides a powerful approach to elucidating the functional components of very large or crudely mapped loci, as well as generating useful models of human disease. Furthermore, the utilization of such technology for substitution of mouse loci with their human equivalents could provide unique insights into the expression and regulation of human polynucleotide products during development, their communication with other systems, and their involvement in disease induction and progression. An important practical application of such a strategy is the "humanization" of the mouse humoral immune system. Introduction of human immunoglobulin (Ig) loci into mice in which the endogenous Ig polynucleotides have been inactivated offers the opportunity to study the mechanisms underlying programmed expression and assembly of antibodies as well as their role in B cell development. Furthermore, such a strategy could provide an ideal source for the production of fully human monoclonal antibodies (Mabs), which is an important milestone toward fulfilling the promise of antibody therapy in human disease.

Fully human antibodies are expected to minimize the immunogenic and allergic responses intrinsic to mouse or mouse-derivatized monoclonal antibodies and thus to increase the efficacy and safety of the administered antibodies. The use of fully human antibodies can be expected to provide a substantial advantage in the treatment of chronic and recurring human diseases, such as cancer, which require repeated antibody administrations.

One approach toward this goal was to engineer mouse strains deficient in mouse antibody production to harbor large fragments of the human Ig loci in anticipation that such mice would produce a large repertoire of human antibodies in the absence of mouse antibodies. Large human Ig fragments would preserve the large variable polynucleotide diversity as well as the proper regulation of antibody production and expression. By exploiting the mouse machinery for antibody diversification and selection and the lack of immunological tolerance to human proteins, the reproduced human antibody repertoire in these mouse strains should yield high affinity antibodies against any antigen of interest, including human

antigens. Using the hybridoma technology, antigen-specific human monoclonal antibodies with the desired specificity could be readily produced and selected.

This general strategy was demonstrated in connection with the generation of the first "XenoMouseT" strains as published in 1994. See Green et al., 1994, *Nature Genetics*, 7:13-21. The XenoMouse strains were engineered with yeast artificial chromosomes (YACS) containing 245 kb and 10, 190 kb-sized germline configuration fragments of the human heavy chain locus and kappa light chain locus, respectively, which contained core variable and constant region sequences. *Id.* The human Ig-containing YACs proved to be compatible with the mouse system for both rearrangement and expression of antibodies and were capable of substituting for the inactivated mouse Ig polynucleotides. This was demonstrated by their ability to induce B-cell development, to produce an adult-like human repertoire of fully human antibodies, and to generate antigen-specific human monoclonal antibodies. These results also suggested that introduction of larger portions of the human Ig loci containing greater numbers of V polynucleotides, additional regulatory elements, and human Ig constant regions might recapitulate substantially the full repertoire that is characteristic of the human humoral response to infection and immunization. The work of Green et al. was recently extended to the introduction of greater than approximately 80% of the human antibody repertoire through the use of megabase-sized, germline configuration YAC fragments of the human heavy chain loci and kappa light chain loci, respectively, to produce XenoMouse mice. See Mendez et al., 1997, *Nature Genetics*, 15:146-156; Green and Jakobovits, 1998, *J. Exp. Med.*, 188:483-495; and Green, 1999, *Journal of Immunological Methods*, 231:11-23, the disclosures of which are hereby incorporated herein by reference.

Human anti-mouse antibody (HAMA) responses have led the industry to prepare chimeric or otherwise humanized antibodies. While chimeric antibodies typically are comprised of a human constant region and a murine variable region, it is expected that certain human anti-chimeric antibody (HACA) responses will be observed, particularly in treatments involving chronic or multi-dose utilizations of the antibody. Thus, it is desirable to provide fully human antibodies against protein tyrosine kinase biomarker polypeptides in order to vitiate concerns and/or effects of HAMA or HACA responses.

Antibodies of the invention can be chemically synthesized or produced through the use of recombinant expression systems. Accordingly, the invention further embraces polynucleotides comprising a nucleotide sequence encoding an antibody of the invention and fragments thereof. The invention also encompasses
5 polynucleotides that hybridize under stringent or lower stringency hybridization conditions, e.g., as defined supra, to polynucleotides that encode an antibody, preferably, an antibody that specifically binds to a protein tyrosine kinase polypeptide of this invention, and more preferably, an antibody that binds to a polypeptide having the amino acid sequence of one or more of the protein tyrosine kinase biomarker
10 sequences, e.g., Src tyrosine kinase biomarkers, as set forth in Table 2.

The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody can be assembled from chemically synthesized oligonucleotides (e.g., as described in
15 Kutmeier et al., 1994, *BioTechniques*, 17:242), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, the annealing and ligating of those oligonucleotides, and then the amplification of the ligated oligonucleotides by PCR.

Alternatively, a polynucleotide encoding an antibody can be generated from
20 nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin can be chemically synthesized or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, (or a nucleic acid, preferably poly A+ RNA, isolated from), any tissue
25 or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence. Alternatively, cloning using an oligonucleotide probe specific for the particular polynucleotide sequence to be identified, e.g., a cDNA clone from a cDNA library that encodes the desired antibody can be employed.
30 Amplified nucleic acids generated by PCR can then be cloned into replicable cloning vectors using any method well known in the art.

Once the nucleotide sequence and corresponding encoded amino acid sequence of the antibody are determined, the nucleotide sequence of the antibody can be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutapolynucleotidesis, PCR, etc. (see, for example, the techniques described in
5 Sambrook et al., 1990, *Molecular Cloning, A Laboratory Manual*, 2nd Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY; and F.M. Ausubel et al., eds., 1998, *Current Protocols in Molecular Biology*, John Wiley & Sons, NY, which are both incorporated by reference herein in their entireties), to generate antibodies having
10 a different amino acid sequence, for example, to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light chain variable domains can be inspected to identify the sequences of the CDRs by methods that are well known in the art, e.g., by comparison to known amino acid
15 sequences of other heavy and light chain variable regions, to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs can be inserted within framework regions, e.g., into human framework regions, to humanize a non-human antibody, as described *supra*. The framework regions can be naturally occurring or consensus framework regions, and preferably,
20 are human framework regions (see, e.g., Chothia et al., 1998, *J. Mol. Biol.*, 278:457-479, for a listing of human framework regions).

Preferably, the polynucleotide generated by the combination of the framework regions and CDRs encodes an antibody that specifically binds to a protein tyrosine kinase biomarker polypeptide of the invention. Also preferably, as discussed *supra*,
25 one or more amino acid substitutions can be made within the framework regions; such amino acid substitutions are performed with the goal of improving binding of the antibody to its antigen, e.g., greater antibody binding affinity. In addition, such methods can be used to make amino acid substitutions or deletions of one or more variable region cysteine residues participating in an intrachain disulfide bond to
30 generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations that can be made to the polynucleotide are encompassed by the present invention and are within the skill of the art.

For some uses, such as for *in vitro* affinity maturation of an antibody of the invention, it is useful to express the V_H and V_L domains of the heavy and light chains of one or more antibodies of the invention as single chain antibodies, or Fab fragments, in a phage display library using phage display methods as described *supra*.

- 5 For example, the cDNAs encoding the V_H and V_L domains of one or more antibodies of the invention can be expressed in all possible combinations using a phage display library, thereby allowing for the selection of V_H/V_L combinations that bind to the protein tyrosine kinase biomarker polypeptides according to the present invention with preferred binding characteristics such as improved affinity or improved off rates.
- 10 In addition, V_H and V_L segments, particularly, the CDR regions of the V_H and V_L domains of one or more antibodies of the invention, can be mutated *in vitro*. Expression of V_H and V_L domains with "mutant" CDRs in a phage display library allows for the selection of V_H/V_L combinations that bind to protein tyrosine kinase biomarkers, e.g., Src tyrosine kinase biomarker proteins, which are receptor
- 15 polypeptides with preferred binding characteristics such as improved affinity or improved off rates.

- Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it can be purified by any method known in the art for the purification of an immunoglobulin or polypeptide molecule,
- 20 for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for the specific antigen, Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide sequences described
- 25 herein or otherwise known in the art, to facilitate purification.

- The present invention encompasses antibodies that are recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugated) to a polypeptide (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion
- 30 proteins. The fusion does not necessarily need to be direct, but can occur through linker sequences. The antibodies can be specific for antigens other than polypeptides (or portions thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino

acids of the polypeptide) of the present invention. For example, antibodies can be used to target the polypeptides of the present invention to particular cell types, either *in vitro* or *in vivo*, by fusing or conjugating the polypeptides of the present invention to antibodies specific for particular cell surface receptors.

5 The present invention further includes compositions comprising the protein tyrosine kinase biomarker polypeptides of the present invention fused or conjugated to antibody domains other than the variable region domain. For example, the polypeptides of the present invention can be fused or conjugated to an antibody Fc region, or portion thereof. The antibody portion fused to a polypeptide of the present
10 invention can comprise the constant region, hinge region, CH1 domain, CH2 domain, CH3 domain, or any combination of whole domains or portions thereof. The polypeptides can also be fused or conjugated to the above antibody portions to form multimers. For example, Fc portions of immunoglobulin molecules fused to the polypeptides of the present invention can form dimers through disulfide bonding
15 between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA and IgM. Methods for fusing or conjugating the polypeptides of the present invention to antibody portions are known in the art. (See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., 1991, *Proc. Natl. Acad. Sci. USA*, 88:10535-10539; Zheng et al.,
20 1995, *J. Immunol.*, 154:5590-5600; and Vil et al., *Proc. Natl. Acad. Sci. USA*, 89:11337-11341, which are hereby incorporated by reference herein in their entireties).

As discussed *supra*, the polypeptides corresponding to a polypeptide,
25 polypeptide fragment, or a variant of one or more of the protein tyrosine kinase biomarker amino acid sequences as set forth in Table 2 can be fused or conjugated to the above antibody portions to increase the *in vivo* half life of the polypeptides, or for use in immunoassays using methods known in the art. Further, the polypeptides corresponding to one or more of the protein tyrosine kinase biomarker, e.g., src
30 biomarker, sequences as set forth in Table 2 can be fused or conjugated to the above antibody portions to facilitate purification. For guidance, chimeric proteins having the first two domains of the human CD4 polypeptide and various domains of the constant

regions of the heavy or light chains of mammalian immunoglobulins have been described. (EP 394,827; Traunecker et al., 1988, *Nature*, 331:84-86). The polypeptides of the present invention fused or conjugated to an antibody, or portion thereof, having disulfide-linked dimeric structures (due to the IgG), for example, can also be more efficient in binding and neutralizing other molecules than the monomeric secreted protein or protein fragment alone. (Fountoulakis et al., 1995, *J. Biochem.*, 270:3958-3964). In many cases, the Fc portion in a fusion protein is beneficial in therapy, diagnosis, and/or screening methods, and thus can result in, for example, improved pharmacokinetic properties. (EP 232, 262 A). In drug discovery, for example, human proteins, such as huIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of huIL-5. (See, Bennett et al., 1995, *J. Molecular Recognition*, 8:52-58; and Johanson et al., 1995, *J. Biol. Chem.*, 270:9459-9471). Alternatively, deleting the Fc portion after the fusion protein has been expressed, detected, and purified may be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations.

Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide, to facilitate their purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., Chatsworth, CA), among others, many of which are commercially available. As described in Gentz et al., 1989, *Proc. Natl. Acad. Sci. USA*, 86:821-824, for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which corresponds to an epitope derived from the influenza hemagglutinin (HA) protein (Wilson et al., 1984, *Cell*, 37:767) and the "flag" tag.

The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor the development or progression of a tumor as part of a clinical testing procedure, for example, to determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Nonlimiting examples of detectable substances include various

enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance can be coupled or conjugated either directly to the antibody
5 (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. (See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention).

Nonlimiting examples of suitable enzymes include horseradish peroxidase,
10 alkaline phosphatase, beta-galactosidase, or acetylcholinesterase. Nonlimiting examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; nonlimiting examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; a nonlimiting
15 example of a luminescent material includes luminol; nonlimiting examples of bioluminescent materials include luciferase, luciferin, and aequorin; and nonlimiting examples of suitable radioactive material include iodine (^{125}I , ^{131}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium (^{111}In and other radioactive isotopes of indium), technetium (^{99}Tc , $^{99\text{m}}\text{Tc}$), thallium (^{201}Tl), gallium (^{68}Ga , ^{67}Ga), palladium (^{103}Pd),
20 molybdenum (^{99}Mo), xenon (^{133}Xe), fluorine (^{19}F), ^{153}Sm , ^{177}Lu , Gd, radioactive Pm, radioactive La, radioactive Yb, ^{166}Ho , ^{90}Y , radioactive Sc, radioactive Re, radioactive Re, ^{142}Pr , ^{105}Rh , and ^{97}Ru .

In specific embodiments, the protein tyrosine kinase biomarker polypeptides of the invention are attached to macrocyclic chelators useful for conjugating
25 radiometal ions, including, but not limited to, ^{111}In , ^{177}Lu , ^{90}Y , ^{166}Ho , and ^{153}Sm , to polypeptides. In a preferred embodiment, the radiometal ion associated with the macrocyclic chelators attached to the protein tyrosine kinase biomarker polypeptides of the invention is ^{111}In . In another preferred embodiment, the radiometal ion associated with the macrocyclic chelator attached to the protein tyrosine kinase
30 biomarker polypeptides of the invention is ^{90}Y . In specific embodiments, the macrocyclic chelator is 1, 4, 7, 10-tetraazacyclododecane-N, N', N'', N'''-tetraacetic

acid (DOTA). In other specific embodiments, the DOTA is attached to the protein tyrosine kinase biomarker polypeptides of the invention via a linker molecule.

Examples of linker molecules useful for conjugating DOTA to a polypeptide are commonly known in the art. (See, for example, DeNardo et al., 1998, *Clin. Cancer Res.*, 4(10):2483-90; Peterson et al., 1999, *Bioconjug. Chem.*, 10(4):553-557; and Zimmerman et al., 1999, *Nucl. Med. Biol.*, 26(8):943-950, which are hereby incorporated by reference in their entirety). In addition, U.S. Patent Nos. 5,652,361 and 5,756,065, which disclose chelating agents that can be conjugated to antibodies and methods for making and using them, are hereby incorporated by reference in their
10 entireties. Though U.S. Patent Nos. 5,652,361 and 5,756,065 focus on conjugating chelating agents to antibodies, one skilled in the art can readily adapt the methods disclosed therein in order to conjugate chelating agents to other polypeptides.

Antibodies can also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include,
15 but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene. Techniques for conjugating therapeutic moieties to antibodies are well known, see, e.g., Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", In: *Monoclonal Antibodies And Cancer Therapy*, Reisfeld et al. (eds.), pp. 243-56, Alan R. Liss, Inc., 1985; Hellstrom et al., "Antibodies For Drug Delivery", In: *Controlled Drug Delivery* (2nd Ed.),
20 Robinson et al. (eds.), pp. 623-53, Marcel Dekker, Inc., 1987; Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", In: *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera et al. (eds.), pp. 475-506, 1985; "Analysis, Results, And Future Prospective Of The Therapeutic Use Of
25 Radiolabeled Antibody In Cancer Therapy", In: *Monoclonal Antibodies For Cancer Detection And Therapy*, Baldwin et al. (eds.), pp. 303-316, Academic Press, 1985; and Thorpe et al., 1982, "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.*, 62:119-158. Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate, e.g., as
30 described in U.S. Patent No. 4,676,980 to Segal, which is incorporated herein by reference in its entirety. An antibody, i.e., an antibody specific for a protein tyrosine kinase biomarker polypeptide of this invention, with or without a therapeutic moiety

conjugated to it, and administered alone or in combination with cytotoxic factor(s) and/or cytokine(s), can be used as a therapeutic.

The antibodies of the invention can further be utilized for immunophenotyping of cell lines and biological samples. The translation product of the protein tyrosine kinase biomarker-encoding polynucleotides of the present invention can be useful as cell specific marker(s), or more specifically, as cellular marker(s) that are differentially expressed at various stages of differentiation and/or maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, allow for the screening of cellular populations expressing the marker. Various techniques utilizing monoclonal antibodies can be employed to screen for cellular populations expressing the marker(s), including magnetic separation using antibody-coated magnetic beads, "panning" with antibody(ies) attached to a solid matrix (i.e., tissue culture plate), and flow cytometry (See, e.g., U.S. Patent No. 5,985,660; Morrison et al., 1999, *Cell*, 96:737-749; and L.J. Wysocki and V.L. Sato, 1978, *Proc. Natl. Acad. Sci. USA*, 75(6):2844-8).

These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i. e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

Antibodies according to this invention can be assayed for immunospecific binding by any method known in the art. The immunoassays which can be used include, but are not limited to, competitive and non-competitive assay systems using techniques such as BIAcore analysis, FACS (Fluorescence Activated Cell Sorter) analysis, immunofluorescence, immunocytochemistry, Western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assays), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions, gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays, complement fixation assays, immunoradiometric assays, fluorescent immunoassays, protein A immunoassays, to name but a few. Such assays are routine and well known and practiced in the art (see, e.g., Ausubel et al, eds, 1994, *Current Protocols in*

Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, which is incorporated by reference herein in its entirety). Nonlimiting, exemplary immunoassays are described briefly below.

Immunoprecipitation protocols generally comprise lysing a population of cells
5 in a lysis buffer such as RIPA buffer (i.e., 1% NP-40 or Triton X-100, 1% sodium
deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1%
Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g.,
EDTA, PMSF, aprotinin, sodium vanadate); adding the antibody of interest to the cell
lysate; incubating for a period of time (e.g., 1 to 4 hours) at 4°C; adding protein A
10 and/or protein G sepharose beads to the cell lysate; incubating for about 60 minutes or
more at 4°C; washing the beads in lysis buffer; and resuspending the beads in
SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a
particular antigen can be assessed by, for example, Western blot analysis. One of skill
in the art would be knowledgeable as to the parameters that can be modified to
15 increase the binding of the antibody to an antigen and decrease the background (e.g.,
pre-clearing the cell lysate with sepharose beads). For further discussion regarding
immunoprecipitation protocols, see, e.g., Ausubel et al, eds, 1994, *Current Protocols*
in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, at 10.16.1.

Western blot analysis generally comprises preparing protein samples;
20 electrophoresis of the protein samples in a polyacrylamide gel (e.g., 8%-20% SDS
PAGE depending on the molecular weight of the antigen); transferring the protein
sample from the polyacrylamide gel to a membrane such as nitrocellulose, PVDF or
nylon; blocking the membrane in blocking solution (e. g., PBS with 3% BSA or
nonfat milk); washing the membrane in washing buffer (e.g., PBS-Tween 20);
25 blocking the membrane with primary antibody (the antibody of interest) diluted in
blocking buffer; washing the membrane in washing buffer; blocking the membrane
with a secondary antibody (which recognizes the primary antibody, e.g., an anti-
human antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or
alkaline phosphatase) or radioactive molecule (e.g., ³²P or ¹²⁵I) diluted in blocking
30 buffer; washing the membrane in wash buffer; and detecting the presence of the
bound antigen. One of skill in the art would be knowledgeable as to the parameters
that can be modified to increase the signal detected and to reduce the background

noise. For further discussion regarding Western blot protocols, see, e.g., Ausubel et al, eds, 1994, *Current Protocols in Molecular Biology*, Vol. 1, John Wiley & Sons, Inc., New York, at 10.8.1.

ELISAs comprise preparing antigen; coating the wells of a 96 well microtiter plate with antigen; adding to the wells the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase); incubating for a period of time; and detecting the presence of the antigen. In ELISAs, the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest bound to antigen) conjugated to a detectable compound can be added to the wells. Further, instead of coating the wells with antigen, the antibodies can be first coated onto the well. In this case, a second antibody conjugated to a detectable compound can be added to the antibody-coated wells following the addition of the antigen of interest. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected, as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs, see, e.g., Ausubel et al, eds, 1994, *Current Protocols in Molecular Biology*, Vol. 1, John Wiley & Sons, Inc., New York, at 11.2.1.

The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay involving the incubation of labeled antigen (e.g., ^3H or ^{125}I), or a fragment or variant thereof, with the antibody of interest in the presence of increasing amounts of labeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a protein tyrosine kinase biomarker and the binding off rates can be determined from the data by Scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the tyrosine kinase biomarker protein is incubated with an antibody of interest conjugated to a labeled compound (e.g., a compound labeled with ^3H or ^{125}I) in the presence of increasing amounts of an unlabeled second antibody. This kind of competitive assay between two antibodies can also be used to determine if two antibodies bind to the same or different epitopes on an antigen.

In a preferred embodiment, BIAcore kinetic analysis is used to determine the binding on and off rates of antibodies (including antibody fragments or variants thereof) to a tyrosine kinase biomarker protein, or fragments of a tyrosine kinase biomarker protein. Kinetic analysis comprises analyzing the binding and dissociation
5 of antibodies from chips with immobilized tyrosine kinase biomarker protein on the chip surface.

It is to be further understood that the above-described techniques for the production, expression, isolation, and manipulation of antibody molecules, for example, by recombinant techniques involving molecular biology, as well as by other
10 techniques related to the analysis of polynucleotides and proteins, are applicable to other polypeptide or peptide molecules of the invention as described herein, in particular, the tyrosine kinase biomarker polypeptides or peptides themselves, as applicable or warranted. in accordance with the various embodiments of this invention.

15 The present invention also embraces a kit for determining, predicting, or prognosing drug susceptibility or resistance by a patient having a disease, particularly a cancer or tumor, preferably, a breast cancer or tumor. Such kits are useful in a clinical setting for use in testing patient's biopsied tumor or cancer samples, for example, to determine or predict if the patient's tumor or cancer will be resistant or
20 sensitive to a given treatment or therapy with a drug, compound, chemotherapy agent, or biological treatment agent. Provided in the kit are the predictor set comprising those polynucleotides correlating with resistance and sensitivity to protein tyrosine kinase modulators in a particular biological system, particularly protein tyrosine kinase inhibitors, and preferably comprising a microarray; and, in suitable containers,
25 the modulator compounds for use in testing cells from patient tissue or patient samples for resistance/sensitivity; and instructions for use. Such kits encompass predictor set comprising those polynucleotides correlating with resistance and sensitivity to modulators of protein tyrosine kinases including members of the Src family of tyrosine kinases, for example, Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as
30 well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors,

Also, as explained above, the kit is not limited to microarrays, but can encompass a variety of methods and systems by which the expression of the predictor/marker polynucleotides can be assayed and/or monitored, both at the level of mRNA and of protein, for example, via PCR assays, e.g., RT-PCR and immunoassay, such as ELISA. In kits for performing PCR, or *in situ* hybridization, for example, nucleic acid primers or probes from the sequences of one or more of the predictor polynucleotides, such as those described herein, in addition to buffers and reagents as necessary for performing the method, and instructions for use. In kits for performing immunoassays, e.g. ELISAs, immunoblotting assays, and the like, antibodies, or bindable portions thereof, to the protein tyrosine kinase biomarker polypeptides of the invention, or to antigenic or immunogenic peptides thereof, are supplied, in addition to buffers and reagents as necessary for performing the method, and instructions for use. The kits according to the present invention can also comprise predictor polynucleotides as set forth in Table 2, and/or one or more of the specific predictor polynucleotide subsets as presented in Tables 4-5 herein.

In another embodiment, the present invention embraces the use of one or more polynucleotides among those of the predictor polynucleotides identified herein that can serve as targets for the development of drug therapies for disease treatment. Such targets may be particularly applicable to treatment of breast diseases, such as breast cancers or tumors. Indeed, because these predictor polynucleotides are differently expressed in sensitive and resistant cells, their expression pattern is correlated with relative intrinsic sensitivity of cells to treatment with compounds that interact with and inhibit protein tyrosine kinases. Accordingly, the polynucleotides highly expressed in resistant cells can serve as targets for the development of drug therapies for the tumors which are resistant to protein tyrosine kinase inhibitor compounds, for example, Src tyrosine kinase inhibitors.

In another embodiment, the present invention embraces antisense and/or siRNAi reagents as specific modulators of the predictor polynucleotides of the present invention. In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in one or more of the sequences provided as SEQ ID NO:1 thru 137, or the complementary strand thereof. In one embodiment, antisense sequence is generated internally by the organism, in

another embodiment, the antisense sequence is separately administered (see, for example, O'Connor, *Neurochem.*, 56:560 (1991). *Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression*, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or
5 through triple-helix formation. Antisense techniques are discussed for example, in Okano, *Neurochem.*, 56:560 (1991); *Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression*, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., *Nucleic Acids Research*, 6:3073 (1979); Cooney et al., *Science*, 241:456 (1988); and Dervan et al., *Science*, 251:1300 (1991). The
10 methods are based on binding of a polynucleotide to a complementary DNA or RNA.

For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide.
15 A similar procedure for in vivo use is described in WO 91/15580. Briefly, a pair of oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoRI site on the 5' end and a HindIII site on the 3' end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS
20 HCl pH 7.5, 10mM MgCl₂, 10mM dithiothreitol (DTT) and 0.2 mM ATP) and then ligated to the EcoRI/Hind III site of the retroviral vector PMV7 (WO 91/15580).

For example, the 5' coding portion of a polynucleotide that encodes the mature polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is
25 designed to be complementary to a region of the gene involved in transcription thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into receptor polypeptide. Antisense oligonucleotides may be single or double stranded. Double stranded RNA's may be designed based upon the
30 teachings of Paddison et al., *Proc. Nat. Acad. Sci.*, 99:1443-1448 (2002); and International Publication Nos. WO 01/29058, and WO 99/32619; which are hereby incorporated herein by reference.

In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the invention. Such a vector would contain a sequence encoding the antisense nucleic acid of the invention. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding a polypeptide of the invention, or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter region (Bernoist and Chambon, *Nature*, 29:304-310 (1981)), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., *Cell*, 22:787-797 (1980)), the herpes thymidine promoter (Wagner et al., *Proc. Natl. Acad. Sci. U.S.A.*, 78:1441-1445 (1981)), the regulatory sequences of the metallothionein gene (Brinster et al., *Nature*, 296:39-42 (1982)), etc.

The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of interest. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA" referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids of the invention, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA sequence of the invention it may contain and still form a stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

Oligonucleotides that are complementary to the 5' end of the message, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work

most efficiently at inhibiting translation. However, sequences complementary to the 3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of mRNAs as well. See generally, Wagner, R., *Nature*, 372:333-335 (1994). Thus, oligonucleotides complementary to either the 5' - or 3' - non- translated, non-coding regions of a polynucleotide sequence of the invention could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5' -, 3' - or coding region of mRNA, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors in vivo), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556 (1989); Lemaitre et al., *Proc. Natl. Acad. Sci.*, 84:648-652 (1987); PCT Publication NO: WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication NO: WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., *BioTechniques*, 6:958-976 (1988)) or intercalating agents. (See, e.g., Zon, *Pharm. Res.*, 5:539-549 (1988)). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

Double stranded RNA's may be designed based upon the teachings of Paddison et al., *Proc. Nat. Acad. Sci.*, 99:1443-1448 (2002); and International

Publication Nos. WO 01/29058, and WO 99/32619; which are hereby incorporated herein by reference.

SiRNA reagents are specifically contemplated by the present invention. Such reagents are useful for inhibiting expression of the polynucleotides of the present invention and may have therapeutic efficacy. Several methods are known in the art for the therapeutic treatment of disorders by the administration of siRNA reagents. One such method is described by Tiscornia et al (PNAS, 100(4):1844-1848 (2003)), which is incorporated by reference herein in its entirety.

The antisense oligonucleotide may comprise at least one modified base moiety which is selected from the group including, but not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded

hybrids with complementary RNA in which, contrary to the usual b-units, the strands run parallel to each other (Gautier et al., Nucl. Acids Res., 15:6625-6641 (1987)). The oligonucleotide is a 2-O-methylribonucleotide (Inoue et al., Nucl. Acids Res., 15:6131-6148 (1987)), or a chimeric RNA-DNA analogue (Inoue et al., FEBS Lett. 5 215:327-330 (1987)).

Polynucleotides of the invention may be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. 10 (Nucl. Acids Res., 16:3209 (1988)), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., Proc. Natl. Acad. Sci. U.S.A., 85:7448-7451 (1988)), etc.

While antisense nucleotides complementary to the coding region sequence of the invention could be used, those complementary to the transcribed untranslated 15 region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science, 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs 20 corresponding to the polynucleotides of the invention, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known 25 in the art and is described more fully in Haseloff and Gerlach, Nature, 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within each nucleotide sequence disclosed in the sequence listing. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA corresponding to the polynucleotides of the invention; i.e., to increase 30 efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g. for improved stability, targeting, etc.) and should be delivered to cells which express the polynucleotides of the invention in vivo. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.

The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirable in cases such as restenosis after balloon angioplasty.

The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.

The antagonist/agonist may also be employed to treat, prevent, and/or diagnose the diseases described herein.

Thus, the invention provides a method of treating or preventing diseases, disorders, and/or conditions, including but not limited to the diseases, disorders, and/or conditions listed throughout this application, associated with overexpression of a polynucleotide of the present invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a ribozyme directed to the polynucleotide of the present invention.

EXAMPLES

The Examples herein are meant to exemplify the various aspects of carrying out the invention and are not intended to limit the scope of the invention in any way. The Examples do not include detailed descriptions for conventional methods employed, such as in the construction of vectors, the insertion of cDNA into such vectors, or the introduction of the resulting vectors into the appropriate host. Such methods are well known to those skilled in the art and are described in numerous publications, for example, Sambrook, Fritsch, and Maniatis, Molecular Cloning: A Laboratory Manual, 2nd Edition, Cold Spring Harbor Laboratory Press, USA, (1989).

10

EXAMPLE 1 – METHODS

IC₅₀ determination--*in vitro* cytotoxicity assay

The protein tyrosine kinase inhibitor compound (described in international application WO 00/62778, published October 26, 2000) was tested for cytotoxicity *in vitro* against a panel of twenty-three human breast cell lines available from the American Type Culture Collection, ATCC, except H3396, which was obtained from Pacific Northwest Research Institute, Seattle WA. The MCF7/Her2 cell line was established by stable transfection of MCF7 cells with the HER2 gene. Cytotoxicity was assessed in cells by the MTS (3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxy-methoxyphenyl)-2-(4-sulphenyl)-2H-tetrazolium, inner salt) assay (T.L. Riss et al., 1992, *Mol. Biol. Cell*, 3 (Suppl.):184a).

To carry out the assays, the breast cells were plated at 4,000 cells/well in 96 well microtiter plates, and 24 hours later, serially diluted drugs were added. The concentration range for the protein tyrosine kinase inhibitor compound BMS-A used in the cytotoxicity assay was from 5 µg/ml to 0.0016 µg/ml (roughly 10 µM to 0.0032 µM).

The cells were incubated at 37°C for 72 hours at which time the tetrazolium dye, MTS (333 µg/ml final concentration), in combination with the electron coupling agent phenazine methosulfate (25 µM final concentration), was added. A dehydrogenase enzyme in live cells reduces the MTS to a form that absorbs light and can be quantified spectrophotometrically at 492 nM. The greater the absorbency the

than 39,000 transcripts derived from approximately 33,000 well-substantiated human polynucleotides.

Preprocessing of microarray data

Scanned image files were visually inspected for artifacts and analyzed with
5 GeneChip® Expression Analysis software MAS 5.0 (Affymetrix, Santa Clara, CA).
The "Detection Call" (Affymetrix Genechip® Expression Analysis Technical Manual,
2001) is used to determine whether a transcript is detected within one sample; the
"Signal" (Affymetrix Genechip® Expression Analysis Technical Manual, 2001)
measures the relative abundance of a transcript. The trimmed mean intensity for each
10 chip was scaled to 1,500 (see, Affymetrix Genechip® Expression Analysis Technical
Manual, 2001) in order to account for any minor differences in global chip intensity,
so that the overall expression level for each cell line was comparable. Affymetrix
control sequences were removed prior to analysis.

Of a total of 44,792 probe sets on the HG-U133 arrays, 15,707 represented
15 probe sets were not detected (Absent Call; p-value >0.06) across all of the 23 breast
cell lines using the Affymetrix GeneChip® Expression Analysis algorithm; these
undetected polynucleotides were excluded from further analysis.

The remaining data containing 29,085 probe sets were transferred to the
GeneCluster software (Whitehead Institute; T.R. Golub et al., 1999, *Science*, 286:531-
20 537). A threshold filter was applied to the polynucleotide expression values of the
remaining data to remove low and high polynucleotide expression values that were
not likely to be in the linear range of the Affymetrix fluorescent scanner. The
threshold filter converted all polynucleotide expression values that were below 100
units to 100 units, and all polynucleotide expression values that were above 45,000
25 units to 45,000 units. All represented polynucleotides whose polynucleotide
expression values were between 100 and 45,000 were not changed.

A second "variation filter" was then applied to the data set to find
polynucleotides that were likely to correlate with different properties and features of
the 23 cell lines. The object of the second filter was to select those polynucleotides
30 whose expression pattern varied across the data set, because a polynucleotide that
does not vary can not provide information about differing properties of the 23 cell line

panel. For example, if there are two populations of cells within the data set, e.g., fast growing cells and slow growing cells, then a polynucleotide whose expression is constant, or whose expression does not change substantially, can not yield information that would correlate to fast or slow cell growth.

5 The second variation filter was formulated to determine the expression pattern of each polynucleotide across the 23 breast cell lines and to find polynucleotides that passed the following criteria:

1. The polynucleotide must show a three-fold change in absolute expression, i.e., as depicted in the formula:

10

$$\frac{\text{expression value in any given cell line}}{\text{expression value in any other cell line}} > 3 \text{ or } < 0.33$$

15 2. In addition to 1, the three-fold change must represent an absolute difference of 1000 expression units.

 3. In addition, the criteria in #1 and #2 above must be met on four independent occasions within the data set, i.e., Cell line A/B, Cell line E/F, Cell line C/U and Cell line T/G. (The algorithm does not use a single expression value for one cell line on multiple occasions, i.e., Cell Line A/B, Cell line A/G, Cell line A/F and
20 Cell line B/F).

 The second variation filter reduced the data set to 5322 polynucleotides. After the second variation filter, the expression value for each polynucleotide was log transformed and normalized to the mean across all of the 23 samples (mean set to 0 and standard deviation set to 1). This normalized data set was used to select
25 polynucleotides which significantly correlated with the property of sensitivity toward a drug class as described herein.

Drug (BMS-A) treatment of breast cell lines and selection of polynucleotides modified by the drug

 The 11 breast cell lines (indicated in bold in the Table 1) with an IC₅₀ ranging
30 from 0.0055 to 9.5 µM were used in a drug induction study employing the BMS-A protein tyrosine kinase inhibitor. Cells were seeded in a 10 cm² culture plate in cell culture medium as described herein and were cultured for 24 hours at 37°C. The

medium was then changed to medium containing drug (0.4 μ M BMS-A compound in 0.1% DMSO, Sigma); the cells were incubated for another 24 hours, and then lysed for RNA isolation. The expression profiling was performed as described above and data were analyzed using GeneChip[®] Expression Analysis software MAS 5.0 (Affymetrix, Santa Clara, CA). The expression data of a drug treated cell line were compared pair-wise to data from the same cell line untreated with drug. A change in p-value was calculated, indicating an increase, decrease or no change in polynucleotide expression. When the p-value was less than 0.0025, the change was considered to be significant. This analysis was performed for all 11 cell lines to compare the polynucleotide expression with or without drug treatment.

EXAMPLE 2 – PCR EXPRESSION PROFILING

RNA quantification is performed using the Taqman[®] real-time-PCR fluorogenic assay. The Taqman[®] assay is one of the most precise methods for assaying the concentration of nucleic acid templates.

RNA is prepared using standard methods, preferably, employing the RNeasy Maxi Kit commercially available from Qiagen (Valencia, CA). A cDNA template for real-time PCR can be generated using the Superscript[™] First Strand Synthesis system for RT-PCR. Representative forward and reverse RT-PCT primers for each of the protein tyrosine kinase biomarker polynucleotides of the present invention are provided in Table 6.

SYBR Green real-time PCR reactions are prepared as follows: The reaction mix contains 20 ng first strand cDNA; 50 nM Forward Primer; 50 nM Reverse Primer; 0.75X SYBR Green I (Sigma); 1X SYBR Green PCR Buffer (50 mM Tris-HCl pH 8.3, 75 mM KCl); 10% DMSO; 3 mM MgCl₂; 300 μ M each dATP, dGTP, dTTP, dCTP; 1 U Platinum[®] Taq DNA Polymerase High Fidelity (Cat# 11304-029; Life Technologies; Rockville, MD). Real-time PCR is performed using an Applied Biosystems 5700 Sequence Detection System. Conditions are 95°C for 10 minutes (denaturation and activation of Platinum[®] Taq DNA Polymerase), 40 cycles of PCR (95°C for 15 seconds, 60°C for 1 minute). PCR products are analyzed for uniform melting using an analysis algorithm built into the 5700 Sequence Detection System.

cDNA quantification used in the normalization of template quantity is performed using Taqman® technology. Taqman® reactions are prepared as follows: The reaction mix comprises 20 ng first strand cDNA; 25 nM GAPDH-F3, Forward Primer; 250 nM GAPDH-R1 Reverse Primer; 200 nM GAPDH-PVIC Taqman®
 5 Probe (fluorescent dye labeled oligonucleotide primer); 1X Buffer A (Applied Biosystems); 5.5 mM MgCl₂; 300 μM dATP, dGTP, dTTP, dCTP; and 1 U Amplitaq Gold (Applied Biosystems). GAPDH (D-glyceraldehyde-3-phosphate dehydrogenase) is used as a control to normalize mRNA levels. Real-time Taqman® PCR is performed using an Applied Biosystems 7700 Sequence Detection System.
 10 Conditions are 95°C for 10 minutes (denaturation and activation of Amplitaq Gold), 40 cycles of PCR (95°C for 15 seconds, 60°C for 1 minute).

The sequences for the GAPDH oligonucleotides used in the Taqman® reactions are as follows:

- 15 GAPDH-F3: 5'-AGCCGAGCCACATCGCT-3' (SEQ ID NO:531);
 GAPDH-R1: 5'-GTGACCAGGCGCCCAATAC-3' (SEQ ID NO:532); and
 GAPDH-PVIC Taqman® Probe -VIC-5'-
 CAAATCCGTTGACTCCGACCTTCACCTT-3' TAMRA (SEQ ID NO:533).

20 The Sequence Detection System generates a Ct (threshold cycle) value that is used to calculate a concentration for each input cDNA template. cDNA levels for each polynucleotide of interest are normalized to GAPDH cDNA levels to compensate for variations in total cDNA quantity in the input sample. This is done by generating GAPDH Ct values for each cell line. Ct values for the polynucleotide of
 25 interest and GAPDH are inserted into a modified version of the $\delta\delta Ct$ equation (Applied Biosystems Prism® 7700 Sequence Detection System User Bulletin #2), which is used to calculate a GAPDH normalized relative cDNA level for each specific cDNA. The $\delta\delta Ct$ equation is as follows: relative quantity of nucleic acid template $= 2^{\delta\delta Ct} = 2^{(\delta Ct_a - \delta Ct_b)}$, where $\delta Ct_a = Ct_{\text{target}} - Ct_{\text{GAPDH}}$, and $\delta Ct_b = Ct_{\text{reference}} - Ct_{\text{GAPDH}}$. (No reference cell line is used for the calculation of relative quantity; δCt_b
 30 is defined as 21).

EXAMPLE 3 – PRODUCTION OF AN ANTIBODY DIRECTED AGAINST PROTEIN TYROSINE KINASE BIOMARKER POLYPEPTIDES

Anti-protein tyrosine kinase biomarker polypeptide antibodies of the present
5 invention can be prepared by a variety of methods as detailed hereinabove. As one
example of an antibody-production method, cells expressing a polypeptide of the
present invention are administered to an animal as immunogen to induce the
production of sera containing polyclonal antibodies directed against the expressed
polypeptide. In a preferred method, the expressed polypeptide is prepared, preferably
10 isolated and/or purified, to render it substantially free of natural contaminants using
techniques commonly practiced in the art. Such a preparation is then introduced into
an animal in order to produce polyclonal antisera of greater specific activity for the
expressed and isolated polypeptide.

In a most preferred method, the antibodies of the present invention are
15 monoclonal antibodies (or protein binding fragments thereof) and can be prepared
using hybridoma technology as detailed hereinabove. Cells expressing the
polypeptide can be cultured in any suitable tissue culture medium; however, it is
frequently preferable to culture cells in Earle's modified Eagle's medium
supplemented to contain 10% fetal bovine serum (inactivated at about 56°C), and
20 supplemented to contain about 10 g/l nonessential amino acids, about 1.0 U/ml
penicillin, and about 100 µg/ml streptomycin.

The splenocytes of immunized (and boosted) mice are extracted and fused
with a suitable myeloma cell line. Any suitable myeloma cell line can be employed in
accordance with the present invention; however, it is preferable to employ the parent
25 myeloma cell line SP2/0, available from the ATCC. After fusion, the resulting
hybridoma cells are selectively maintained in HAT medium, and then cloned by
limiting dilution as described, for example, by Wands et al. (1981, *Gastroenterology*,
80:225-232). The hybridoma cells obtained through such a selection process are then
assayed to identify those cell clones that secrete antibodies capable of binding to the
30 polypeptide immunogen, or a portion thereof.

Alternatively, additional antibodies capable of binding to the polypeptide can
be produced in a two-step procedure using anti-idiotypic antibodies. Such a method

makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain a second antibody that binds to a first antibody. In accordance with this method, protein-specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an immunized animal are then used to produce
5 hybridoma cells, and the hybridoma cells are screened to identify clones that produce an antibody whose ability to bind to the protein-specific antibodies can be blocked by the protein. Such antibodies comprise anti-idiotypic antibodies to the protein-specific antibody and can be used to immunize an animal to induce the formation of further protein-specific antibodies.

10 For *in vivo* use of antibodies in humans, it may be preferable to use "humanized" chimeric monoclonal antibodies. Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric antibodies are known and practiced in the art. (See, e.g., for review, Morrison, 1985, *Science*, 229:1202); Oi et al., 1986,
15 *BioTechniques*, 4:214; Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., 1984, *Nature*, 312:643; and Neuberger et al., 1985, *Nature*, 314:268).

20 EXAMPLE 4 – IMMUNOFLUORESCENCE ASSAYS

The following immunofluorescence protocol can be used, for example, to verify protein tyrosine kinase biomarker expression in cells, or, for example, to check for the presence of one or more antibodies that bind protein tyrosine kinase biomarkers (polypeptides or peptides) expressed on the surfaces of cells. Briefly,
25 Lab-Tek II chamber slides are coated overnight at 4°C with 10 µg/ml of bovine collagen Type II in DPBS containing calcium and magnesium (DPBS++). The slides are then washed twice with cold DPBS++ and seeded with approximately 8000 CHO cells transfected with a vector comprising the coding sequence for a protein tyrosine kinase biomarker of the present invention or with CHO cells transfected with vector
30 alone (control) in a total volume of 125 µl and incubated at 37°C in the presence of 95% oxygen / 5% carbon dioxide.

Thereafter, the culture medium is gently removed by aspiration and the adherent cells are washed twice with DPBS++ at ambient temperature. The slides are blocked with DPBS++ containing 0.2% BSA (blocker) at 0-4°C for one hour. The blocking solution is gently removed by aspiration, and 125 µl of antibody containing solution (an antibody containing solution may be, for example, a hybridoma culture supernatant which is usually used undiluted, or serum/plasma which is usually diluted, e.g., a dilution of about 1:50, 1:100, 1:1000, and the like). The slides are incubated for 1 hour at 0-4°C. Antibody solutions are then gently removed by aspiration and the cells are washed 5 times with 400 µl of ice cold blocking solution. Next, 125 µl of 1 µg/ml rhodamine labeled secondary antibody (e.g., anti-human IgG) in blocker solution is added to the cells. Again, cells are incubated for 1 hour at 0-4°C.

The secondary antibody solution is then gently removed by aspiration and the cells are washed 3 times with 400 µl of ice cold blocking solution, and 5 times with cold DPBS++. The cells are then fixed with 125 µl of 3.7% formaldehyde in DPBS++ for 15 minutes at ambient temperature. Thereafter, the cells are washed 5 times with 400 µl of DPBS++ at ambient temperature. Finally, the cells are mounted in 50% aqueous glycerol and viewed using a fluorescence microscope using rhodamine filters.

EXAMPLE 5 – COMPLIMENTARY SEQUENCES.

Antisense molecules or nucleic acid sequences complementary to the protein tyrosine kinase biomarker polypeptides-encoding sequence, or any part thereof, is used to decrease or to inhibit the expression of naturally occurring protein tyrosine kinase biomarker polypeptides. Although the use of antisense or complementary oligonucleotides comprising about 15 to 35 base-pairs is described, essentially the same procedure is used with smaller or larger nucleic acid sequence fragments. An oligonucleotide based on the coding sequence of protein tyrosine kinase biomarker polypeptides, as depicted in SEQ ID NO:1 thru 137, for example, is used to inhibit expression of naturally occurring protein tyrosine kinase biomarker polypeptides. The complementary oligonucleotide is typically designed from the most unique 5' sequence and is used either to inhibit transcription by preventing promoter binding to

the coding sequence, or to inhibit translation by preventing the ribosome from binding to the protein tyrosine kinase biomarker polypeptides-encoding transcript, among others. However, other regions may also be targeted.

Using an appropriate portion of the signal and 5' sequence of SEQ ID NO:1
 5 thru 137, an effective antisense oligonucleotide includes any of about 15-35 nucleotides spanning the region which translates into the signal or 5' coding sequence, among other regions, of the polypeptide as depicted in SEQ ID NO:138 thru 256. Appropriate oligonucleotides may be designed using OLIGO 4.06 software and the protein tyrosine kinase biomarker polypeptides coding sequence (SEQ ID NO:1 thru
 10 137). Preferred oligonucleotides are deoxynucleotide, or chimeric deoxynucleotide/ribonucleotide based and are provided below. The oligonucleotides may be synthesized using chemistry essentially as described in U.S. Patent No. 5,849,902; which is hereby incorporated herein by reference in its entirety.

Representative RNAi reagent sequences are as follows:

Target Name	Sense Strand RNAi Reagent	SEQ ID NO:	Anti-Sense Strand RNAi Reagent	SEQ ID NO:
caveolin 1-1	CAGGGCAACAUCUACAA GCTT	534	GCUUGUAGAUGUUGCCCU GTT	546
caveolin 1-2	GCAAGUGUACGACGCGC ACTT	535	GUGCGGUCGUACACUUG CTT	547
caveolin 1-3	CCGCUUGCUGUCUGCCCU CTT	536	GAGGGCAGACAGCAAGCG GTT	548
caveolin 1-4	CAUCUGGGCAGUUGUAC CATT	537	UGGUACAACUGCCCAGAU GTT	549
caveolin 2-1	CUACGCACUCCUUGACA ATT	538	UUGUCAAAGGAGUGCGUA GTT	550
caveolin 2-2	AGUGUGGAUCUGCAGCC AUTT	539	AUGGCUGCAGA UCCACAC UTT	551
caveolin 2-3	GUUCCUGACGGUGU UCC UGTT	540	CAGGAACACCGUCAGGAA CTT	552
caveolin 2-4	UUGCGGGAUUCUCUUU GCTT	541	GCAAAGAGAAU UCCCGCA ATT	553
ephA2-1	GGAAGUGGUACUGCUGG ACTT	542	GUCCAGCAGUACCA CUUC CTT	554
ephA2-2	CUUCCAGAAGCGCCUGU UCTT	543	GAACAGGCGCUUCUGGAA GTT	555
ephA2-3	GAGCCCCGUAUGCACUG UGTT	544	CACAGUGCAUACGGGGCU CTT	556
ephA2-4	CUACACCUUCACCGUGGA GTT	545	CUCCACGGUGAAGGUGUA GTT	557

15

Transfection of post-quiescent A549 cells With AntiSense Oligonucleotides.

Materials needed:

- A549 cells can be maintained in DMEM with high glucose (Gibco-BRL) supplemented with 10% Fetal Bovine Serum, 2mM L-Glutamine, and 1X penicillin/streptomycin.
- Opti-MEM (Gibco-BRL)
- Lipofectamine 2000 (Invitrogen)
- Antisense oligomers (Qiagen)
- Polystyrene tubes.
- Tissue culture treated plates.

Quiescent cells are prepared as follows:

- Day 0: 300, 000 A549 cells are seeded in a T75 tissue culture flask in 10 ml of A549 media (as specified above), and incubated in at 37°C, 5% CO₂ in a humidified incubator for 48 hours.
- Day 2: The T75 flasks are rocked to remove any loosely adherent cells, and the A549 growth media removed and replenished with 10 ml of fresh A549 media. The cells are cultured for six days without changing the media to create a quiescent cell population.
- Day 8: Quiescent cells are plated in multi-well format and transfected with antisense oligonucleotides.

A549 cells are transfected according to the following:

1. Trypsinize T75 flask containing quiescent population of A549 cells.
2. Count the cells and seed 24-well plates with 60K quiescent A549 cells per well.
3. Allow the cells to adhere to the tissue culture plate (approximately 4 hours).
4. Transfect the cells with antisense and control oligonucleotides according to the following:

- a. A 10X stock of lipofectamine 2000 (10 ug/ml is 10X) may be prepared, and diluted lipid is allowed to stand at RT for 15 minutes.
Stock solution of lipofectamine 2000 is 1 mg/ml.
10 X solution for transfection is 10 ug/ml.
5 To prepare 10X solution, dilute 10 ul of lipofectamine 2000 stock per 1 ml of Opti-MEM (serum free media).
- b. A 10X stock of each oligomer may be prepared for use in the transfection.
Stock solutions of oligomers are at 100 uM in 20 mM HEPES, pH 7.5.
10 10X concentration of oligomer may be 0.25 uM.
To prepare the 10X solutions, dilute 2.5 ul of oligomer per 1 ml of Opti-MEM.
- c. Equal volumes of the 10X lipofectamine 2000 stock and the 10X oligomer solutions are mixed well, and incubated for 15 minutes at RT
15 to allow complexation of the oligomer and lipid. The resulting mixture is 5X.
- d. After the 15 minute complexation, 4 volumes of full growth media is added to the oligomer/lipid complexes (solution may be 1X).
- e. The media may be aspirated from the cells, and 0.5 ml of the 1X oligomer/lipid complexes added to each well.
20
- f. The cells are incubated for 16-24 hours at 37°C in a humidified CO₂ incubator.
- g. Cell pellets are harvested for RNA isolation and TaqMan analysis of the expression of the protein tyrosine kinase biomarker polypeptides to
25 assess level of knock-down.

TaqMan Reactions

- Quantitative RT-PCR analysis may be performed on total RNA preps that are treated with DNaseI or poly A selected RNA. The Dnase treatment may be performed
30 using methods known in the art, though preferably using a Qiagen RNeasy kit to purify the RNA samples, wherein DNase I treatment is performed on the column.

Briefly, a master mix of reagents may be prepared according to the following table:

Dnase I Treatment

<u>Reagent</u>	<u>Per r'xn (in uL)</u>
10x Buffer	2.5
Dnase I (1 unit/ul @ 1 unit per ug sample)	2
DEPC H ₂ O	0.5
RNA sample @ 0.1 ug/ul	20
(2-3 ug total)	
Total	25

5

Next, 5 ul of master mix may be aliquoted per well of a 96-well PCR reaction plate (PE part # N801-0560). RNA samples are adjusted to 0.1 ug/ul with DEPC treated H₂O (if necessary), and 20 ul may be added to the aliquoted master mix for a final reaction volume of 25 ul.

10 The wells are capped using strip well caps (PE part # N801-0935), placed in a plate, and briefly spun in a plate centrifuge (Beckman) to collect all volume in the bottom of the tubes. Generally, a short spin up to 500rpm in a Sorvall RT is sufficient

The plates are incubated at 37°C for 30 mins. Then, an equal volume of 0.1mM EDTA in 10mM Tris may be added to each well, and heat inactivated at 70°C

15 for 5 min. The plates are stored at -80°C upon completion.

RT reaction

A master mix of reagents may be prepared according to the following table:

20

RT Reaction

<u>Reagent</u>	<u>RT Per Rx'n (in ul)</u>	<u>No RT Per Rx'n (in ul)</u>
10x RT buffer	5	2.5
MgCl ₂	11	5.5
DNTP mixture	10	5
Random Hexamers	2.5	1.25
Rnase inhibitors	1.25	0.625

<u>Reagent</u>	<u>RT</u> <u>Per Rx'n (in ul)</u>	<u>No RT</u> <u>Per Rx'n (in ul)</u>
RT enzyme	1.25	-
Total RNA 500ng (100ng no RT)	19.0 max	10.125 max
DEPC H ₂ O	-	-
Total	50uL	25uL

Samples are adjusted to a concentration so that 500ng of RNA is added to each RT rx'n (100ng for the no RT). A maximum of 19 ul can be added to the RT rx'n mixture (10.125 ul for the no RT.) Any remaining volume up to the maximum values
 5 may be filled with DEPC treated H₂O, so that the total reaction volume is 50 ul (RT) or 25 ul (no RT).

On a 96-well PCR reaction plate (PE part # N801-0560), 37.5 ul of master mix may be aliquoted (22.5 ul of no RT master mix), and the RNA sample added for a total reaction volume of 50ul (25 ul, no RT). Control samples are loaded into two or
 10 even three different wells in order to have enough template for generation of a standard curve.

The wells are capped using strip well caps (PE part # N801-0935), placed in a plate, and spin briefly in a plate centrifuge (Beckman) to collect all volume in the bottom of the tubes. Generally, a short spin up to 500rpm in a Sorvall RT is
 15 sufficient.

For the RT-PCR reaction, the following thermal profile may be used:

- 25°C for 10 min
- 48°C for 30 min
- 20 • 95°C for 5 min
- 4°C hold (for 1 hour)
- Store plate @ -20°C or lower upon completion.

TaqMan reaction (Template comes from RT plate.)

A master mix may be prepared according to the following table:

TaqMan reaction (per well)	
<u>Reagent</u>	<u>Per Rx'n (in ul)</u>
TaqMan Master Mix	4.17
100 uM Probe	.025
100 uM	.05
Forward primer	
100 uM	.05
Reverse primer	
Template	-
DEPC H ₂ O	18.21
Total	22.5

5

Appropriate forward, reverse, and probe primers may be designed for each protein tyrosine kinase biomarker polypeptides coding region for use in the RT-PCR reaction

10 Using a Gilson P-10 repeat pipetter, 22.5 ul of master mix is aliquoted per well of a 96-well optical plate. Then, using P-10 pipetter, 2.5 ul of sample is added to individual wells. Generally, RT samples are run in triplicate with each primer/probe set used, and no RT samples are run once and only with one primer/probe set, often gapdh (or other internal control).

15 A standard curve is then constructed and loaded onto the plate. The curve has five points plus one no template control (NTC, =DEPC treated H₂O). The curve may be made with a high point of 50 ng of sample (twice the amount of RNA in unknowns), and successive samples of 25, 10, 5, and 1 ng. The curve may be made from a control sample(s) (see above).

20 The wells are capped using optical strip well caps (PE part # N801-0935), placed in a plate, and spun in a centrifuge to collect all volume in the bottom of the tubes. Generally, a short spin up to 500rpm in a Sorvall RT is sufficient.

Plates are loaded onto a PE 5700 sequence detector making sure the plate is aligned properly with the notch in the upper right hand corner. The lid may be tightened down and run using the 5700 and 5700 quantitation program and the SYBR probe using the following thermal profile:

5

- 50°C for 2 min
- 95°C for 10 min
- and the following for 40 cycles:
 - 95°C for 15 sec
 - 60°C for 1 min
- Change the reaction volume to 25ul.

10

Once the reaction may be complete, a manual threshold of around 0.1 may be set to minimize the background signal. Additional information relative to operation of the GeneAmp 5700 machine may be found in reference to the following manuals:

15 “GeneAmp 5700 Sequence Detection System Operator Training CD”; and the “User’s Manual for 5700 Sequence Detection System”; available from Perkin-Elmer and hereby incorporated by reference herein in their entirety.

The skilled artisan would acknowledge that modifications to the above protocol may be required for each protein tyrosine kinase biomarker polypeptide of the present invention. The skilled artisan would also acknowledge that cell lines other than A549 could be used and that A549 are only provided as an example. The skilled artisan would also acknowledge that other means may be used to assess the ability of a complimentary oligonucleotide, such as the RNAi reagents provided in SEQ ID

20 NO:534 to 557, which include, but are not limited to western blots and ELISA assays, among others.

25

EXAMPLE 6 – ALTERNATIVE METHOD OF ASSESSING ABILITY OF
COMPLIMENTARY SEQUENCES TO MODULATE EXPRESSION LEVELS OF
THE PROTEIN TYROSINE KINASE BIOMARKER POLYPEPTIDES OF THE
PRESENT INVENTION.

30

Preferred complimentary sequences that may be assessed for their ability to modulate the expression levels the protein tyrosine kinase biomarker polypeptides of the present invention are provided as SEQ ID NO:534 to 557. Other complimentary sequences may be designed based upon the coding region of the protein tyrosine

5 kinase biomarker polypeptides of the present invention as provided as SEQ ID NO:1 thru 137, and are specifically contemplated by the present invention.

Co-Transfection RNAi

10 Transfection:

Day prior to transfection, seed 2×10^5 HeLa cells per well of a 24 well dish. The following day, cells should be 90-95% confluent. Dilute 4.5uL of 20uM stock RNAi (one or more of SEQ ID NO:534 to 557) in 50uL Optimem in a polystyrene

15 tube for each RNAi to be transfected (tube A). Mix by gentle tapping. In another polystyrene tube combine 2uL Lipofectamine 2000 with 50 uL Optimem (tube B). Mix by gentle tapping. Allow to sit at RT for 5'. Combine 50uL tube B with the 50uL for each tube A. Mix by gentle tapping. Allow to sit at RT for 15'. Add 500uL serum/antibiotic-free MEM to each tube to give a final RNAi concentration of

20 150nM. (For cotransfections of RNAi with plasmid, use 1uL of 20uM stock RNAi (final concentration of 33nM) along with 1ug vector DNA in tube A, and then proceed with transfection protocol above). Remove the media from HeLa plates and replace with the 600uL transfection mix. Put in 37°C 5% CO2 incubator for 4-5 hours. Replace the media with MEM containing 10% FBS.

25 Controls to include in the transfection include a fluorescent oligonucleotide control (1U/uL=20uM) to calculate transfection efficiency, GFP B as a non-specific negative control, CDC2 as a normalizing knockdown control, and an untransfected control receiving no DNA.

30 Lysis:

48 hours post-transfection, aspirate media and wash cells 1X with approx. 500uL cold 1xPBS per well. Aspirate and replace with 100uL cold RIPA containing protease inhibitors (1 mini BM protease inhibitor tablet/10mL 1x RIPA). Rock and tap the plate a few times and place at 4⁰C for 10-15 minutes. Tap/rock the plate several more times. Using a 200uL pipetteman, aspirate 5-10 times and wash the well to ensure complete lysis and transfer of all material. Transfer lysate to an eppendorf tube and pipette up and down 5-10 times. If sample is still viscous, pipette up and down several more times. Spin samples down for 10' at 14000 RPM 4⁰C. Samples can now be stored at -20⁰C or prepared for loading.

10

Western blotting/Novex:

Prepare sample by combining 20uL lysate with 3uL reducing reagent and 7uL 4X gel loading dye. Heat at 70⁰C for 10' and then place samples on ice. While samples are heating, prepare desired gel (usually a 4-12% Bis-Tris gel) by removing comb and sealing tape. Place gels in gel box and fill inner and outer chambers with desired buffer (either 1x MES or MOPS- Add 50mL 20x buffer to 950mL dH2O for each gel box).. Add 600uL Oxidizing reagent to the inner chamber. Wash out each well by blasting with 500uL buffer. In well one, load 5uL marker- Invitrogen's SeeBlue Plus2. Load samples in subsequent lanes. Run gel at 200V for 45-50 minutes. Make up 1X transfer buffer- 50mL 20x transfer buffer, Methanol (100mL if transferring one gel, 200mL if transferring 2 gels in the same apparatus) and dH2O to 1000mL. Soak blotting pads in dH2O and then transfer buffer- make sure to push down on pads to rid of air bubbles. Soak precut Hybond-ECL membrane (Amersham nitrocellulose) in dH2O and then in transfer buffer. Cut the end off of Biorad filter paper to match size of transfer membrane. If transferring one gel, place 2 blotting pads into blotting chamber. For 2 gels, place down 1 pad. Briefly soak a filter paper in transfer buffer and carefully lay on blotting pad. Open gel cassette with cracking tool, cut off top, bottom and sides of gel. Briefly rinse it in transfer buffer and then lay it on filter paper carefully making sure no air bubbles are present. Lay transfer membrane on top again being careful there are no bubbles. Put down filter paper. Put down 2 blotting pads if transferring one gel to complete the sandwich. If transferring

25
30

2, put down 1 blotting pad, filter paper, gel, membrane, filter paper, blotting pad.

Gels are now ready for transfer. Squeeze together the gel sandwich and place in transfer apparatus. Fill inner and outer chambers with transfer buffers. Transfer gels for 1 hour at 30V.

- 5 Remove membranes and place them in Superblock (Pierce) and rock at RT for a minimum of 1 hour-overnight. (I have stored membranes in Superblock at 4⁰C over the weekend). Primary antibody and normalizing antibody are diluted in a 1:10 mix of Superblock:1xPBS/0.3% Tween-20. Membranes are incubated and rocked at RT in primary antibody for a minimum of 1 hour-overnight. Membranes are then
- 10 washed thoroughly in 1xPBS/0.3% Tween-20. I usually give several quick rinses and then rinse 3X 5' in 1xPBS/0.3% Tween-20. During the final wash, HRP-conjugated secondary antibody is diluted in 1xPBS/0.3% Tween-20. Add this to membrane and rock at RT for a minimum of 30'. Wash membranes thoroughly. I usually give several quick rinses and then rinse 3X 5' in 1xPBS/0.3% Tween-20. Membranes are
- 15 removed from wash buffer and the excess buffer drained by holding the edge of the membranes on a paper towel. Membranes are placed on Saran Wrap that has been smoothed on benchtop to remove air bubbles. Enough ECL reagent is added to cover the membrane for 1 minute. Remove membranes and drain off excess ECL on paper towel. Place membranes in between two transparency sheets, being careful to smooth
- 20 out air bubbles.

Quantitation:

- 25 Expose membranes using FluorS-Max. Relative percent inhibition may be determined by comparing the intensity of each band with RNAi treatment to the intensity of each band without RNAi treatment (control). Normalize lanes by dividing band of interest by normalizing band for each lane. Divide the normalized value for each treated sample by the normalized value of the control. Percent inhibition can then be calculated by using the formula (1-above value) x 100.

- 30 The skilled artisan would acknowledge that modifications to the above protocol may be required for each protein tyrosine kinase biomarker polypeptide of the present invention.

2, put down 1 blotting pad, filter paper, gel, membrane, filter paper, blotting pad. Gels are now ready for transfer. Squeeze together the gel sandwich and place in transfer apparatus. Fill inner and outer chambers with transfer buffers. Transfer gels for 1 hour at 30V.

- 5 Remove membranes and place them in Superblock (Pierce) and rock at RT for a minimum of 1 hour-overnight. (I have stored membranes in Superblock at 4⁰C over the weekend). Primary antibody and normalizing antibody are diluted in a 1:10 mix of Superblock:1xPBS/0.3% Tween-20. Membranes are incubated and rocked at RT in primary antibody for a minimum of 1 hour-overnight. Membranes are then
- 10 washed thoroughly in 1xPBS/0.3% Tween-20. I usually give several quick rinses and then rinse 3X 5' in 1xPBS/0.3% Tween-20. During the final wash, HRP-conjugated secondary antibody is diluted in 1xPBS/0.3% Tween-20. Add this to membrane and rock at RT for a minimum of 30'. Wash membranes thoroughly. I usually give several quick rinses and then rinse 3X 5' in 1xPBS/0.3% Tween-20. Membranes are
- 15 removed from wash buffer and the excess buffer drained by holding the edge of the membranes on a paper towel. Membranes are placed on Saran Wrap that has been smoothed on benchtop to remove air bubbles. Enough ECL reagent is added to cover the membrane for 1 minute. Remove membranes and drain off excess ECL on paper towel. Place membranes in between two transparency sheets, being careful to smooth
- 20 out air bubbles.

Quantitation:

- Expose membranes using FluorS-Max. Relative percent inhibition may be
- 25 determined by comparing the intensity of each band with RNAi treatment to the intensity of each band without RNAi treatment (control). Normalize lanes by dividing band of interest by normalizing band for each lane. Divide the normalized value for each treated sample by the normalized value of the control. Percent inhibition can then be calculated by using the formula (1-above value) x 100.

- 30 The skilled artisan would acknowledge that modifications to the above protocol may be required for each protein tyrosine kinase biomarker polypeptide of the present invention.

BRIEF DESCRIPTION OF THE SEQUENCE LISTING

Incorporated herein by reference in its entirety is a Sequence Listing, comprising SEQ ID NO:1 through SEQ ID NO:557, which include nucleic acid and amino acid sequences of the protein tyrosine kinase biomarkers as presented in Table 2 herein and the nucleotide sequences of forward and reverse primer pairs for the polynucleotide markers, probes, and RNAi reagents as described herein. The Sequence Listing is contained on a compact disc, i.e., CD-ROM, three identical copies of which are filed herewith. The Sequence Listing, in IBM/PC MS-DOS text format, was first created on August 25, 2003, and is 896 KB in size.

10

The contents of all patents, patent applications, published PCT applications and articles, books, references, reference manuals, abstracts, the Sequence Listing, and internet websites cited herein are hereby incorporated by reference in their entirety to more fully describe the state of the art to which the invention pertains.

15

As various changes can be made in the above-described subject matter without departing from the scope and spirit of the present invention, it is intended that all subject matter contained in the above description, or defined in the appended claims, be interpreted as descriptive and illustrative of the present invention. Many modifications and variations of the present invention are possible in light of the above teachings.

20

WHAT IS CLAIMED IS:

1. A predictor set comprising a plurality of polynucleotides whose expression pattern is predictive of the response of cells to treatment with a compound that modulates protein tyrosine kinase activity or members of the protein tyrosine kinase pathway.
5
2. The predictor set according to claim 1 wherein the polynucleotides are selected from the group consisting of:
 - a.) the polynucleotides provided in Table 2;
 - b.) the sensitive predictor polynucleotides provided in
10 Table 2; and
 - c.) the resistant predictor polynucleotides provided in Table 2.
3. The predictor set according to claim 2 wherein the plurality of
15 polynucleotides comprise the number of polynucleotides selected from the group consisting of:
 - a.) at least about 1 polynucleotides;
 - b.) at least about 3 polynucleotides;
 - c.) at least about 5 polynucleotides;
 - 20 d.) at least about 7 polynucleotides;
 - e.) at least about 10 polynucleotides;
 - f.) at least about 15 polynucleotides;
 - g.) at least about 20 polynucleotides;
 - h.) at least about 25 polynucleotides; and
 - 25 i.) at least about 30 polynucleotides.
4. The predictor set according to claim 3 wherein the plurality of polynucleotides comprise a member of the group consisting of:
 - a.) the polynucleotides provided in Table 3;
 - 30 b.) the sensitive predictor polynucleotides provided in Table 3;

- 5
- c.) the resistant predictor polynucleotides provided in Table 3;
 - d.) the polynucleotides provided in Table 4;
 - e.) the sensitive predictor polynucleotides provided in Table 4;
 - f.) the resistant predictor polynucleotides provided in Table 4;
 - g.) the polynucleotides provided in Table 5;
 - h.) the sensitive predictor polynucleotides provided in Table 5; and
 - 10 i.) the resistant predictor polynucleotides provided in Table 5.

15 5. The predictor set according to claim 4 wherein the compound is selected from the group consisting of:

- a.) antisense reagents directed to said polynucleotides;
- b.) antibodies directed against polypeptides encoded by said polynucleotides; and
- c.) small molecule compounds.

20 6. The predictor set according to claim 5 wherein the compound is BMS-A.

7. The predictor set according to claim 1 wherein said cells are a member of the group consisting of: breast cells, and breast cancer cells.

25 8. A predictor set comprising a plurality of polypeptides whose expression pattern is predictive of the response of cells to treatment with compounds that modulate protein tyrosine kinase activity or members of the protein tyrosine kinase pathway.

9. The predictor set according to claim 8 wherein the polypeptides are selected from the group consisting of:

- 30
- a.) the polypeptides provided in Table 2;
 - b.) the sensitive predictor polypeptides provided in Table 2; and

c.) the resistant predictor polypeptides provided in Table 2.

10. The predictor set according to claim 9 wherein the plurality of polypeptides comprise the number of polypeptides selected from the group consisting of:

5

- a.) at least about 1 polypeptides;
- b.) at least about 3 polypeptides;
- c.) at least about 5 polypeptides;
- d.) at least about 7 polypeptides;
- e.) at least about 10 polypeptides;
- f.) at least about 15 polypeptides;
- g.) at least about 20 polypeptides;
- h.) at least about 25 polypeptides; and
- i.) at least about 30 polypeptides.

10

11. The predictor set according to claims 10 wherein the plurality of polypeptides comprise a member of the group consisting of:

15

- a.) polypeptides provided in Table 3;
- b.) the sensitive predictor polypeptides provided in Table 3;
- c.) the resistant predictor polypeptides provided in Table 3;
- d.) the polypeptides provided in Table 4;
- e.) the sensitive predictor polypeptides provided in Table 4;
- f.) the resistant predictor polypeptides provided in Table 4;
- g.) the polypeptides provided in Table 5;
- h.) the sensitive predictor polypeptides provided in Table 5;
- and
- i.) the resistant predictor polypeptides provided in Table 5.

20

25

12. The predictor set according to claim 11 wherein the compound is selected from the group consisting of:

30

- a.) antisense reagents directed against polynucleotides encoding said polypeptides;
- b.) antibodies directed against said polypeptides; and

c.) small molecule compounds.

13. The predictor set according to claim 12 wherein the compound is BMS-A.

5 14. The predictor set according to claim 8 wherein said cells are a member of the group consisting of: breast cells, and breast cancer cells.

15. A method for predicting whether a compound is capable of modulating the activity of cells, comprising the steps of:

- 10 a.) obtaining a sample of cells;
b.) determining whether said cells express a plurality of markers; and
c.) correlating the expression of said markers to the compounds ability to modulate the activity of said cells.

15 16. The method according to claim 15 wherein the plurality of markers are polynucleotides.

17. The method according to claim 16 wherein the polynucleotides are the polynucleotides of claim 4.

20 18. The method according to claim 17 wherein the compounds are a member of the group consisting of:

- a.) the compounds according to claim 5; and
b.) the compounds according to claim 6.

25 19. The method according to claim 18 wherein the cells are a member of the group consisting of: breast cells, and breast cancer cells.

20. The method according to claim 15 wherein the plurality of markers are polypeptides.

21. The method according to claim 20 wherein the polypeptides are the polypeptides of claim 11.

30 22. The method according to claim 21 wherein the compounds are a member of the group consisting of:

- c.) the compounds according to claim 12; and

d.) the compounds according to claim 13.

23. The method according to claim 19 wherein the cells are a member of the group consisting of: breast cells, and breast cancer cells.
- 5 24. A plurality of cell lines for identifying polynucleotides and polypeptides whose expression levels correlate with compound sensitivity or resistance of cells associated with a disease state.
- 10 25. The plurality of cell lines according to claim 24 wherein said cell lines are breast cancer cell lines.
26. The plurality of cell lines according to claim 25 wherein said cell lines comprise one or more cell lines provided in Table 1.
- 15 27. A method of identifying polynucleotides and polypeptides that predict compound sensitivity or resistance of cells associated with a disease state, comprising the steps of:
- 20 a.) subjecting the plurality of cell lines according to claim 26 to one or more compounds;
- b.) analyzing the expression pattern of a microarray of polynucleotides or polypeptides; and
- c.) selecting polynucleotides or polypeptides that predict the sensitivity or resistance of cells associated with a disease state by using said expression pattern of said microarray.
- 25 28. The method according to claim 24 wherein the compounds are a member of the group consisting of:
- 30 a.) the compounds according to claim 5; and
- b.) the compounds according to claim 6;
- c.) the compounds according to claim 12; and
- d.) the compounds according to claim 13.

29. The method according to claim 29 wherein said disease is breast cancer.

30. A method for predicting whether an individual requiring treatment for
5 a disease state, will successfully respond or will not respond to said treatment comprising the steps of:

- a.) obtaining a sample of cells from said individual;
- b.) determining whether said cells express a plurality of
markers; and
- 10 c.) correlating the expression of said markers to the individuals ability to respond to said treatment.

31. The method according to claim 30 wherein the plurality of markers are polynucleotides.

15 32. The method according to claim 31 wherein the polynucleotides are the polynucleotides of claim 4.

33. The method according to claim 32 wherein the compounds are a member of the group consisting of:

- a.) the compounds according to claim 5; and
- 20 b.) the compounds according to claim 6.

34. The method according to claim 33 wherein the disease state is breast cancer.

25 35. The method according to claim 30 wherein the plurality of markers are polypeptides.

36. The method according to claim 35 wherein the polypeptides are the polypeptides of claim 11.


37. The method according to claim 36 wherein the compounds are a member of the group consisting of:

- 30 a.) the compounds according to claim 5; and
- b.) the compounds according to claim 6.

38. The method according to claim 37 wherein the disease state is breast cancer.
39. A method of screening for candidate compounds capable of binding to and/or modulating the activity of a protein tyrosine kinase biomarker polypeptide, comprising:
- 5 (a) contacting a test compound with a polypeptide according to claim 11; and
- (b) selecting as candidate compounds those test compounds that bind to and/or modulate activity of the polypeptide.
- 10 40. A method of treating breast cancer in a subject, comprising administering a modulator of one or more protein tyrosine kinase biomarker polypeptides, wherein said polypeptide(s) is selected from the group consisting of:
- 15 a.) polypeptides provided in Table 2;
- b.) the sensitive predictor polypeptides provided in Table 2;
- c.) the resistant predictor polypeptides provided in Table 2;
- d.) polypeptides provided in Table 3;
- e.) the sensitive predictor polypeptides provided in Table 3;
- f.) the resistant predictor polypeptides provided in Table 3;
- g.) the polypeptides provided in Table 4;
- 20 h.) the sensitive predictor polypeptides provided in Table 4;
- i.) the resistant predictor polypeptides provided in Table 4;
- j.) the polypeptides provided in Table 5; and
- k.) the sensitive predictor polypeptides provided in Table 5.


1/7

FIG. 1




2/7

FIG. 2




3/7

FIG. 3




4/7

FIG. 4



5/7

FIG. 5



6/7

FIG. 6





FIG. 7



SEQUENCE LISTING

<110> Bristol-Myers Squibb Company

<120> IDENTIFICATION OF GENES FOR PREDICTING ACTIVITY OF COMPOUNDS THAT INTERACT WITH AND/OR MODULATE PROTEIN TYROSINE KINASES AND/OR PROTEIN TYROSINE KINASE PATHWAYS IN BREAST CELLS

<130> D0273 PCT

<150> 60/406,385

<151> 2002-08-27

<160> 557

<170> PatentIn version 3.2

<210> 1

<211> 3921

<212> DNA

<213> Homo sapiens

<400> 1

```

cggaagttgc gcgcaggccg gcgggcgga gcggacaccg aggccggcgt gcaggcgtgc      60
gggtgtgcgg gagccgggct cggggggatc ggaccgagag cgagaagcgc ggcattggagc      120
tccaggcagc ccgcgcctgc ttgcacctgc tgtggggctg tgcgctggcc gcggccgcgg      180
cggcgcaggg caaggaagtg gtactgctgg actttgctgc agctggaggg gagctcggct      240
ggctcacaca cccgtatggc aaaggggtgg acctgatgca gaacatcatg aatgacatgc      300
cgatctacat gtactccgtg tgcaacgtga tgtctggcga ccaggacaac tggctccgca      360
ccaactgggt gtaccgagga gaggtgagc gtaacaactt tgagctcaac tttactgtac      420
gtgactgcaa cagcttcctt ggtggcgcca gctcctgcaa ggagactttc aacctctact      480
atgccgagtc ggacctggac tacggcacca acttcagaa gcgcctgttc accaagattg      540
acaccattgc gcccgatgag atcacctgca gcagcgactt cgaggcacgc cacgtgaagc      600
tgaactgga ggagcgctcc gtggggcgcc tcaccgcaa aggccttctac ctggccttcc      660
aggatatcgg tgctgtgtg gcgctgctct ccgtccgtgt ctactacaag aagtgccccg      720
agctgctgca gggcctggcc cacttccctg agaccatcgc cggctctgat gcaccttccc      780
tggccactgt ggccggcacc tgtgtggacc atgccgtggt gccaccgggg ggtgaagagc      840
cccgtatgca ctgtgcagtg gatggcgagt ggctgggtgcc cattgggcag tgctgtgccc      900
aggcaggcta cgagaagggt gaggatgcct gccaggcctg ctgcgctgga ttttttaagt      960
ttgaggcatc tgagagcccc tgcttggagt gccctgagca cacgctgcca tcccctgagg     1020

```

gtgccacctc	ctgcgagtgt	gaggaaggct	tcttccgggc	acctcaggac	ccagcgtcga	1080
tgccttgca	acgaccccc	tccgccccac	actacctcac	agccgtgggc	atgggtgcca	1140
aggtggagct	gcgctggacg	ccccctcagg	acagcggggg	ccgcgaggac	attgtctaca	1200
gcgtcacctg	cgaacagtgc	tggcccagat	ctggggaatg	cgggccgtgt	gaggccagtg	1260
tgcgctactc	ggagcctcct	cacggactga	cccgaccag	tgtgacagtg	agcgacctgg	1320
agccccacat	gaactacacc	ttcacctgtg	aggcccgcaa	tggcgtctca	ggcctggtaa	1380
ccagccgcag	cttccgtact	gccagtgtca	gcatcaacca	gacagagccc	cccaagggtga	1440
ggctggaggg	ccgcagcacc	acctcgctta	gcgtctcctg	gagcatcccc	ccgccgcagc	1500
agagccgagt	gtggaagtac	gaggtcactt	accgcaagaa	gggagactcc	aacagctaca	1560
atgtgcgccg	caccgagggg	ttctccgtga	ccctggacga	cctggcccca	gacaccacct	1620
acctgggtcca	ggtgcaggca	ctgacgcagg	agggccaggg	ggccggcagc	aaggtgcacg	1680
aattccagac	gctgtccccg	gagggatctg	gcaacttggc	ggtgattggc	ggcgtggctg	1740
tcggtgtggt	cctgcttctg	gtgctggcag	gagttggctt	ctttatccac	cgcaggagga	1800
agaaccagcg	tgcccgccag	tccccggagg	acgtttactt	ctccaagtca	gaacaactga	1860
agccccctgaa	gacatacgtg	gacccccaca	catatgagga	cccccaaccag	gctgtgttga	1920
agttcactac	cgagatccat	ccatcctgtg	tcactcggca	gaagggtgatc	ggagcaggag	1980
agtttgggga	ggtgtacaag	ggcatgctga	agacatcctc	ggggaagaag	gaggtgccgg	2040
tggccatcaa	gacgctgaaa	gccggctaca	cagagaagca	gcgagtggac	ttcctcggcg	2100
aggccggcat	catggggccag	ttcagccacc	acaacatcat	ccgcctagag	ggcgtcatct	2160
ccaaatacaa	gcccattgatg	atcatcactg	agtacatgga	gaatggggcc	ctggacaagt	2220
tccttcggga	gaaggatggc	gagttcagcg	tgetgcagct	ggtgggcatg	ctgcggggca	2280
tcgcagctgg	catgaagtac	ctggccaaca	tgaactatgt	gcaccgtgac	ctggctgccc	2340
gcaacatcct	cgtcaacagc	aacctgggtct	gcaagggtgtc	tgactttggc	ctgtcccgcg	2400
tgctggagga	cgaccccgag	gccacctaca	ccaccagtgg	cggcaagatc	cccatccgct	2460
ggaccgcccc	ggaggccatt	tcctaccgga	agttcacctc	tgccagcgac	gtgtggagct	2520
ttggcattgt	catgtgggag	gtgatgacct	atggcgagcg	gccctactgg	gagttgtcca	2580
accacgaggt	gatgaaagcc	atcaatgatg	gcttccggct	ccccacaccc	atggactgcc	2640
cctccgccat	ctaccagctc	atgatgcagt	gctggcgagca	ggagcgtgcc	cgcgcgccca	2700
agttcgctga	catcgtcagc	atcctggaca	agctcattcg	tgcccctgac	tcctcaaga	2760

```

ccctggctga ctttgacccc cgcgtgtcta tccggctccc cagcacgagc ggctcggagg 2820
gggtgccctt ccgcacggtg tccgagtggc tggagtccat caagatgcag cagtatacgg 2880
agcacttcat ggcgcccggc tacactgcca tcgagaaggt ggtgcagatg accaacgacg 2940
acatcaagag gattgggggtg cggctgcccc gccaccagaa gcgcacgccc tacagcctgc 3000
tgggactcaa ggaccaggtg aacactgtgg ggatccccat ctgagcctcg acagggcctg 3060
gagccccatc ggccaagaat acttgaagaa acagagtggc ctccctgctg tgccatgctg 3120
ggccactggg gactttatctt atttctagtt ctttcctccc cctgcaactt ccgctgaggg 3180
gtctcggatg acaccctggc ctgaactgag gagatgacca gggatgctgg gctgggccct 3240
ctttccctgc gagacgcaca cagctgagca cttagcaggc accgccacgt cccagcatcc 3300
ctggagcagg agccccgcca cagccttcgg acagacatat aggatattcc caagccgacc 3360
ttccctccgc cttctcccac atgaggccat ctcaggagat ggagggcttg gccacgcgcc 3420
aagtaaacag ggtacctcaa gccccatttc ctcacactaa gagggcagac tgtgaacttg 3480
actgggtgag acccaaagcg gtccctgtcc ctctagtgcc ttcttttagac cctcgggccc 3540
catcctcatc cctgactggc caaacccttg ctttcctggg cttttgcaag atgcttggtt 3600
gtgttgaggt ttttaaatat atattttgta ctttgtggag agaattgtgtg tgtgtggcag 3660
ggggccccgc cagggctggg gacagagggg gtcaaacatt cgtgagctgg ggactcaggg 3720
accggtgctg caggagtgtc ctgcccattg cccagtcggc cccatctctc atccttttgg 3780
ataagtttct attctgtcag tgttaaagat tttgttttgt tggacatttt tttcgaatct 3840
taatttatta ttttttttat atttattgtt agaaaatgac ttatttctgc tctggaataa 3900
agttgcagat gattcaaacc g 3921

```

```

<210> 2
<211> 3949
<212> DNA
<213> Homo sapiens

```

```

<400> 2
gaattccgcc ccgggaagcg cagccatggc tctgcggagg ctgggggccg cgctgctgct 60
gctgccgctg ctgccgccg tggaagaaac gctaattggac tccactacag cgactgctga 120
gctgggctgg atggtgcac ctccatcagg gtgggaagag gtgagtggct acgatgagaa 180
catgaacacg atccgcacgt accaggtgtg caacgtgttt gagtcaagcc agaacaactg 240
gctacggacc aagtttatcc ggcgccgtgg cgcccaccgc atccacgtgg agatgaagtt 300

```

ttcgggtgcgt gactgcagca gcatccccag cgtgcctggc tcctgcaagg agaccttcaa	360
cctctattac tatgaggctg actttgactc ggccaccaag accttcccca actggatgga	420
gaatccatgg gtgaagggtg ataccattgc agccgacgag agcttctccc aggtggacct	480
gggtggccgc gtcataaaaa tcaacaccga ggtgcggagc ttccggacctg tgtcccgag	540
cggcttctac ctggccttcc aggactatgg cggctgcatg tccctcatcg ccgtgcgtgt	600
cttctaccgc aagtgcccc gcatcatcca gaatggcgcc atcttccagg aaacctgtc	660
gggggctgag agcacatcg tggtggctgc ccggggcagc tgcatacgca atgcggaaga	720
ggtggatgta cccatcaagc tctactgtaa cggggacggc gagggtgtgg tgcccatcgg	780
gcgctgcatg tgcaaagcag gcttcgaggc cgttgagaat ggcaccgtct gccgaggtt	840
tccatctggg actttcaagg ccaaccaagg ggatgaggcc tgtaccact gtcccatcaa	900
cagccggacc acttctgaag gggccacaa ctgtgtctgc cgcaatggct actacagagc	960
agacctggac cccttgaca tgccctgcac aaccatcccc tcgcgcgcc aggtgtgat	1020
ttccagtgtc aatgagacct ccctcatgct ggagtggacc cctccccgcg actccggagg	1080
ccgagaggac ctgctctaca acatcatctg caagagctgt ggctcgggccc ggggtgcctg	1140
caccgctgc ggggacaatg tacagtacgc accacgccag ctaggcctga ccgagccag	1200
catttacatc agtgacctgc tggccacac ccagtaacac ttcgagatcc aggtgtgaa	1260
cggcgttact gaccagagcc ccttctcgcc tcagttcgcc tctgtgaaca tcaccacaa	1320
ccaggcagct ccatcggcag tgtccatcat gcatcagggtg agccgcaccg tggacagcat	1380
taccctgtcg tgggtcccagc cagaccagcc caatggcgctg atcctggact atgagctgca	1440
gtactatgag aaggagctca gtgagtacaa cgccacagcc ataaaaagcc ccaccaacac	1500
ggtcaccgtg cagggcctca aagccggcgc catctatgtc ttccagggtc gggcacgcac	1560
cgtggcaggc tacgggcgct acagcggcaa gatgtacttc cagaccatga cagaagccga	1620
gtaccagaca agcatccagg agaagttgcc actcatcatc ggctcctcgg ccgctggcct	1680
ggtcttcctc attgctgtgg ttgtcatcgc catcgtgtgt aacagacggg ggtttgagcg	1740
tgctgactcg gagtacagc acaagctgca aactacacc agtggccaca tgaccccagg	1800
catgaagatc tacatcgatc ctttcaccta cgaggacccc aacgaggcag tgccggagtt	1860
tgccaaggaa attgacatct cctgtgtcaa aattgagcag gtgatcggag caggggagtt	1920
tggcgaggtc tgcagtggcc acctgaagct gccaggcaag agagagatct ttgtggccat	1980

caagacgctc	aagtcgggct	acacggagaa	gcagcgccgg	gacttcctga	gcgaagcctc	2040
catcatgggc	cagttcgacc	atcccaacgt	catccacctg	gaggggtgctg	tgaccaagag	2100
cacacctgtg	atgatcatca	ccgagttcat	ggagaatggc	tccctggact	cctttctccg	2160
gcaaaacgat	gggcagttca	cagtcatcca	gctgggtggc	atgcttcggg	gcacgcagc	2220
tggcatgaag	tacctggcag	acatgaacta	tgttcaccgt	gacctggctg	cccgaacat	2280
cctcgtcaac	agcaacctgg	tctgcaaggt	gtcggacttt	gggctctcac	gctttctaga	2340
ggacgatacc	tcagacccca	cctacaccag	tgccctgggc	ggaaagatcc	ccatccgctg	2400
gacagccccg	gaagccatcc	agtaccggaa	gttcacctcg	gccagtgatg	tgtggagcta	2460
cggcattgtc	atgtgggagg	tgatgtccta	tggggagcgg	ccctactggg	acatgaccaa	2520
ccaggatgta	atcaatgcc	ttgagcagga	ctatcggtg	ccaccgcca	tggactgccc	2580
gagcgccctg	caccaactca	tgttggaactg	ttggcagaag	gaccgcaacc	accggcccaa	2640
gttcggccaa	attgtcaaca	cgctagacaa	gatgatccgc	aatcccaaca	gcctcaaagc	2700
catggcgccc	ctctcctctg	gcacaaacct	gcccgtgctg	gaccgcacga	tccccgacta	2760
caccagcttt	aacacgggtg	acgagtggct	ggaggccatc	aagatggggc	agtacaagga	2820
gagcttcgcc	aatgccggct	tcacctcctt	tgacgtcgtg	tctcagatga	tgatggagga	2880
cattctccgg	gttgggggtca	ctttggctgg	ccaccagaaa	aaaatcctga	acagtatcca	2940
ggtgatgcgg	gcgcagatga	accagattca	gtctgtggag	ggccagccac	tcgccaggag	3000
gccacggggc	acgggaagaa	ccaagcgggtg	ccagccacga	gacgtcacca	agaaaacatg	3060
caactcaaac	gacggaaaaa	aaaagggaat	gggaaaaaag	aaaacagatc	ctgggagggg	3120
gcgggaaata	caaggaatat	tttttaaaga	ggattctcat	aaggaaagca	atgactgttc	3180
ttgcggggga	taaaaaagg	cttgggagat	tcatgcatg	tgtccaatcg	gagacaaaag	3240
cagtttctct	ccaactccct	ctgggaaggt	gacctggcca	gagccaagaa	acactttcag	3300
aaaaacaaat	gtgaagggga	gagacagggg	ccacccttgg	ctcctgtccc	tgctgtcctt	3360
ctaggcctca	ctcaacaacc	aagcgccctg	aggacgggac	agatggacag	acagccaccc	3420
tgagaacccc	tctgggaaaa	tctattcctg	ccaccactgg	gcaaacagaa	gaatttttct	3480
gtctttggag	agtatttttag	aaactccaat	gaaagacact	gtttctcctg	ttggctcaca	3540
gggctgaaag	gggcttttgt	cctcctgggt	caggggagaac	gcggggaccc	cagaaaggctc	3600
agccttcctg	aggatgggca	acccccaggt	ctgcagctcc	aggtacatat	cacgcgcaca	3660
gcctggcagc	ctggccctcc	tggtgcccac	tcccgcagc	cctgcctcg	aggactgata	3720

ctgcagtgac tgccgtcagc tccgactgcc gctgagaagg gttgatcctg catctggggtt 3780
 tgtttacagc aattcctgga ctccggggta ttttggtcac aggggtgggtt tggttttaggg 3840
 ggtttgtttg ttgggttggt ttttggtttt tggttttttt taatgacaat gaagtgcacac 3900
 tttgacattt ccaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3949

<210> 3
 <211> 2704
 <212> DNA
 <213> Homo sapiens

<400> 3
 gggagaaacg ttctcactcg ctctctgctc gctgcgggcg ctccccgccc tctgctgcca 60
 gaaccttggg gatgtgccta gaccggcgcg agcacacgtc cgggccaacc gcgagcagaa 120
 caaacctttg gcgggcgggc aggaggctcc ctcccagcca ccgccccctt ccagcgctt 180
 tttttcccc catacaatac aagatcttcc ttctcagtt cccttaaagc acagcccagg 240
 gaaacctcct cacagttttc atccagccac gggccagcat gtctgggggc aaatacgtag 300
 actcggaggg acatctctac accgttccca tccgggaaca gggcaacatc tacaagccca 360
 acaacaaggc catggcagac gagctgagcg agaagcaagt gtacgacgcg cacaccaagg 420
 agatcgacct ggtcaaccgc gaccctaaac acctcaacga tgacgtggtc aagattgact 480
 ttgaagatgt gattgcagaa ccagaaggga cacacagttt tgacggcatt tggaaggcca 540
 gcttcaccac cttcactgtg acgaaatact ggttttaccg cttgctgtct gccctctttg 600
 gcattccgat ggcactcatc tggggcattt acttcgcat tctctctttc ctgcacatct 660
 gggcagttgt accatgcatt aagagcttcc tgattgagat tcagtgcac agccgtgtct 720
 attccatcta cgtccacacc gtctgtgacc cactctttga agctgttggg aaaatattca 780
 gcaatgtccg catcaacttg cagaaagaaa tataaatgac atttcaagga tagaagtata 840
 cctgattttt tttcctttta attttcttg tgccaatttc aagttccaag ttgctaatac 900
 agcaacaatt tatgaattga attatcttgg ttgaaaataa aaagatcact ttctcagttt 960
 tcataagtat tatgtctctt ctgagctatt tcatctatct ttggcagtct gaatttttaa 1020
 aaccatttta aatttttttc cttacctttt tatttgcacg tggatcaacc atcgctttat 1080
 tggctgagat atgaacatat tgttgaaagg taatttgaga gaaatatgaa gaactgagga 1140
 ggaaaaaaaa aaaaaagaaa agaaccaaca acctcaactg cctactccaa aatgttggtc 1200
 attttatgtt aagggaagaa ttccagggtg tggccatgga gtgtacaagt atgtgggcag 1260

```

atatttcagca aactcttttc ccactgttta aggagttagt ggattactgc cattcacttc 1320
ataatccagt aggatccagt gatccttaca agttagaaaa cataatcttc tgccttctca 1380
tgatccaact aatgccttac tcttcttgaa attttaacct atgatatttt ctgtgcctga 1440
atatttggtta tgtagataac aagacctcag tgccttcctg tttttcacat tttccttttc 1500
aaataggggc taactcagca actcgcttta ggtcagcagc ctccctgaag accaaaatta 1560
gaatatccat gacctagttt tccatgcgtg tttctgactc tgagctacag agtctgggtga 1620
agctcacttc tgggcttcat ctggcaacat ctttatccgt agtgggtatg gttgacacta 1680
gcccaatgaa atgaattaaa gtggaccaat agggctgagc tctctgtggg ctggcagtc 1740
tggaagccag ctttccctgc ctctcatcaa ctgaatgagg tcagcatgtc tattcagctt 1800
cgtttatttt caagaataat cagcctttcc tgaatccaaa ctaatccatc accgggggtg 1860
tttagtggct caacattgtg ttcccatttc agctgatcag tgggcctcca aggaggggct 1920
gtaaaatgga ggccattgtg tgagcctatc agagttgctg caaacctgac ccctgctcag 1980
taaagcactt gcaaccgtct gttatgctgt gacacatggc ccctccccct gccaggagct 2040
ttggacctaa tccaagcatc cttttgcccc gaaagaagat gggggaggag gcagtaataa 2100
aaagattgaa gtattttgct ggaataagtt caaattcttc tgaactcaaa ctgaggaatt 2160
tcacctgtaa acctgagtcg tacagaaagc tgcttggtat atccaaaagc tttttattcc 2220
tcctgctcat attgtgattc tgcctttggg gacttttctt aaaccttcag ttatgatttt 2280
tttttcatac acttattgga actctgcttg atttttgctt cttccagtct tcctgacact 2340
ttaattacca acctgttacc tactttgact ttttgcattht aaaacagaca ctggcatgga 2400
tatagtttta cttttaaaact gtgtacataa ctgaaaatgt gctatactgc atacttttta 2460
aatgtaaaga tattttttatc tttatatgaa gaaaatcact taggaaatgg ctttgtgatt 2520
caatctgtaa actgtgtatt ccaagacatg tctgttctac atagatgctt agtccctcat 2580
gcaaatcaat tactgggtcca aaagattgct gaaattttat atgcttactg atatatttta 2640
caatttttta tcatgcatgt cctgtaaagg ttacaagcct gcacaataaa aatgtttaac 2700
ggtt 2704

```

```

<210> 4
<211> 1483
<212> DNA
<213> Homo sapiens

```

<400> 4
 ggggctcggg acggccgggc tgggagctgg agcccacagc gggaagcggc cgccgcccgg 60
 gcctcgcagg gctaggcgag gcgagggggg gcggggccgg gcgctacggg aaggggaggc 120
 cgcgcggaacc gggagccgca ccgcgccagc cgggctgcag cggccgcgca ccaaggctgc 180
 gatggggctg gagacggaga aggcggacgt acagctcttc atggacgacg actcctacag 240
 ccaccacagc ggcctcgagt acgccgaccc cgagaagtgc gcggactcgg accaggaccg 300
 ggatccccac cggctcaact cgcattctca gctgggcttc gaggatgtga tcgcagagcc 360
 ggtgactacg cactcctttg acaaagtgtg gatctgcagc catgccctct ttgaaatcag 420
 caaatacgta atgtacaagt tcctgacggg gttcctggcc attcccctgg ccttcattgc 480
 gggaattctc tttgccaccc tcagctgtct gcacatctgg attttaatgc cttttgtaaa 540
 gacctgccta atggttctgc cttcagtgca gacaatatgg aagagtgtga cagatgttat 600
 cattgctcca ttgtgtacga gcgtaggacg atgcttctct tctgtcagcc tgcaactgag 660
 ccaggattga atacttgga cccaggtctg gagattggga tactgtaata cttctttgtt 720
 attataacat aaaagcacca ctgttctgtt catttcctag ctgttctaata taagaaaact 780
 attaagatga gcaaccacat ttagaaatgt ttattgacag gtcttttcaa ataagtcttt 840
 tctaattaat agccaaagat ttcatatcta actttgtaac cagaattata cagtaagttg 900
 acaccactta gatttaaagg cagacagttt tgcttttagta caatagtata cattttataa 960
 tgatgaactt ataattgatta agggacattt ctataaaaat actacaatag ttttatgcac 1020
 aacttcccat taaaaatgag atttcttatt tgtttgtctg tttttactct gggagtaata 1080
 cttttttaaata tacctttaca tatatagtca ctggcatact gagaatatac aatgatcctg 1140
 gaaattgcag taacaaaagc acacaacgat tatagtaact ataagataca ataaaacaaa 1200
 taaatgtgaa agtagattca tgaaaatgta ttcctttaaa atattgtttt cctacaggcc 1260
 tatttaacaa gatgtttcat tttactgtat atttttagt taatataaat gttgctctaa 1320
 tcagattgct taaaagcatt tttattatat ttatgttggt gaactaatat atgaaataag 1380
 taaatgtagc tcccacaagg taaacttcat tggttaagatt gcactgttct gattatgtaa 1440
 gcatttgtac atcttctttg gaaataaaaag ataaaagagc gat 1483

<210> 5
 <211> 1399
 <212> DNA
 <213> Homo sapiens

<400> 5
 agtgtgaaat cttcagagaa gaattttctct ttagttcttt gcaagaaggt agagataaag 60
 acactttttc aaaaatggca atggtatcag aattcctcaa gcaggcctgg tttattgaaa 120
 atgaagagca ggaatatgtt caaactgtga agtcatccaa aggtgggtccc ggatcagcgg 180
 tgagccccta tcctaccttc aatccatcct cggatgtcgc tgccttgcat aaggccataa 240
 tggttaaagg tgtggatgaa gcaaccatca ttgacattct aactaagcga aacaatgcac 300
 agcgtcaaca gatcaaagca gcatatctcc aggaaacagg aaagcccctg gatgaaacac 360
 ttaagaaagc ccttacaggt caccttgagg aggttggttt agctctgcta aaaactccag 420
 cgcaatttga tgctgatgaa cttcgtgctg ccatgaaggg ccttggaact gatgaagata 480
 ctctaattga gattttggca tcaagaacta acaaagaaat cagagacatt aacaggggtct 540
 acagagagga actgaagaga gatctggcca aagacataac ctgagacaca tctggagatt 600
 ttcggaacgc tttgctttct cttgctaagg gtgaccgatc tgaggacttt ggtgtgaatg 660
 aagacttggc tgattcagat gccagggcct tgtatgaagc aggagaaagg agaaagggga 720
 cagacgtaaa cgtgttcaat accatcctta ccaccagaag ctatccacaa cttcgcagag 780
 tgtttcagaa atacaccaag tacagtaagc atgacatgaa caaagttctg gacctggagt 840
 tgaaaggtga cattgagaaa tgcctcacag ctatcgtgaa gtgcgccaca agcaaaccag 900
 ctttctttgc agagaagctt catcaagcca tgaaaggtgt tggaactcgc cataaggcat 960
 tgatcaggat tatggtttcc cgttctgaaa ttgacatgaa tgatatcaaa gcattctatc 1020
 agaagatgta tggatatctc ctttgccaag ccatcctgga tgaaaccaa ggagattatg 1080
 agaaaatcct ggtggctctt tgtggaggaa actaaacatt cccttgatgg tctcaagcta 1140
 tgatcagaag actttaatta tatattttca tcctataagc ttaaatagga aagtttcttc 1200
 aacaggatta cagtgtagct acctacatgc tgaaaaatat agcctttaaa tcatttttat 1260
 attataactc tgtataatag agataagtc attttttaaa aatgttttcc ccaaaccata 1320
 aaaccctata caagttgttc tagtaacaat acatgagaaa gatgtctatg tagctgaaaa 1380
 taaaatgacg tcacaagac 1399

<210> 6
 <211> 1362
 <212> DNA
 <213> Homo sapiens

<400> 6
 catttgggga cgctctcagc tctcggcgca cggcccagct tccttcaaaa tgtctactgt 60

tcacgaaatc ctgtgcaagc tcagcttggg gggatgatcac tctacacccc caagtgcata 120
 tgggtctgtc aaagcctata ctaactttga tgctgagcgg gatgctttga acattgaaac 180
 agccatcaag accaaagggtg tggatgaggt caccattgtc aacattttga ccaaccgcag 240
 caatgcacag agacaggata ttgccttcgc ctaccagaga aggacaaaaa aggaacttgc 300
 atcagcactg aagtcagcct tatctggcca cctggagacg gtgattttgg gcctattgaa 360
 gacacctgct cagtatgacg cttctgagct aaaagcttcc atgaaggggc tgggaaccga 420
 cgaggactct ctcatgaga tcatctgctc cagaaccaac caggagctgc aggaatttaa 480
 cagagtctac aaggaaatgt acaagactga tctggagaag gacattattt cggacacatc 540
 tggatgacttc cgcaagctga tgggtgccct ggcaaagggt agaagagcag aggatggctc 600
 tgtcattgat tatgaactga ttgaccaaga tgctcgggat ctctatgacg ctggagtga 660
 gaggaaggga actgatgttc ccaagtggat cagcatcatg accgagcggg gcgtgcccc 720
 cctccagaaa gtatttgata ggtacaagag ttacagccct tatgacatgt tggaaagcat 780
 caggaaagag gttaaaggag acctggaaaa tgctttcctg aacctgggtc agtgcattca 840
 gaacaagccc ctgtattttg ctgatcgggt gtatgactcc atgaagggca aggggacgcg 900
 agataagggtc ctgatcagaa tcatgggtctc ccgcagtga gtggacatgt tgaaaattag 960
 gtctgaattc aagagaaaagt acggcaagtc cctgtactat tatatccagc aagacactaa 1020
 gggcgactac cagaaagcgc tgctgtacct gtgtgggtga gatgactgaa gcccgcacg 1080
 gcctgagcgt ccagaaatgg tgctcaccat gcttcagct aacagggtcta gaaaaccagc 1140
 ttgcgaataa cagtccccgt ggccatccct gtgaggggtga cgtagcatt accccaacc 1200
 tcatttttagt tgcctaagca ttgcctggcc ttctgtcta gtctctctg taagccaaag 1260
 aaatgaacat tccaaggagt tggaagtga gtctatgatg tgaaacactt tgcctcctgt 1320
 gtactgtgtc ataaacagat gaataaactg aatttgtact tt 1362

<210> 7
 <211> 691
 <212> DNA
 <213> Homo sapiens

<400> 7
 gaaaaagaca ctcatcactt tcgtgaacaa gcacctgaat aaactgaacc tggagggtcac 60
 agaactggaa acccagtttg cagatgggggt gtacctgggtg ctgctcatgg ggctcctgga 120
 gggctacttt gtgcccctgc acagcttctt cctgaccccg gacagctttg aacagaagggt 180

cttgaatgtc tcctttgcct ttgagctcat gcaagatgga gggttggaaa agccaaaacc 240
 gcggccagaa gacatagtca actgtgacct gaaatctaca ctacgagtgt tgtacaacct 300
 cttcaccaag taccgtaacg tggagtgagg ggctgccctg ggcccaccac tgccaagag 360
 ttcgttgcggt gttggcgtag tggaccctcc tccgaactgc cttaccctgc ttattcctgt 420
 ctcttgcaact gtgctctccc acaagtccag ctgcaacca gagatagtgg aaactgaaat 480
 taggaaggaa atcatcaata actcagtggg ctgacccatc cctcccaggc gctggggacc 540
 aacctagcaa tgaagggttg gaagggtgtt cccttcccg tgcaggtcc agatttcctt 600
 ccatgatgtg ggaaccaggt taggcagaaa gaggccccac aatgatgaaa ataagagatc 660
 ctagttacca ttcagaataa gaaaacaaca g 691

<210> 8
 <211> 878
 <212> DNA
 <213> Homo sapiens

<400> 8
 tttttttttt ttttaagtgg taaaaaaaaat ttggttatatt ataatcaat tacacaataa 60
 aataattatt tttaaaagtc acaaatataa tcgtggtata aagtcatttg ggcatcaagt 120
 atctcttaaa tatgtggcaa actatttgtc caaagagatg tggccaaac ccgtcgaagg 180
 ctttataatt tgggtattaga taacaagggtg aacaaaactg acaataaata ctccaacgaa 240
 ttatttttta aaatactaag gggcaaaggc tattctaagg ggcaaaacaa tctattactc 300
 agacctacct gaaaatttca cgtgaagtcg atcaaaagtt atacaaaatt ggtatttaca 360
 tgtttaaaat ccggattggc atttttcttt aataataata catacaaaaa ctgagagggt 420
 taataaagaa ataattcaaa gtcctaataa gtcaacaaac agatttcatt ataagctgga 480
 acataaaaga gacaccatgg ttggctgtct cttttcaaaa attatcacgg ccacttggtc 540
 aaacgggaag cagcattcag aacaatggtt ctcaaacttc ggggtggcat aaacaccatg 600
 cagggttggtt accacacaga ttcttgggccc tgttcccagt ctgaagctct cataaaggat 660
 ctgaggaatc tgcttcgtga caagattcag actatttatt tatttatcac ccaagctgga 720
 gtgcaggggt gcaaccgggt caggaaacct cgcctcggag taaaaggga accaaatcgg 780
 ggcccaggcc ctgagaatgg gttcaaacgg gccaccacc ggtaacggta tcagaaaaaa 840
 acggtccaga aggccagggg tcaaccgaac caagaagc 878

<210> 9
 <211> 2153
 <212> DNA
 <213> Homo sapiens

<400> 9
 aagactgcga gctccccgca cccctctgca ctccctctgg cgggccagg ggccttcag 60
 cccaacctcc ccagcccccac gggcgccacg gaaccgctc gatctcgccg ccaactggta 120
 gacatggaga cccctgctg gccccgggtc ccgcgccccg agaccgccgt cgtcggacg 180
 ctctgctcg gctgggtctt cgcccagggtg gccggcgctt caggcactac aaatactgtg 240
 gcagcatata atttaacttg gaaatcaact aatttcaaga caattttgga gtgggaaccc 300
 aaaccctca atcaagtcta cactgttcaa ataagcacta agtcaggaga ttggaaaagc 360
 aaatgctttt acacaacaga cacagagtgt gacctaccg acgagattgt gaaggatgtg 420
 aagcagacgt acttggcacg ggtcttctcc taccggcag ggaatgtgga gagcaccggt 480
 tctgctgggg agcctctgta tgagaactcc ccagagttca caccttacct ggagacaaac 540
 ctcgacagc caacaattca gagttttgaa cagggtggga caaaagtga tgtgaccgta 600
 gaagatgaac ggactttagt cagaaggaac aacactttcc taagcctccg ggatgttttt 660
 ggcaaggact taatttatac actttattat tggaaatctt caagttcagg aaagaaaaca 720
 gccaaaacaa acactaatga gtttttgatt gatgtggata aaggagaaaa ctactgtttc 780
 agtgttcaag cagtgattcc ctcccgaaca gttaaccgga agagtacaga cagcccggta 840
 gagtgtatgg gccaggagaa aggggaattc agagaaatat tctacatcat tggagctgtg 900
 gtatttgtgg tcatcatcct tgtcatcatc ctggctatat ctctacacaa gtgtagaaag 960
 gcaggagtgg ggcagagctg gaaggagaac tcccactga atgtttcata aaggaagcac 1020
 tgttggagct actgcaaag ctatattgca ctgtgaccga gaacttttaa gaggatagaa 1080
 tacatggaaa cgcaaagtag tatttcggag catgaagacc ctggagttca aaaaactctt 1140
 gatatgacct gttattacca ttagcattct ggttttgaca tcagcattag tcactttgaa 1200
 atgtaacgaa tgggtactaca accaattcca agttttaatt tttaacacca tggcaccttt 1260
 tgcacataac atgctttaga ttatatattc cgcacttaag gattaaccag gtcgtccaag 1320
 caaaaacaaa tgggaaaatg tcttaaaaaa tcctgggtgg acttttgaaa agcttttttt 1380
 tttttttttt tttgagacgg agtcttgctc tgttgccag gctggagtgc agtagcacga 1440
 tctcggtca cttgcacct ccgtctctcg ggttcaagca attgtctgcc tcagcctccc 1500
 gagtagctgg gattacaggt gcgcactacc acgccaagct aatttttgta ttttttagta 1560

gagatgggggt ttcacccatct tggccaggct ggtcttgaat tccctgacctc agtgatccac 1620
 ccaccttggc ctcccaaaga tgctagtatt atgggcgtga accaccatgc ccagccgaaa 1680
 agcttttgag gggctgactt caatccatgt aggaaagtaa aatggaagga aattgggtgc 1740
 atttctagga cttttctaac atatgtctat aatatagtgt ttaggttctt ttttttttca 1800
 ggaatacatt tggaaattca aaacaattgg gcaaactttg tattaatgtg ttaagtgcag 1860
 gagacattgg tattctgggc agcttcctaa tatgctttac aatctgcact ttaactgact 1920
 taagtggcat taaacatttg agagctaact atatttttat aagactacta taaaaactac 1980
 agagtttatg atttaaggta cttaaagctt ctatggttga cattgtatat ataatttttt 2040
 aaaaagggtt ttctatatgg ggattttcta tttatgtagg taatattgtt ctatttgtat 2100
 atattgagat aatttattta atatacttta aataaagggtg actgggaatt gtt 2153

<210> 10
 <211> 539
 <212> DNA
 <213> Homo sapiens

<400> 10
 gaggaccccg gcggcgccgc agtcccgcga gccatggccc agtccggcgg ggaggctcgg 60
 cccggggccca agacggcggg gcagatccgc gtcgccatcc aggaggccga ggacgtggac 120
 gagtggagg acgaggagga gggggcggag actcggggcg ccggggaccc ggcccggtag 180
 ctcagccccg gctggggcag cgcgagcgag gaggagccga gccgcgggca caggaatagg 240
 agctcggtag attcaaggac catgcttgct tcgttcattg tatcttcagc acctagcaca 300
 gcaccagca cataggacat gtttgttgac tgaatgcgta tctctatcat cacactcact 360
 caatggtgtt gagatatttg tgtttcccct tccctagaca gtgagatcct tgaaggcagc 420
 tgccttatct tattcctttt tgtatttcca tacctagcct aatacctagc ttatataagg 480
 gaacagaata aatgaacaat aaagaaaagt ctttacagcc tctaaaaaaaa aaaaaaaag 539

<210> 11
 <211> 725
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (645)..(645)
 <223> n is a, c, g, or t

<400> 11
 ttttttttcc tgctctttat ttgattttat tctttgaaaa aaacagatat gagaattgcc 60
 gatgcacagg ccaacctgtg ctaccatatg tgggctttga aaagattctg gatttttctgt 120
 ctgtatgata atatgtgctg ctgtatagag caaggaaaac agaggtgggtt ttccaagctc 180
 cacagcccat ctttatcact gccaggtaaa gctctgtccc ttaaaagtta gatacaacca 240
 accaagtgcac atttattgag actctactat gtgccagacc tgggcaagggt accttctcat 300
 aaggctcgagc tggatgactg gctgggataa aggatacagc caaaacgtgg gggccaaca 360
 ggaggtcgtg gggaccacat gctcatccac aggacctgat ctaagcttgt tcatagacct 420
 tctgtgtatt ttcttatag aaaataagag gattgtgctt atcatttctt ttccattgtt 480
 gtcagtttca gttttttata tgtcctaata accatatatt tcattttcca cccatccaga 540
 ctcttactc ctccccattt ggtctgggga gaactcataa atgtcattgg tcacaaatcc 600
 actctccacg ctaccagag tcacaaaccc actttctgat gggtnacagc catgttgtca 660
 tagtcacaag acatgtcatc gggaagtgtc tctcccgac aactccgta tgaaatatc 720
 ttcag 725

<210> 12
 <211> 970
 <212> DNA
 <213> Homo sapiens

<400> 12
 cggacagatc tctgggtggc tggcgggtcat ggcgctacta gatgtatgcg gagccccccg 60
 agggcagcgg ccggaatcgg ctctcccggg tgcgggaagc gggcgctcgt cggaccgtcc 120
 tgactacagt ttctctatgc gatctccaga gctcgcttta ccccggggaa tgaagccac 180
 agaattcttc cagtccttgg gtggggacgg agaaaggaac gttcagattg agatggccca 240
 tggcaccacc acgctcgctt tcaagttcca gcatggagtg attgcagcag tggattctcg 300
 ggcctcagct gggctctaca ttagtgcctt acgggtgaac aagggtgattg agattaaccc 360
 ttacctgctt ggcaccatgt ctggctgtgc agcagactgt cagtactggg agcgctgct 420
 ggccaaggaa tgcaggctgt actatctgcg aaatggagaa cgtatttcag tgctggcagc 480
 ctccaagctg ctgtccaaca tgatgtgcca gtaccggggc atgggcctct ctatgggcag 540
 tatgatctgt ggctgggata agaagggtcc tggactctac tacgtggatg aacatgggac 600
 tcggctctca ggaaatatgt tctccacggg tagtgggaac acttatgcct acgggggtcat 660

ggacagtggc tatcggccta atcttagccc tgaagaggcc tatgaccttg gccgcagggc 720
 tattgcttat gccactcaca gagacagcta ttctggaggc gttgtcaata tgtaccacat 780
 gaaggaagat ggttgggtga aagtagaaag tacagatgtc agtgacctgc tgcaccagta 840
 cccggaagcc aatcaataat ggtggtggtg gcagctgggc aggtctcctc tgggaggtct 900
 tggccgactc agggacctaa gccacgttaa gtccaaggag aagaagaggc ctagcctgag 960
 ccaaagagag 970

<210> 13
 <211> 2699
 <212> DNA
 <213> Homo sapiens

<400> 13
 ggcacgaggc aggcggcgag gagagcgggtg ccttgcaggg atgctgcggg cgggagcacc 60
 aaccggggac ttaccccggtg cgggagaagt ccacaccggg accaccatca tggcagtggg 120
 gtttgacggg ggcgttgtga tgggttctga ttcccgagtg tctgcaggcg aggcgggtgg 180
 gaaccgagtg tttgacaagc tgtccccgct gcacgagcgc atctactgtg cactctctgg 240
 ttcagctgct gatgcccaag ccgtggccga catggccgcc taccagctgg agtccatgg 300
 gatagaactg gaggaacctc cacttgtttt ggctgctgca aatgtggtga gaaatatcag 360
 ctataaatat cgagaggact tgtctgcaca tctcatggta gctggctggg accaacgtga 420
 aggaggtcag gtatatggaa ccctgggagg aatgctgact cgacagcctt ttgccattgg 480
 tggctccggc agcaccttta tctatggtta tgtggatgca gcatataagc caggcatgtc 540
 tcccgaggag tgcaggcgct tcaccacaga cgctattgct ctggccatga gccgggatgg 600
 ctcaagcggg ggtgtcatct acctggtcac tattacagct gccggtgtgg accatcgagt 660
 catcttgggc aatgaactgc caaaattcta tgatgagtga accttcccca gacttctctt 720
 tcttattttg taataaactc tctagggcca aaacctggta tggtcattgg gaaatgagtg 780
 ctcagggaga tggagcttag gggaggtggg tgcttccctc ctagatgtca gcatacactc 840
 tttcttcttt tgtcccaggt ctaaaacatc tttcctagag aaaacaaaag ggactaaact 900
 agaaatataa agagccctat acatgacagg tgatcacgta ctgaatgatt ttgtagtaca 960
 aacaataaaa attctcattc cgcacatca tgccgtccat gatgatgagg ccgcaaaaaa 1020
 aaaaaaaaaa aaaaaaact cgagactagt tctctctctc tccctcgtgc cgaattcggc 1080
 acgaggtgta atcccagcta ctggggaggc tgagacagaa gaatcacttg agcccaggag 1140

gcggaggttg cggtagcag agattgcgcc attgcactcc agcctgggcg acaaagcgag 1200
 actccatctc aaaaaaaca aaaaaattag catttacgga attctgaaat tttgggctat 1260
 taaatttcta catcatctaa gtgccctctt ggcaatcttt cacatcctct catggcatct 1320
 gatccagaag gctcaaacct gatctgagta ctagtgtgtt cctcctactc acttctgttt 1380
 ctattaacta ataagtgtag taatgaaagc cagtattagg gacaaatttt acatgacttt 1440
 cttctcaaac ctggaccttt attgaacctc tgcctccctt tttcattagt atgaaagtat 1500
 gtatcttaaa gggttgctct acgaattaaa tggatcagta aatataaaga aagcgcctag 1560
 caaagtgcct agtacaaaat aaacgcccaa ctgttattgt tactattgtt tttaaattcta 1620
 gtttccttac cccttaacat acatttttcag ttatacaaaa gttgaacgtt tccctggaga 1680
 ttgccaaaat tctctgaacg gtttcaagag atctgtccta ttcttcacct acacacaaaa 1740
 aagtactaat catcacacac aggctaccta agccacctga ccttacctcc cattagctgt 1800
 ccctgtacca tctaactaaa atgtacagat acatacttgt ggccaggcac ggtggctcac 1860
 gcctgtaatc acagcacttt gggaggccaa ggcaggcgga tcacctgagg tcaggagttt 1920
 cagactagtc tggccaacat ggagaaaccc cgtttctact aaaaatgcaa aaattagctg 1980
 ggcttggtgg tgcacacctg tagtgccagc tactcgcgag actgaggcag gagaattgct 2040
 tgaaccggg aggcgggggg tgcagtgagc cgagatccgg ccactacact ccagcctggg 2100
 aaacagagcg atactctgtc tcaaaaaaac agaaagacaa aaaaacggat acatactgga 2160
 accctgaaaa ctttttcagt agcattttaga ctttctctca tatacagcat tgtaaaatcc 2220
 attgctttgc ttttagctgc actatgtgcc ccaatatcat caaatggcat ttggccttct 2280
 ctttacagac tgaaaaggca cattacagat cttaaatatg ctagtagtag atcaatgggc 2340
 agtgtgttat tcagaatata gtattctgtg atggttttct aatctcagtg acagtaggtg 2400
 gttaaattaa atgtttatgg ccagggtgagg tggctcacac ctataatccc agcactttgg 2460
 gaggccaagc caagggtgggc agatctttta aggtcaggag ttcaagatca gcctgaccaa 2520
 tatggtgaaa gcctgtctcc actgaaaata caaaaaatta gctgggtgtg gtggcgccac 2580
 cctgtaatct cagctacccg ggaggtagag tttgcagtga gcagagattg tgccactgca 2640
 ctccagtctg gacgacagag tgagactcca tctcaaaaat aaaaaaaaaa aaaaaaaaaa 2699

<210> 14
 <211> 2415
 <212> DNA
 <213> Homo sapiens

<400> 14
 cggcgccgcg agcttctcct ctccctcacga ccgaggcaga gcagtcatta tggcgaacct 60
 tggctgctgg atgctgggtc tctttgtggc cacatggagt gacctgggcc tctgcaagaa 120
 gcgcccgaag cctggaggat ggaacactgg gggcagccga taccgggggc agggcagccc 180
 tggaggcaac cgctaccac ctcagggcgg tggtggtctg gggcagcctc atggtggtgg 240
 ctgggggcag cctcatggtg gtggctgggg gcagcccat ggtgggtggct ggggacagcc 300
 tcatggtggt ggctgggggtc aaggaggtgg caccacagt cagtgggaaca agccgagtaa 360
 gccaaaaacc aacatgaagc acatggctgg tgctgcagca gctggggcag tgggtggggg 420
 ccttggcggc tacatgctgg gaagtgccat gagcaggccc atcatacatt tcggcagtga 480
 ctatgaggac cgttactatc gtgaaaacat gcaccgttac cccaaccaag tgtactacag 540
 gcccatggat gagtacagca accagaacaa ctttgtgcac gactgcgtca atatcacaat 600
 caagcagcac acggtcacca caaccacaa gggggagaac ttcaccgaga ccgacgttaa 660
 gatgatggag cgcgtgggtg agcagatgtg tatcaccag tacgagaggg aatctcaggc 720
 ctattaccag agaggatcga gcatggctct cttctcctct ccacctgtga tcctcctgat 780
 ctctttctct atcttctctga tagtgggatg aggaaggctc tcctgttttc accatctttc 840
 taatcttttt ccagcttgag ggaggcggtc tccacctgca gcccttttag tgggtggtgc 900
 tcaactctttc ttctctcttt gtcccgata ggctaataca tacccttggc actgatgggc 960
 actggaaaac atagagtaga cctgagatgc tgggtcaagcc ccctttgatt gagttcatca 1020
 tgagccgttg ctaatgccag gccagtaaaa gtataacagc aaataaccat tggttaatct 1080
 ggacttattt ttggacttag tgcaacaggt tgaggctaaa acaaatctca gaacagtctg 1140
 aaataccttt gcctggatac ctctggctcc ttcagcagct agagctcagt atactaatgc 1200
 cctatcttag tagagatttc atagctatct agagatattt tccattttta gaaaaccga 1260
 caacatttct gccaggtttg ttaggaggcc acatgatact tattcaaaaa aatcctagag 1320
 attcttagct cttgggatgc aggtcagcc cgctggagca tgagctctgt gtgtaccgag 1380
 aactgggggtg atgttttact tttcacagta tgggctacac agcagctgtt caacaagagt 1440
 aaatattgtc acaacactga acctctggct agaggacata ttcacagtga acataactgt 1500
 aacatatatg aaaggcttct gggacttgaa atcaaatgtt tgggaatggt gcccttgag 1560
 gcaacctccc atttttagatg tttaaaggac cctatatgtg gcattccttt ctttaaacta 1620
 taggtaatta aggcagctga aaagtaaatt gccttctaga cactgaaggc aaatctcctt 1680

tgtccattta cctggaaacc agaattgattt tgacatacag gagagctgca gttgtgaaag	1740
caccatcatc atagaggatg atgtaattaa aaaatggcca gtgtgcaaag aaaagaactg	1800
cttgcatctt tttatttctg totcataatt gtcaaaaacc agaattaggt caagtccata	1860
gtttctgtaa ttggcttttg aatcaaagaa tagggagaca atctaaaaaa tatcttaggt	1920
tggagatgac agaaatatga ttgatttgaa gtggaaaaag aaattctggt aatgttaatt	1980
aaagtaaaat tattccctga attgtttgat attgtcacct agcagatatg tattactttt	2040
ctgcaatggt attattggct tgcactttgt gagtatctat gtaaaaatat atatgtatat	2100
aaaatatata ttgcatagga cagacttagg agttttgttt agagcagtta acatctgaag	2160
tgtctaatagc attaactttt gtaagggtact gaataacttaa tatgtgggaa acccttttgc	2220
gtggtcctta ggcttacaat gtgcactgaa tcgtttcatg taagaatcca aagtggacac	2280
cattaacagg tctttgaaat atgcatgtac tttatatatt ctatatattgt aactttgcat	2340
gttcttgttt tggtatataa aaaaattgta aatgtttaat atctgactga aattaaacga	2400
gcgaagatga gcacc	2415

<210> 15
 <211> 1204
 <212> DNA
 <213> Homo sapiens

<400> 15	
ctctgaggag aagcagcagc aaacatttgc tagtcagaca agtgacaggg aatggattcc	60
aaacagcagt gtgtaaagct aaatgatggc cacttcatgc ctgtattggg atttggcacc	120
tatgcacctc cagagggtcc gagaagtaaa gctttggagg tcacaaaatt agcaatagaa	180
gctggggtcc gccatataga ttctgctcat ttatacaata atgaggagca gggtggactg	240
gccatccgaa gcaagattgc agatggcagt gtgaagagag aagacatatt ctacacttca	300
aagctttggg ccacttttca tcgaccagag ttggtccgac cagccttgga aaactcactg	360
aaaaaagctc aattggacta tgttgacctc tatcttattc attctccaat gtctctaaag	420
ccagggtgagg aactttcacc aacagatgaa aatggaaaag taatatttga catagtggat	480
ctctgtacca cctgggaggc catggagaag tgtaaggatg caggattggc caagtccatt	540
ggggtgtcaa acttcaaccg caggcagctg gagatgatcc tcaacaagcc aggactcaag	600
tacaagcctg tctgcaacca ggtagaatgt catccgtatt tcaaccggag taaattgcta	660
gatttctgca agtcgaaaga tattgtttctg gttgcctata gtgctctggg atctcaacga	720

gacaaacgat ggggtggaccc gaactccccg gtgctcttgg aggacccagt cctttgtgcc	780
ttggcaaaaa agcacaagcg aaccccagcc ctgattgccc tgcgctacca gctgcagcgt	840
gggggttgtgg tcttgccaa gagctacaat gagcagcgca tcagacagaa cgtgcaggtt	900
tttgagttcc agttgactgc agaggacatg aaagccatag atggcctaga cagaaatctc	960
cactatttta acagtgatag ttttgctagc caccctaatt atccatattc agatgaatat	1020
taacatggag agctttgcct gatgtctacc agaagccctg tgtgtggatg gtgacgcaga	1080
ggacgtctct atgccggtga ctggacatat cacctctact taaatccgtc ctgttttagcg	1140
acttcagtca actacagctg agtccatagg ccagaaagac aataaatttt tatcattttg	1200
aaat	1204

<210> 16
 <211> 3879
 <212> DNA
 <213> Homo sapiens

<400> 16	
gcacctgggc acctgggcag ccgccgcgcc gctggctaga cgtgcgcgat ggagggcgac	60
ggcgggaccc catgggccct ggcgctgctg cgcaccttcg acgcggggcga gttcacgggc	120
tgggagaagg tgggctcggg cggcttcggg caggtgtaca aggtgcgcca tgtccactgg	180
aagacctggc tggccatcaa gtgctcgccc agcctgcacg tcgacgacag ggagcgcagt	240
gagcttttgg aagaagccaa gaagatggag atggccaagt ttcgctacat cctgcctgtg	300
tatggcatct gccgcgaacc tgtcggcctg gtcattggagt acatggagac gggctccctg	360
gaaaagctgc tggcttcgga gccattgcca tgggatctcc ggttccgaat catccacgag	420
acggcgggtg gcatgaactt cctgcactgc atggccccgc cactcctgca cctggacctc	480
aagcccgcga acatcctgct ggatgcccac taccacgtca agatttctga ttttggctctg	540
gccaagtgca acgggctgtc ccactcgcat gacctcagca tggatggcct gtttggcaca	600
atcgctacc tccctccaga gcgcacagc gagaagagcc ggctcttcga caccaagcac	660
gatgtataca gctttgcgat cgtcatctgg ggcgtgctca cacagaagaa gccgtttgca	720
gatgagaaga acatcctgca catcatgggtg aaggtgggtga agggccaccg ccccgagctg	780
ccgcccgtgt gcagagcccg gccgcgcgcc tgcagccacc tgatacgct catgcagcgg	840
tgctggcagg gggatccgag agttaggccc accttccaag aaattacttc tgaaaccgag	900
gacctgtgtg aaaagcctga tgacgaagtg aaagaaactg ctcatgatct ggacgtgaaa	960

agcccccccg	agcccaggag	cgaggtggtg	cctgcgaggc	tcaagcgggc	ctctgcccc	1020
accttcgata	acgactacag	cctctccgag	cttctctcac	agctggactc	tggagtttcc	1080
caggetgtcg	agggccccga	ggagctcagc	cgcagctcct	ctgagtccaa	gctgccatcg	1140
tccggcagtg	ggaagaggct	ctcgggggtg	tcctcggtgg	actccgcctt	ctcttccaga	1200
ggatcactgt	cgctgtcctt	tgagcgggaa	ccttcaacca	gcgatctggg	taccacagac	1260
gtccagaaga	agaagcttgt	ggatgccatc	gtgtccgggg	acaccagcaa	actgatgaag	1320
atcctgcagc	cgcaggacgt	ggacctggca	ctggacagcg	gtgccagcct	gctgcacctg	1380
gcggtggagg	ccgggcaaga	ggagtgcgcc	aagtggctgc	tgctcaacaa	tgccaacccc	1440
aacctgagca	accgtagggg	ctccaccccc	ttgcacatgg	cogtggagag	gaggggtgcgg	1500
ggtgtcgtgg	agctcctgct	ggcacggaag	atcagtgtca	acgccaagga	tgaggaccag	1560
tggacagccc	tccactttgc	agcccagaac	ggggatgagt	ctagcacacg	gctgctgttg	1620
gagaagaacg	cctcgggtcaa	cgaggtggac	tttgagggcc	ggacgcccac	gcacgtggcc	1680
tgccagcacg	ggcaggagaa	tatcgtgcgc	atcctgctgc	gccgaggcgt	ggacgtgagc	1740
ctgcagggca	aggatgcctg	gctgccactg	cactacgctg	cctggcaggg	ccacctgccc	1800
atcgtcaagc	tgctggccaa	gcagccgggg	gtgagtgtga	acgcccagac	gctggatggg	1860
aggacgccat	tgcacctggc	cgcacagcgc	gggcactacc	gcgtggcccc	catcctcatc	1920
gacctgtgct	ccgacgtcaa	cgtctgcagc	ctgctggcac	agacaccctt	gcacgtggcc	1980
gcggagacgg	ggcacacgag	cactgccagg	ctgctcctgc	atcggggcgc	tggcaagaag	2040
gccgtgacct	cagacggcta	caccgctctg	cacctggctg	cccgcaacgg	acacctggcc	2100
actgtcaagc	tgcttgtcga	ggagaaggcc	gatgtgctgg	cccggggacc	cctgaaccag	2160
acggcgctgc	acctggctgc	cgcccacggg	cactcggagg	tggtggagga	gttggtcagc	2220
gccgatgtca	ttgacctgtt	cgacgagcag	gggctcagcg	cgtgcacct	ggccgcccag	2280
ggccggcacg	cacagacggt	ggagactctg	ctcaggcatg	gggccacat	caacctgcag	2340
agcctcaagt	tccagggcgg	ccatggcccc	gccgccacac	tcctgcggcg	aagcaagacc	2400
tagctggctg	cctgcggaga	ccgggggtcc	acgtggggct	cttgtcctgt	cctgtgttcc	2460
tcgtggggat	ggaacgatcc	tgctgggggc	cccgttgtgg	cttacctaaa	tgtaaaccaa	2520
gcagaggtga	catggtgcca	tcaggaggcg	gctgctgctg	accggagtgt	cccctccagg	2580
tgaagctggc	tcaggtgcac	atgcccgctc	catcatcgat	ctaggcacct	gctgtctgaa	2640

```

gggaccgtgg gtcagaatca tttcgttggtg ctccaatgg gtcgctgagg ctggtctctc 2700
agtgatgaag cccagggcgt ggaagcatcc actctctcct gaggcgagcc accttggggtt 2760
gctggagctc accagtcttg agggaggtgc aggggaaact gtgtttttta tcttcatata 2820
tgacgggtggg cagagaggcc tgtcttaaag tttccatgga attgttttat aaaatatctt 2880
aagagatgaa taccttatca gctgttgctt gaaacctgtt aaaaatgttc ataacattgg 2940
atagtctagt ctctaaatga tggctaagta gtgggggttg ctttgaaaac aatgttttat 3000
gcaacaagga acgaatggta gcagccagct ttgcggggcg tatgtgtggc cagctcttaa 3060
ccattccagt ctattacttg ggtgagtcct tgtggacaac cacacacacg tgcccacatg 3120
gtactagctg ccgttcgttt ctcgttgcct aagatgtttt ggcaactcta gagccacagg 3180
cctaagagtc attaaaaaat tctccctttg taacctcagt gctggggact gaggcgagcc 3240
ccctcaggtc gctggagtgc accagtcttg ggggaagaggt gcaggagaag ctgtgttttt 3300
tatctccaca cgcagtatga agataaaatt acatagtatt acctagacat agacagtatt 3360
acctaggtag atgcactgct cacctgcacc cttcccagct ctcatttttg ttaggtgatt 3420
tgggataggg atagtgtttt ggggtatggg gggagtgttt ctgacctgct ttgcagacgt 3480
gcctccgcac ctcagcagtt tggggtgtgg ccccagggcg gttcttggat gtaaaagatg 3540
tggccatcta gcctcgtaac ttcaactgtca cctgtgtccc atagggtgcc ttctgaatac 3600
tgttattaga ataagtttgt tgcagaacgt gaccctgcgt gcaaacatgt accgtggcct 3660
ggtatatgat agagattgat attaattgtac catgtatgtt aatgtgaatc tgtgggcagg 3720
atacttttcc atggcaggaa atatccaagc tgttgaaact ggctatgttt taatatgcct 3780
cattgtgcct ttactgttgt gtggactgcg tgaggggacaa gaagttccat ttgatgtcaa 3840
taaagcaaag tacttgcta cttttttgaa aaaaaaaaaa 3879

```

```

<210> 17
<211> 4151
<212> DNA
<213> Homo sapiens

```

```

<400> 17
gggaatagca gaataggagc aagccagcac tagtcagcta actaagtgac tcaaccaagg 60
ccttttttcc ttgttatctt tgcagatact tcattttctt agcgtttctg gagattacaa 120
catcctgcgg ttccgtttct gggaaacttta ctgatttatc tccccctca cacaaataag 180
cattgattcc tgcatttctg aagatctcaa gatctggact actgttgaaa aaatttccag 240

```

tgaggctcac ttatgtctgt aaagatggga aaaaaataca agaacattgt tctactaaaa	300
ggattagagg tcatcaatga ttatcathtt agaatggta agtccttact gagcaacgat	360
ttaaaactta atttaaaaaat gagagaagag tatgacaaaa ttcagattgc tgacttgatg	420
gaagaaaagt tccgagggtga tgctggtttg ggcaactaa taaaaatttt cgaagatata	480
ccaacgcttg aagacctggc tgaaactctt aaaaaagaaa agttaaagt aaaaggacca	540
gccctatcaa gaaagaggaa gaaggaagt catgctactt cacctgcacc ctccacaagc	600
agcactgtca aaactgaagg agcagaggca actcctggag ctgagaaaag aaaaaaatca	660
accaaagaaa aggctggacc caaaggaggt aagggtgccg aggaacagac tcagcctccc	720
tctcctgcag gagccggcat gtccacagcc atgggccgtt ccccatctcc caagacctca	780
ttgtcagctc cacccaacag ttcttcaact gagaaccga aaacagtggt caaatgtcag	840
gtaactccca gaagaaatgt tctccaaaaa cggccagtga tagtgaaggt actgagtaca	900
acaaagccat ttgaatatga gacccagaaa atggagaaaa aaataatgtt tcatgttaca	960
gtggctacac agacacagtt cttccatgtg aagggtttta acaccagctt gaaggagaaa	1020
ttcaatggaa agaaaatcat catcatatca gattatttgg aatatgatag tctcctagag	1080
gtcaatgaag aatctactgt atctgaagct ggtcctaacc aaacgtttga ggttccaaat	1140
aaaatcatca acagagcaaa ggaaactctg aagattgata ttcttcacaa acaagcttca	1200
ggaaatattg tatatgggggt atttatgcta cataagaaaa cagtaaatca gaagaccaca	1260
atctacgaaa ttcaggatga tagaggaaaa atggatgtag tggggacagg acaatgtcac	1320
aatatcccct gtgaagaagg agataagctc cagcttttct gctttcgact tagaaaaaag	1380
aaccagatgt caaaactgat ttcagaaatg catagtttta tccagataaa gaaaaaaca	1440
aacccgagaa acaatgaccc caagagcatg aagctacccc aggaacagcg tcagcttcca	1500
tatccttcag aggccagcac aaccttcctt gagagccatc ttcggactcc tcagatgcca	1560
ccaacaactc catccagcag tttcttcacc aagaaaagtg aagacacaat ctccaaaatg	1620
aatgacttca tgaggatgca gatactgaag gaagggagtc attttccagg accgttcatg	1680
accagcatag gccagctga gagccatccc cacactcctc agatgcctcc atcaacacca	1740
agcagcagtt tcttaaccac gttgaaacca agactgaaga ctgaacctga agaagtttcc	1800
atagaagaca gtgcccagag tgacctcaaa gaagtgatgg tgctgaacgc aacagaatca	1860
tttgtatatg agcccaaaga gcagaagaaa atgtttcatg ccacagtggc aactgagaat	1920
gaagtcttcc gagtgaaggt ttttaatatg gacctaaagg agaagttcac ccaaagaag	1980

atcattgcc	tagcaaatta	tgtttgccgc	aatgggttcc	tggaggtata	tcctttcaca	2040
cttgtggctg	atgtgaatgc	tgaccgaaac	atggagatcc	caaaaggatt	gattagaagt	2100
gccagcgtaa	ctcctaaaaat	caatcagctt	tgctcacaaa	ctaaaggaag	ttttgtgaat	2160
gggggtgtttg	aggtacataa	ggtaagccca	caccattggt	ttataaaaatt	tctcctgcaa	2220
cctccaattt	ttaaagtctt	aacttgtcaa	ctggagtttg	gtcaacttac	tcaacacaga	2280
aatcaaccc	cttcaccctt	ccccagcac	tagagataat	tgaatagagt	tcatttcagg	2340
atatggggta	cgttatat	taacattcct	cttcttaagg	tatcatcatg	caagttattt	2400
agacagtcac	taggaaactt	ggcattttat	tagttttgat	gatctattca	gagccaccct	2460
tgtccaggac	agtgcagagt	ttatatcaac	acacatatcc	ttaggatttt	gtttctttga	2520
gttcttctcc	atctgtatca	atgacaactt	aatttaattg	tgaataaaaag	agttgctctc	2580
ccaagcctga	atcctgattg	tgacaaccag	agtaagaaat	aaaatagact	actctgcttt	2640
agaatgcagc	tatgtctaac	agttagctag	aattctgatc	atttggactc	caaagtttct	2700
tgcctcttct	cattcattaa	ttcatcagga	gactgtagag	caactaactt	ctgcattaaa	2760
taataagaga	aatacgaagc	aaaaagacta	aaaaagtcac	gtagcttaac	tgctcaattt	2820
ataaatgggg	caataaaatg	caaaaaaaaa	gaaaaaaagc	ttggtgaatt	cttaggctta	2880
cagtgtgcct	ttcagtctct	acacatcatg	taaatattat	gcttagctga	tttaacttct	2940
tgtttgaagt	actgtttcat	actccattat	acatgtcttc	taggggtggc	tacttttaat	3000
tgtgctgttt	tctctacact	cagtttaaat	gactgtacat	atatatgtgg	ttggagagtt	3060
aatgaataat	gagctacaaa	ccagaacaat	gtgactagat	agataggatg	atctagaatt	3120
gagaactggc	agattgggaa	aagagtggct	atatggagaa	agaaagaaag	tagttccata	3180
ttgaaataac	agtctactta	atgaggaccg	ttgcaacatt	ctttctcaaa	cttacaaagt	3240
gccataaaaa	gcctctattc	tctgctcttg	ggcaggtgtg	aaagaaacct	accaaattaa	3300
tcagattttt	ctgtatccag	gctccttaaa	aaatcccagc	tgtgctgatg	tggaaacagg	3360
aagaattagg	aaagtaatca	atTTTTTTTt	ctagaaaaaa	tccagcagac	aaagaacttc	3420
aacaaaagag	gctcaaggga	ggagttgaaa	ggcaggattc	aaagaccaag	tatcttaagc	3480
tatttggtag	ctgttattca	ggacctacag	ctctgtttac	tctatcaaag	acaaaaagtt	3540
tccagaaaca	ccctgtattt	ctcatagatt	tgaaaattat	tgatccagtt	tcagaagata	3600
agtgttaatt	ttcttttgca	gaaaaatgta	aggggtgaat	tcacttatta	tgaaatacaa	3660

gataatacag ggaagatgga agtgggtggtg catggacgac tgaccacaat caactgtgag 3720
 gaaggagata aactgaaact cacctgcttt gaattggcac cgaaaagtgg gaataccggg 3780
 gagttgagat ctgtaattca tagtcacatc aaggatcatca agaccaggaa aaacaagaaa 3840
 gacatactca atcctgattc caagtatgga aacttcacca gacttttttct tctaaaatct 3900
 ggatgtcatt gacgataatg tttatggaga taagggtctaa gtgcctaaaa aaatgtacat 3960
 atacctgggtt gaaatacaac actatacata cacaccacca tatatactag ctgttaatcc 4020
 tatggaatgg ggtattggga gtgctttttt aatttttcat agtttttttt taataaaatg 4080
 gcatattttg catctacaac ttctataatt tgaaaaaata aataaacatt atcttttttg 4140
 tgaaaaaaaa a 4151

<210> 18
 <211> 5942
 <212> DNA
 <213> Homo sapiens

<400> 18
 ccgggtcctt ctccgagagc cgggcgggca cgcgtcattg tgttacctgc ggccggcccg 60
 cgagctagggc tgggtttttt tttttctccc ctccctcccc cctttttcca tgcagctgat 120
 ctaaaaggga ataaaaggct gcgcataatc ataataataa aagaagggga gcgcgagaga 180
 aggaaagaaa gccgggaggt ggaagaggag ggggagcgtc tcaaagaagc gatcagaata 240
 ataaaaggag gccgggctct ttgccttctg gaacgggccc ctcttgaaag ggcttttgaa 300
 aagtgggtgtt gttttccagt cgtgcatgct ccaatcggcg gagtatatta gagccgggac 360
 gcggcggccg caggggcagc ggcgacggca gcaccggcg cagcaccagc gcgaacagca 420
 gcggcggcgt cccgagtgcc cgcggcgcg cgcgcagcga tgcgttcccc acggacgcgc 480
 ggccgggtccg ggcgccccct aagcctcctg ctgcctctgc tctgtgacct gcgagccaag 540
 gtgtgtgggg cctcgggtca gtctgagttg gagatcctgt ccatgcagaa cgtgaacggg 600
 gagctgcaga acgggaactg ctgcggcggc gcccggaacc cgggagaccg caagtgcacc 660
 cgcgacgagt gtgacacata cttcaaagtg tgctcaagg agtatcagtc ccgcgtcacg 720
 gccggggggc cctgcagctt cggctcaggg tccacgcctg tcatcggggg caacaccttc 780
 aacctcaagg ccagccgcgg caacgaccgc aaccgcatcg tgctgccttt cagtttcgcc 840
 tggccgaggt cctatacgtt gcttgtggag gcgtgggatt ccagtaatga caccgttcaa 900
 cctgacagta ttattgaaaa ggcttctcac tcgggcatga tcaaccccag ccggcagtg 960

cagacgctga agcagaacac gggcggttgcc cactttgagt atcagatccg cgtgacctgt	1020
gatgactact actatggctt tggctgcaat aagtcttgcc gcccagaga tgacttcttt	1080
ggacactatg cctgtgacca gaatggcaac aaaacttgca tggaaggctg gatgggccgc	1140
gaatgtaaca gagctatttg ccgacaaggc tgcagtccta agcatgggtc ttgcaaactc	1200
ccaggtgact gcaggtgcca gtacggctgg caaggcctgt actgtgataa gtgcatccca	1260
cacccgggat gcgtccacgg catctgtaat gagccctggc agtgccctctg tgagaccaac	1320
tggggcgggc agctctgtga caaagatctc aattactgtg ggactcatca gccgtgtctc	1380
aacgggggaa cttgtagcaa cacaggccct gacaaatata agtggttcctg ccctgagggg	1440
tattcaggac ccaactgtga aattgctgag cacgcctgcc tctctgatcc ctgtcacaac	1500
agaggcagct gtaaggagac ctccctgggc tttgagtgtg agtggtcccc aggctggacc	1560
ggccccacat gctctacaaa cattgatgac tgttctccta ataactgttc ccacgggggc	1620
acctgccagg acctgggttaa cggatttaag tgtgtgtgcc cccacagtg gactgggaaa	1680
acgtgccagt tagatgcaaa tgaatgtgag gccaaacctt gtgtaaacgc caaatcctgt	1740
aagaatctca ttgccagcta ctactgcgac tgtcttcccg gctggatggg tcagaattgt	1800
gacataaata ttaatgactg ccttggccag tgtcagaatg acgcctcctg tcgggatttg	1860
gttaatgggt atcgctgtat ctgtccacct ggctatgcag gcgatcactg tgagagagac	1920
atcgatgaat gtgccagcaa cccctgtttg gatgggggtc actgtcagaa tgaaatcaac	1980
agattccagt gtctgtgtcc cactggtttc tctggaaacc tctgtcagct ggacatcgat	2040
tattgtgagc ctaatccctg ccagaacggt gccagtgct acaaccgtgc cagtgactat	2100
ttctgcaagt gccccgagga ctatgagggc aagaactgct cacacctgaa agaccactgc	2160
cgcacgaccc cctgtgaagt gattgacagc tgcacagtgg ccatggcttc caacgacaca	2220
cctgaagggg tgcggtatat ttctccaac gtctgtggtc ctcacgggaa gtgcaagagt	2280
cagtcgggag gcaaattcac ctgtgactgt aacaaaggct tcacgggaac atactgcat	2340
gaaaatatta atgactgtga gagcaacctt tgtagaaacg gtggcacttg catcgatggt	2400
gtcaactcct acaagtgcac ctgtagtgc ggctgggagg gggcctactg tgaaaccaat	2460
attaatgact gcagccagaa cccctgccac aatgggggca cgtgtcgcga cctgggtcaat	2520
gacttctact gtgactgtaa aaatgggtgg aaaggaaaga cctgccactc acgtgacagt	2580
cagtgatgat aggccacgtg caacaacggt ggcacctgct atgatgaggg ggatgctttt	2640
aagtgcagt gtccctggcg ctgggaagga acaacctgta acatagcccc aaacagtagc	2700

tgccctgcca acccctgcca taatgggggc acatgtgtgg tcaacggcga gtcctttacg	2760
tgcgctctgca aggaaggctg ggagggggccc atctgtgctc agaataccaa tgactgcagc	2820
cctcatccct gttacaacag cggcacctgt gtggatggag acaactggta ccggtgcgaa	2880
tgtgcccccg gttttgctgg gcccgactgc agaataaaca tcaatgaatg ccagtcttca	2940
ccttgtgcct ttggagcgac ctgtgtggat gagatcaatg gctaccggtg tgtctgccct	3000
ccagggcaca gtggtgccaa gtgccaggaa gtttcagggg gaccttgcac caccatgggg	3060
agtgtgatac cagatggggc caaatgggat gatgactgta atacctgcca gtgcctgaat	3120
ggacggatcg cctgctcaaa ggtctggtgt ggccctcgac cttgcctgct ccacaaaggg	3180
cacagcgagt gccccagcgg gcagagctgc atcccatcc tggacgacca gtgcttcgtc	3240
caccctgca ctgggtgtgg cgagtgtcgg tcttccagtc tccagccggt gaagacaaag	3300
tgcacctctg actcctatta ccaggataac tgtgcgaaca tcacatttac ctttaacaag	3360
gagatgatgt caccaggtct tactacggag cacatttgca gtgaattgag gaatttgaat	3420
attttgaaga atgtttccgc tgaatattca atctacatcg cttgcgagcc ttccccctca	3480
gcgaacaatg aaatacatgt ggccatttct gctgaagata tacgggatga tgggaacccg	3540
atcaaggaaa tcaactgacaa aataattgat cttgttagta aacgtgatgg aaacagctcg	3600
ctgattgctg ccgttgcaga agtaagagtt cagaggcggc ctctgaagaa cagaacagat	3660
ttccttgctc ccttgcctgag ctctgtctta actgtggctt ggatctgttg cttggtgacg	3720
gccttctact ggtgcctgcg gaagcggcgg aagccgggca gccacacaca ctacgcctct	3780
gaggacaaca ccaccaacaa cgtgcgggag cagctgaacc agatcaaaaa cccattgag	3840
aaacatgggg ccaacacggt ccccatcaag gattacgaga acaagaactc caaatgtct	3900
aaaataagga cacacaattc tgaagtagaa gaggacgaca tggacaaaca ccagcagaaa	3960
gcccggtttg ccaagcagcc ggcgtatacg ctggtagaca gagaagagaa gcccccaac	4020
ggcacgccga caaaacaccc aaactggaca aacaaacagg acaacagaga cttggaaagt	4080
gcccagagct taaaccgaat ggagtacatc gtatagcaga ccgcgggcac tgccgccgct	4140
aggtagagtc tgagggttg tagttcttta aactgtcgtg tcatactcga gtctgaggcc	4200
gttgctgact tagaatccct gtgttaattt aagttttgac aagctggctt aactggcaa	4260
tggtagtttc tgtggttggc tgggaaatcg agtgccgcat ctacagcta tgcaaaaagc	4320
tagtcaacag taccctgggt gtgtgtcccc ttgcagccga cccggtctcg gatcaggctc	4380

```

ccaggagcct gccagcccc ctggtctttg agctcccact tctgccagat gtcctaattgg 4440
tgatgcagtc ttagatcata gttttattta tatttattga ctcttgagtt gtttttgtat 4500
attggtttta tgatgacgta caagtagttc tgtatttgaa agtgcctttg cagctcagaa 4560
ccacagcaac gatcacaaat gactttatta tttatttttt taattgtatt tttgttggtg 4620
ggggagggga gactttgatg tcagcagttg ctggtaaaat gaagaattta aagaaaaaaa 4680
tgtcaaaagt agaactttgt atagttatgt aaataattct tttttattaa tcaactgtgta 4740
tatttgattt attaacttaa taatcaagag ccttaaaaca tcattccttt ttatttatat 4800
gtatgtgttt agaattgaag gtttttgata gcattgtaag cgtatggctt tatttttttg 4860
aactcttctc attacttggt gcctataagc caaaattaag gtgtttgaaa atagtttatt 4920
ttaaaacaat aggatgggct tctgtgcccc gaatactgat ggaatttttt ttgtacgacg 4980
tcagatgttt aaaacacctt ctatagcatc acttaaaaca cgttttaagg actgactgag 5040
gcagtttgag gattagttta gaacagggtt ttttgtttgt ttgttttttg tttttctgct 5100
ttagacttga aaagagacag gcaggtgatc tgctgcagag cagtaaggga acaagttgag 5160
ctatgactta acatagccaa aatgtgagtg gttgaatatg attaaaaata tcaaattaat 5220
tgtgtgaact tggaagcaca ccaatctgac tttgtaaatt ctgatttctt ttcaccattc 5280
gtacataata ctgaaccact tgtagatttg attttttttt taatctactg catttaggga 5340
gtattctaata agctagttg aatacttgaa ccataaaatg tccagtaaga tcaactgtta 5400
gatttgccat agagtacact gcctgcctta agtgaggaaa tcaaagtgtt attacgaagt 5460
tcaagatcaa aaaggcttat aaaacagagt aatcttggtg gttcaccatt gagaccgtga 5520
agatactttg tattgtccta ttagtgttat atgaacatac aaatgcattt ttgatgtgtt 5580
gttcttgcca ataaattttg aaaagtaata tttattaaat ttttttgtat gaaaacatgg 5640
aacagtgtgg ctcttctgag cttacgtagt tctaccggtt ttgccgtgtg cttctgccac 5700
cctgctgagt ctgttctggt aatcggggta taataggctc tgccctgacag agggatggag 5760
gaagaactga aaggcttttc aaccacaaaa ctcatctgga gttctcaaag acctggggct 5820
gctgtgaagc tggaactgcg ggagcccat ctaggggagc cttgattccc ttgttattca 5880
acagcaagtg tgaatactgc ttgaataaac accactggat taatggaaaa aaaaaaaaaa 5940
aa 5942

```

<210> 19

<211> 1471

<212> DNA

<213> Homo sapiens

<400> 19

```

ggcacgaggc taagccataa tagaaagaat ggagaattat tgattgaccg tctttattct      60
gtgggctctg attctccaat gggaataacca agggatgggt ttccatactg gaacccaaag      120
gtaaagacac tcaaggacag acattttttgg cagagcatag atgaaaatgg caagtccctt      180
ggctttcctt ctgctcaact ttcattgtct cctcctcttg gtccagctgc tcaactcctg      240
ctcagctcag ttttctgtgc ttggaccctc tgggcccac ctaggcatgg tgggtgaaga      300
cgctgatctg cctgtgcacc tgttcccgc catgagtgc gagaccatgg agctgaagtg      360
ggtaagtcc agcctaaggc aggtgggtgaa cgtgtatgca gatggaaagg aagtggaaga      420
caggcagagt gcaccgtatc gagggagaac ttcgattctg cgggatggca tcaactgcagg      480
gaaggctgct ctccgaatac acaacgtcac agcctctgac agtggaaagt acttgtgtta      540
ttccaagat ggtgacttct atgaaaaagc cctgggtggag ctgaagggtg cagcactggg      600
ttctaattct cactcgaag tgaagggtta tgaggatgga gggatccac tggagtgcag      660
gtccaccggc tggtagcccc aaccccaaat acagtggagc aacgccaagg gagagaacat      720
cccagctgtg gaagcacctg tggttgcaga tggagtgggc ctatatgaag tagcagcatc      780
tgtgatcatg agaggcggct ccggggaggg tgtatcctgc atcatcagaa attccctcct      840
cggcctggaa aagacagcca gcatttccat cgcagacccc ttcttcagga gcgccagcc      900
ctggatcgca gccctggcag ggaccctgcc tatcttgctg ctgcttctcg ccggagccag      960
ttacttcttg tggagacaac agaaggaaat aactgctctg tccagtgaga tagaaagtga     1020
gcaagagatg aaagaaatgg gatatgctgc aacagagcgg gaaataagcc taagagagag     1080
cctccaggag gaactcaaga ggaaaaaaat ccagtacttg actcgtggag aggagtcttc     1140
gtccgatacc aataagtcag cctgatgctc taatggaaaa atggccctct tcaagcctgg     1200
tgaggaaatg cttcagatga ggctccacct tgttaaataa attggatgta tggaaaaata     1260
gactgcagaa aaggggaact catttagctc acgagtgggtc gagtgaagat tgaaaattaa     1320
cctctgaggg ccagcacagc agctcatgcc tgtaatccta gcactttgga aggctgagga     1380
gggcggatca caaggctcagg agatcaagac catcctgggt aacacggtga aacccgtct     1440
ctactaaaaa tacaaaaaaa aaaaaaaaaa a                                     1471

```

<210> 20

<211> 2937

<212> DNA
 <213> Homo sapiens

<400> 20
 acgcgtccgc ttcggaatga gagactcaac cataatagaa agaatggaga actattaacc 60
 accattcttc agtgggctgt gatttttcaga ggggaatact aagaaatggg tttccatact 120
 ggaacccaaa ggtaaagaca ctcaaggaca gacatttttg gcagagcata gatgaaaatg 180
 gcaagttccc tggctttcct tctgctcaac tttcatgtct cctctctctt ggtccagctg 240
 ctcaactcctt gctcagctca gttttctgtg cttggaccct ctgggcccat cctggccatg 300
 gtgggtgaag acgctgatct gccctgtcac ctgttcccga ccatgagtgc agagaccatg 360
 gagctgaggt gggtaggttc cagcctaagg caggtggtga acgtgtatgc agatggaaag 420
 gaagtggaag acaggcagag tgcaccatat cgagggagaa cttcgattct gcgggatggc 480
 atcaactgcag ggaaggctgc tctccgaata cacaacgtca cagcctctga cagtggaaag 540
 tacttggtgtt atttccaaga tggtagcttc tacgaaaaag ccttggtgga gctgaagggtt 600
 gcagcattgg gttctgatct tcacattgaa gtgaagggtt atgaggatgg agggatccat 660
 ctggagtgcg ggtccactgg ctggtacccc caaccccaaa taaagtggag cgacaccaag 720
 ggagagaaca tcccggctgt ggaagcacct gtggttgcaag atggagtggg cctgtatgca 780
 gtagcagcat ctgtgatcat gagaggcagc tctggtgggg gtgtatcctg catcatcaga 840
 aattccctcc tcggcctgga aaagacagcc agcatatcca tcgcagacc cttcttcagg 900
 agcgcaccagc cctggatcgc ggccctggca gggaccctgc ctatctcgtt gctgcttctc 960
 gcaggagcca gttacttctt gtggagacaa cagaaggaaa aaattgctct gtccaggagg 1020
 acagaaagag agcgagagat gaaagaaatg ggatacgtcg caacagagca agaaataagc 1080
 ctaagagaga agctccagga ggaactcaag tggaggaaaa tccagtacat ggctcgtgga 1140
 gagaagtctt tggcctatca tgaatggaaa atggccctct tcaaacctgc ggatgtgatt 1200
 ctggatccag acacggcaaa cgccatcctc cttgtttctg aggaccagag gagtgtgcag 1260
 cgtgctgaag agccgcggga tctgccagac aaccctgaga gatttgaatg gcgttactgt 1320
 gtccctggct gtgaaaactt cacatcaggg agacattact gggaggtgga agtgggggac 1380
 agaaaagagt ggcatattgg ggtatgtagt aagaacgtgg agaggaaaaa aggttgggtc 1440
 aaaatgacac eggagaacgg atactggact atgggcctga ctgatgggaa taagtatcgg 1500
 gctctcactg agcccagaac caacctgaaa cttcctgagc ctccataggaa agtggggatc 1560
 ttcttggtgact atgagactgg agagatctcg ttctataatg ccacagatgg atctcatatc 1620

tacacctttc cgcacgcctc tttctctgag cctctatatc ctgttttcag aattttgacc 1680
 ttggagccca ctgccctgac catttgccca ataccaaaag aagtagagag ttccccgat 1740
 cctgacctag tgcctgatca ttccctggag acaccactga ccccgggctt agctaataa 1800
 agtggggagc ctcaggctga agtaacatct ctgcttctcc ctgcccaccc tggagctgag 1860
 gtctccccctt ctgcaacaac caatcagaac cataagctac aggcacgcac tgaagcactt 1920
 tactgatatt cattccatta ttccatatga cagttgtttt gagtttcgta ccaccttatt 1980
 gtcccccttat acagataagg aaactggggt gcagaaagg gaattaactt taciaagtag 2040
 acatgacaag tgaacagcag agctgggatc taaacagcaa taactaacat taacagagaa 2100
 tttaaaatgt tottagtgct gtgttataag ctttggtgga tgtcactcct ttaatcctca 2160
 caacaccctg tgggtagtc atattttgca agtatggaag ctgaggcagg gcaacatgaa 2220
 gtaacttaca taattcatac agtaatttgt gcagttggga gatgttcagc cttagtccct 2280
 ggctaattgc ctgttctttt ccagcctgat tttttttccc acaggaagag cccacatgta 2340
 gccctgaggt ttccttccca ggacagctgc agggtagaga tcattttaag tgcttgtgga 2400
 gttgacatcc ctattgactc tttcccagct gatatcagag acttagaccc agcactcctt 2460
 ggattagctc tgcagagtgt cttgggtgag agaataacct catagtacca acatgacatg 2520
 tgacttggaa agagactaga ggccacactt gataaatcat ggggcacaga tatgttccca 2580
 cccaacaaat gtgataagtg attgtgcagc cagagccagc cttccttcaa tcaaggtttc 2640
 caggcagagc aaatacccta gagattctct gtgatatagg aaatttggat caaggaagct 2700
 aaaagaatta cagggatgtt tttaatccca ctatggactc agtctcctgg aaataggctt 2760
 gtccactcct ggtcattggt ggatgttaaa cccatattcc tttcaactgc tgctgtctag 2820
 ggaaaactgc tcttcattat catcactatt attgctcacc actgtatccc ctctacttgg 2880
 caagtgggtg tcaagttcta gttgttcaat aaatgtgtta ataataaaaa aaaaaaa 2937

<210> 21
 <211> 2290
 <212> DNA
 <213> Homo sapiens

<400> 21
 agaacatagg gtactccgag tgaagaattc agcagctaag tggaagttgt cttctattcc 60
 acttttaaata cttttatcta ctgaatcgca agaaaattgg gtttctggtg ctgtctgtgg 120
 ttcatgagaa aaaatcccaa gaaggaaagc caaaagaaca cacagagcca aaaagcctac 180

ccaagcaggc atcagataca ggaagtaacg atgctcacia taaaaaagca gtttccagat	240
cagctgaaca gcagccatca gagaaatcaa cagaaccaa gactaaacca caagacatga	300
tttctgctgg tggagagagt gttgctggta tcaactgcaat atctggcaag ccgggtgaca	360
agaaaaaaga aaagaaatca ttaacccag ctgtgccagt tgaatctaaa ccggataaac	420
catcgggaaa gtcaggcatg gatgctgctt tggatgactt aatagatact ttaggaggac	480
ctgaagaaac tgaagaagaa aatacaacgt atactggacc agaagtttca gatccaatga	540
gttccaccta catagaggaa ttgggtaaaa gagaagtcac aattcctcca aaatataggg	600
aactattggc taaaccata gggccagatg atgctataga cgccttgtca tctgacttca	660
cctgtgggtc gcctacagct gctggaaaga aaactgaaaa agaggaatct acagaagttt	720
taaaagctca gtcagcaggg acagtcagaa gtgctgctcc accccaagag aagaaaagaa	780
aggtggagaa ggatacaatg agtgatcaag cactcgaggc tctgtcggct tcaactggga	840
cccggcaagc agaacctgag ctcgacctcc gctcaattaa ggaagtcgat gaggcaaaaag	900
ctaaagaaga aaaactagag aagtgtggtg aggatgatga aacaatcca tctgagtaca	960
gattaaaacc agccacgat aaagatggaa aaccactatt gccagagcct gaagaaaaac	1020
ccaagcctcg gagtgaatca gaactcattg atgaactttc agaagatttt gaccggtctg	1080
aatgtaaaga gaaaccatct aagccaactg aaaagacaga agaacttaag gccgctgctc	1140
cagctcctgt gtcggaggct gtgtgtcgga cctccatgtg tagtatacag tcagcaccoc	1200
ctgagccggc taccttgaag ggcacagtgc cagatgatgc tgtagaagcc ttggctgata	1260
gcctggggaa aaaggaagca gatccagaag atggaaaacc tgtgatggat aaagtcaagg	1320
agaaggccaa agaagaagac cgtgaaaagc ttggtgaaaa agaagaaaca attcctcctg	1380
attatagatt agaagaggtc aaggataaag atggaaagcc actcctgcca aaagagtcta	1440
aggaacagct tccaccatg agtgaagact tccttctgga tgctttgtct gaggacttct	1500
ctggtccaca aaatgcttca tctcttaaat ttgaagatgc taaacttgct gctgccatct	1560
ctgaagtggc ttcccaaacc ccagcttcaa cgacccaagc tggagcccca cccgtgata	1620
cctcgcagag tgacaaagac ctcgatgatg ccttggataa actctctgac agtctaggac	1680
aaaggcagcc tgaccagat gagaacaaac caatggaaga taaagtaaag gaaaaagcta	1740
aagctgaaca tagagacaag cttggagaaa gagatgacac tatccacct gaatacagac	1800
atctcctgga tgataatgga caggacaaac cagtgaagcc acctacaaag aaatcagagg	1860

attcaaagaa acctgcagat gaccaagacc ccattgatgc tctctcagga gatctggaca 1920
 gctgtccctc cactacagaa acctcacaga acacagcaaa ggataagtgc aagaaggctg 1980
 cttccagctc caaagcacct aagaatggag gtaaagcgaa ggattcagca aagacaacag 2040
 aggaaacttc caagccaaaa gatgactaaa gaaatacaag ttaaggatc tggtatctgc 2100
 atgtaaaatc ttcagctggt ggatggtgac ttttgaagaa caaaaggctt tggcaacaga 2160
 aaacaattgt tctgggtgat ttctagaatg gtttttggtg agtctctgaa catcctaaat 2220
 attggtttgt tattcttttc cagaaagaaa atgaatttga ctggttcacc tgccaaaaaa 2280
 aaaaaaaaaa 2290

<210> 22
 <211> 2544
 <212> DNA
 <213> Homo sapiens

<400> 22
 caccgggag cgccgagggg tgccggccgg cgcgcgggga gtagagggcg cgggcccag 60
 tgccgggttc cagagggagc tctgcgccgg gtccttcctt gtggtagccc caggacaccc 120
 ccagcctcaa catcccattc tgggactcct gccctgttcc cacattcggt ctacctcgag 180
 tctccaggag cttccagtgg cttggtcacc gccaaactct gtccatgcct cttagagccc 240
 ctttcccggc ctcaccgggt gtcgcttaat agtcttgagg ccttaaggag caagtcagcc 300
 cctgcggacc ctcccagtga agagaaagag ctggctgtgc ggtggaattt ggaagagacg 360
 acgtttggga gcctttgctg agtccaggga gagaggcgtc cccaccgtg ccgctgcagc 420
 tcgggcagag ccgccaaagt ttgggttctc tagggtgtgt acccaggagt ggatctgctg 480
 tatcatatgg tcaactctatt caacctttcg agaaaccacc aaattgtttc ttcaggaaat 540
 gcaccatctg acatcccat tttatgagga tccccacgtc tctgtcatct caccaacact 600
 tgtgctgagg aacctctaata catctcccat ggatttgtga tcagcggtgc agctctccca 660
 gcagccctgg acagtggccc ccagcagtca gcatgtggct gccgcgcgtc tccagcacag 720
 cagtgaccgc gctcctcctg gcgcagacct tcctcctcct ctttctgggt tcccggccag 780
 ggccctcgtc ccagcaggc ggcgaggcgc gcgtgcatgt gctggtgctg tcctcgtggc 840
 gctcgggctc gtccttcgtg ggccaactct tcaaccagca ccccgacgtc ttctacctaa 900
 tggagcccgc gtggcacgtg tggaccaccc tgtcgaggc cagcgccgca acgctgcaca 960
 tggctgtgcg cgacctggtg cgctccgtct tcctgtgcga catggacgtg tttgatgcct 1020


```

atctgccttg gcgccgcaac ctgtccgacc tcttccagtg ggccgtgagc cgtgcactgt 1080
gctcgccacc cgcctgcagt gcctttcccc gaggcgccat cagcagcgag gccgtgtgca 1140
agccactgtg cgcgcggcag tccttcaccc tggcccggga ggccctgccgc tcctacagcc 1200
acgtggtgct caaggaggtg cgcttcttca acctgcaggt gctctacccg ctgctcagcg 1260
accccgcgct caacctacgc atcgtgcacc tgggtgcgca cccgcgggcc gtgctgcgct 1320
cccgggagca gacagccaag gctctggcgc gtgacaacgg catcgtgctg ggcaccaacg 1380
gcacgtgggt ggaggccgac cccggcctgc gcgtggtgcg cgaggtgtgc cgtagccacg 1440
tacgcacgc cgaggccgcc acactcaagc cgccaccctt tctgcgcggc cgctaccgcc 1500
tgggtgcgctt cgaggacctg gcgcgggagc cgctggcaga aatccgtgcg ctctacgcct 1560
tactgggct cagtctcacg ccacagctcg aggcctggat ccataacatc acccacggat 1620
ctggacctgg tgcgcgccgc gaagccttca agacttcgtc caggaatgcg ctcaacgtct 1680
cccaggcctg gcgccatgcg ctgcccttg ccaagatccg ccgcgtgcag gaactgtgcg 1740
ctggtgcgct gcagctgctg ggctaccggc ctgtgtactc tgaggacgag cagcgcaacc 1800
tcgcccttga tctggtgctg ccacgaggcc tgaacggctt cacttgggca tcatccaccg 1860
cctcgacccc ccgaaattag tggaggccac agttgtagca ggcgctaggc ccgggaggag 1920
agtgcattgt gcagaggggg ctggggcgca cggagaagca ggtccctata ttgaccaagg 1980
agtttgtggt acgacccctc cccctcccca agtaggcaag gactgcacgt ttctttctct 2040
cttgattctt ggttttcctt tgagtcctca tttcagggtt cacttcaggg gctcccaaag 2100
cgacaagatc gttagggaga gaggcccagg gtggggactg ggaatttaag gagagctggg 2160
aacggatccc ttaggttcag gaagcttctg tgcaagctgc gaggatggct tgggccgaag 2220
ggttgctctg cccgcgcgcg tagctgtgag ctgagcaaag ccttgggctc acagcacccc 2280
aaaagcctgt ggcttcagtc ctgcgtctgc accacccaat caaaaggatc gttttgtttt 2340
gtttttaaaag aaaggtgaga ttggcttgggt tcttcatgag cacatttgat atagctcttt 2400
ttctgttttt ccttgctcat ttogttttgg ggaagaaatc tgtactgtat tgggattgta 2460
aagaacatct ttgcactcag acagtttaca gaaataaatg tttttttgt ttttcaaaaa 2520
aaaaaaaaa aaaaaaaaaa aaaa 2544

```

```

<210> 23
<211> 941
<212> DNA
<213> Homo sapiens

```

<400> 23
catctgtgaa gaaagtggcc ctttctcccg cttgcaaaat agacattctc aaattccaaa 60
atgccagcca agacccaat ttacctgaaa gcagccaata acaagaaagg aaagaaattt 120
aaactgaggg acattctgtc tcctgatatg atcagtcctc cgcttgagga ctttcgccac 180
accatccaca ttggcaaaga gggccagcac gatgtctttg gagataattc ctttcttcaa 240
gggaactacg agcttttacc tggaaaccag gagaaagcac acctgggcca gttccctggg 300
cataatgagt tcttcggggc caacagcacc tcggactctg tgttcacaga aacgccctcc 360
ccggtgctca aaaatgccat ctccctcccg accattggag gatcccaagc tctcatgttg 420
cccttattgt caccagtgc atttaattcc aaacaggagt ccttcggggc agcaaagctg 480
cccaggctta gctgcgagcc cgtcatggag gaaaaagctc aggagaaaag cagtctgttg 540
gagaatggga cagtccacca gggagacacc tcgtggggct ccagcgggtc tgcattctag 600
tccagccaag gcagagacag ccaactcctc agcctgtccg aacagtaccg cgactggcca 660
gccgaggaca tgtttgacca tcccaccca tgcgagctca tcaagggaaa gactaagtca 720
gaggagtccc tctctgacct tacagggtcc ctccctctcc tgcagcttga tcttggggcc 780
tcacttttgg atgagggtct gaatgtaatg gataaaaata agtaacaaga tgccaacttt 840
tttcctttgg ggtaaaagg aaaaaaaca actaaccaca gttgaagaga agggcttccg 900
gagctgtatt ttgcaatttt gtgttgggtt ttctaaaata a 941

<210> 24
<211> 4333
<212> DNA
<213> Homo sapiens

<400> 24
cgcagagcgc gcaccaagc ggccggacct ccccgactcc cgggcccgcc ccgtctcgcg 60
ccctgcctcc ctccctcggc cttcacctac ccgcctccgg attggccgct aggaatcccg 120
ccctctaaa gccctgcctg ctattggtca cgattttata atcaatggat aaagtgggaa 180
aaatgtggaa taacttcaaa tacagggtgc agaattctct cggatcatgag ggaggaagcc 240
gtagtgaaaa tgtggacatg aactccaaca gatgtttgtc tgtcaaagag aaaaacatca 300
gcataggaga ctcaactcct cagcaacaaa gcagtcctt aagagaaaat attgccttac 360
aactgggatt aagcccttcg aagaattctt caaggagaaa tcaaaattgt gccacagaaa 420
tccctcaaat tgttgaaata agcatcgaaa aggataatga ttcttgtgtt accccaggaa 480

caagacttgc acgaagagat tcctactctc gacatgctcc atggggtggg aagaaaaaac	540
attcctgttc tacaaagacc cagagttcat tggatgctga taaaaagttt ggtagaactc	600
gaagtggact tcaaaggaga gagaggcgct acggcgtaag ttctgtacac gacatggaca	660
gtgtttccag cagaactgta ggaagtgcct ctctaagaca gaggttgcag gatactgtgg	720
gcttgtgttt tcccatgaga acttacagca agcagtcaaa gctctctttt tccaataaaa	780
gaaaaatcca tctctctgaa ttaatgcttg agaaatgcc ttttctgct ggctcagatt	840
tagcccaaaa atggcatttg attaaacagc atacagctcc tgtgagccca cattcaacat	900
tttttgatac atttgatcca tctttggttt ctacagaaga tgaagaagat aggcttagag	960
agagaaggcg gcttagtatt gaagaagggg ttgatccccc tcccaatgca caaatacata	1020
catttgaagc tactgcacag gttaatccat tatataaact gggacccaaa ttagctcctg	1080
gaatgactga aataagtggg gacagtcttg caattccaca agctaattgt gactcggaag	1140
aggatacaac caccctgtgt ttgcagtcac ggaggcagaa gcagcgtcag atatctggag	1200
acagccatac ccatgttagc agacagggag cttggaaagt ccacacacag attgattaca	1260
tacactgcct cgtgcctgat ttgcttcaaa ttacagggaa tccctgttac tggggagtga	1320
tggaccgtta tgaagcagaa gcccttctcg aagggaacc tgaaggcacg tttttgctca	1380
gggactctgc gcaagaggac tacctcttct ctgtgagctt ccgccgtac aacagatccc	1440
tgcatgcccg aattgagcag tggaatcaca acttttagttt cgacgcccac gaccctgtgtg	1500
tatttcactc ctccactgta acgggacttt tagaacatta taaagatccc agttcgtgca	1560
tgttttttga accattgctt actatatcac taaataggac tttccctttt agcctgcagt	1620
atatctgtcg cgcggtaatc tgcaggtgca ctacgtatga tgggaattgat gggctccctc	1680
taccctcaat gttacaggat tttttaaag agtatcatta taaacaaaaa gttagagttc	1740
gctggttgga acgagaacca gtcaaggcaa agtaaactct ccggtcccca aaggttgtta	1800
actagggtccg ctttcatgtg catcagacag tacacctata gcaagcacac gtagcagtgt	1860
taggccttttt catacagtat gtaagcttag tgttagtatc tgtcagatgc tacctgctgt	1920
tacttattca gataaacatg gtgcctattg gaacaatagc ggatagagct acaggtgttc	1980
agtaagacta caaaaacatt ttgcctattt cgctaacagt ttggttttta atggctgtgg	2040
tatttgagtg aggcaactct ggggcatttg ttatgaagaa ttctatttct tactgaagaa	2100
caaattatta atattggatg agtatttcaa cagtgtgact aatgtttgaa attatttttt	2160
ctaagagttt ttctataacc ttccaaaagt cgtgatgttt gtagttacta taaatcaagc	2220

```

tttggagtc caaaaagaat aaaagactgc cttcctttta gaaaaaatg caattttctg 2280
gccacaaggg catagtgcag ttcacttacg tgttgatgta gtttataatc agacgccttt 2340
tctcttctgc aaaagggtact gttaagtaaa ccagattttc taaataggca ttcttaaaat 2400
ttcagactta caaagctagt agtagaattt tattgaaagg cctaggtatt aattttttta 2460
atgagtgcct taacttaaaa caggcgtttg gaatagctgc tgcaatgtag tcttgtgtgt 2520
gatttttttt taagttgatg tgcagctctaa ttgttgtttc ataaaagttg gatctgttcc 2580
tatgccagg atgattttgt gaaccgtgaa gtacgtgaga ctagaagacg cccaaacaag 2640
tcagataata gtaactacaa tgggtgctga tgttgagatt attgttgaac tataattaat 2700
aatttggatg gcagaattta tctctttttt gtaaactctc ataactgaat tgcttaagta 2760
taatttatag aatttcagtg cagttcattc ttaatggaaa atctgaaacc taaattgcag 2820
atttaaaagg tactgtacaa ccattatata tgtaaataac ttagcacctt tttgtcactt 2880
agaataatat gtactactac ttgagtgagc gcttttgga gttatatcaa gttctagtgt 2940
ttgcttctta gtaactgaac tgaatttaca gttctgtcct agacattttg cactaaagta 3000
gccgaatcca ctctcatgtc ttttcgttaa tgtgctctgt accactggtg agtgctccat 3060
agtttctta cctgctgcta cagaatgtta ttttacctcc ctatggctat tgccaaggct 3120
acaaaaaagg aaagctatat ttgtatgcaa cactaacctt ttgactgcta atgtatgttt 3180
ctgcttgctg tgccttgcta tggctgcttt ttttgtgcta ataaagtatg tttgggtgtc 3240
tccttgtata tctgctgttt tatacatttg caacaatttc tcttgtaa at ggaatggttt 3300
gggggtttta aataagcatt aactaacaac ctttctatag ttaatgcaga gttaatgaac 3360
agtctaatat tgacttatca gaataagcta actctaaatt taatgctcta catcttatca 3420
gtcataatta tatatactgt ggaacagtat ctgtagttac tgcaaattac tgtacagttt 3480
aggttataac agaaaactga cagagaagta ataaacctat tgatttctct gcttataaat 3540
gaaagattga aactatccaa tgacatatta tagtaaatga gtatctgtaa cctccactg 3600
catcagaagc aggttaaatg aagtcttggt aatttgtaat agatcagtac cattttattg 3660
tttggggacc atcttaatta aaaataaatg cccaaaatgt agaactttta ccaaagactt 3720
gtccctttta aagcaaaatg gggattgaag ggacttataa tttctgttgt ttctaattaa 3780
agtccttgaa gatcatatac caaagtgttt gagaacttca tccaaacctt ctttaaagca 3840
ttatgtgcaa ttaagttggt atgacataat tatattgcct aattgttggg tcttttttct 3900

```

```

tgagcttata atgtacctgg aaaataaacc tcttgagaaa aagaaaagtt catactgatt 3960
attggaaaag gactatatat gtgagcaaga ttgtgtttta gagaggaaac ttgaaactcc 4020
aagaaagcac ttgatgtttt tatatgcttg tagcaaattg atgttctaac tgtagtttta 4080
tagaaagtat taatgctttt atgtatttca aaactttcat atgttaaattg gaaattgttt 4140
taaattgtgtt tgagtttatg taagcatgta tacactgtgc taaaagtcac atgtttcagt 4200
ttgtgtataa tattaatatg caatttttgg tttaaatttt tgtcttaaaa tattagtggc 4260
ttacatttta aaaaagaaaa atcaccagca tgaacttgca aaaaaaaaaa aaaaaaaaaa 4320
aaaaaaaaaa aaa 4333

```

```

<210> 25
<211> 1042
<212> DNA
<213> Homo sapiens

```

```

<400> 25
vtttatttct gtaaactgtc tgagtgcaga gatgttcttt acaatcccaa tacagtacag 60
atttcttccc caaaacgaaa tgagcaagga aaaacagaaa aagagctata tcaaattgtgc 120
tcatgaagaa ccaagccaat ctcaccttct tttaaaaaca aaacaaaacg ttccttttga 180
atgtgtggtg cagacgcagg actgamgcca caggcttttg ggggtgctgtg mgcccagggc 240
tttgctcagc tcacagctag cscsgcgggc mgagcmaccc ttcggcccaa gccatcctcg 300
cagcttgcmc agaagcttcc tgaacctaaag ggatccgttc ccagctctcc ttaaattccc 360
agtccccacc ctgggcctct ctccctaacg ttcttgtcgc tttggggggc cctgaagtga 420
accctgaaat actccctcgg tcaactctgg gctcagacct ttgcccttct ctgtgtcaca 480
aggaaatttc ggtcaagagg gtgggaacgg gtggtttcag accgtgcagc aaagccactg 540
ccaggttaagt ttarggcaa attttatctc ttcttattca gtctgagccg gacctaacct 600
tctcaccacc gggcaatcct gcctatgctg ggcatgcac ttgggcaact ccggatggag 660
gtgggatgag ggagcccggg gcggatacca ggaggtctgg gccttagtag ggaatggacg 720
tgtgtgctta tgaaggctgc aggcaacggg cacagctcct ggcccagctg cccctcagt 780
gtacmaggaa gcagggccca ggaaaactga gatggcaaka tagggccggg ctctggaaaag 840
caacgtgagg tcatgcagat ctcactaggc agacctcgtc gcgtggaaga gaaatgccag 900
gaaaaggggt cactgcagga ggcacctcgg atctgatggc aggcaggact tgcacaaaaa 960
tgacttttct ttagaacaaa aagaggggga gaaaagaaaa gagatcaaag aagaggtcca 1020

```

tgagcgyctg agataggcgc gg

1042

<210> 26
 <211> 501
 <212> DNA
 <213> Homo sapiens

<400> 26
 ttttttttggg tgtggtattg atttatTTTT cccagcaca tcttaaaaat cacacatggg 60
 catttgctta tagaacaata cagtctaaga aaaccagtaa gaggagaatc tgaacacaca 120
 ctgaaagcac ggaataactga ctatgtgttg agcccttggt gaaaacagta tggctcagtc 180
 ggaattgaca aagctatgct ggaatctctc aggaattttc cttccactg catatcccct 240
 tttagactat aaatgtaaag agaagaattg tttgtatgca ttagttacag cagtataatg 300
 gcttacatac aagtgttac tcacatgtag ttcccaaagg attactacag tcctggcagg 360
 aatatgtact gccttggagg aagactcagg ataagatatt attcaagtta agttgtatca 420
 gagccaaagt atttcacagg cttagcaaaa atggacaaga attaataataa cctacatata 480
 tttctcataa gatttaatat t 501

<210> 27
 <211> 1635
 <212> DNA
 <213> Homo sapiens

<400> 27
 attttcagat tgggtgagaca ccgcggcagt cgacttggaa gatgctctgg tggtagaggt 60
 ggacttagta gttttaagca gaaccatgaa aacctctgtg acaactccct ccagctccaa 120
 gagtgcggg aggtgggggg cggcgcatcc ggggctcga gcttgctacc tcagcccatc 180
 cccaccacc ctgacatcga gaacgctgag ctcccccca tcttgccctt cctgttcctt 240
 ggcaatgagc aggatgctca ggacctggac accatgcagc ggctgaacat cggctacgtc 300
 atcaacgtca ccaactcatct tcccctctac cactatgaga aaggcctgtt caactacaag 360
 cggctgccag ccaactgacag caacaagcag aacctgcggc agtactttga agaggctttt 420
 gagttcattg aggaagctca ccagtgtggg aaggggcttc tcatccactg ccaggctggg 480
 gtgtcccgct ccgccaccat cgtcatcgct tacttgatga agcacactcg gatgaccatg 540
 actgatgctt ataaatttgt caaaggcaaa cgaccaatta tctccccaaa ccttaacttc 600
 atggggcagt tgctagagtt cgaggaagac ctaaacaacg gtgtgacacc gagaatcctt 660
 acaccaaagc tgatgggctg ggagacgggt gtgtgacaat ggtctggatg gaaaggattg 720

```

ctgctctcca ttaggagaca atgaggaagg aggatggatt ctggtttttt ttctttcttt 780
tttttttgta gttgggagta agtttgtgaa tggaaacaaa cttgtttaaa cactttattt 840
ttaacaagtg taagaagact ataacttttg atgccattga gattcacctc ccacaaactg 900
acaaattaag gaggttaaag aagtaatfff ttttaagccaa caataaaaaat ataatacaac 960
ttgtttctcc cctttttcct ttttaagctat ttgtagagtt tatgactaaa tagtctgtgc 1020
aggttcatag accgaagata ctacacactt taaaccaatt aaaaagaacc aaaagtaaat 1080
agaaaagaca ttgaatcacc aaggcctggg atcaacctgg gctgtccaca cagaaaacaa 1140
aaacccaacc aaaccaagcc ctgttgtgct cactggtgca aagagaagat cagggcagct 1200
taagtggctc aagaatcctt caggcattct ttaaggagaa aaaggatacc tttgattttg 1260
tgtgtttcat gctctggatt tttttttttt ccttctctgg gttaagaga ttttttttga 1320
aatagtgagg aactgaccat tatatgcctt cactggcttc ttgtgcaata atatgatgtt 1380
ttaagtgtgc aaacaagtta gagctggcag ctgaatgata gacaaatagt gcaaatttgc 1440
cagcttggag atagaaagga attcaacaat atatcaaata ctttccttcc cacctttttc 1500
cttttttttt tttttttctg atttgattct gggtacagtg ccataaacct tgttacatat 1560
gtatatcaga atgtaagaaa aaaaaattta tttaaaaata tttttcgcag aaaaaaaaaa 1620
aaaaaaaaaa aaaaaa 1635

```

```

<210> 28
<211> 593
<212> DNA
<213> Homo sapiens

```

```

<400> 28
tttttttttt tttttttaac acaaagtfff tattgaacaa aaataatatg acagtaaaaa 60
tgatacataa agtgaagatt tgcagtcata gaaaagatgt gtacaaagag accaacattc 120
aggttatata gttctataaa acttttccca tagcagttta aactgatta agcagacata 180
aaagggaaaa gaaagtcatt aatgttcttt gaaacctatt ttctgagtaa aatacctctg 240
ctaacacaca catgcacaca cacacagaat gaggcagagc tatatgagtg agttattctt 300
cagttcctcc agttctctgt ttgtgttaca ggagtatfff catccatcaa aaaattgtag 360
tatttttgca tttctaataa atggatctag agcatacatt aatcccagtt tccaaaggaa 420
aagaaagaat cagatctata gtcattttaa tatttccaat cagcatttac gtaaacaaag 480
atactaaaaa tagtagtttt gggtgagatt tttgcacatt aacttccttt agtttgtaag 540

```

aatcatgcat ttggatgtg ttctcttata tgacaacaca gttttaaatg ctg 593

<210> 29
 <211> 2687
 <212> DNA
 <213> Homo sapiens

<400> 29
 acggcgcgct gggctcacac tgtcccgccg cggacgggct ttgtggttgg gggcgcgcgt 60
 gcgagtgcc a gtgagagtgt ggggtgcgcgc tgtggggccgc ggcgcgggtg ggtggccgtg 120
 cgttcttgcg agccggcctg caggaggcga ggctcccctg gcctcccga cccagcggcg 180
 gaccgagccc ctggagggaa gttgccgcag ccgcccgggc cgcggccct cctgtccgc 240
 gccagggtaca cagcttctcc tagcatgact tcgatctgat cagcaaaca gaaaatttgt 300
 ctcccgtagt tctggggcgt gttcaccacc tacaaccaca gagctgtcat ggctgccatc 360
 tctacttcca tccctgtaat ttcacagccc cagttcacag ccatgaatga accacagtgc 420
 ttctacaacg agtccattgc cttcttttat aaccgaagtg gaaagcatct tgccacagaa 480
 tggaacacag tcagcaagct ggtgatggga cttggaatca ctgtttgtat cttcatcatg 540
 ttggccaacc tattggtcat ggtggcaatc tatgtcaacc gccgcttcca ttttcctatt 600
 tattacctaa tggetaatct ggctgctgca gacttctttg ctgggttggc ctacttctat 660
 ctcatgttca acacaggacc caatactcgg agactgactg ttagcacatg gtcctgcgt 720
 cagggcctca ttgacaccag cctgacggca tctgtggcca acttactggc tattgcaatc 780
 gagaggcaca ttacggtttt ccgcatgcag ctccacacac ggatgagcaa ccggcgggta 840
 gtggtggtca ttgtggtcat ctggactatg gccatcgta tgggtgctat acccagtgtg 900
 ggctggaact gtatctgtga tattgaaaat tggtccaaca tggcaccct ctacagtgc 960
 tcttacttag tcttctgggc cattttcaac ttggtgacct ttgtggtaat ggtggttctc 1020
 tatgetcaca tctttggcta tggtcgccag aggactatga gaatgtctcg gcatagttct 1080
 ggaccccggc ggaatcggga taccatgatg agtcttctga agactgtggt cattgtgctt 1140
 ggggccttta tcatctgctg gactcctgga ttgggtttgt tacttctaga cgtgtgctgt 1200
 ccacagtgcg acgtgctggc ctatgagaaa ttcttccttc tccttgotga attcaactct 1260
 gccatgaacc ccatcattta ctctaccgc gacaaagaaa tgagcgccac ctttaggcag 1320
 atcctctgct gccagcgcag tgagaacccc accggcccca cagaaggctc agaccgctcg 1380
 gcttcctccc tcaaccacac catcttggct ggagttcaca gcaatgacca ctctgtggtt 1440

tagaacggaa actgagatga ggaaccagcc gtcctctctt ggaggataaa cagcctcccc 1500
 ctacccaatt gccagggcaa ggtgggggtgt gagagaggag aaaagtcaac tcatgtactt 1560
 aaacactaac caatgacagt atttgttcct ggaccccaaca agacttgata tatattgaaa 1620
 attagcttat gtgacaaccc tcatcttgat ccccatccct tctgaaagta ggaagttgga 1680
 gctcttgcaa tggaattcaa gaacagactc tggagtgtcc atttagacta cactaactag 1740
 acttttaaaa gattttgtgt ggtttggtgc aagtcagaat aaattctggc tagttgaatc 1800
 cacaacttca tttatatata ggcttccctt ttttattttt aaaggatacg tttcacttaa 1860
 taaacacggt tatgcctatc agcatgtttg tgatggatga gactatggac tgcttttaaa 1920
 ctaccataat tccatttttt cccttacata ggaaaactgt aagttggaat tatcttttgt 1980
 ttagaaagca tgcattgtaat gtatgtatgc agtatgcctt acttaaaaag attaaaagga 2040
 tactaatggt aaatcttcta ggaaatagaa cctagacttc aaagccagta tttgtttagg 2100
 tcatgaagca aacaatgctc taatcacaat attaactggt taattaaaat gttgtaacaa 2160
 gtataaaaca gggaatgtaa gtttattacc aaagtgatat gtattccaaa aaagtcatag 2220
 aagatgaagc actataatat tgttcccata tattttaaatt acccaagtac attctaatta 2280
 ccagtatatc agaggaaaat tttcgtagtc tttgtaaaat aatatactca tcatagaaaa 2340
 cttgaaaaat gcagaaatgt ataaaaaagc aaaaatgatt actgataata tcacaaccca 2400
 gaagtaacca cttttaaaaa gcaaccccca tgtatgccta tatgtgtatt gtatactttt 2460
 tttacataat tggagtcata ctgtaaacag ttttataagt agatcttttt cattgcaaaa 2520
 ttgccacatt ttcttatggc attaaaaatt ttacaaaaac ataatttttaa tggctatatt 2580
 atattccatt taatggatgc aactcagttt atttaaccat tcccatgttg ttaactattt 2640
 aggttggttc taattttcat tattataaag ttgcagaaat ttggtgt 2687

<210> 30
 <211> 2164
 <212> DNA
 <213> Homo sapiens

<400> 30
 cacagagcag accatcctcc tgctgaagtg acaagccacg ctgcttctgg agccaaagct 60
 gaccaagaag aacaaatcca cccagatct agactcaggt cacctcctga agccctcggt 120
 cagggtcgat atccccacat caaggacggt gaggatctta aagaccactc aacagaaagt 180
 aaaaaaatgg aaaattgtct aggagaatcc aggcataag tagaaaaatc agaaatcagt 240

gaaaacacag atgcttcggg caaaatagag aaatataatg ttccgctgaa caggcttaag	300
atgatgtttg agaaagggtga accaactcaa actaagattc tccgggcca aagccgaagt	360
gcaagtggaa ggaagatctc tgaaaacagc tattctctag atgacctgga aataggcca	420
ggtcagttgt catcttctac atttgactcg gagaaaaatg agagtagacg aaatctggaa	480
cttccaagcc tctcagaaac ctctataaag gatcgaatgg ccaagtacca ggcagctgtg	540
tccaaacaaa gcagctcaac caactataca aatgagctga aagccagtgg tggcgaaatc	600
aaaattcata aaatggagca aaaggagaat gtgccccag gtcctgaggt ctgcatcacc	660
catcaggaag gggaaaagat ttctgcaaat gagaatagcc tggcagtcg tcccaccct	720
gccgaagatg actcccgatg ctcccaggtt aagagtggag ttcaacagcc tgtccatccc	780
aagccactaa gtccagattc cagagcctcc agtctttctg aaagttctcc tcccaaagca	840
atgaagtttc aggcacctgc aagagagacc tgcgtggaat gtcagaagac agtctatcca	900
atggagcgtc tcttggccaa ccagcaggtg tttcacatca gctgcttccg ttgctcctat	960
tgcaacaaca aactcagtct aggaacatat gcatctttac atggaagaat ctattgtaag	1020
cctcacttca atcaactctt taaatctaag ggcaactatg atgaaggctt tgggcacaga	1080
ccacacaagg atctatgggc aagcaaaaat gaaaacgaag agattttgga gagaccagcc	1140
cagcttgcaa atgcaaggga gaccctcac agcccagggg tagaagatgc ccctattgct	1200
aagggtgggtg tcttggctgc aagtatggaa gccaaaggct cctctcagca ggagaaggaa	1260
gacaagccag ctgaaaccaa gaagctgagg atcgctggc cccccccac tgaacttgga	1320
agttcaggaa gtgccttgga ggaaggatc aaaatgtcaa agcccaaagtg gcctcctgaa	1380
gacgaaatca gcaagccga agttcctgag gatgtcgatc tagatctgaa gaagctaaga	1440
cgatcttctt cactgaagga aagaagccgc ccattcactg tagcagcttc atttcaaagc	1500
acctctgtca agagcccaaa aactgtgtcc ccacctatca ggaaaggctg gagcatgtca	1560
gagcagagtg aagagtctgt ggggtggaaga gttgcagaaa ggaaacaagt ggaaaatgcc	1620
aaggcttcta agaagaatgg gaatgtggga aaaacaacct ggcaaaacaa agaactctaa	1680
ggagagacag ggaagagaag taagggaagg catagtttgg agatggagaa tgagaatctt	1740
gtagaaaatg gtgcagactc cgatgaagat gataacagct tcctcaaaca acaatctcca	1800
caagaacca agtctctgaa ttggctgagt tttgtagaca acacctttgc tgaagaattc	1860
actactcaga atcagaaatc ccaggatgtg gaactctggg agggagaagt ggtcaaagag	1920

ctctctgtgg aagaacagat aaagagaaat cgggtattatg atgaggatga ggatgaagag 1980
 tgacaaattg caatgatgct gggccttaaa ttcattgtag tgttagcgag ccaactgccct 2040
 ttgtcaaaat gtgatgcaca taagcaggta tcccagcatg aaatgtaatt tacttggaag 2100
 taacttttga aaagaattcc ttcttaaaat caaaaacaaa aaaaaaaaaa aaaaaaaaaa 2160
 aaaa 2164

<210> 31
 <211> 532
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (224)..(224)
 <223> n is a, c, g, or t

<400> 31
 ttttggataa ataaatatat tttttattca atattcaatt taatctatat tagcctatgt 60
 ttcactttat aggcaatgcg tagttcttaa attccaagct ctagaatgct gcttgagact 120
 gttctggctg ttgtgcatct gagaatgagc ttctgggatg gcattccttg acaactgaaaa 180
 cttgagaaca catattacca tgaggaagcc ctctaatacag gcanggaatg atgggtgggtca 240
 aggaagactt cctgggtgaag gtgactcttg aaatcagttg tgaatgacaa atcagaatag 300
 caggagagag aatgttagat ggaaataagg caatctcaac agagagaaca gcatgtatat 360
 agcacagggtt gagaagtaaa gggaacaaag agggtaatga atggaaaaaa taagccaggg 420
 gagatgggat ctaagaaaca ggtggagata aggctgtatt cacaggagac aaaaatggct 480
 taaaggaaga gattcacctg taaatggtaa caagagaatg gagagagttc aa 532

<210> 32
 <211> 3304
 <212> DNA
 <213> Homo sapiens

<400> 32
 gcgaccgaac gcggcggtcg gcagcggtcg cgcggggggcc tgcgaagcgc tgctcggggc 60
 cggcactgcc cgcgggggagg acgcgcgcgc gccgccaccc agcgcgcgcg ccgcgcgcgc 120
 ctccagcccg gccgcgcgc gtcccggggg ccggccccgc gagcgcagga gtaaacaccg 180
 ccggagtctt ggagccgctg cagaagggaa taaagagaga tgcagggatt tgtgaggtta 240
 cggcgcccca gctgcaagat gcactagccg gctgaaccgc ggatcggctg acttggttga 300

accggagtgc tctgcacgga gagtgggtgga tgagttgaag ttgccttccc ggggctcatt 360
 ttccacgctg ccgagaggaa tccgagaggc aaggcaatca ctctgtcttg ccattgattg 420
 ggtatcgagg gctttttttt tctcccctct ctctttcttt tcttcgtct tgttgcatgc 480
 aagaaaatta cagtccgctg ctgcgccgcc ctgggtgcga gatattcagc cccgctctct 540
 cccgtgcatt gtgcaacca aagatgaaag accgaagggg agaaagttaa agaatcgcc 600
 cacatgcgct ggatcagtcc acggcttggg gaaaggcatc cagagaaggt gggagcggag 660
 agtttgaagt ctttacaggc gggaagatgg cggactggag ctgaaagtgt tgattgggaa 720
 acttgggtga ttcttgtgtt tatttacaat cctcttgacc caggcaggac acatgcaggc 780
 caaaaaacgc tatttcatcc tgctctcage tggtcttgt ctgcctctt tgttttattt 840
 cggaggcttg cagtttaggg catcgaggag ccacagccgg agagaagaac acagcggtag 900
 gaatggcttg caccaccca gtccggatca tttctggccc cgcttcccg agcctctgcg 960
 ccccttcgtt ccttgggatc aattggaaaa cgaggattcc agcgtgcaca tttcccccg 1020
 gcagaagcga gatgccact ccagcatcta caaaggcaag aagtgccgca tggagtcctg 1080
 ctctgatctt accctttgca agaaaaacgg ctcaaagtc tacgtatacc cacagcaaaa 1140
 aggggagaaa atcgccgaaa gttacaaaaa cattctagcg gccatcgagg gctccaggtt 1200
 ctacacctcg gacccagcc aggcgtgcct ctttgtcctg agtctggata ctttagacag 1260
 agaccagttg tcacctcagt atgtgcacaa tttgagatcc aaagtgcaga gtctccactt 1320
 gtggaacaat ggtaggaatc atttaatttt taatttatat tccggcactt ggctgacta 1380
 caccgaggac gtgggggttg acatcggccca ggcatgctg gccaaagcca gcatcagtac 1440
 tgaaaacttc cgacccaact ttgatgttct tattcccctc ttttctaagg atcatcccag 1500
 gacaggaggg gagagggggg ttttgaagtt caacaccatc cctcctctca ggaagtacat 1560
 gctggtattc aagggaaga ggtacctgac agggatagga tcagacacca ggaatgcctt 1620
 atatcacgtc cataacgggg aggacgttgt gtcctcacc acctgcaagc atggcaaaga 1680
 ctggcaaaag cacaaggatt ctgcgtgtga cagagacaac accgagtatg agaagtatga 1740
 ttatcgggaa atgctgcaca atgccacttt ctgtctggtt cctcgtggtc gcaggcttgg 1800
 gtccctcaga ttcttggagg ctttgcaggc tgcctgcgtc cctgtgatgc tcagcaatgg 1860
 atgggagttg ccattctctg aagtgattaa ttggaaccaa gctgccgtca taggcgatga 1920
 gagattgtta ttacagattc cttctacaat caggtctatt catcaggata aaatcctagc 1980

```

acttagacag cagacacaat tcttgtggga ggcttatttt tcttcagttg agaagattgt 2040
attaactaca ctagagatta ttcaggacag aatattcaag cacatatcac gtaacagttt 2100
aatatggaac aaacatcctg gaggattggt cgtactacca cagtattcat cttatctggg 2160
agattttcct tactactatg ctaatttagg tttaaagccc ccctccaaat tcaactgcagt 2220
catccatgcg gtgaccccccc tgggtctctca gtcccagcca gtgttgaagc ttctcgtggc 2280
tgcagccaag tcccagtact gtgccagat catagttcta tgggaattgtg acaagcccct 2340
accagccaaa caccgctggc ctgccactgc tgtgcctgtc gtcgtcattg aaggagagag 2400
caaggttatg agcagccgtt ttctgcccta cgacaacatc atcacagacg ccgtgctcag 2460
ccttgacgag gacacgggtgc tttcaacaac agaggtggat ttgccttca cagtgtggca 2520
gagcttcctt gagaggattg tggggtagcc cgcgcgagc cacttctggg ataactctaa 2580
ggagcgggtg ggatacacat caaagtggac gaacgactac tccatggtgt tgacaggagc 2640
tgctatttac cacaaatatt atcactacct atactcccat tacctgccag ccagcctgaa 2700
gaacatggtg gaccaattgg ccaattgtga ggacattctc atgaacttcc tgggtgtctgc 2760
tgtgacaaaa ttgcctccaa tcaaagtgc ccagaagaag cagtataagg agacaatgat 2820
gggacagact tctcgggctt cccgttgggc tgaccctgac cactttgccc agcgacagag 2880
ctgcatgaat acgtttgcca gctgggtttg ctacatgccg ctgatccact ctgagatgag 2940
gctcgacccc gtccctctta aagaccaggt ctctattttg aggaagaaat accgagacat 3000
tgagcgactt tgaggaatcc ggctgagtgg gggaggggaa gcaagaaggg atgggggtca 3060
agctgctctc tcttcccagt gcagatccac tcatcagcag agccagattg tgccaactat 3120
ccaaaaactt agatgagcag aatgacaaaa aaaaaaaagg ccaatgagaa ctcaactcct 3180
ggctcctggg actgcaccag actgctccaa actcacctca ctggcttctg tgtcccaaga 3240
ctaggttggg acagtttaat tatggaacat taaataatta tttttgaaaa aaaaaaaaaa 3300
aaaa 3304

```

```

<210> 33
<211> 4646
<212> DNA
<213> Homo sapiens

```

```

<400> 33
gaatgcagggt gagaaaaggc acggactctg cggctgcgaa cccaaacttg ggcaccgcac 60
ggctgcgcact gctcagcctt cgcccccggtg ggcgaaaaggc tgctgcgggt tcaggcggt 120

```

gcttcgtgac taatgacctt ggcagaggtt gtttaagaaaa aagagaaacc cgcgctctcc 180
 ggggtgagaa gggactgact ctgggcgtct ctgaagatgg ctggggcttc tctttggcgc 240
 gccgggggga ccctgacact gaccgctctg tgacgcgagt agtctccctt gcaccgtgcc 300
 cgaagcgacg tgccggggga tttttcattc tcgatctgtt gactggctcc cccgctgcat 360
 gagcagagtc ggagttgaga ctggcttggt gctggcccca gcgcctggtg caggaagcga 420
 ctcacgtttg tctgggtggc cggagccgga gcagagcctg ggtttgaggt gaggcctgg 480
 aacgtgaatt ggactcaact cgagtagcag caaagaccag cgggctggca ggccgggggag 540
 gctgcaggct cattccccac ctcttcccag cccactgcc cgtctgccgg agcggttctg 600
 gcccttccg acagagcggg gactagagcc ggggattctc cgcccgtga ggggatgact 660
 ctgggttggg ggagcgccga acccgcgcg cgcagtgctc cgtgaactgt gagtactgcg 720
 actgaacggc ggcaggcgag cgggcgatta gcaccattg catgaattat gaaacaataa 780
 ctttcggaag aagcaggagg aaaaaagaa gcattctatc ctgccctccc accccattc 840
 ccggccaact ctccacgccg cttttgcccc ctccctcccc tccctctcgc tccttccttt 900
 ccgggagagg ggagaggact cgggggaggg caggcgggcg gccccggagg aggggggcgc 960
 cgagggggct gtggttagaa ggagcagtag cagcagcagc aggagaagat gctgaggatg 1020
 cggaccggcg gatgggcgcg cggctggtgc ttgggtgct gccctcctt gccgctctcg 1080
 ctcagcctgg cggccgcaa gcagctcctc cgggtaccggc tggccgagga gggccccgcc 1140
 gacgtccgca tcggcaacgt ggcttcagac ctgggcctcg tgaccggatc gggtgagggtg 1200
 actttcagcc tggagtccgg ttccgagtag ctgaagatcg acaacctcac tggcgagctg 1260
 agcacgagcg agcggcgcat cgaccgcgag aagctgcccc agtgtcagat gatcttcgac 1320
 gagaacgagt gcttcctgga cttcgaggtg tcgggtgatc ggcctcgcga gagctgggtg 1380
 gacctgtttg agggtcaggt catcgtgctt gacatcaacg acaacacgcc caccttcccg 1440
 tcgcccgtgc tcacgctcac ggtggaggag aatcggcccg tgggcacact ttacctgctg 1500
 cccacagcca ccgaccgca cttcggccgc aacggcatcg agcgtacga gctgctccag 1560
 gagcccgag gcggcgag cggcgagc agccggcgcg ccggggcggc cgacagcgcc 1620
 ccctaccccg gggcgggcg gaacggcgcg agccggcgcg gctcgggagg ctccaagcgg 1680
 cggctggacg catcagaggg cggcgggcg accaaccocg gcggccgag cagcgtgttc 1740
 gagctgcagg tggcgacac cccggacggc gagaagcagc cgcagctgat cgtgaagggg 1800
 gcgctggacc gcgagcagc cgactcctac gagctgaccc tgcgagtgcg cgacggcggc 1860

gacccgcctc gctcctcgca ggccatccta cgggtcctca tcaccgacgt gaacgacaac 1920
agcccccgct tcgagaagag cgtgtacgag gccgacttgg ctgagaacag cgccccgggg 1980
acccccatcc tgcaactgcg cgcagccgac ttggacgtgg ggggtcaacgg gcagatcgaa 2040
tacgtgttcg gggcgggccac cgagtcgggtg aggcggctgc tgcgccttga cgagacgtcc 2100
ggctggctca gcgtcctgca ccggatcgac cgcgaggagg tgaaccagct gcgcttcacg 2160
gtcatggccc gcgaccgcgg gcagcccccc aagaccgaca aggccaccgt ggtccttaac 2220
atcaaagacg agaacgacaa cgtgccgtcc attgaaatcc gcaagattgg gcgcatcccc 2280
ctcaaggacg ggggtggccaa cgtggccgag gacgttcttg tcgacacccc catcgctctg 2340
gtgcaggtgt ccgaccgaga ccaaggcgag aacgggggtg tcacctgcac cgtggtgggc 2400
gacgtgccct tccagctcaa gccagccagc gacaccgagg gcgaccagaa caagaaaaag 2460
tacttcttgc acacctcgac ccctctggac tatgaggcca cccgggagtt caacgtggtc 2520
atcgtggcgg tggactcagg cagccccagc ctctcgagca acaactccct gattgtcaag 2580
gtgggagaca ccaacgacaa cccgcccatg ttcggccagt cgggtggtgga ggtttacttc 2640
cctgagaaca acatcccggg cgagagggtg gccacggtgc tggcgacaga cgcagacagc 2700
ggtaagaacg ccgagatcgc ctactcgctg gactcctctg tgatggggat ctttgccatc 2760
gatcccgatt ctgggggacat cctggtcaat accgtgctgg accgcgagca gactgacagg 2820
tatgagttta aagttaacgc caaagacaaa ggcattccccg tgctgcaggg cagcactacg 2880
gtgattgtgc aggtggctga taaaaatgac aatgacccta agtttatgca ggacgtcttc 2940
accttttatg tgaaagaaaa cttgcagccc aacagccctg tggggatggt caccgtgatg 3000
gatgctgaca agggggcgga tgcagagatg agcctgtaca tagaggagaa caataacatt 3060
ttttctattg aaaatgacac ggggaccatt tactccacaa tgtcttttga cgggaacat 3120
cagaccacat acactttcag agtcaaggct gtggatgggg gagatcctcc cagatctgcc 3180
acagctacag tctcgctttt tgtgatggat gaaaatgaca atgctccac agttaccctt 3240
cccaaaaaca tttcctacac tttactgcca ctttcgagta atgtcaggac agtagtagct 3300
acagtgttgg caacagacag tgatgatggc atcaatgcag acctgaacta cagcattgtg 3360
ggaggaaatc ccttcaagct gtttgaaatt gatccacta gtggtgtggt ttccttagtg 3420
ggaaaactca cccaaaagca ttatggcttg cacaggttgg tggtgcaagt gaatgacagt 3480
gggcagcctt ccagtcac cagactctg gtgcacgtgt ttgtcaatga aagtgtttct 3540

aatgcaactg cgattgactc ccagatagct agaagtttgc acatocccact caccaggat 3600
 atagctggtg acccaagcta tgaaattagc aaacagagac tcagtattgt cattggcgtg 3660
 gttgctggca ttatgacggt gattctaatac atcttaattg tagtgatggc aaggctactgc 3720
 aggtccaaaa ataaaaatgg ctatgaagcc ggcaaaaaag atcacgaaga cttttttaca 3780
 ccccaacagc atgacaaatc taaaaagcct aaaaaggaca agaaaaacaa aaaatctaag 3840
 cagcctctct acagcagcat tgtcactgtg gaggcttcta agccaaatgg acagaggat 3900
 gatagtgtca atgagaagct gtcagacagc ccaagcatgg ggcgatacag gtcggttaat 3960
 ggtgggcccg gcagtcctga cctggcaagg cattacaaat ctagttcccc attgcctact 4020
 gttcagcttc atccccagtc accaactgca ggaaaaaac accaggccgt acaagatcta 4080
 ccaccagcca acacatttgt gggagcagga gacaacattt caattggatc agatcactgc 4140
 tctgagtaca gctgtcaaac caataacaag tacagcaaac agatgcgtct acatccatac 4200
 attactgtgt ttggctgaat tccactctaa tatgatgtc cattatgcac catactgtga 4260
 tgacctttct actccgaaac ctgctggagc ctgcccttgg ccgtggggtg tcagccaatc 4320
 actgcttggt ccacttggtg tacattttat ttttgagtct ttttctttct catatacaga 4380
 aaaatagtat gaaaataaaa taaatgtatg aaacagtatt aatgcagaaa tgtgctacta 4440
 atggatgtct gagtcaccag aaattccatt cttaaagagg cggttagcac ctattagacg 4500
 taacagtgat gtctttttaa aaatccaaaa gcatattgca acaataagtt tgagactttg 4560
 tgtgaacaaa gggaaattca gcctcttatg tctttgtctt taatacatta aatactgatt 4620
 ttgaataaaa atctaaattg atcaat 4646

<210> 34
 <211> 685
 <212> DNA
 <213> Homo sapiens

<400> 34
 tttttttttt ttttttgatg atgaaatatt ttaattaagg tttattttcaa tagcaaaaat 60
 gacttcaaga ttttgcgatg attatttttt aaacaaaact atatgaaaaa tatgtacaaa 120
 tcagtcacat atgtcattga catttttatg aacaagtttc aaatgaaaaa tatcccatca 180
 taacaaaggc acataaataa ataaatgctg aactacaag gctcggagct ccgggcactc 240
 agacatcatg agttggctct tgcacccccg gaatttaatt ctctacttct atgctctttt 300
 atttctctct tcaacatgtg tagcatatgt tgctaccaga gacaactgct gcatcttaga 360

tgaaagattc ggtagttatt gtccaactac ctgtggcatt gcagatttcc tgtctactta 420
 tcaaaccaaa gtagacaagg atctacagtc tttggaagac atcttacatc aagttgaaaa 480
 caaaacatca gaagtcaaac agctgataaa agcaatccaa ctcacttata atcctgatga 540
 atcatcaaaa ccaaatatga tagacgctgc tactttgaag tccaggaaaa tgttagaaga 600
 aattatgaaa tatgaagcat cgattttaac acatgactca agtattogat atttgcagga 660
 aatatataat tcaaataatc aaaag 685

<210> 35
 <211> 2150
 <212> DNA
 <213> Homo sapiens

<400> 35
 ctcgagccac gaaggccccg ctgtcctgtc tagcagatac ttgcacgggt tacagaaatt 60
 cgggtccctgg gtcgtgtcag gaaactggaa aaaagggtcat aagcatgaag cgcagttcag 120
 tttccagcgg tgggtgctggc cgctctcca tgcaggagtt aagatcccag gatgtaaata 180
 aacaaggcct ctatacccct caaaccaaag agaaaccaac ctttggaaag ttgagtataa 240
 acaaaccgac atctgaaaga aaagtctcgc tatttggaac aagaactagt ggacatggat 300
 cccggaatag tcaacttggg atattttcca gttctgagaa aatcaaggac ccgagaccac 360
 ttaatgacaa agcatttcatt cagcagtgtg ttcgacaact ctgtgagttt cttacagaaa 420
 atggttatgc acataatgtg tccatgaaat ctctacaagc tccctctgtt aaagacttcc 480
 tgaagatctt cacatttctt tatggcttcc tgtgcccctc atacgaactt cctgacacaa 540
 agtttgaaga agaggttcca agaactctta aagaccttgg gtatcctttt gcaactatcca 600
 aaagctccat gtacacagtg ggggctcctc atacatggcc tcacattgtg gcagccttag 660
 tttggctaata agactgcac aagatacata ctgccatgaa agaaagctca cctttatttg 720
 atgatgggca gccttgggga gaagaaactg aagatggaat tatgcataat aagttgtttt 780
 tggactacac cataaaatgc tatgagagtt ttatgagtgg tgccgacagc tttgatgaga 840
 tgaatgcaga gctgcagtca aaactgaagg atttatctaa tgtggatgct tttaagctgg 900
 aatcattaga agcaaaaaac agagcattga atgaacagat tgcaagattg gaacaagaaa 960
 gagaaaaaga accgaatcgt ctagagtcgt tgagaaaact gaaggcttcc ttacaaggag 1020
 atgttcaaaa gtatcaggca tacatgagca atttggagtc tcattcagcc attcttgacc 1080
 agaaattaaa tgggtctcaat gaggaaattg ctagagtaga actagaatgt gaaacaataa 1140

aacaggagaa cactcgacta cagaatatca ttgacaacca gaagtactca gttgcagaca 1200
 ttgagcgaat aaatcatgaa agaaatgaat tgcagcagac tattaataaa ttaaccaagg 1260
 acctggaagc tgaacaacag aagttgtgga atgaggagtt aaaatatgcc agaggcaaag 1320
 aagcgattga aacacaatta gcagagtatc acaaattggc tagaaaatta aaacttattc 1380
 ctaaagggtgc tgagaattcc aaaggttatg actttgaaat taagtttaat cccgaggctg 1440
 gtgccaaactg ccttgtcaaa tacagggtc aagtttatgt acctcttaag gaactcctga 1500
 atgaaactga agaagaaatt aataaagccc taaataaaaa aatgggtttg gaggatactt 1560
 tagaacaatt gaatgcaatg ataacagaaa gcaagagaag tgtgagaact ctgaaagaag 1620
 aagttcaaaa gctggatgat ctttaccac aaaaaattaa ggaagcagag gaagaggatg 1680
 aaaaatgtgc cagtgaactt gagtccttgg agaaacacaa gcacctgcta gaaagtactg 1740
 ttaaccaggg gctcagtga gctatgaatg aattagatgc tgttcagcgg gaataccaac 1800
 tagttgtgca aaccacgact gaagaaagac gaaaagtggg aaataacttg caacgtctgt 1860
 tagagatggg tgctacacat gttgggtctg tagagaaaca tcttgaggag cagattgcta 1920
 aagttgatag agaatatgaa gaatgcatgt cagaagatct ctcgaaaat attaaagaga 1980
 ttagagataa gtatgagaag aaagctactc taattaagtc ttctgaagaa tgaagataaa 2040
 atgttgatca tgtatatata tccatagtga ataaaattgt ctcagtaaaa aaaaaaaaaa 2100
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2150

<210> 36
 <211> 631
 <212> DNA
 <213> Homo sapiens

<400> 36
 attgaagtga cttgaagtga ctttttgtgc tttagggtgca gggtgacact gaaaaaaaaa 60
 caaaacgctg aattttttcac acctatgtct gcattaaagg ctgttttact accggaagtt 120
 acatagactt cctgcagtca gctgctgtgc ccagtgctt tactggctct ttgtagatgt 180
 gccttaatga tttgtacaaa tgactgggag gcgggggatgc tgctgtgtc ctggtgaacc 240
 ttaatgaagg ggccgtctta ggcacagtgc aaaacaagca tttgtcctgt actgttagag 300
 ccaaaattgt gatgagcaat actgataatt gtccagttta tgtcatcttt ccagatgttt 360
 aaaatctgtt ctagatattc ttagcttgaa ccacttttga ttgtgaaatg tattagggtgt 420
 tgtcccatga ttactgtaaa atgaagtttt gaatcttctt gttaataaac tgtggatttc 480

ccctctcaat ttcttaaaca acaacaaaaa aatgcttgaa gattgtcttt gagtgtgaaga 540
 tctgcctttt cagaaaggga gtgttagttt gtaatgttaa aaaataaaga cctcattcaa 600
 taaaagttga agtcatcttt taaaaaaaaa a 631

<210> 37
 <211> 862
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> n is a, c, g, or t

<400> 37
 agccaccgcc ggcgccctct ntccacgagg ctgccggctt aggacccccca gctccgacat 60
 gtcgccctct ggtagcctgt gtcttctcac catcgttggc ctgattctcc ccaaccagagg 120
 acagacgttg aaagatacca cgtccagttc ttcagcagac tcaactatca tggacattca 180
 ggtcccgaca cgagccccag atgcagtcta cacagaactc cagccccact ctccaacccc 240
 aacctggcct gctgatgaaa caccacaacc ccagaccag acccagcaac tggaagggaac 300
 ggatgggcct ctagtgacag atccagagac acacaagagc accaaagcag ctcatccac 360
 tgatgacacc acgacgctct ctgagagacc atccccagc acagacgtcc agacagaccc 420
 ccagaccctc aagccatctg gttttcatga ggatgacccc ttcttctatg atgaacacac 480
 cctccggaaa cgggggctgt tggtagcagc tgtgctgttc atcacaggca tcatcatcct 540
 caccagtggc aagtgcaggc agctgtcccg gttatgccgg aatcattgca ggtgagtcca 600
 tcagaaacag gagctgacaa cccgctgggc acccgaagac caagccccct gccagctcac 660
 cgtgcccagc ctctgcatc ccctcgaaga gcctggccag agagggaaga cacagatgat 720
 gaagctggag ccagggctgc cgggccgagt ctctacctc cccaaccct gcccgccct 780
 gaaggctacc tggcgcttg ggggctgtcc ctcaagttat ctctctgtt aagacaaaaa 840
 gtaaagcact gtggtctttg ca 862

<210> 38
 <211> 375
 <212> DNA
 <213> Homo sapiens

<400> 38
 cagcgccggc tgcgagactg gggccgtggc tgctggtccc gggatgatgct aggcggctcc 60

ctgggctcca ggctgttgcg ggggtgtaggt gggagtcacg gacggttcgg ggcccagaggt 120
gtccgcgaag gtggcgcagc catggcggca ggggagagca tggctcagcg gatgggtctgg 180
gtggacctgg agatgacagg attggacatt gagaaggacc agattattga gatggcctgt 240
ctgataactg actctgatct caacattttg gctgaaggca cttgatgaca ttagtgaaag 300
catcaaagag cttcagtttt accgaaataa catcttcaaa aaaaaaaaaa aaaaaaaaaa 360
aaaaaaaaaa aaaaa 375

<210> 39
<211> 591
<212> DNA
<213> Homo sapiens

<400> 39
gttggcaaaa tatattttat ttgttcatac aaagaaatag tatgaattac cagaatttca 60
cttgccctaga aacatctttc tctgtgtaaa attaatgtgt gttatacata ggacaaaata 120
cttgatttaa tttttgtac atattggcta tcctaacatc caagttatcg aagacatact 180
gctagaattht gcacagtatt ttagattact tgggtgaatg agactcagtg ataaattaat 240
gtcacaaaag tgagaaaaca tctaaccaca cctttaagtt ttattggcca tcctcttgat 300
aagctgaaaa gtcacattag cttctgtgtc agcatcttag atacgtactg tttctagttt 360
attggaatct tccatthtcc ttttttaca aaatatctcg gaaggatctg aaactgtttc 420
tccaaatgtc taaaatatat ctgtcacaca aaatgacccc caaagagaat cctgggaaga 480
aaacaatttc tcctcctcca tcatccaatt aagtatttat taaacagtca ctatacttaa 540
aatacctttc caggtaccac ctactaagtt aacaaactac tgttcaaaca c 591

<210> 40
<211> 510
<212> DNA
<213> Homo sapiens

<400> 40
caggcatatt agctttaatg taggtggcga tgagtthtta ggccaaggaa ggaataatgt 60
tttatgtacc aaagccttht gtccccatth tccgtcatac gaatagtatt ccctgttgct 120
aagccgatga tacattaccc ttttcccata ggtgtgagtg gcggtctgaa tggagaagtt 180
caatagttht gattgcagat cctatgcagg agagataata aggaaaataa tctthtcttc 240
ctggattaag ctgaggctgg caaagagtga aatgtcccaa gccctctaac aacaaacgac 300

atacttttgtg ttgtcctgga tgctggtctg gttgccaaat atgtggaact ggccccatat 360
 gcggtgtactg ttgtccatth catgagagta ggctcgagga caccatgggc aaggatctga 420
 tgggtgccag cctaagcgth ttagacttht gaccagaga thtattgtth tgggtgtgga 480
 aaaaatthtc cagtgaaggg thtcaagata 510

<210> 41
 <211> 2387
 <212> DNA
 <213> Homo sapiens

<400> 41
 cctcgtgccg cggaccccag cctctgccag gttcggthcg ccatcctcgt cccgtcctcc 60
 gccggccccct gccccgcgc cagggatcct ccagctcctt tgcgccgcgc cctcgtthcg 120
 ctccggacac catggacaag thttggtggc acgcagcctg gggactctgc ctcgtgcgc 180
 tgagcctggc gcagatcgat ttgaatataa cctgccgctt tgcaggtgta thccacgtgg 240
 agaaaaatgg tgcgtacagc atctctcgga cggaggccgc tgacctctgc aaggctthca 300
 atagcacctt gccacaatg gccagatgg agaaagctct gagcatcgga thtgagacct 360
 gcaggtatgg gthcatagaa gggcatgtgg tgattccccg gatccacccc aactccatct 420
 gtgcagcaaa caacacaggg gtgtacatcc tcacatccaa cacctcccag tatgacacat 480
 attgctthca tgcttcagct ccacctgaag aagattgtac atcagtcaca gacctgcccc 540
 atgcctthga tggaccaatt accataacta thgttaaccg tgatggcacc cgctatgtcc 600
 agaaaggaga atacagaacg aatcctgaag acatctaccc cagcaaccct actgatgatg 660
 acgtgagcag cggctcctcc agtgaaagga gcagcacttc aggaggthac atctthtaca 720
 cctthtctac tgtacacccc atcccagacg aagacagtcc ctggatcacc gacagcacag 780
 acagaatccc tgctaccagt acgtctthca ataccatctc agcaggctgg gagccaaatg 840
 aagaaaatga agatgaaaga gacagacacc tcagththtc tggatcaggc attgatgatg 900
 atgaagatth tatctccagc accatthca ccacaccag ggctthtgac cacacaaaac 960
 agaaccagga ctggacccag tggaacccaa gccattcaaa tccggaagtg ctactthcaga 1020
 caaccacaag gatgactgat gtagacagaa atggcaccac tgctthtgaa ggaaactgga 1080
 acccagaagc acaccctccc ctcatthcacc atgagcatca tgaggaagaa gagacccccc 1140
 attctacaag cacaatccag gcaactccta gtagtacaac ggaagaaaca gctaccaga 1200
 aggaacagtg gthtggcaac agatggcatg agggatatcg ccaaacaccc agagaagact 1260

```

cccattcgac aacagggaca gctgcagcct cagctcatac cagccatcca atgcaaggaa 1320
ggacaacacc aagcccagag gacagttcct ggactgattt cttcaacca atctcacacc 1380
ccatgggacg aggtcatcaa gcaggaagaa ggatggatat ggactccagt catagtacaa 1440
cgcttcagcc tactgcaaat ccaaacacag gtttggtgga agatttggac aggacaggac 1500
ctctttcaat gacaacgcag cagagtaatt ctcatagcct ctctacatca catgaaggct 1560
tggaagaaga taaagaccat ccaacaactt ctactctgac atcaagcaat aggaatgatg 1620
tcacaggtgg aagaagagac ccaaatcatt ctgaaggctc aactacttta ctggaagggt 1680
atacctctca ttaccacac acgaaggaaa gcaggacctt catcccagtg acctcagcta 1740
agactgggtc ctttgaggtt actgcagtta ctgttgagga ttccaactct aatgtcaatc 1800
gttccttatac aggagaccaa gacacattcc accccagtg ggggtcccat accactcatg 1860
gatctgaatc agatggacac tcacatggga gtcaagaagg tggagcaaac acaacctctg 1920
gtcctataag gacaccccaa attccagaat ggctgatcat cttggcatcc ctcttggcct 1980
tggtttgat tcttgaggtt tgcattgcag tcaacagtcg aagaagggtg gggcagaaga 2040
aaaagctagt gatcaacagt ggcaatggag ctgtggagga cagaaagcca agtggactca 2100
acggagagggc cagcaagtct caggaaatgg tgcatttggg gaacaaggag tcgtcagaaa 2160
ctccagacca gtttatgaca gctgatgaga caaggaacct gcagaatgtg gacatgaaga 2220
ttgggggtgta acacctacac cattatcttg gaaagaaaca accgttggaa acataaccat 2280
tacagggagc tgggacactt aacagatgca atgtgctact gattgtttca ttgcgaatct 2340
tttttagcat aaaattttct actcttaaaa aaaaaaaaaa aaaaaaa 2387

```

```

<210> 42
<211> 738
<212> DNA
<213> Homo sapiens

```

```

<400> 42
atcaactttg atttgagtta gggcttagct catggttgaa gaaaagtgga aaataacaag 60
tgccatttta ggtttgaaga atccagaatg ttttaccttg tgactttatg agttatagaa 120
gctgggtttg gctctagggt tcatgttccc aaatgagcca tctgtcagta tattcactta 180
attcttacta atttcagttt ccgtgtaaag gaaacaagtt acatattgat gcttaaatacc 240
agaaagtgta aaagggttgt cttaaagtgt taaaatatag tgtctgatat aaaggatgta 300
agttactcag ctttgctgtc cctaagccaa acagtgttgt gtcttcagtg tgaagattta 360

```

atggtataaaa cgtactttgt aatgtcagag attatagatc atattattaa taaaatggac 420
 ctgggtctaa tatttttttt gcttaaaaaa aaagaatata tataaaaaac aacgtgtgcg 480
 cggcgagtgt ggccgctgga aaaagtttgc aaaccattc cttcgggggg ccgcggggcc 540
 caaattgttc aagtgaacca tgggctataa cgtcggtgcc aaaaggagac cgtggtcgaa 600
 cgactaagtg tgggttttgc tcaccataaa aaaacgcgcg ggggaaccgg gctttctgaa 660
 caatccaggt gggggttcgg agccacctgg actaccaag agtccagaag cgtatatacc 720
 ggcgcgggga ggggagga 738

<210> 43
 <211> 1648
 <212> DNA
 <213> Homo sapiens

<400> 43
 actctgcctc caaagccacc gtcccccca ggcaccactg catcccccaa ggggcggggtt 60
 cggaggaagg aggaggcaaa ggagagcccc agcgccgcag ggcccaggga caagagccag 120
 agcaagcgca gggccagtaa cgagaaggag tcagcagccc cagcctcacc ggcaccttcg 180
 ccggcgccct cgcccacccc agccccgccc cagaaggagc agccccccgc ggagaccctt 240
 acagacgctg ctgtcttgac ctcaccccca gcccctgctc ccccggtgac ccctagcaaa 300
 ccaatggccg gcaccacaga ccgagaagaa gccactcggc tcttggctga gaagcggcgc 360
 caggcccggg agcagcggga gcgcgaggag caggagcggga ggctgcaggc agaaagggac 420
 aagcgaatgc gagaggagca gctggcacgg gaggccgagg cccgggcgga gcgggaggcg 480
 gagggccgga ggcgggagga gcaggaggca cgagagaagg cgcaggccga gcaggaggag 540
 caggagcggc tgcagaagca gaaagaggag gccgaagctc ggtcgcggga agaggcggag 600
 cggcagcgtc tggagcggga aaagcacttc cagcagcagg agcaagagcg gcaagagcgc 660
 agaaagcgtc tggaggagat catgaagagg actcggaagt cagaagtctc tgaaaccaag 720
 aagcaggaca gcaaggaggc caacgccaac ggttccagcc cagagcctgt gaaagctgtg 780
 gaggctcggc ccccagggtt gcagaaggag gctgtgcaga aagaggagcc catcccacag 840
 gagcctcagt ggagtctccc aagcaaggag ttgccagcgt ccctggtgaa tggcctgcag 900
 cctctcccag cacaccagga gaatggcttc tccaccaacg gaccctctgg ggacaagagt 960
 ctgagccgaa caccagagac actcctgccc ttgagcagagg cagaagcctt cctcaagaaa 1020
 gctgtggtgc agtccccgca ggtcacagaa gtcctttaag agggtttgcc ttggatccgg 1080

gcacagttgt gagggctcct ctgcatcacc taccaggatg tctggaggag aaaaagacag 1140
aacaagatg gaagtggcct gggccctgg ggggtgggtcc tctctgttgt ttttaatctg 1200
caccttatag actgatgtct ctttggccgg agccagatct gcccctcagt gcattcgtgt 1260
gctcgcacgc gcagacatcc cttctcccc atacacacat atacactcac agcctctctg 1320
gcctcttccc ttggggaggg gccacctgta gtatttgcct tgatttggtg ggggtacagtg 1380
gatgtgaata ctgtaaatag cttgtgctca gactcctctg cgtggagagg gtgggtgcag 1440
gaggcagacc ctcccccaa agccccctgg ggagatcttc ctctctctat ttaactgtaa 1500
ctgaggggga tcccaggtct ggggatgggg gacaccttgg gccacaggat actggttgcct 1560
tcaggggtac ccatgcccc tgccctcgcc tggaatcagt gttactgcat ctgattaaat 1620
gtctccagaa ataaagaata attctgcc 1648

<210> 44
<211> 922
<212> DNA
<213> Homo sapiens

<400> 44
taggccccca aaatgatcgt agtacatgcc agtcatttct cagtgaata aatacaatac 60
cagagtacat tatgggtttt attgctttct tttatggtag acctgttaat ggggaaaaaa 120
tacatcaaat caaatagaat cttatatctg tatgttaaaa tagagcactt acctgaagtc 180
agtggcctgg atcatagccc tggatcattt cccagtcctgt cctgtgctgt gtgaccttgg 240
acaaggcgct tcatctctct gggcctctat ttctccattt gtaaaacaag tggctgcagt 300
agatgatggc tgagagccct tcctgttccc agatgccttg gtccaaagac cccacccctc 360
tgctggctct gccaacgtgt tgggtctata agctgcttca gatataaaat tggtttatct 420
ataatgtttg ttcatttaat agcttctaaa aggccttttg ttatacagtg ctttttttct 480
agttttatgg acttgattac tgtaataatg tcttgttttt agccatgtaa ctacaaacag 540
atattctctt gatgtcttag taaatttgca tttgatatat cattgatgag atttgtgtat 600
gtatatctct tggctacgca tctgtccagc atcttataac cataatactg tgatcattca 660
ttttggaaat atgtcctatg gaaagaataa aagcatgtac ttcacagtag catgttccac 720
agatttgcac gagttcatta aaagccctt gctttctgaa caaaaaaag ggggcgggtca 780
aagttcccga ggcccagtta gcgtcccggt tttgcaaagg gccttaggac gttaagagac 840
gcgggtacac ctgggaaggg tgggtgggac cccggtggac ggacccgaga ccggaaggta 900

ggggtgtcgg ggtcgtaacg gg

922

<210> 45
 <211> 1573
 <212> DNA
 <213> Homo sapiens

<400> 45
 gagcatgaat ctgaatatgg ggagagagat gaaagaagag ctggaggaag aggagaaaat 60
 gagagaggat gggggaggta aagatcgggc caagagtaaa aaggtccaca ggattgtctc 120
 aaaatggatg ctgcccgaag agtcccagg aacatacttg gagagagcta actgcttccc 180
 gcctcccgtg ttcattcatc ccatcagcct ggccgagctg gcagtgttta tttactatgc 240
 tgtgtggaag cctcagaaac agtggatcac gttggacaca ggcattcttg agagtcctt 300
 tatctacagt cctgagaaga gggaggaagc ctggagggtt atctcataca tgctggtaca 360
 tgctggagtt cagcacatct tggggaatct ttgtatgcag cttgttttgg gtattccctt 420
 ggaaatggtc cacaaggcc tccgtgtggg gctgggtgtac ctggcaggag tgattgcagg 480
 gtcccttgcc agctccatct ttgaccact cagatatctt gtgggagctt caggaggagt 540
 ctatgctctg atgggaggct attttatgaa tgttctggtg aattttcaag aaatgattcc 600
 tgcccttgga attttcagac tgctgatcat catcctgata attgtgttgg acatgggatt 660
 tgctctctat agaagggtct ttgttctga agatgggtct ccggtgtctt ttgcagctca 720
 cattgcaggg ggatttgctg gaatgtccat tggctacacg gtgttttagct gctttgataa 780
 agcactgctg aaagatccaa ggttttgat agcaattgct gcatatttag cttgtgtctt 840
 atttgctgtg tttttcaaca ttttcctatc tccagcaaac tgacctgcc ctattgtaag 900
 tcaattaata aaaagagcca tctggaggaa ataaaaaaaaa aaggaagact ctatgaagaa 960
 acagagaagt ctcagaaaag gctaacaatt ttatatagag gacaaaacag cattaaactc 1020
 atcagttgca aagattgcct ataaaaggac cttaggattt aaggaagggg cttcttaatg 1080
 tagaaaggga actacaaaga tgagaaatta ccagaagcct cgccttttcc taagcaccag 1140
 cggaaggagc tgtgccccgg gatggagtga ggggtggagg cgcgtcagcc acgggtgggc 1200
 cttgtgtcgc ctctatcgg ccaggtagg ttgttgccct cttaactggg ctgacctgac 1260
 ccccgaaaga gaaacagaca actctgttct caggattggg gatggacggc ttcggccaag 1320
 cgttttagcc tcattcactc aggccact cagcactctg ccagccaaga ccattgattt 1380
 ggaaaatccg gtccccaccc gctaattgagc tgttgacact gttgttctt gctgaattgg 1440

attgttgact tgtagttcag aggcgtacaa ctagttggcg attagacttg ttatgtgatg 1500
 ttaccagcct gaaatgcgat cccccgtag gaaataaagc aggcattctct ggacctcaaa 1560
 aaaaaaaaaa aaa 1573

<210> 46
 <211> 478
 <212> DNA
 <213> Homo sapiens

<400> 46
 ttgacgctca aaccattttt atttccaata tgtatttcaa tacatgtttg tttccacttt 60
 tcccagtgcc acacacacac acacacaaaa acaaaacaaa acaaaaaaaaa acagtcacaa 120
 gttggattac attagaattg gtgccacagt taacttttta aaagcatttt aataaccacc 180
 caactcttag attttgcagt ttagggactt caagttcaga accaaaaagc agagaatcgt 240
 ttcattgtgac atgatgtttc tatagacctc ttgctctcta ggtgacaatg cagagccagg 300
 gcaaagggtgt ttaagctttg tcaccttcca cagctttgtg gccacattca tatttagata 360
 agctcggact ctgctccctt cttctggaga tggggagagg caagtgtgta tgtgttgtca 420
 tacttactgc attaattctt cactcgaacc gtttacatca gcgaataaac ccattgtt 478

<210> 47
 <211> 3059
 <212> DNA
 <213> Homo sapiens

<400> 47
 gttcgggtgggt gtcccgggtgc agccacgcga gagtagaagg gtggaaaggg gaggtgcccc 60
 gtgaaatgga gcctgtcccg tgcactttcg ggcatttcga gcatcttgtg ggctctccca 120
 agtcgcggcc cctcctctga gagccacagt caggtctgtc ctcaggggtc gaggcggctg 180
 cgctggggcc tcggcccggg aggaggcggg gggcacggcc tttccatttt ccctgctccc 240
 ctctgcagaa gcctcatagg gcccggcgcg gcggctcacg cctgtcattc ccagcgcttt 300
 gggcggattg ggtaggagga ttacttgagg ccaggagtgc aagaccaggc agggcaacat 360
 agggagaccc ccccccaac catctctaata ggaaaaaaaa aaaaaagtct ccacatccag 420
 cgttgtgcct tttctctata aggaacagca tctctgcctt cctgttcacg gtgaccttcg 480
 cttggtgtcc tcctggcctc agcaacctga caattctgtc gtgtcccag agatggctaa 540
 tgaatggcgc ttgatgacag atgagtaatg cctgttctg aaagattgac gatcatcttt 600
 ctcaagatgt tttctgtctt catgagtcaa aatttgaaga ggaaaggatg gtggctgggt 660

ggttgacaaa ttactctcag gactcagtga cctttgagga tgtggctgtg gacttcaccc	720
aggaggagtg gactttgctg gatcaaactc agagaaactt atacagagat gtgatgctgg	780
agaactataa gaatctagtt gcagtagatt gggagagtca tattaatacc aaatggctcag	840
cacctcagca gaattttttg caggggaaaa catccagtgt ggtggaaatg gagagaaacc	900
attttgagaga ggaactgttt gactttaacc aatgtgaaaa agccttgagt gaacactcat	960
gccttaagac tcacaggaga acttacttta gaaagaaaac ctgtgagtgt aatcaatgtg	1020
aaaaagcctt cagaaaaccc tctatcttta ctttacacaa gaaaactgat atcggagagg	1080
aacttcctaa ctgtaatcaa tgtgaaacag ccttcagcca acatctacat cttgtttgca	1140
agaaaactag ccaaaatcta catcttgttt gcaagaaaac tcacactcaa gagaaaccat	1200
ataaatgcag tgactgtgaa aaaggcttac cttcctcctc acacctcaga gaatgtgtaa	1260
gaatttatgg tggagagaga ccatatactc ataaggagta tgtcgaaacc ttttctcatt	1320
ctacagccct tttgtacac atgcaaactc aagatggaga aaaattctat gaatgtaaag	1380
catgtgggaa acccttcact gagtcgtcat atcttactca acatttaaga actcatagta	1440
gagtgttacc tatagaacat aagaaatttg gcaaagcctt tgctttttcc ccagatcttg	1500
ctaaacatat aagacttaga actagaggaa aacactatgt ttgtaatgaa tgtggcaaaag	1560
aatttacttg tttctcaaaa ctcaacattc acataagggt tcacactgga gaaaaaccgt	1620
atgagtgcaa caaatgtggg aaagccttca ctgattcatc aggtcttata aaacacaggc	1680
gaactcacac tggagaaaag ccttatgaat gtaaggaatg tgggaaagct tttgctaact	1740
cttcacatct tactgtacat atgagaactc acactggtga gaagccttat caatgtaagg	1800
aatgtggaaa agcctttatt aattcctctt cctttaaaag tcacatgcag actcatcctg	1860
gtgtaaaacc ctatgactgt caacagtgtg ggaaagcctt cattcgatcc tcattttctta	1920
ttcgacattt gagaagtcac agtgcagaaa ggccttttga atgtgaggaa tgtgggaaag	1980
cctttagata ctctcgcac cttagtcaac ataaaagaat acatacaggg gagaggccat	2040
ataaatgtca aaagtgtggg caagccttca gtatctcatc aggccttaca gtacacatga	2100
gaactcacac tgggtgaacgg ccctttgaat gtcaggaatg tgggaaagcc tttactcgg	2160
ccacatatct tattcgacat ctaagaagtc atagtgtgga gaaaccatat aaggaatgtg	2220
ggcaaaccct tagtaattcc tcatgcctta ctgaatgtgt gtgaattggg gctgatactt	2280
ggaaagaatg tggtaaagcc actacttcct cacacttact gaacatgtac tcattcatag	2340

tggcaatgta	cacagtcata	aggaatgtgg	gaagccttcc	ttggtgtctc	agatcttaac	2400
aattccaata	gaagagaaga	catatgaatg	taaggaatgt	gggaaaatct	tggctccttc	2460
cataggcctt	actattcatg	tgtctgtgca	tcctaggaaa	caaactgaac	gtaggaaacc	2520
tgtcgatgct	tacatcttac	tgagtctgtt	tgaactcatg	ctggagagaa	atgctatgaa	2580
tgtgaggaag	gtggaaaagc	tttcattatt	ttcctcgggc	cttactgagc	ttgtgagcac	2640
attggatata	aatgcacgtc	ctctggctgt	aaggaatgtg	ttgaaacctt	tcactctgcc	2700
ttatacctta	atattcagct	gtgatctcac	aagtgtgaaa	aatcttatga	atgtaaaatg	2760
tgtggagatt	cttctttgtt	tttagcttcc	actttgggaa	catgtcaaag	cacacattga	2820
gaagtcccat	gagtgaagaa	gatgttggaa	agcccttgaa	cttggtcgtt	aggaaacatc	2880
cacactgaag	aggaacctga	ctgtatggaa	ggtcaaaaag	gctgtattaa	tttacetgca	2940
aaaagtcaca	ctagaggaat	gccatatcag	aatgcttttg	gtaaataatac	atgttttaaa	3000
gagggttatat	atcattaata	aaaatatcta	gctgggtctga	aaaaaaaaaa	aaaaaaaaaa	3059

<210> 48
 <211> 3667
 <212> DNA
 <213> Homo sapiens

<400> 48						
tatatcatgt	aagctagtca	cacctatttg	aattcaacttt	tctttgtttc	ttgatttctt	60
atggctatta	ttgcaacaat	caaacaaatt	ttgaatacct	tttgtgagct	agcactgtgg	120
aaatatgagg	gaagtttatt	gtgttcttac	tttaaatagt	ttgcagtttt	attgtgtata	180
caaatgtatg	catgtgaaat	atacagattt	taaaaaagca	gatcattaaa	gattaggtca	240
taagggtgtag	tctgtacatg	gaggaagagc	taagttgatt	cagaataaca	tgggttagatt	300
tcgaagctag	cctggatttg	aatcttggat	ccaccactga	ctagctatgt	aagcttagtc	360
aagcaactca	acggaggagg	cgaggagcgc	cgggtaccgg	gccgggggag	ccgcgggctc	420
tcggggaaga	gacggatgat	gaacaagctt	tacatcggga	acctgagccc	cgccgtcacc	480
gccgacgacc	tccggcagct	ctttggggac	aggaagctgc	ccctggcggg	acaggtcctg	540
ctgaagtccg	gctacgcctt	cgtggactac	cccgaccaga	actgggcat	ccgcgccatc	600
gagaccctct	cgggtaaagt	ggaattgcat	gggaaaatca	tggaagttga	ttactcagtc	660
tctaaaaagc	taaggagcag	gaaaattcag	attcgaaaca	tccctcctca	cctgcagtgg	720
gagggtgttg	atggactttt	ggctcaatat	gggacagtgg	agaatgtgga	acaagtcaac	780

acagacacag	aaaccgccgt	tgtcaacgtc	acatatgcaa	caagagaaga	agcaaaaata	840
gccatggaga	agctaagcgg	gcatacagttt	gagaactact	ccttcaagat	ttcctacatc	900
ccggatgaag	aggtgagctc	cccttcgccc	cctcagcgag	cccagcgtgg	ggaccactct	960
tcccgggagc	aaggccacgc	ccctgggggc	acttctcagg	ccagacagat	tgatttcccg	1020
ctgcggatcc	tgggtccccc	ccagtttgtt	gggtgcatca	tcggaaagga	gggcttgacc	1080
ataaagaaca	tcactaagca	gacccagtc	cgggtagata	tccatagaaa	agagaactct	1140
ggagctgcag	agaagcctgt	caccatccat	gccaccccag	aggggacttc	tgaagcatgc	1200
cgcatacttc	ttgaaatcat	gcagaaagag	gcagatgaga	ccaaactagc	cgaagagatt	1260
cctctgaaaa	tcttggcaca	caatggcttg	gttggaagac	tgattggaaa	agaaggcaga	1320
aatttgaaga	aaattgaaca	tgaaacaggg	accaagataa	caatctcatc	tttgcaggat	1380
ttgagcatat	acaaccggga	aagaaccatc	actgtgaagg	gcacagttga	ggcctgtgcc	1440
agtgtctgaga	tagagattat	gaagaagctg	cgtgaggcct	ttgaaaatga	tatgtctggct	1500
gttaacaccc	actccggata	cttctccagc	ctgtaccccc	atcaccagtt	tggcccgttc	1560
ccgcatactc	actcttatcc	agagcaggag	attgtgaatc	tcttcatccc	aaccagggt	1620
gtgggcgcca	tcatcgggaa	gaagggggca	cacatcaaac	agctggcgag	attcgccgga	1680
gcctctatca	agattgcccc	tgcggaaggc	ccagacgtca	gcgaaaggat	ggatcatcatc	1740
accggggccac	cggaagccca	gttcaaggcc	cagggaacgga	tctttgggaa	actgaaagag	1800
gaaaacttct	ttaaccccaa	agaagaagtg	aagctggaag	cgcataatcag	agtgcctct	1860
tccacagctg	gccgggtgat	tggcaaagg	ggcaagaccg	tgaacgaact	gcagaactta	1920
accagtgcag	aagtcatact	gcctcgtgac	caaacgccag	atgaaaatga	ggaagtgate	1980
gtcagaatta	tcgggcactt	ctttgctagc	cagactgcac	agcgcaagat	cagggaaatt	2040
gtacaacagg	tgaagcagca	ggagcagaaa	taccctcagg	gagtcgcctc	acagcgcagc	2100
aagtgaggct	cccacaggca	ccagcaaac	aacggatgaa	tgtagccctt	ccaacacctg	2160
acagaatgag	accaaagcga	gccagccaga	tcgggagcaa	accaaagacc	atctgaggaa	2220
tgagaagtct	gcggaggcgg	ccagggaactc	tgccgaggcc	ctgagaaccc	caggggcccga	2280
ggagggggcgg	ggaaggctcag	ccaggtttgc	cagaaccacc	gagccccgcc	tcccgccccc	2340
cagggttct	gcaggcttca	gccatccact	tcaccatcca	ctcgatctc	tctgaactc	2400
ccacgacgct	atccctttta	gttgaactaa	catagggtgaa	cgtgttcaaa	gccaaagcaa	2460
atgcacaccc	tttttctgtg	gcaaatacgtc	tctgtacatg	tgtgtacata	ttagaaagg	2520

```

aagatgttaa gatatgtggc ctgtgggtta cacaggggtgc ctgcagcggc aatatatattt 2580
agaaataata tatcaaataa ctcaactaac tccaattttt aatcaattat taattttttt 2640
ttcttttttaa agagaaaagca ggctttttcta gacttttaaag aataaagtct ttgggagggtc 2700
tcacgggtgta gagaggagct ttgaggccac ccgcacaaaaa ttcacccaga gggaaatctc 2760
gtcggaagga cactcacggc agttctggat cacctgtgta tgtcaacaga agggataccg 2820
tctccttgaa gaggaaactc tgtcactcct catgcctgtc tagctcatat acccatttct 2880
ctttgcttca caggttttta actgggtttt tgcatactgc tatataattc tctgtctctc 2940
tctgtttatc tctccctcc ctcctctccc ctctctctcc atctccattc ttttgaattt 3000
cctcatccct ccatctcaat ccggtatcta cgcaccccc cccccaggc aaagcagtgc 3060
tctgagtatc acatcacaca aaaggaacaa aagcgaaaca cacaaccag cctcaactta 3120
cacttggtta ctcaaaagaa caagagtcaa tgggtacttgt cctagcggtt tggaagagga 3180
aaacaggaac ccaccaaacc aaccaatcaa ccaaacaag aaaaaattcc acaatgaaag 3240
aatgtatttt gtctttttgc attttggtgt ataagccatc aatattcagc aaaatgattc 3300
ctttctttta aaaaaaaaaa tgtggaggaa agtagaaatt taccaagggt gttggccag 3360
ggcgtaaat tcacagattt ttttaacgag aaaaacacac agaagaagct acctcagggtg 3420
tttttacctc agcaccttga tcttggtgtt cccttagaga ttttgtaaag ctgatagttg 3480
gagcattttt ttattttttt aataaaaatg agttggaaaa aaaataagat atcaactgcc 3540
agcctggaga aggtgacagt ccaagtgtgc aacagctgtt ctgaattgtc ttccgctagc 3600
caagaaccta tatggccttc ttttgacaaa accttgaaaa tgtttattta aaaaaaaaaa 3660
aaaaaaaaa 3667

```

```

<210> 49
<211> 1682
<212> DNA
<213> Homo sapiens

```

```

<400> 49
cctgctgagg ccaagctcgg atccggtgcc gagccaagcg gggccgtgcg tcgccggcct 60
tcgctcgcgt gacctccgcc gtccctccca accctcgtcc tctgcgcctg cggccgcagc 120
cccagcgccc ctgcctaacc ctcccgccgg gccgcgcctc ctccctcctc tgcctcccgc 180
cgcttccggt tctcgaggga aaggctgctg cctcctgctc tgcctcctc cccggcttag 240
ctgacggccc agaggtgggt gccaatcca ccagcagctg caactgaaaa gcaaggttca 300

```

```

gaaatgtcag atatcctccg ggagctgctc tgtgtctctg agaaggctgc taacattgcc 360
cgggcgtgca gacagcagga agccctcttc cagctgctga tcgaagaaaa gaaagagggga 420
gaaaagaaca agaagtttgc agttgacttc aagactctgg ctgatgtact ggtacaggaa 480
gttataaaac agaatatgga gaacaagttt ccaggcttgg aaaaaaatat ttttggagaa 540
gaatccaatg agtttactaa tgactggggg gaaaagatta ccttgagggt gtgttcaaca 600
gaggaagaaa cagcagagct tcttagcaaa gtcctcaatg gtaacaaggt agcatctgaa 660
gcattagcca ggggtgttca tcaggatgtt gcctttactg acccaactct ggattccaca 720
gagatcaatg ttccacagga cattttggga atttgggtgg accccataga ttcaacttat 780
cagtataata aagggttctgc tgacattaaa tccaaccagg gaatcttccc ctgtggactt 840
cagtgtgtca ccattttaat tgggtgtctat gacatacaga caggggttcc cctgatggga 900
gtcatcaatc aaccttttgt gtcacgagat ccaaaccacc tcagggtggaa aggacagtgc 960
tattggggcc tttcttacat ggggaccaac atgcattcac tacagctcac catctctaga 1020
agaaacggca gtgaaacaca cactggaaac accggctctg aggcagcatt ctccccagt 1080
ttttcagccg taattagtag aagtgaaaag gagactatca aagctgcatt gtcacgtgtg 1140
tgtggagatc gcatatttgg ggcagctggg gctgggtata agagcctatg tgttgtccaa 1200
ggcctcgttg acattttacat cttttcagaa gataccacat tcaaattggga ctcttgtgct 1260
gctcatgcc a tactgcgggc catgggtggg ggaatagtag acttgaaaga atgcttagaa 1320
agaaatccag aaacagggct tgatttgcca cagttggtgt accacgtgga aaatgaggggt 1380
gctgctgggg tggatcggtg ggccaacaag ggaggactca ttgcatacag atccaggaag 1440
cggctggaga cattcctgag cctcctggtc caaacctgg cacctgcaga gacgcatacc 1500
tagaggaact ctaaccccgg tgtacctgta taaactgaac tgtgaaactg tttcggttat 1560
ctctgtcttt tgaggatggc tttgtcctgt tgctgggttaa cattcacctt cctcttttga 1620
ggagtatttt tccattatgt attcataata atgttaattt caataaatga cattcatgca 1680
gc 1682

```

<210> 50
 <211> 734
 <212> DNA
 <213> Homo sapiens

<400> 50
 agccaattgc ccaattttcta ccctaattcca aagtccttgg tgtgggtggg gttaaactgt 60

```

ctggtgcatc ctaggtcatc caagagtgag cgccaagtcc tgagaagggg cacagaactc 120
cctggagggt ggagatggag cacctgcccc ccatggcagg gtacactctc cccacagcct 180
tcctccccac catcccggtg ggactctcgg gatttaagca ctcgtctctc tgggagggcc 240
agacccccact ccatttatag gcacatctcc ttcatttcct aggtcactgc ccctttgttt 300
acagctcctg cctcctccct tgaccacagc ctggtttaca aattccatca gctcccagcc 360
ccacctgcca aagtcccagg tttaacaagc acgcttactt gctgtgtctg cgtggaattc 420
tctcctctgt cccctccagt ctctcattg gagtgcctg aagggtgtggc ttctccact 480
ttttctcagt attactttgc cttagttttc cccaagaggg aaggctggaa ctcttaactc 540
tgtaccctt gatagttatt taattctgtt tctcctagt gttcacaatt gaactgaatt 600
gagatggtgt cgggtggcta aggagacacc tactctcct tccccattgt gccgctttat 660
caattgcctg tttgtgtgtc gttctaactt ccattataaa tggagtctct tcagcaagag 720
caagaaaaaa aaag 734

```

```

<210> 51
<211> 5306
<212> DNA
<213> Homo sapiens

```

```

<400> 51
cggggcaggc tgctcccggt gtaggtgagg gaagcgcgga ggccggcgcc gggggcagtg 60
gtcggcgagc agcgcgggtc tcgctagggg cgcccacccg tcagtctctc cggcgcgagc 120
cgccgccacc gccgcgcggt gagtcaggcc cctgggcccc caggctcaag cagcgaagcg 180
gcctccgggg gacgccgcta ggcgagagga acgcgcgggt gcccttgctt tcgccgtgac 240
ccagcgtgct ggcggcgagg tgagagggag ccatcgggcc gcgcgggccc tgcggccccg 300
ggggcggtct tggcccgtgc tggccgtgct ggccggcgcc gccgcggcgg gctgtgcccc 360
ggcagccatg gacgagtga cggacgaggg cgggcggccg cagcgtgca tgcgcgagtt 420
cgtcaacgcc gctttcaacg tgactgtggt ggccaccaac acgtgtggga ctccgcccga 480
ggaatactgt gtgcagaccg gggtgaccgg ggtcaccaag tcctgtcacc tgtgcgagcg 540
cgggcagccc cacctgcagc acggggcagc cttcctgacc gactacaaca accaggccga 600
caccacctgg tggcaaagcc agaccatgct ggccgggggt cagtaccca gctccatcaa 660
cctcacgctg cacctgggaa aagcttttga catcacctat gtgcgtctca agttccacac 720
cagccgcccc gagagctttg ccatttataa gcgcacacgg gaagacgggc cctggattcc 780

```


ttaccagtac	tacagtgggt	cctgcgagaa	cacctactcc	aaggcaaacc	gcggcttcat	840
caggacagga	ggggacgagc	agcaggcctt	gtgtactgat	gaattcagtg	acatttctcc	900
cctcactggg	ggcaacgtgg	ccttttctac	cctggaagga	aggcccagcg	cctataactt	960
tgacaatagc	cctgtgctgc	aggaatgggt	aactgccact	gacatcagag	taactcttaa	1020
tcgcctgaac	acttttggag	atgaagtgtt	taacgatccc	aaagttctca	agtcctatta	1080
ttatgccatc	tctgattttg	ctgtaggtgg	cagatgtaaa	tgtaatggac	acgcaagcga	1140
gtgtatgaag	aacgaatttg	ataagctggt	gtgtaattgc	aaacataaca	catatggagt	1200
agactgtgaa	aagtgtcttc	ctttcttcaa	tgaccggccg	tggaggaggg	caactgcgga	1260
aagtgccagt	gaatgcctgc	cctgtgattg	caatggctga	tcccaggaat	gctacttcga	1320
ccctgaactc	tatcgttcca	ctggccatgg	gggccactgt	accaactgcc	aggataacac	1380
agatggcgcc	cactgtgaga	ggtgccgaga	gaacttcttc	cgccttggca	acaatgaagc	1440
ctgctcttca	tgccactgta	gtcctgtggg	ctctctaagc	acacagtgtg	atagttacgg	1500
cagatgcagc	tgtaagccag	gagtgatggg	ggacaaatgt	gaccgttgcc	agcctggatt	1560
ccattctctc	actgaagcag	gatgcaggcc	atgctcttgt	gatccctctg	gcagcataga	1620
tgaatgtaat	gttgaaacag	gaagatgtgt	ttgcaaagac	aatgtcgaag	gcttcaattg	1680
tgaaagatgc	aaacctggat	tttttaatct	ggaatcatct	aatcctcggg	gttgcacacc	1740
ctgcttctgc	tttgggcatt	cttctgtctg	tacaaacgct	gttggctaca	gtgtttattc	1800
tatctcctct	acctttcaga	ttgatgagga	tgggtggcgt	gcggaacaga	gagatggctc	1860
tgaagcatct	ctcgagtggg	cctctgagag	gcaagatatc	gccgtgatct	cagacagcta	1920
ctttcctcgg	tacttcattg	ctcctgcaaa	gttcttgggc	aagcaggtgt	tgagttatgg	1980
tcagaacctc	tccttctcct	ttcgagtgga	caggcgagat	actcgctctc	ctgccgaaga	2040
ccttgtgctt	gagggagctg	gcttaagagt	atctgtaccc	ttgatcgctc	agggcaattc	2100
ctatccaagt	gagaccactg	tgaagtatgt	cttcaggctc	catgaagcaa	cagattaccc	2160
ttggaggcct	gctcttacct	cttttgaatt	tcagaagctc	ctaaacaact	tgacctctat	2220
caagatacgt	gggacataca	gtgagagaag	tgctggatat	ttggatgatg	tcaccctggc	2280
aagtgctcgt	cctgggcctg	gagtccttgc	aacttgggtg	gagtcctgca	cctgtcctgt	2340
gggatatgga	gggcagtttt	gtgagatgtg	cctctcaggt	tacagaagag	aaactcctaa	2400
tcttggacca	tacagtccat	gtgtgctttg	cgcctgcaat	ggacacagcg	agacctgtga	2460

tcctgagaca	gggtgtttgta	actgcagaga	caatacggct	ggccccgact	gtgagaagtg	2520
cagtgatggg	tactatggag	attcaactgc	aggcacctcc	tccgattgcc	aaccctgtcc	2580
gtgtcctgga	ggttcaagtt	gtgctgttgt	tcccaagaca	aaggagggtg	tgtgcaccaa	2640
ctgtcctact	ggcaccactg	gtaagagatg	tgagctctgt	gatgatggct	actttggaga	2700
ccccctgggt	agaaacggcc	ctgtgagact	ttgccgcctg	tgccagtgca	gtgacaacat	2760
cgatcccaac	gcagttggaa	attgcaatcg	cttgacggga	gaatgcctga	agtgcaccta	2820
taacactgct	ggcttctatt	gtgaccgggtg	caaagacgga	tttttttgaa	atccccctggc	2880
tcccaatcca	gcagacaaat	gcaaagcctg	caattgcaat	ccgtatggga	ccatgaagca	2940
gcagagcagc	tgttaacccc	tgacggggca	gtgtgaatgt	ttgcctcacg	tgactggcca	3000
ggactgtggt	gcttgtgacc	ctggattcta	caatctgcag	agtgggcaag	gctgtgagag	3060
gtgtgactgc	catgccttgg	gctccaccaa	tgggcagtgt	gacatccgca	ccggccagtg	3120
tgagtgccag	cccggcatca	ctggtcagca	ctgtgagcgc	tgtgagggtca	accactttgg	3180
gtttggacct	gaaggctgca	aaccctgtga	ctgtcatcct	gagggatctc	tttcaacttca	3240
gtgcaaagat	gatggtcgct	gtgaatgcag	agaaggcttt	gtgggaaatc	gctgtgacca	3300
gtgtgaagaa	aactatttct	acaatcggtc	ttggcctggc	tgccaggaat	gtccagcttg	3360
ttaccggctg	gtaaaggata	aggttgctga	tcatagagtg	aagctccagg	aattagagag	3420
tctcatagca	aaccttgga	ctggggatga	gatggtgaca	gatcaagcct	tcgaggatag	3480
actaaaggaa	gcagagaggg	aagttatgga	cctccttcgt	gaggcccagg	atgtcaaaga	3540
tgttgaccag	aatttgatgg	atgcctaca	gagagtgaat	aacactctgt	ccagccaaat	3600
tagccgttta	cagaatatcc	ggaataccat	tgaagagact	ggaaacttgg	ctgaacaagc	3660
gcgtgcccac	gtagagaaca	cagagcgggt	gattgaaatc	gcatccagag	aacttgagaa	3720
agcaaaagtc	gctgctgcca	atgtgtcagt	cactcagcca	gaatctacag	gggacccaaa	3780
caacatgact	cttttggcag	aagaggctcg	aaagcttgct	gaacgtcata	aacaggaagc	3840
tgatgacatt	gttcgagtgg	caaagacagc	caatgatacg	tcaactgagg	catacaacct	3900
gcttctgagg	acactggcag	gagaaaatca	aacagcattt	gagattgaag	agcttaatag	3960
gaagtatgaa	caagcgaaga	acatctcaca	ggatctggaa	aaacaagctg	cccagagtaca	4020
tgaggaggcc	aaaagggccg	gtgacaaaagc	tgtggagatc	tatgccagcg	tggctcagct	4080
gagccctttg	gactctgaga	cactggagaa	tgaagcaa	aacataaaga	tggaagctga	4140
gaatctggaa	caactgattg	accagaaatt	aaaagattat	gaggacctca	gagaagatat	4200

gagagggaag gaacttgaag tcaagaacct tctggagaaa ggcaagactg aacagcagac 4260
 cgcagaccaa ctccctagccc gagctgatgc tgccaaggcc ctcgctgaag aagctgcaaa 4320
 gaagggacgg gataccttac aagaagctaa tgacattctc aacaacctga aagattttga 4380
 taggcgcgtg aacgataaca agacggccgc agaggaggca ctaaggaaga ttccctgccat 4440
 caaccagacc atcactgaag ccaatgaaaa gaccagagaa gccagcagg ccctgggcag 4500
 tgctgcggcg gatgccacag aggccaagaa caaggcccat gaggcggaga ggatcgcaag 4560
 cgctgtccaa aagaatgcca ccagcaccaa ggcagaagct gaaagaactt ttgcagaagt 4620
 tacagatctg gataatgagg tgaacaatat gttgaagcaa ctgcaggaag cagaaaaaga 4680
 gctaaagaga aaacaagatg acgctgacca ggacatgatg atggcaggga tggcttcaca 4740
 ggctgctcaa gaagccgaga tcaatgccag aaaagccaaa aactctgtta ctagcctcct 4800
 cagcattatt aatgacctct tggagcagct ggggcagctg gatacagtgg acctgaataa 4860
 gctaaacgag attgaaggca ccctaaacaa agccaaagat gaaatgaagg tcagcgatct 4920
 tgataggaaa gtgtctgacc tggagaatga agccaagaag caggaggctg ccatcatgga 4980
 ctataaccga gatatcgagg agatcatgaa ggacattcgc aatctggagg acatcaggaa 5040
 gaccttacca tctggctgct tcaacacccc gtccattgaa aagccctagt gtcttttaggg 5100
 ctggaaggca gcatccctct gacagggggg cagttgtgag gccacagagt gccttgacac 5160
 aaagattaca tttttcagac cccactcct ctgctgctgt ccatcactgt ccttttgaac 5220
 caggaaaagt cacagagttt aaagagaagc aaattaaaca tcctgaatcg ggaacaaagg 5280
 gttttatcta ataaagtgtc tcttcc 5306

<210> 52
 <211> 4620
 <212> DNA
 <213> Homo sapiens

<400> 52
 cgcctcgcc gcccgcgccg ccccgagcgc tttgtgagca gatgcggagc cgagtggagg 60
 gcgcgagcca gatgcggggc gacagctgac ttgctgagag gaggcgggga ggcgcggagc 120
 gcgcgtgtgg tccttgccgc gctgaattct ccaactggctc ctgggcaccg aaagataaac 180
 ctctcataat gaaggccccc gctgtgcttg cacctggcat cctcgtgctc ctgtttacct 240
 tgggtgcagag gagcaatggg gagtgtaaag aggcactagc aaagtccgag atgaatgtga 300
 atatgaagta tcagcttccc aacttcaccg cggaacacc catccagaat gtcattctac 360

atgagcatca catttttcctt ggtgccacta actacattta tgttttaaat gaggaagacc	420
ttcagaaggt tgctgagtac aagactgggc ctgtgctgga acaccagat tgtttcccat	480
gtcaggactg cagcagcaaa gccaatttat caggaggtgt ttggaaagat aacatcaaca	540
tggctctagt tgtcgacacc tactatgatg atcaactcat tagctgtggc agcgtcaaca	600
gagggacctg ccagcgacat gtctttcccc acaatcatac tgctgacata cagtcggagg	660
ttcactgcat attctcccca cagatagaag agcccagcca gtgtcctgac tgtgtggtga	720
gcgccttggg agccaaagtc ctttcatctg taaaggaccg gttcatcaac ttctttgtag	780
gcaataccat aaattcttct tatttccag atcatccatt gcattcgata tcagtgagaa	840
ggctaaagga aacgaaagat ggttttatgt ttttgacgga ccagtcctac attgatgttt	900
tacctgagtt cagagattct taccocatta agtatgtcca tgcctttgaa agcaacaatt	960
ttatttactt cttgacggtc caaagggaaa ctctagatgc tcagactttt cacacaagaa	1020
taatcaggtt ctgttccata aactctggat tgcattccta catggaaatg cctctggagt	1080
gtattctcac agaaaagaga aaaaagagat ccacaaagaa ggaagtgttt aatatacttc	1140
aggetgcgta tgtcagcaag cctggggccc agcttgctag acaaatagga gccagcctga	1200
atgatgacat tcttttcggg gtgttcgcac aaagcaagcc agattctgcc gaaccaatgg	1260
atcgatctgc catgtgtgca ttccctatca aatatgtcaa cgacttcttc aacaagatcg	1320
tcaacaaaaa caatgtgaga tgtctccagc atttttacgg acccaatcat gagcactgct	1380
ttaataggac acttctgaga aattcatcag gctgtgaagc gcgccgtgat gaatatcgaa	1440
cagagtttac cacagctttg cagcgcgttg acttattcat gggccaattc agcgaagtcc	1500
tcttaacatc tatatccacc ttcattaaag gagacctcac catagctaatt cttgggacat	1560
cagagggctg cttcatgcag gttgtggttt ctcgatcagg accatcaacc cctcatgtga	1620
attttctcct ggactcccat ccagtgtctc cagaagtgat tgtggagcat acattaaacc	1680
aaaatggcta cacactgggt atcactggga agaagatcac gaagatccca ttgaatggct	1740
tgggctgcag acatttccag tctgcagtc aatgcctctc tgccccaccc tttgttcagt	1800
gtggctggtg ccacgacaaa tgtgtgcgat cggaggaatg cctgagcggg acatggactc	1860
aacagatctg tctgcctgca atctacaagg ttttcccaaa tagtgcaccc cttgaaggag	1920
ggacaaggct gaccatatgt ggctgggact ttggatttcg gaggaataat aaatttgatt	1980
taaagaaaac tagagttctc cttggaaatg agagctgcac cttgacttta agtgagagca	2040

cgatgaatac attgaaatgc acagttgggc ctgccatgaa taagcatttc aatatgtcca	2100
taattatttc aaatggccac gggacaacac aatacagtac attctcctat gtggatcctg	2160
taataacaag tatttcgccg aaatacgggc ctatggctgg tggcacttta cttactttaa	2220
ctggaaatta cctaaacagt gggaattcta gacacatttc aattgggtgga aaaacatgta	2280
ctttaaaaag tgtgtcaaac agtattcttg aatgttatac ccagcccaa accatttcaa	2340
ctgagtttgc tgttaaattg aaaattgact tagccaaccg agagacaagc atcttcagtt	2400
accgtgaaga tcccatgtgc tatgaaattc atccaaccaa atcttttatt agtacttggt	2460
ggaaagaacc tctcaacatt gtcagtttcc tattttgctt tgccagtggg gggagcacia	2520
taacaggtgt tgggaaaaac ctgaattcag ttagtgtccc gagaatgggc ataatgtgc	2580
atgaagcagg aaggaaacttt acagtggcat gtcaacatcg ctctaattca gagataatct	2640
gttgtaccac tccttccttg caacagctga atctgcaact cccctgaaa accaaagcct	2700
ttttcatgtt agatgggac ctttccaaat actttgatct catttatgta cataatcctg	2760
tgtttaagcc ttttgaaaag ccagtgatga tctcaatggg caatgaaaat gtactggaaa	2820
ttaagggaaa tgatattgac cctgaagcag ttaaagggtga agtggttaaaa gttggaaata	2880
agagctgtga gaatatacac ttacattctg aagccgtttt atgcacgggc cccaatgacc	2940
tgctgaaatt gaacagcgag ctaaatatag agtggaagca agcaatttct tcaaccgtcc	3000
ttggaaaagt aatagttcaa ccagatcaga atttcacagg attgattgct ggtgttgtct	3060
caatatcaac agcactgtta ttactacttg ggtttttcc gtggctgaaa aagagaaagc	3120
aaattaaaga tctgggcagt gaattagttc gctacgatgc aagagtacac actcctcatt	3180
tggataggct tgtaagtgcc cgaagtgtaa gcccaactac agaaatgggt tcaaatgaat	3240
ctgtagacta ccgagctact tttccagaag atcagtttcc taattcatct cagaacgggt	3300
catgccgaca agtgcagtat cctctgacag acatgtcccc catcctaact agtggggact	3360
ctgatataac cagtccatta ctgcaaaata ctgtccacat tgacctcagt gctctaaatc	3420
cagagctggg ccaggcagtg cagcatgtag tgattggggc cagtagcctg attgtgcatt	3480
tcaatgaagt cataggaaga gggcattttg gttgtgtata tcatgggact ttgttgga	3540
atgatggcaa gaaaattcac tgtgctgtga aatccttgaa cagaatcact gacataggag	3600
aagtttccca atttctgacc gagggaaatca tcatgaaaga ttttagtcat cccaatgtcc	3660
tctcgctcct gggaatctgc ctgcgaagtg aagggtctcc gctgggtggc ctaccataca	3720
tgaaacatgg agatcttcga aatttcattc gaaatgagac tcataatcca actgtaaaag	3780

atcttattgg ctttgggtctt caagtagcca aagcgatgaa atatcttgca agcaaaaagt 3840
 ttgtccacag agacttggct gcaagaaact gtatgctgga tgaaaaattc acagtcaagg 3900
 ttgctgattt tggctcttgc agagacatgt atgataaaga atactatagt gtacacaaca 3960
 aaacaggtgc aaagctgcca gtgaagtgga tggctttgga aagtctgcaa actcaaaagt 4020
 ttaccaccaa gtcagatgtg tggctctttg gcgtcgtcct ctgggagctg atgacaagag 4080
 gagccccacc ttatcctgac gtaaacacct ttgatataac tgtttacttg ttgcaagggg 4140
 gaagactcct acaacccgaa tactgccag accccttata tgaagtaatg ctaaaatgct 4200
 ggcaccctaa agccgaaatg cgcccatcct tttctgaact ggtgtcccg atacagcga 4260
 tcttctctac tttcattggg gagcactatg tccatgtgaa cgctacttat gtgaacgtaa 4320
 aatgtgtgc tccgtatcct tctctgttgt catcagaaga taacgctgat gatgaggtgg 4380
 acacacgacc agcctccttc tgggagacat catagtgcta gtactatgtc aaagcaacag 4440
 tccacacttt gtccaatggg tttttcactg cctgaccttt aaaaggccat cgatattcct 4500
 tgctccttgc cataggactt gtattgttat ttaaattact ggattctaag gaatttctta 4560
 tctgacagag catcagaacc agaggcttgg tcccacaggc cagggaccaaa tgcgctgcag 4620

<210> 53
 <211> 3879
 <212> DNA
 <213> Homo sapiens

<400> 53
 ggcacgaggc cagccgaatc caagccgtgt gtactgcgtg ctcagcactg cccgacagtc 60
 ctagctaaac ttgcceaact ccgtgcctt tgccgccacc atgccccaaa cgatcagtgt 120
 gcgtgtgacc accatggatg cagagctgga gtttgccatc cagccaaca ccaccgggaa 180
 gcagctatctt gaccaggtgg tgaaaactat tggcttgagg gaagtttggg tctttgggtc 240
 gcagtaccag gacactaaag gtttctccac ctggctgaaa ctcaataaga aggtgactgc 300
 ccaggatgtg cggaaggaaa gcccctgct ctttaagtgc cgtgccagt tctacctga 360
 ggatgtgtcc gaggaattga ttcaggacat cactcagcgc ctgttcttcc tgcaagtga 420
 agagggcatt ctcaatgatg atatttactg cccgcctgag accgctgtgc tgetggcctc 480
 gtatgctgtc cagtctaagt atggcgactt caataaggaa gtgcataagt ctggctacct 540
 ggccggagac aagttgctcc cgcagagagt cctggaacag caciaactca acaaggacca 600
 gtgggaggag cggatccagg tgtggcatga ggaacaccgt ggcattgctca gggaggatgc 660

tgtcctggaa tatctgaaga ttgctcaaga tctggagatg tatggtgtga actacttcag	720
catcaagaac aagaaaggct cagagctgtg gctgggggtg gatgccctgg gtctcaacat	780
ctatgagcag aatgacagac taactcccaa gataggcttc ccctggagtg aaatcaggaa	840
catctctttc aatgataaga aatttgtcat caagccatt gacaaaaaag ccccgactt	900
egtcttctat gctccccggc tgcggattaa caagcggatc ttggccttgt gcatggggaa	960
ccatgaacta tacatgcgcc gtcgcaagcc tgataccatt gaggtgcagc agatgaaggc	1020
acaggccccg gaggagaagc accagaagca gatggagcgt gctatgctgg aaaatgagaa	1080
gaagaagcgt gaaatggcag agaaggagaa agagaagatt gaacgggaga aggaggagct	1140
gatggagagg ctgaagcaga tcgaggaaca gactaagaag gctcagcaag aactggaaga	1200
acagaccctg agggctctgg aacttgagca ggaacggaag cgtgcccaga gcgaggctga	1260
aaagctggcc aaggagcgtc aagaagctga agaggccaag gaggccttgc tgcaggcctc	1320
ccgggaccag aaaaagactc aggaacagct ggccttgga atggcagagc tgacagctcg	1380
aatctcccag ctggagatgg cccgacagaa gaaggagagt gaggctgtgg agtggcagca	1440
gaaggccccag atggtacagg aagacttggga gaagaccctg gctgagctga agactgccat	1500
gagtacacct catgtggcag agcctgctga gaatgagcag gatgagcagg atgagaatgg	1560
ggcagaggct agtgctgacc tacgggctga tgctatggcc aaggaccgca gtgaggagga	1620
acgtaccact gaggcagaga agaatgagcg tgtgcagaag cacctgaagg ccctcacttc	1680
ggagctggcc aatgccagag atgagtcctaa gaagactgcc aatgacatga tccatgctga	1740
gaacatgcga ctgggcccag acaaatacaa gaccctgcgc cagatccggc agggcaacac	1800
caagcagcgc attgacgaat ttgagtctat gtaatgggca cccagcctct agggaccctt	1860
cctccctttt tccttgtccc cacactccta cacctaactc acctaactca tactgtgctg	1920
gagccactaa ctagagcagc cctggagtca tgccaagcat ttaatgtagc catgggacca	1980
aacctagccc cttagcccc acccacttcc ctgggcaa atgaatggctca ctatgggtgc	2040
aatggaacct cctttctctt ctctgttcca ttgaatctgt atggctagaa tctcctactt	2100
ctccagccta gaggtacttt ccacttgatt ttgcaa atgc ccttacactt actgttgtcc	2160
tatgggagtc aagtgtggag taggttgga gctagctccc ctctctccc ctccactgtc	2220
ttcttcaggt cctgagatta caggtggag tgtatgcggt ctaggaatga gacaggacct	2280
agatatcttc tccagggatg tcaactgacc taaaatttgc cctcccatcc cgttttagagt	2340

tatttaggct ttgtaacgat tgggggaata aaaagatggt cagtcatttt tgtttctacc	2400
tcccagatcg gatctgttgc aaactcagcc tcaataagcc ttgtcgttga ctttagggac	2460
tcaattttctc cccaggggtgg atgggggaaa tgggtgccttc aagaccttca ccaaacatac	2520
tagaaggggca ttggccattc tattgtggca aggctgagta gaagatccta cccaattcc	2580
ttgtaggagt ataggccggt ctaaagtgag ctctatgggc agatctaccc cttacttatt	2640
attccagatc tgcagtcact tcgtgggac tgccctccc tgcttcaata cccaaatcct	2700
ctccagctat aacagtaggg atgagtaccc aaaagctcag ccagcccat caggactctt	2760
gtgaaaagag aggatatgtt cacacctagc gtcagtattt tccctgctag gggttttagg	2820
tctcttcccc tctcagagct acttgggcca tagctcctgc tccacagcca tcccagcctt	2880
ggcatctaga gcttgatgcc agtaggctca actagggagt gagtgcaaaa agctgagtat	2940
ggtgagagaa gcctgtgccc tgatccaagt ttactcaacc ctctcaggtg accaaaatcc	3000
ccttctcatc actccctca aagagggtgac tgggcccctgc ctctgtttga caaacctcta	3060
accaggtct tgacaccagc tgttctgtcc cttggagctg taaaccagag agctgctggg	3120
ggattctggc ctagtccctt ccacaccccc accccttgcct ctcaaccag gagcatccac	3180
ctccttctct gtctcatgtg tgctcttctt ctttctacag tattatgtac tctactgata	3240
tctaaatatt gatttctgcc ttccttgcta atgcaccatt agaagatatt agtcttgggg	3300
caggatgatt ttggcctcat tactttacca cccccacacc tggaaagcat atactatatt	3360
acaaaatgac attttgccaa aattattaat ataagaagct ttcagtatta gtgatgtcat	3420
ctgtcactat aggtcataca atccattctt aaagtacttg ttatttgttt ttattattac	3480
tgtttgtctt ctccccaggg ttcagtcctt caagggggcca tcctgtccca ccatgcagtg	3540
ccccctagct tagagcctcc ctcaattccc cctggccacc accccctact ctgtgcctga	3600
ccttgaggag tcttgtgtgc attgctgtga attagctcac ttggtgatat gtccatatt	3660
ggctaaattg aaacctggaa ttgtggggca atctattaat agctgcctta aagtcagtaa	3720
cttaccctta gggaggctgg gggaaaagggt tagattttgt attcaggggt tttttgtgta	3780
ctttttgggt ttttaaaaaa ttgtttttgg aggggtttat gctcaatcca tgttctattt	3840
cagtgccaat aaaatttagg tgacttcaaa aaaaaaaaaa	3879

<210> 54
 <211> 7787
 <212> DNA
 <213> Homo sapiens


```

<400> 54
gagacaaagg ctgccgtcgg gacgggcgag ttagggactt gggtttgggc gaacaaaagg      60
tgagaaggac aagaaggggac cgggcgatgg cagcagggga gccccgcggg cgcgcgtcct      120
cgggagtggc gccgtgacac gcatggtttc cccggaccgg cggcggcgct gacttccgcg      180
agtcggagcg gcactcggcg agtccgggac tgcgctggaa caatggataa cttcttcacc      240
gagggaaacac gggctctggct gagagaaaat ggccagcatt ttccaagtac tgtaaattcc      300
tgtgcagaag gcatcgtcgt cttccggaca gactatggtc aggtattcac ttacaagcag      360
agcacaatta cccaccagaa ggtgactgct atgcaccca cgaacgagga gggcgtggat      420
gacatggcgt ccttgacaga gctccatggc ggctccatca tgtataactt attccagcgg      480
tataagagaa atcaaataa tacctacatc ggctccatcc tggcctccgt gaaccctac      540
cagcccatcg ccgggctgta cgagcctgcc accatggagc agtacagccg gcgccacctg      600
ggcgagctgc ccccgcacat cttcgccatc gccaacgagt gctaccgctg cctgtggaag      660
cgctacgaca accagtgcac cctcatcagt ggtgaaagtg gggcaggtaa aaccgaaagc      720
actaaattga tcctcaagtt tctgtcagtc atcagtcaac agtccttggg attgtcctta      780
aaggagaaga catcctgtgt tgaacgagct attcttgaaa gcagcccat catggaagct      840
ttcggcaatg cgaagaccgt gtacaacaac aactctagtc gctttgggaa gtttgttcag      900
ctgaacatct gtcagaaagg aaatattcag ggcgggagaa ttgtagatta tttattagaa      960
aaaaaccgag tagtaaggca aaatcccggg gaaaggaatt atcacatatt ttatgcactg     1020
ctggcagggc tggaaacatga agaaagagaa gaattttatt tatctacgcc agaaaactac     1080
cactacttga atcagtctgg atgtgtagaa gacaagacaa tcagtgacca ggaatccttt     1140
agggaggtta ttacggcaat ggacgtgatg cagttcagca aggaggaagt tcgggaagtg     1200
tcgaggctgc ttgctgggat actgcatctt gggaaacatag aatttatcac tgctgggtggg     1260
gcacagggtt ccttcaaaac agctttgggc agatctgcgg agttacttgg gctggacca     1320
acacagctca cagatgcttt gaccagaga tcaatgttcc tcaggggaga agagatcctc     1380
acgcctctca atgttcaaca ggcagtagac agcagggact ccctggccat ggctctgtat     1440
gcgtgctgct ttgagtgggt aatcaagaag atcaacagca ggatcaaagg caatgaggac     1500
ttcaagtcta ttggcatcct cgacatcttt ggatttgaaa actttgaggt taatcacttt     1560
gaacagttca atataaacta tgcaaacgag aaacttcagg agtacttcaa caagcatatt     1620
ttttctttag aacaactaga atatagccgg gaaggattag tgtgggaaga tattgactgg     1680

```

atagacaatg gagaatgcct ggacttgatt gagaagaaac ttggcctcct agcccttatac	1740
aatgaagaaa gccatthttcc tcaagccaca gacagcacct tattggagaa gctacacagt	1800
cagcatgcga ataaccactt ttatgtgaag cccagagttg cagttaacaa ttttggagtg	1860
aagcactatg ctggagaggt gcaatatgat gtccgaggta tcttggagaa gaacagagat	1920
acatttcgag atgaccttct caatttgcta agagaaagcc gatttgactt tatctacgat	1980
ctttttgaac atgtttcaag ccgcaacaac caggatacct tgaaatgtgg aagcaaacat	2040
cggcggccta cagtcagctc acagttcaag gactcactgc attccttaat ggcaacgcta	2100
agtcctccta atccttttctt tgttcgctgt atcaagccaa acatgcagaa gatgccagac	2160
cagtttgacc aggcggttgt gctgaaccag ctgcggtact cagggatgct ggagactgtg	2220
agaatccgca aagctgggta tgcggtccga agaccctttc aggactttta caaaaggat	2280
aaagtgtga tgaggaatct ggctctgcct gaggacgtcc gagggagtg caccagcctg	2340
ctgcagctct atgatgcctc caacagcgag tggcagctgg ggaagaccaa ggtctttctt	2400
cgagaatcct tggaacagaa actggagaag cggagggag aggaagtgag ccacgcggcc	2460
atggtgatcc gggcccatgt cttgggcttc ttagcacgaa aacaatacag aaaggtcctt	2520
tattgtgtgg tgataataca gaagaattac agagcattcc ttctgaggag gagatttttg	2580
cacctgaaaa aggcagccat agttttccag aagcaactca gaggtcagat tgctcggaga	2640
gtttacagac aattgctggc agagaaaagg gagcaagaag aaaagaagaa acaggaagag	2700
gaagaaaaga agaaacggga ggaagaagaa agagaaagag agagagagcg aagagaagcc	2760
gagctccgcg cccagcagga agaagaaacg aggaagcagc aagaactcga agccttgag	2820
aagagccaga aggaagctga actgaccctg gaactggaga aacagaagga aaataagcag	2880
gtggaagaga tcctccgtct ggagaaagaa atcgaggacc tgcagcgcat gaaggagcag	2940
caggagctgt cgtgaccga ggcttcctg cagaagctgc aggagcggcg ggaccaggag	3000
ctccgcaggc tggaggagga agcgtgcagg gcggcccagg agttcctcga gtccctcaat	3060
ttcgacgaga tcgacgagtg tgtccggaat atcgagcggc cctgtcggg gggagcgaa	3120
ttttccagcg agctggctga gagcgcagtc gaggagaagc ccaacttcaa cttcagccag	3180
ccctaccag agggaggagt cgatgagggc ttogaagccg acgacgacgc cttcaaggac	3240
tcccccaacc ccagcgagca cggccactca gaccagcgaa caagtggcat ccggaccagc	3300
gatgactctt cagaggagga ccatacatg aacgacacgg tgggtgccac cagccccagt	3360

gcggaacagca	cggtgctgct	cgccccatca	gtgcaggact	ccgggagcct	acacaactcc	3420
tccagcggcg	agtcaccta	ctgcatgcc	cagaacgctg	gggacttgcc	ctccccagac	3480
ggcgactacg	actacgacca	ggatgactat	gaggacggtg	ccatcacttc	cggcagcagc	3540
gtgaccttct	ccaactccta	cggcagccag	tgggtccccg	actaccgctg	ctctgtgggg	3600
acctacaaca	gctcgggtgc	ctaccggttc	agctctgagg	gggcgcagtc	ctcgtttgaa	3660
gatagtgaag	aggactttga	ttccagggtt	gatacagatg	atgagctttc	ataccggcgt	3720
gactctgtgt	acagctgtgt	cactctgccg	tatttccaca	gctttctgta	catgaaaggt	3780
ggcctgatga	actcttgga	acgccgctgg	tgcgtcctca	aggatgaaac	cttcttgtgg	3840
ttccgctcca	agcaggaggc	cctcaagcaa	ggctggctcc	acaaaaaagg	ggggggctcc	3900
tccacgctgt	ccaggagaaa	ttggaagaag	cgctggtttg	tcctccgcca	gtccaagctg	3960
atgtactttg	aaaacgacag	cgaggagaag	ctcaagggca	ccgtagaagt	gcgaacggca	4020
aaagagatca	tagataacac	caccaaggag	aatgggatcg	acatcattat	ggccgatagg	4080
actttccacc	tgattgcaga	gtccccagaa	gatgccagcc	agtggttcag	cgtgctgagt	4140
caggtccacg	cgtccacgga	ccaggagatc	caggagatgc	atgatgagca	ggcaaaccce	4200
cagaatgctg	tgggcacctt	ggatgtgggg	ctgattgatt	ctgtgtgtgc	ctctgacagc	4260
cctgatagac	ccaactcggt	tgtgatcatc	acggccaacc	gggtgctgca	ctgcaacgcc	4320
gacacgcccg	aggagatgca	ccactggata	accctgctgc	agagggtccaa	aggggacacc	4380
agagtggagg	gccaggaatt	catcgtgaga	ggatgggttc	acaaagaggt	gaagaacagt	4440
ccgaagatgt	cttcactgaa	actgaagaaa	cggtggtttg	tactcaccca	caattccctg	4500
gattactaca	agagttcaga	gaagaacgcg	ctcaaactgg	ggaccctggt	cctcaacagc	4560
ctctgctctg	tcgtcccccc	agatgagaag	atattcaaag	agacaggcta	ctggaacgtc	4620
accgtgtacg	ggcgcaagca	ctgttacccg	ctctacacca	agctgctcaa	cgaggccacc	4680
cggtgggtcca	gtgccattca	aaacgtgact	gacaccaagg	ccccgatcga	cacccccacc	4740
cagcagctga	ttcaagatat	caaggagAAC	tgcttgaact	cggatgtggg	ggaacagatt	4800
tacaagcgga	acccgatcct	tcgatacacc	catcaccctt	tgactctccc	gctcctgccc	4860
cttccgtatg	gggacataaa	tctcaacttg	ctcaaagaca	aaggctatac	cacccttcag	4920
gatgaggcca	tcaagatatt	caattccctg	cagcaactgg	agtccatgtc	tgaccaattt	4980
ccaataatcc	agggcatcct	acagacaggg	catgacctgc	gacctctgcg	ggacgagctg	5040
tactgccagc	ttatcaaaca	gaccaacaaa	gtgccccacc	ccggcagtgt	gggcaacctg	5100

tacagctggc agatcctgac atgcctgagc tgcaccttcc tgccgagtcg agggattctc 5160
aagtatctca agttccatct gaaaaggata cgggaacagt ttccaggaac cgagatggaa 5220
aaatacgtc tcttcaacta cgaatctctt aagaaaacca aatgccgaga gtttgtgcct 5280
tcccagagatg aaatagaagc tctgatccac aggcaggaaa tgacatccac ggtctattgc 5340
catggcggcg gctcctgcaa gatcaccatc aactcccaca ccactgctgg ggaggtggcg 5400
gagaagctga tccgaggcct ggccatggag gacagcagga acatgtttgc tttgtttgaa 5460
tacaacggcc acgtcgacaa agccattgaa agtcgaaccg tcgtagctga tgtcttagcc 5520
aagtttgaaa agctggctgc cacatccgag gttggggacc tgccatggaa attctacttc 5580
aaactttact gcttcttgga cacagacaac gtgccaaaag acagtgtgga gtttgcattt 5640
atgtttgaac aggcccacga agcgggttacc catggccacc atccagcccc ggaagaaaac 5700
ctccaggttc ttgctgcctt gcgactccag tatctgcagg gggattatac tctgcacgct 5760
gccatcccac ctctcgaaga ggtttattcc ctgcagagac tcaaggcccc catcagccag 5820
tcaacaaaaa ccttcacccc ttgtgaacgg ctggagaaga ggcggacgag cttcctagag 5880
gggaccctga ggcggagctt ccggacagga tccgtggtcc ggcagaaggt cgaggaggag 5940
cagatgctgg acatgtggat taaggaagaa gtctcctctg ctcgagccag tatcattgac 6000
aagtggagga aatttcaggg aatgaaccag gaacaggcca tggccaagta catggccttg 6060
atcaaggagt ggctggcta tggctcgacg ctgtttgatg tggagtgcaa ggaagggtggc 6120
ttccctcagg aactctggtt ggggtgtcagc gcggacgccg tctccgtcta caagcgtgga 6180
gaggggaagac cactggaagt cttccagtat gaacacatcc tctcttttgg ggcaccctg 6240
gcgaatacgt ataagatcgt ggtcgatgag agggagctgc tctttgaaac cagtgaggtg 6300
gtggatgtgg ccaagctcat gaaagcctac atcagcatga tcgtgaagaa gcgctacagc 6360
acgacacgct ccgccagcag ccagggcagc tccaggtgaa ggcgggacag agcccacctg 6420
tctttgctac ctgaacgcac caccctctgg cctaggtggt ctccagtgtg ccatgcccag 6480
ccaaaacaaa cacagagctg ccagggcttt ctggaagctt ctggtctgag ggaggtgtct 6540
ccgaggatcc ttttgctgc cgccttcatt gatcctgtat taagctgtca actttaacag 6600
tctgcacagt ttccaaagct ttactactct tagaggacac atgccttaaa aaaggagggg 6660
aggaaccacg ctgccaccaa agcagccgga agtgccttaa cttgtggaac caacactaat 6720
cgaccgtaac tgtgctactg aagggaactg cctttccccc ttctggggga gacttaacag 6780

```

agcgtggaag gggggcattc tctgtcaatg atgcactaac ctcccaacct gatttccccg 6840
aatctgaggg aaggtgaggg agtggaagg gggatggaga gctcgagggg acagtgtgtt 6900
tgagctggag tgctgcgggc agcctttctc atggaatgac atgaatcaac ttttttcttt 6960
gtttcatctt ttaagtgtac gtgcttgcc tttcgtgcat gtgttcataa actcaacact 7020
ttaatcatgg tttcatgagc attaaaaagc aaagggaaaa aggatgtgta atggtgtaca 7080
cagtctgtat attttaataa tgcagagcta tagtctcaat tgttacttta taagggtggt 7140
ttattaacaa acccaaatcc tggattttcc tgtctttgct gtattttgaa aaacacgtgt 7200
tgactccatt gttttacatg tagcaaagtc tgccatctgt gtctgctgta ttataaacag 7260
ataagcagcc tacaagataa ctgtatttat aaaccactct tcaacagctg gctccagtgc 7320
tggttttaga acaagaatga agtcattttg gagtctttca tgtctaaaag atttaagtta 7380
aaaacaaagt gttacttggg aggttagctt ctatcattct ggatagatta cagatataat 7440
aaccatggtg actatggggg agagacgctg cattccagaa acgtcttaac acttgagtga 7500
atcttcaaag gaccctgaca ttaaatgctg aggctttaat acacacatat tttatcccaa 7560
gtttataatg gtggtctgaa caaggcacct gtaaataaat cagcatttat gaccagaaga 7620
aaaataatct ggtcttggac tttttatatt tatatggaaa agttttaagg acttgggcca 7680
actaagtcta cccacacgaa aaaagaaatt tgccttgctc ctttgtgtac aaccatgcaa 7740
aactgtttgt tggctcacag aagttctgac aataaaaagat actagct 7787

```

```

<210> 55
<211> 520
<212> DNA
<213> Homo sapiens

```

```

<400> 55
ttcatgtttt ccaaagaat cctgtatttt aatgaatagc tgaataaata gacattaatt 60
atgaaattca cattaagata gaagaaaatc caaacattct gattgcttta tctcttaaat 120
ttgataacta ctacaaaaca tactatttat gttagggtaa aaataagctg actcacagga 180
gtgtaactgg gaagtgctgg cagatatata cagtaacatg gaggagccat acaacaaaag 240
cgtttatatg tacatcattt tttttccttt ttggttggag aaatgctgcc ttataaaatc 300
ggaaaacaca cagtagacta catgcaacaa ggaccaatac aatgtgcaca gcagaagaat 360
caaataagac acaagaacta tgggtttaaa aaagaatttg ggagcaggac aaaaaacaag 420
gattgaaacc tggaatgctt tcttattgag gtttcagaat ataaatttgt ctaacaagcc 480

```

tcttgatagt tttcaaaagt tcccactcaa ccacctatgg 520

<210> 56

<211> 2320

<212> DNA

<213> Homo sapiens

<400> 56

gggccggccg cccctccgcc agccaagtcc gccgctctga ccccggcag caagtcgcca 60
ccatggtgaa gatcgtgaca gttaagaccc aggcgtacca ggaccagaag ccgggcacga 120
gcgggctgcg gaagcgggtg aagggtgttc agagcagcgc caactacgcg gagaacttca 180
tccagagtat catctccacc gtggagccgg cgcagcggca ggaggccacg ctggtggtgg 240
gcggggacgg ccggttctac atgaaggagg ccatccagct catcgctcgc atcgctgccg 300
ccaacgggat cggtcgcttg gttatcggac agaattggaat cctctccacc cctgctgtat 360
cctgcatcat tagaaaaatc aaagccattg gtgggatcat tctgacagcc agtcacaacc 420
cagggggccc caatggagat tttggaatca aattcaatat ttctaattga ggtcctgctc 480
cagaagcaat aactgataaa attttccaaa tcagcaagac aattgaagaa tatgcagttt 540
gccctgacct gaaagtagac cttggtgttc tgggaaagca gcagtttgac ttggaaaata 600
agttcaaacc cttcacagtg gaaattgtgg attcggtaga agcttatgct acaatgctga 660
gaagcatctt tgatttcagt gcaactgaaag aactactttc tgggccaaac cgactgaaga 720
tctgtattga tgctatgcat ggagttgtgg gaccgtatgt aaagaagatc ctctgtgaag 780
aactcggtgc ccctgcgaac tcggcagtta actgcgttcc tctggaggac tttggaggcc 840
accaccctga ccccaacctc acctatgcag ctgacctggt ggagaccatg aagtcaggag 900
agcatgattt tggggctgcc tttgatggag atggggatcg aaacatgatt ctgggcaagc 960
atgggttctt tgtgaacctc tcagactctg tggctgtcat tgctgccaac atcttcagca 1020
ttccgtattt ccagcagact ggggtccgcg gctttgcacg gagcatgccc acgagtgggtg 1080
ctctggaccg ggtggctagt gctacaaaga ttgctttgta tgagaccca actggctgga 1140
agtttttttg gaatttgatg gacgcgagca aactgtccct ttgtggggag gagagcttcg 1200
ggaccggttc tgaccacatc cgtgagaaag atggactgtg ggctgtcctt gcctggctct 1260
ccatcctagc caccgcgaag cagagtgtgg aggacattct caaagatcat tggcaaaagc 1320
atggccggaa tttcttcacc aggtatgatt acgaggaggt ggaagctgag ggcgcaaaca 1380
aaatgatgaa ggacttggag gccctgatgt ttgatcgctc ctttgtgggg aagcagttct 1440

cagcaaata	ga	caaagtttac	actgtggaga	aggccgataa	ctttgaatac	agcgacccag	1500
tggatggaag	catttcaaga	aatcagggct	tgcgcctcat	tttcacagat	ggttctcgaa		1560
tcgtcttccg	actgagcggc	actgggagtg	cgggggccac	cattcggtg	tacatcgata		1620
gctatgagaa	ggacgttgcc	aagattaacc	aggaccccca	ggtcatgttg	gccccctta		1680
tttccattgc	tctgaaagtg	tcccagctgc	aggagaggac	gggacgcact	gcacccactg		1740
tcatcaccta	agaagacagg	cctgatgtgg	tacgtccctc	cacccccgga	cccatccaag		1800
tcattctgatt	gaagagcatg	acagaaacaa	aatgtattca	ccaagcattt	taggatttga		1860
ctttttcact	aaccagttga	cgagcagtg	atctacaagg	cactgccaaa	caagatgccc		1920
ttgggagctg	tgagggaaag	aggacctgcg	ggcttagatc	aatctcaatt	ccttttcatg		1980
ccctcctgca	ttgctgctgc	gtgggtat	gtctccttag	ccatcaggta	cagtttacac		2040
tacaatgtaa	gctataggtg	gagcatcagc	agtgagtgag	gccattcttc	atccttagga		2100
tgtggcaatg	aaatgatgg	gcaagttcct	ttctcttttg	tgaatctttc	ccccatttc		2160
ctgtttacat	gtaacccaac	aaaatgcaat	ttctagtgc	ttctgtccaa	tcagttcttt		2220
cctctgagtg	agacgtactt	ggctacagat	ttctgccttg	ttttgcgaca	ttgtccatt		2280
cacacagata	ttttgggata	ataaaggaaa	ataagctaca				2320

<210> 57
 <211> 2876
 <212> DNA
 <213> Homo sapiens

<400>	57						
gagcggcccc	aggaggacgc	agcggcgctg	gagctttcgt	cggacgaggc	ggtggaggtt	60	
gaggaggtta	ttgaggagtc	ccgcgcagag	cgtatcaagc	gcagcggcct	gcggcgctg	120	
gacgacttca	agaaggcctt	ctccaaggag	aagatggaga	agaccaaggt	gcgtaccgc	180	
gagaacctgg	agaagacgcg	cctcaagacc	aaggaaaacc	tggagaagac	gcggcacacc	240	
ctggagaagc	gcatgaacaa	gctgggcacg	cgcttggtgc	ccgccgagcg	gcgcgagaaa	300	
ctgaagacgt	cgcgggacaa	gttgcgcaa	tccttcacgc	ccgaccacgt	ggtgtacgcg	360	
cgctccaaga	ccgcgggtcta	caaggtgcca	cccttcacct	tccacgtcaa	gaagatccgc	420	
gagggccagg	tggaagtgct	caaggccacc	gagatggtgg	aggtgggccc	cgacgacgac	480	
gagggcggcg	cggagcgcgg	ggaggccggc	gacctgcggc	gcgggagcag	ccccgacgtg	540	
cacgcgctgc	tggagatcac	cgaggagtcg	gacgccgtgc	tggaggacaa	gagcgacagc	600	

gactgagccg cccccgctgc caccaccccc attcctcgtc ccttcggaac ttcctctttc 660
 gcattctctc tcggctcgag ctggctgaga tttttctaaa ttgaaaacac gccccctcc 720
 ccacacctcc aggaactcca ctcccagctc tagagctgtt aggacccgat ggggaggcag 780
 cccccgcagt ggacagcccc cgcttggaac cagtcgaggt ggaatgggaa ggggaatggc 840
 aatccctgtc ctggttgtcc aagtcgggat ctgagaggaa attgcagtga ttccacggtt 900
 aggccccctt gggggggctg ccttccccctc agcctctccc cacaccaccc acccagctgc 960
 tgtcattccg ctcaactgagc tcttcttcat tctcacctg atccctgggg gactcaaagc 1020
 caaaactgcc caaagaggaa agattgaatc ctaaagggga tccttgcccc catgggaggc 1080
 cccctactag aaggacgtga aagcagcttt tgggggaaac tgaggcagt ggggaagacag 1140
 agcagaatga gccctcacc tggctggggg tccagcacag gctgtatctg cagagggctc 1200
 cagaggaacg ctggagccaa gagaagccct gggaaggagg ggtggggaac gacatgcatg 1260
 tgagggatgg cacactgatg tgtttatgca cctgtacaca ggagcgcag gccatggctt 1320
 tggaaaggag aatggaaaaa tagaagaagg tcggccgggc ttggtggctt aagcctgtaa 1380
 ccccagcact ttgggaggcc gaggtgggcg gatcacctga ggtcaggagt tcgggaccag 1440
 cctggcaaac accccatctc tactaagcga aaacccatct ctactaaaat taaaaaatt 1500
 agctgggcat ggttgccgcat gcctgtaatc ccagctactt tggaggctga ggtggggaga 1560
 attgcttgaa cctgggagggt ggaggttgca gtgagccaag gtcgcgacac tgcactccag 1620
 cctgggtgac agagtgagac tccatctcaa cagaaggaaa aaaaaaggaa aataggagaa 1680
 ggtggaaatg ggtgaagaga gaagtcccct cactagctgc atgagaaatc tatcttactg 1740
 tggttctcca tgggcagcag gaccattttt cagaatcaag agggaggaca gtgtgagaag 1800
 gcgatgatcc aaagaagaca gagaggtcag cccacccga tccctcaaatt gggctcttgg 1860
 aggcaccccc aggggcagcc catttctcaa agtccagaaa attagggctc cagaaggggg 1920
 cagcagcagg ctgggagtta ggaggagag cagggtgccg gccctgccac caagttgaga 1980
 gctggagggg aggtggggag agaacatcac agagcagcca gccctgggtc actcctggca 2040
 gtctcttctc aagctccttc cctaggagca tgggtggcacg tgcctgtggt ctgagctact 2100
 tgggaggctg aggcgggagg atcgccagag cccaggagtt tgaggctgca gtgagctatg 2160
 agggtgccctc tgtgctccat cctaggcaac agagtgagac gctgtttaaa aaggaaaaaa 2220
 tccttcctta gagctagtat cctaaagctg cagagctagc ccagacctca ttggtttctc 2280
 tgccttggg gtgcttttcc tgaatctttg ggggtgaagg gagtgttgct ccagtcag 2340


```

aggcctgatt ctgttcggac tgggttctca agacacgacc aggttctcaa gacacgagtc 2400
cccttgttcc tccccattaa aggggggtttg tcagaagcaa gaacagcccc tctccccagt 2460
cacagcctga agggaggccc cgagagcttc ctccctcccc ccacctgctc cttaccttct 2520
ctgccctgct ttttagaact gcagttcatt gttttaaggg attgggggag ggagcctggg 2580
gacacaaacc ttttatacaa tacaaagctt tgcttttttt ttttttttct tccttttccc 2640
tttctcggtt ctcttctctc ctctgaatgg ctgaagacct ctctgccgag ggagggtggg 2700
gattgtggga caaggctcct tgggtgctgat ggctgaagg ggctgagct gtgggcagat 2760
gcagttttct gtgggcttgg ggaacctctc acgttgctgt gtcctggtga gcagcccgac 2820
caataaacct gcttttctaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 2876

```

```

<210> 58
<211> 3007
<212> DNA
<213> Homo sapiens

```

```

<400> 58
gccccgagag ccgcatctat tggcagcttt gttattgatc agaaactgct cgccgccgac 60
ttggcttcca gtctggctgc gggcaacctt tgagttttcg cctctgtcct gtccccgaa 120
ctgacaggtg ctcccagcaa cttgctgggg acttctegcc gctccccgc gtccccaccc 180
cctcattcct ccctcgctt cccccacc cccaccactt cgccacagct caggatttgt 240
ttaaaccttg ggaaactgg tccaggtccag gttttgcttt gatcctttt aaaaactgga 300
gacacagaag agggctctag gaaaaagttt tggatgggat tatgtggaaa ctacctgcg 360
attctctgct gccagagcag gctcggcgct tccaccccag tgcagcctt ccctggcggt 420
ggtgaaagag actcgggagt cgctgcttcc aaagtgccg ccgtgagtga gctctcacc 480
cagtcagcca aatgagctc ttcgggcttc tcctgctgac atctgccctg gccggccaga 540
gacaggggac tcaggcgga tccaacctga gtagtaaatt ccagttttcc agcaacaagg 600
aacagaacgg agtacaagat cctcagcatg agagaattat tactgtgtct actaatggaa 660
gtattcacag cccaaggttt cctcatactt atccaagaaa tacggtcttg gtatggagat 720
tagtagcagt agaggaaaat gtatggatac aacttacgtt tgatgaaaga tttgggcttg 780
aagaccaga agatgacata tgcaagtatg atttttaga agttgaggaa ccagtgatg 840
gaactatatt agggcgctgg tgtggttctg gtactgtacc aggaaaacag atttctaaag 900
gaaatcaaat taggataaga tttgtatctg atgaatat tcttctgaa ccagggttct 960

```

gcatccacta caacattgtc atgccacaat tcacagaagc tgtgagtcct tcagtgtctac 1020
 ccccttcagc tttgccactg gacctgctta ataatgctat aactgccttt agtaccttgg 1080
 aagacettat tcgatatctt gaaccagaga gatggcagtt ggacttagaa gatctatata 1140
 ggccaacttg gcaacttctt ggcaaggctt ttgttttttg aagaaaatcc agagtgggtgg 1200
 atctgaacct tctaacagag gaggtaagat tatacagctg cacacctcgt aactttctcag 1260
 tgtccataag ggaagaacta aagagaaccg ataccatttt ctggccaggt tgtctcctgg 1320
 ttaaacgctg tgggtgggaac tgtgcctgtt gtctccacaa ttgcaatgaa tgtcaatgtg 1380
 tcccaagcaa agttactaaa aaataccacg aggtccttca gttgagacca aagaccggtg 1440
 tcaggggatt gcacaaatca ctcaccgacg tggccctgga gcaccatgag gagtgtgact 1500
 gtgtgtgcag agggagcaca ggaggatagc cgcataacca ccagcagctc ttgccagag 1560
 ctgtgcagtg cagtggctga ttctattaga gaacgtatgc gttatctcca tccttaattc 1620
 cagttgtttg cttcaaggac ctttcatctt caggatttac agtgcattct gaaagaggag 1680
 acatcaaaca gaattaggag ttgtgcaaca gctcttttga gaggaggcct aaaggacagg 1740
 agaaaaggtc ttcaatcgtg gaaagaaaat taaatgttgt attaaataga tcaccagcta 1800
 gtttcagagt taccatgtac gtattccact agctgggttc tgtatttcag ttctttcgat 1860
 acggcttagg gtaatgtcag tacaggaaaa aaactgtgca agtgagcacc tgattccgtt 1920
 gccttgctta actctaaagc tccatgtcct gggcctaaaa tcgtataaaa tctggatttt 1980
 tttttttttt tttgctcata ttacatatg taaaccagaa cattctatgt actacaaacc 2040
 tggtttttaa aaaggaacta tgttgctatg aattaaactt gtgtcgtgct gataggacag 2100
 actggatttt tcatatttct tattaaatt tctgccattt agaagaagag aactacattc 2160
 atggtttgga agagataaac ctgaaaagaa gagtggcctt atcttcactt tatcgataag 2220
 tcagtttatt tgtttcattg tgtacatttt tatattctcc ttttgacatt ataactgttg 2280
 gcttttctaa tcttggttaa tataatctat tttaccaaag gtatttaata ttctttttta 2340
 tgacaactta gatcaactat ttttagcttg gtaaattttt ctaaacacaa ttgttatagc 2400
 cagaggaaca aagatgatat aaaatattgt tgctctgaca aaaatacatg tatttcattc 2460
 tcgtatgggtg ctagagttag attaactctgc attttaaaaa actgaattgg aatagaattg 2520
 gtaagttgca aagacttttt gaaaataatt aaattatcat atcttccatt cctgttattg 2580
 gagatgaaaa taaaaagcaa cttatgaaag tagacattca gatccagcca ttactaacct 2640

attccttttt tggggaaatc tgagcctagc tcagaaaaac ataaagcacc ttgaaaaaga 2700
 cttggcagct tccctgataaa gcgtgctgtg ctgtgcagta ggaacacatc ctattttattg 2760
 tgatgtttgtg gttttattat cttaaactct gttccataca cttgtataaa tacatggata 2820
 tttttatgta cagaagtatg tctcttaacc agttcactta ttgtactctg gcaattttaa 2880
 agaaaatcag taaaatatatt tgcttgtaaa atgcttaata tcgtgcctag gttatgtggt 2940
 gactatttga atcaaaaatg tattgaatca tcaaataaaa gaatgtggct attttgggga 3000
 gaaaatt 3007

<210> 59
 <211> 5238
 <212> DNA
 <213> Homo sapiens

<400> 59
 gctgtggctg cggctgcggc tgcggctgag atttggccgg gcgtccgcag gccgtggggg 60
 atgggggcag cgagctccag ccctcggcgg tggcggcggc cgtaggtgtg gggcgggcgt 120
 ccgcgtccgg cacgcgagat ggagcgccgt ggatttcagt tttctgact gttacatgaa 180
 aggatgattg ctcacaaaca gaaaaagaca aagaaaaaac gtgcttgggc atcaggtcaa 240
 ctctctactg atattacaac ttctgaaatg gggctcaagt ccttaagttc caactctatt 300
 tttgatccgg attacatcaa ggagttggtg aatgatatca ggaagttctc ccacatctta 360
 ctatatttga aagaagccat attttcagac tgttttaaag aagttattca tatacgtcta 420
 gaggaactgc tccgtgtttt aaagtctata atgaataaac atcagaacct caattctggt 480
 gatcttcaaa atgctgcaga aatgctcact gcaaaagtga aagctgtgaa cttcacagaa 540
 gttaatgaag aaaacaaaaa cgatctcttc caggaagtgt tttcttctat tgaaactttg 600
 gcatttacct ttggaaatat ccttacaac ttccttatgg gagatgtagg caatgattca 660
 ttcttgcgac tgctgtttc tcgagaaact aagtcgtttg aaaatgtttc tgtggaatca 720
 gtggactcat ccagtgaata aggaaatttt tccccttag aactagacaa cgtgctgtta 780
 aagaacactg actctatcga gctggctttg tcatatgcta aaacttggtc aaaatatact 840
 aagaacatag tttcatgggt tgaaaaaaag cttaacttgg aattggagtc cactagaaat 900
 atggtcaagt tggcagaggg aactagaact aacattggaa ttcaggagtt catgccactg 960
 cagtctctgt ttactaatgc tcttcttaat gatatagaaa gcagtcacct ttacaacaa 1020
 acaattgcag ctctccaggc taacaaattt gtgcagcctc tacttggaag gaaaaatgaa 1080

atggaaaaac aaaggaaaga aataaaagag ctttggaac aggagcaaaa taaaatgctt	1140
gaagcagaga atgctctcaa aaaggcaaaa ttattatgca tgcaacgtca agatgaatat	1200
gagaaagcaa agtcttccat gtttcgtgca gaagaggagc atctgtcttc aagtggcgga	1260
ttagcaaaaa atctcaacaa gcaactagaa aaaaagcgaa gggttgaaga ggaggctctc	1320
caaaaagtag aagaagcaga tgaactttac aaagtttgtg tgacaaatgt tgaagaaaga	1380
agaaatgatg tagaaaatac caaaagagaa attttagcac aactccggac acttgttttc	1440
cagtgtgatc ttacccttaa agcggtaaca gttaacctct tccacatgca gcatctgcag	1500
gctgcttccc ttgcagacag attacagtct ctctgtggta gtgccaaact ctatgaccca	1560
ggccaagagt acagtgaatt tgtcaaggcc acaaattcaa ctgaagaaga aaaagttgat	1620
ggaaatgtaa ataaacattt aaatagttcc caaccttcag gatttggacc tgccaactct	1680
ttagaggatg ttgtacgct tcttgacagt tctaataaaa ttgaagagga cagatgctct	1740
aacagtgcag atataacagg tcttctctt ataagatcat ggacatttgg gatgtttagt	1800
gattctgaga gcaactggagg gagcagcgaa tctagatctc tggattcaga atctataagt	1860
ccaggagact ttcacgaaa acttccacga acaccatcca gtggaactat gtctctgcga	1920
gatgatctag atgaaagaga gccaccttcc cttcagaaa ctggacccaa ttcccttggga	1980
acatttaaga aaacattgat gtcaaaggca gctctcacac acaagtttcg caaattgaga	2040
tccccacga aatgtagggg ttgtgaaggc attgtagtgt tccaaggtgt tgaatgtgaa	2100
gagtgtctcc ttgtttgtca tcgaaagtgt ttggaaaatt tagtcattat ttgtggtcat	2160
cagaaacttc caggaaaaat acacttattt ggagcagaat tcacactagt tgcaaaaaag	2220
gaaccagatg gtatcccttt tatactcaaa atatgtgcct cagagattga aaatagagct	2280
ttgtgtctac aggggaattta tcgtgtgtgt ggaaacaaaa taaaaactga aaaattgtgt	2340
ctagcttttg aaaatgggat gcacttggta gatatttcag aatttagttc acatgatatc	2400
tgtgacgtct tgaaattata ccttcggcag ctcccagaac catttatttt atttcgattg	2460
tacaaggaat ttatagacct tgcaaaagag atccaacatg taaatgaaga acaagagaca	2520
aaaaagaata gtcttgaaga caaaaaatgg ccaaatatgt gtatagaaat aaaccgaatt	2580
cttctaaaaa gcaagacct tctaagacaa ttgccagcat caaattttaa cagtcttcat	2640
ttccttatag tacatctaaa gcggttagta gatcatgcag aagaaaacaa gatgaactcc	2700
aaaaacttgg gggtgatatt tggaccaagt ctcattaggc caaggccaca aactgctcct	2760
atcaccatct cctcccttgc agagtattca aatcaagcac gcttggtaga gtttctcatt	2820

acttactcac	agaagatctt	cgatgggtcc	ctacaaccac	aagatgttat	gtgtagcata	2880
gggtgtgttg	atcaaggctg	ttttccaaag	cctctgttat	caccagaaga	aagagacatt	2940
gaacgttcca	tgaagtcact	atTTTTTct	tcaaaggaag	atatccatac	ttcagagagt	3000
gaaagcaaaa	tttttgaacg	agctacatca	tttgaggaat	cagaacgcaa	gcaaaatgcg	3060
ttaggaaaat	gtgatgcatg	tctcagtgac	aaagcacagt	tgcttctaga	ccaagaggct	3120
gaatcagcat	cccaaaagat	agaagatggg	aaagcccta	agccactttc	tctgaaatct	3180
gatagggtcaa	caaacaatgt	ggagaggcat	actccaagga	ccaagattag	acctgtaagt	3240
ttgcctgtag	atagactact	tcttgcaagt	cctcctaagt	agagaaatgg	cagaaatatg	3300
ggaaatgtaa	atttagacaa	gttttgcaag	aatcctgcct	ttgaaggagt	taatagaaaa	3360
gacgctgcta	ctactgtttg	ttccaaatTT	aatggctttg	accagcaaac	tctacagaaa	3420
attcaggaca	aacagtatga	acaaaacagc	ctaactgcc	agactacaat	gatcatgccc	3480
agtgcactcc	aggaaaaagg	agtgacaaca	agcctccaga	ttagtgggga	ccattctatc	3540
aatgccactc	aaccagtaa	gccatatgca	gagccagtca	ggtcagtgag	agaggcatct	3600
gagagacggg	cttcagattc	ctaccctctc	gctcctgtca	gagcaccag	aacactgcag	3660
cctcaacatt	ggacaacatt	ttataaacca	catgctccca	tcacagtat	cagggggaat	3720
gaggagaagc	cagcttcacc	ctcagcagca	tgccctcctg	gcacagatca	cgatccccac	3780
gggtctcgtg	tgaagtcaat	gccagaccca	gacaaagcat	cagcttgtcc	tgggcaagca	3840
actgggtcaac	ctaaagaaga	ctctgaggag	cttggttgc	ctgatgtgaa	tccaatgtgt	3900
cagagaccaa	ggctaaaacg	aatgcaacag	tttgaagacc	tcgaagatga	aattccacaa	3960
tttgtgtagg	gatgtcaa	ttcagggttt	ttttgtgtgt	gttgtgttat	tttgtggtat	4020
tgtgcttgtt	ttgtgaaaga	atgttttgac	agggccctt	ttgtatagga	ctgccaaatc	4080
atgggttttg	ccttttggtg	ttgtatttat	cctctgttgg	taatactgaa	tggtagaatg	4140
ttttgatagg	gtcacatttg	tgctcactg	gaattatctt	taaattctgt	atTTTTaaag	4200
ttgtgaataa	gatagggtga	ttcgtatttt	ttaaagtcca	gttgactttc	cccaccaa	4260
gggtccatttg	aatgcatccc	taatatatga	tatagtctca	actaatagg	gcaatttggg	4320
aaaatcaggt	ttattttttg	gagtggaa	gttataagt	cttatttata	aaaggaatgt	4380
ttctgaatgc	aagtgcctaa	aaagatcttt	gttggtatgc	atatgttttg	tcacacaatt	4440
tatagtgc	ctttcaccat	ttgtgctttt	ttaagatagt	atgtaagctc	ttatttttca	4500

```

attggcaatt cagttaattt ttaaattgtt acataatggc cagaaggctt gcaaactctgt 4560
atttaattgc attttaatta attgccagtt ttacatgta gtagtcagtt gtacaaagaa 4620
aatgcactta aacctgtttc taaattatat attcagttat attatatttg gcttttagatg 4680
gttttaatac atttgatagt ttttcacccc ttggctttat tttatataaa cttttgtttt 4740
tcagcagttc tgaacttttt agtattttat aaatgggtcca aaaaatgcct gtttcagaag 4800
tttttgaatt cagtgcattt cctcttgatt tgtctgggtt aaaaccattc cttttgtatg 4860
aaatgttttg acttaggaat cattttatgt acttggttcta cctggattgt caacaactga 4920
aagtacatat ttcattccaaa tcaagctaaa atttatttta gttgattctg agagtacagg 4980
tcagtaagcc tcattatttg gaatttgaga gaagtatagg tgatcggatc tgtttcattt 5040
ataaaagggtc cagtttttag gactagtaca ttctgttat tttctgggtt ttatcatttt 5100
gcctaaaata ggatataaaa gggacaaaaa ataagtagac tgtttttatg tgtgaattat 5160
atttctacta aatgtttttg tatgactgtg ttataactga taatatatat atatatatat 5220
aaaaaaaaa aaaaaaaaaa 5238

```

```

<210> 60
<211> 793
<212> DNA
<213> Homo sapiens

```

```

<400> 60
atgcaggcca tcaagtgtgt ggtggtggga gatggggccg tgggcaagac ctgccttctc 60
atcagctaca ccaccaacgc ctttcccggg gagtacatcc ccaccgtgtt tgacaactat 120
tcagccaatg tgatggtgga cagcaagcca gtgaacctgg ggctgtggga cactgctggg 180
caggaggact acgaccgtct ccggccgctc tcctatccac agacggacgt cttcctcatc 240
tgcttctccc tcgtcagccc agcctcttat gagaacgtcc gcgccaagtg gttcccagaa 300
gtgcggcacc actgccccag cacacccatc atcctggtgg gcaccaagct ggacctgcgg 360
gacgacaagg acaccatcga gaaactgaag gagaagaagc tggctcccat cacctacctg 420
cagggcctgg cactggccaa ggagattgac tcggtgaaat acctggagtg ctcagccctc 480
accagagag gcttgaaaac cgtgttcgac gaggccatcc gggccgtgct gtgccctcag 540
cccacgcggc agcagaagcg cgcctgcagc ctctctagg ggttgcaccc cagegctccc 600
acctagatgg gtctgatccg ccgccgcccc agggccgcgg gctgctgaca gagatacgcg 660
ccgtggtgcg cacggagccc ttcacgggac gctacagcct gtgccggggc gggagctggg 720

```

cagggggaaa ttagcagtgg tgagaaaatg tataaagata gattctggga aagaatttgc 780
 tgcaaagttc atg 793

<210> 61
 <211> 1215
 <212> DNA
 <213> Homo sapiens

<400> 61
 atggacagca ggacaaagag caaggattac tgcaaagtaa tatttccata tgaggcacag 60
 aatgatgatg aattgacaat caaagaagga gatatagtca ctctcatcaa taaggactgc 120
 atcgacgtag gctggtggga aggagagctg aacggcagac gaggcgtgtt ccccgataac 180
 ttcgtgaagt tacttccacc ggactttgaa aaggaaggga atagacccaa gaagccaccg 240
 cctccatccg ctctgtcat caaacaaggg gcaggcacca ctgagagaaa acatgaaatt 300
 aaaaagatac ctctgaaag accagaaatg cttccaaaca gaacagaaga aaaagaaaga 360
 ccagagagag agccaaaact ggatttacag aagccctccg ttcttgccat accgcaaaa 420
 aagcctcggc cacctaagac caattctctc agcagacctg gcgcactgcc cccgagaagg 480
 ccggagagac cgggtgggtcc gctgacacac accaggggtg acagtccaaa gattgacttg 540
 gccggcagtt cgctatctgg catcctggac aaagatctct cggaccgcag caatgacatt 600
 gacttagaag gttttgactc cgtggtatca tctactgaga aactcagtca tccgaccaca 660
 agcagaccaa aagctacagg gaggcggcct ccgtcccagt ccctcacatc ttcattccctt 720
 tcaagccctg atatcttcga ctccccaagt cccgaagagg ataaggagga acacatttca 780
 cttgcgcaca gaggagtggga cggtcaaaag aaaacttcca agactgttac catatcccaa 840
 gtgtctgaca acaaagcatc cctgccgccc aagccgggga ccatggcagc aggtggcggt 900
 gggccagccc ctctgtcctc agcggcgccc tccccctgt catcctcttt gggaacagct 960
 ggacacagag ccaactcccc gtctctgttc ggcacggaag gaaaaccaa gatggagcct 1020
 gcggccagca gccaggcggc cgtggaggag ctaaggacac aggtccgca gctgaggagc 1080
 atcatcgaga ccatgaagga ccagcagaaa cgagagatta aacagttatt gtctgagttg 1140
 gatgaagaga agaaaatccg gcttcggttg cagatggaag tgaacgacat aaagaaagct 1200
 ctacaatcaa aatga 1215

<210> 62
 <211> 642
 <212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (227)..(227)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (565)..(565)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (583)..(583)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (590)..(590)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (593)..(593)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (604)..(604)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (611)..(611)

<223> n is a, c, g, or t

<400> 62

ttttaaatca aaactgttta ttgtaaaaaa aacttgaaaa ttgtttttta aaaaagaaac	60
attgatttca caagtcttca gggtgtttat agacatagct atagacaaca tctcagtttc	120
atacagaact cattcaatca tataaaaata aacacaaatt tacattgact catcaactat	180
acaattttaa aaggcacttg gaaggggtat tgtattattg catttgnggt atgcatttga	240
aatagtttaa gtacattaat gaatttgtaa gaatcctctt ttgcacttat tcccatcttt	300
aattaatttt caaaaattat taaaatgttt taaaatagta agacaatgga gcatgcgcca	360
ggaatgttca aagctaattt ttcctctctc cccaaggca catactgtta attggcaaaa	420
acaaaacaca acaaaaatac ttttaataca ttctcctgtg ttttgttctt gttatttttt	480
ttctcccttt taaaatatac tttaaagcac tacaggtaat caaaaaaagg ctttagttca	540

acaatgggca ccagaccacc gacantgtat ggagtaaact tagnaatactn ttntaagcac 600
 ctgnagtgcg ngtctgcaga tctcttccta tggggaatcc ta 642

<210> 63
 <211> 1977
 <212> DNA
 <213> Homo sapiens

<400> 63
 ggcagacagg aagacttctg aagaacaaat cagcctggtc accagctttt cggaacagca 60
 gagacacaga gggcagtcac gaggtaggac accaagaatt ccttgagaga aatccttcca 120
 cagctgaaat gccatttcac ctggaactta ttcaaggaag acagtgtctc aagggatcta 180
 gaagatagag tgtgtaacca gattgaattt ttaaactctg agttcaaagc tacaatgtac 240
 aacttggttg cctacataaa acacctagat ggtaacaacg aggcagccct ggaatgctta 300
 cggcaagctg aagagttaat ccagcaagaa catgctgacc aagcagaaat cagaagtcta 360
 gtcacttggg gaaactacgc ctgggtctac tatcacttgg gcagactctc agatgctcag 420
 atttatgtag ataaggtgaa acaaactgc aagaaatttt caaatccata cagtattgag 480
 tattctgaac ttgactgtga ggaaggggtg acacaactga agtgtggaag aaatgaaagg 540
 gcgaaggtgt gttttgagaa ggctctggaa gaaaagccca acaaccaga attctcctct 600
 ggactggcaa ttgcgatgta ccatctggat aatcaccag agaaacagtt ctctactgat 660
 gttttgaagc aggccattga gctgagtcct gataaccaat acgtcaaggt tctcttgggc 720
 ctgaaactgc agaagatgaa taaagaagct gaaggagagc agtttggtga agaagccttg 780
 gaaaagtctc cttgccaaac agatgtcctc cgcagtgcag ccaaatttta cagaagaaaa 840
 ggtgacctag acaaagctat tgaactgttt caacgggtgt tggaatccac accaaacaat 900
 ggctacctct atcaccagat tgggtgctgc tacaaggcaa aagtaagaca aatgcagaat 960
 acaggagaat ctgaagctag tggaaataaa gagatgattg aagcactaaa gcaatatgct 1020
 atggactatt cgaataaagc tcttgagaag ggactgaatc ctctgaatgc atactccgat 1080
 ctcgctgagt tcctggagac ggaatgttat cagacaccat tcaataagga agtccctgat 1140
 gctgaaaagc aacaatccca tcagcgtac tgcaaccttc agaaatataa tgggaagtct 1200
 gaagacactg ctgtgcaaca tggtttagag ggtttgtcca taagcaaaaa atcaactgac 1260
 aaggaagaga tcaaagacca accacagaat gtatccgaaa atctgcttcc acaaatgca 1320
 ccaaattatt ggtatcttca aggattaatt cataagcaga atggagatct gctgcaagca 1380

gccaaatgtt atgagaagga actgggcccgc ctgctaaggg atgccccttc aggcataaggc 1440
 agtatatttcc tgtcagcatc tgagcttgag gatggtagtg aggaaatggg ccagggcgca 1500
 gtcagctcca gtcccagaga gtcctctctc aactcagagc aactgaactg agacagagga 1560
 ggaaaacaga gcatcagaag cctgcagtgg tggttgtgac gggtaggagg ataggaagac 1620
 agggggcccc aacctgggat tgctgagcag ggaagctttg catgttgctc taaggtagat 1680
 ttttaaagag ttgttttttg gccgggcgca gtggctcatg cctgtaatcc cagcactttg 1740
 ggaggccgag gtgggcggat cacgaggtct ggagtttgag accatcctgg ctaacacagt 1800
 gaaatcccgt ctctactaaa aatacaaaaa attagccagg cgtgggtggct ggcacctgta 1860
 gtcccagcta cttgggaggc tgaggcagga gaatggcgtg aacctggaag gaagagggtg 1920
 cagtgaacca agattgcgcc ccctgcactc cagcctgggc ttcagagcaa gactcgg 1977

<210> 64
 <211> 5759
 <212> DNA
 <213> Homo sapiens

<400> 64
 ataccctgtg gtgctagtgt aaaatcaaat ataatctacc tctttagctt ttctgttatg 60
 taattggaat gaaaaaatag tgcttttttt tttttttcat ttttgagatt gagttaccat 120
 ggagggaaaag aacatgtgtt ttaccagtgg aacgcattct ttgtgttatc tcttcgattt 180
 ttaacatttt atgtttccag tttataaact ttgcctccag tttgatgaag aaaatttagc 240
 tattagaaag tattttaaact ctcaaaagta tgacatttta aaatgttagc aggtttaaag 300
 ataacttagt ttttcaactc ttaacccaaa attatacttg tatactataa tttgtgttga 360
 attacttggg attattttat atcctagtaa gatctatttt atataatttg attcactttt 420
 tatattgaat tatgttaatt gtttttgtaa tacacctttc atatttcttc aaagaaaact 480
 agtgttgggt tattgctaatt tttgcttcgt ggtttgggta tttacatata aaaattatat 540
 tgttttaaaa attgcaaagt gatcatttat tgacacatca gcaagaatta atgttgaaat 600
 gcaagttttt tcccctatcc ttaactaagt gtgtagatat ctttgttttg tttctttaat 660
 agatagcaaa caataaagat gcattgagga agacatggaa ccctaagttt acattgagaa 720
 gtcactttga tggcatccga gcccttgctt tccatcccat tgagcctgtt ttgataacag 780
 catcagagga tcacacatta aaaatgtgga atttacagaa aacagcccca gccaaaaagt 840
 gagaatattc tactttaaca ttatttgaat attttaagta acattttcag cagaaaacta 900

catatatttat	gattttctggt	aaatttccca	aacattttctt	ctagttcttt	cttccatgtc	960
atgtaattta	ttgtgttttt	ccattttatac	aacctaatgc	taggttagaa	aactgatgct	1020
taggaagata	tggtattatc	ttttggtttc	accagggttt	gtgaatactg	attacagtct	1080
ttatacataa	cagtattttt	aaatggctgc	tatatattggg	gagccccttg	tctatactga	1140
aggtttggac	tgttcttgta	aacagggtata	tgcattcttta	aaataatcaa	atgtccacct	1200
ccaccttgcc	ccattgttta	ctagatttag	acttatgaga	tggagcagag	aaaagcctca	1260
ctgggatggg	tggaggggtct	tggtcttgtc	ttttggcctt	gagacttttag	gtactttcca	1320
taccaccaa	tatgtctaga	ctcagaggct	aacatgactg	ctagtgtctca	ccttggccct	1380
ttagttcctg	tctaagcatg	gatagacatg	agttagtata	aaccctttta	aagtcacaaa	1440
gctaaatctg	gttctacttg	cttgggtcct	tatcggagct	ccactccttt	gggtcacatg	1500
tcaaaaaaaaa	aaaaaaaaaag	gcgccgtccg	ctgcgctggg	ggctcgggtct	atgacgagca	1560
gcgggggtctg	ccatgggtcg	ggggctgctc	aggggcctgt	ggccgctgca	catcgctcctg	1620
tggacgcgta	tcgccagcac	gatcccaccg	cacgttcaga	agtcgggtta	taacgacatg	1680
atagtcactg	acaacaacgg	tgcagtcaag	ttccacaac	tgtgtaaatt	ttgtgatgtg	1740
agattttcca	cctgtgacaa	ccagaaatcc	tgcattgagca	actgcagcat	cacctccatc	1800
tgtgagaagc	cacaggaagt	ctgtgtggct	gtatggagaa	agaatgacga	gaacataaca	1860
ctagagacag	tttgccatga	ccccaagctc	ccctaccatg	actttattct	ggaagatgct	1920
gcttctccaa	agtgcattat	gaaggaaaaa	aaaaagcctg	gtgagacttt	cttcatgtgt	1980
tcctgtagct	ctgatgagtg	caatgacaac	atcatcttct	cagaagaata	taacaccagc	2040
aatcctgact	tggtgctagt	catatttcaa	gtgacaggca	tcagcctcct	gccaccactg	2100
ggagttgcca	tatctgtcat	catcatcttc	tactgctacc	gcgttaaccg	gcagcagaag	2160
ctgagttcaa	cctgggaaac	cggcaagacg	cggaagctca	tggagttcag	cgagcactgt	2220
gccatcatcc	tggaagatga	ccgctctgac	atcagctcca	cgtgtgccaa	caacatcaac	2280
cacaacacag	agctgctgcc	cattgagctg	gacaccctgg	tggggaaagg	tcgctttgct	2340
gaggtctata	aggccaagct	gaagcagaac	acttcagagc	agtttgagac	agtggcagtc	2400
aagatctttc	cctatgagga	gtatgcctct	tggaagacag	agaaggacat	cttctcagac	2460
atcaatctga	agcatgagaa	catactccag	ttcctgacgg	ctgaggagcg	gaagacggag	2520
ttggggaaac	aatactggct	gatcaccgcc	ttccacgcc	agggcaacct	acaggagtac	2580
ctgacgcggc	atgtcatcag	ctgggaggac	ctgcgcaagc	tgggcagctc	cctcgcccg	2640

gggattgctc acctccacag tgatcacact ccatgtggga ggcccaagat gcccatcgtg 2700
 cacagggacc tcaacagctc caatatcctc gtgaagaacg acctaacctg ctgcctgtgt 2760
 gactttgggc ttccctgcg tctggacct actctgtctg tggatgacct ggctaacagt 2820
 gggcaggtgg gaactgcaag atacatggct ccagaagtcc tagaatccag gatgaatttg 2880
 gagaatgctg agtccttcaa gcagaccgat gtctactcca tggctctggt gctctgggaa 2940
 atgacatctc gctgtaatgc agtgggagaa gtaaaagatt atgagcctcc atttggttcc 3000
 aaggtgcggg agcaccctcg tgtcgaaagc atgaaggaca acgtgttgag agatcgaggg 3060
 cgaccagaaa ttccagctt ctggctcaac caccagggca tccagatggt gtgtgagacg 3120
 ttgactgagt gctgggacca cgaccagag gcccgctca cagccagtg tgtggcagaa 3180
 cgcttcagtg agctggagca tctggacagg ctctcgggga ggagctgctc ggaggagaag 3240
 attcctgaag acggctccct aaacactacc aaatagctct tctggggcag gctgggccat 3300
 gtccaaagag gctgccctc tcaccaaaga acagaggcag caggaagctg cccctgaact 3360
 gatgcttcct ggaaaaccaa gggggtcact cccctccctg taagctgtgg ggataagcag 3420
 aaacaacagc agcagggagt gggtgacata gagcattcta tgccttttac attgtcatag 3480
 gataagctgt gttagcactt cctcaggaaa tgagattgat tttaacaatag ccaataacat 3540
 ttgcacttta ttaatgcctg tatataaata tgaatagcta tgttttatat atatatatat 3600
 atatctatat atgtctatag ctctatatat atagccatac cttgaaaaga gacaaggaaa 3660
 aacatcaa atcccagga aattggtttt attggagAAC tccagaacca agcagagaag 3720
 gaagggagccc atgacagcat tagcatttga caatcacaca tgcagtgggt ctctgactgt 3780
 aaaacagtga actttgcatg aggaaagagg ctccatgtct cacagccagc tatgaccaca 3840
 ttgcacttgc ttttgcaaaa taatcattcc ctgcctagca cttctcttct ggccatggaa 3900
 ctaagtacag tggcactgtt tgaggaccag tgttcccggg gttcctgtgt gcccttattt 3960
 ctccctggact tttcatttaa gctccaagcc ccaaattctgg ggggctagtt tagaaactct 4020
 cccccaacct agtttagaaa ctctaccca tctttaatac cttgaatgtt ttgaacccca 4080
 ctttttacct tcatgggttg cagaaaaatc agaacagatg tccccatcca tgcgattgcc 4140
 ccaccatcta ctaatgaaaa attgttcttt tttcatctt tcccctgcac ttatgttact 4200
 attctctgct cccagccttc atccttttct aaaaaggagc aaattctcac tctaggcttt 4260
 atcgtgttta ctttttcatt acacttgact tgattttcta gttttctata caaacaccaa 4320

tgggttccat ctttctgggc tcttgattgc tcaagcacag tttggcctga tgaagaggat 4380
 ttcaactaca caatactatc attgtcagga ctatgacctc aggcaactcta aacatatgtt 4440
 ttgtttggtc agcacagcgt ttcaaaaagt gaagccactt tataaatatt tggagatttt 4500
 gcaggaaaat ctggatcccc aggtaaggat agcagatggg tttcagttat ctccagtcca 4560
 cgttcacaaa atgtgaagggt gtggagacac ttacaaagct gcctcacttc tcaactgtaaa 4620
 cattagctct ttcactgcc tacctggacc ccagtctagg aattaaatct gcacctaacc 4680
 aaggtcctt gtaagaaatg tccattcaag cagtcattct ctgggtatat aatatgattt 4740
 tgactacctt atctgggtgtt aagatttgaa gttggccttt tattggacta aaggggaact 4800
 cctttaaggg tctcagttag cccaagtttc ttttgcttat atgttaatag ttttaccctc 4860
 tgcattggag agaggagtgc tttactccaa gaagctttcc tcatgggttac cgttctctcc 4920
 atcatgccag ccttctcaac ctttgcagaa attactagag aggatttgaa tgtgggacac 4980
 aaagggtcca tttgcagtta gaaaatttgt gtccacaagg acaagaacaa agtatgagct 5040
 ttaaaactcc ataggaaact tgtaaatcaa caaagaagtg ttaatgctgc aagtaatctc 5100
 ttttttaaaa ctttttgaag ctacttattt tcagccaaat aggaatatta gagagggact 5160
 ggtagtgaga atatcagctc tgtttggatg gtggaagggtc tcattttatt gagattttta 5220
 agatacatgc aaagggttgg aaatagaacc tctaggcacc ctctcagtg tgggtgggct 5280
 gagagttaaa gacagtgtgg ctgcagtagc atagaggcgc ctagaaattc cacttgcacc 5340
 gtagggcatg ctgataccat cccaatagct gttgcccatt gacctctagt ggtgagtttc 5400
 tagaatactg gtccattcat gagatattca agattcaaga gtattctcac ttctgggtta 5460
 tcagcataaa ctggaatgta gtgtcagagg ataactgtggc ttgttttgtt tatgtttttt 5520
 tttcttattc aagaaaaaag accaaggaat aacattctgt agttcctaaa aatactgact 5580
 tttttcacta ctatacataa agggaaagtt ttattctttt atggaacact tcagctgtac 5640
 tcatgtatta aaataggaat gtgaatgcta tatactcttt ttatatcaaa agtctcaage 5700
 acttattttt attctatgca ttgtttgtct ttacataaaa taaaatgttt attagattg 5759

<210> 65
 <211> 2303
 <212> DNA
 <213> Homo sapiens

<400> 65
 cccggcgctcc cgtcgagccc agccccgccg ggggcgctcc tcgccgcccg cagccctcc 60

ccagccatgt cgtccatcct gcctttcact cccccgatcg tgaagcgccct gctgggctgg	120
aagaagggcg agcagaacgg gcaggaggag aaatggtgcg agaaggcggt caagagcctg	180
gtcaagaaac tcaagaagac ggggcagctg gacgagctgg agaaggccat caccacgcag	240
aacgtcaaca ccaagtgcac caccatcccc aggtccctgg atggccggtt gcaggtgtcc	300
catcggaagg ggctccctca tgtcatctac tgccgcctgt ggcgatggcc agacctgcac	360
agccaccacg agctgcgggc catggagctg tgtgagtctg ccttcaatat gaagaaggac	420
gaggtctgcg tgaatcccta ccactaccag agagtagaga caccagtctt acctcctgtg	480
ttggtgccac gccacacaga gatccccggc gagttcccc cactggacga ctacagccat	540
tccatccccg aaaacactaa cttccccgca ggcatcgagc ccagagcaa tattccagag	600
acccaccccc ctggctacct gagtgaagat ggagaaacca gtgaccacca gatgaaccac	660
agcatggacg caggttctcc aaacctatcc ccgaatccga tgtccccagc acataataac	720
ttggacctgc agccagttac ctactgcgag ccggccttct ggtgctccat ctctactac	780
gagctgaacc agcgcgtcgg ggagacattc cacgcctcgc agccatccat gactgtggat	840
ggcttcaccg acccctccaa ttcggagcgc ttctgcctag ggctgctctc caatgtcaac	900
aggaatgcag cagtggagct gacacggaga cacatcgga gaggcgtgcg gctctactac	960
atcggagggg aggtcttcgc agagtgcctc agtgacagcg ctatttttgt ccagtctccc	1020
aactgtaacc agcgtatagg ctggcaccgc gccaccgtct gcaagatccc accaggatgc	1080
aacctgaaga tcttcaacaa ccaggagttc gctgccctcc tggcccagtc ggtcaaccag	1140
ggctttgagg ctgtctacca gttgaccgca atgtgcacca tccgcatgag ctctgtcaaa	1200
ggctggggag cggagtacag gagacagact gtgaccagta cccctgctg gattgagctg	1260
cacctgaatg ggcttttgca gtggcttgac aaggtcctca ccagatggg ctccccaaagc	1320
atccgctgtt ccagtgtgtc ttagagacat caagtatggt aggggagggc aggcttgggg	1380
aaaatggcca tacaggaggt ggagaaaatt ggaactctac tcaaccatt gttgtcaagg	1440
aagaagaaat ctttctccct caactgaagg ggtgcacca cctgttttct gaaacacagc	1500
agcaaaccga gagtggtgat ttatgaacag ctgtgtctgc caaacacatt taccctttgg	1560
ccccactttg aagggaaga aatggcgtct gctctgggtg ctttaagtga cagaacaggt	1620
agtattacac caccggcacc ctccccccag actctttttt tgagtgcag ctttctggga	1680
tgtcacagtc caaccagaaa cgcctctctg tctaggactg cagtgtggag ttcacctgg	1740
aaggcgcttc taggtaggaa gagccgcac gatgcagacc tcatgccag ctctctgacg	1800

cttgtgacag tgcctcttcc agtgaacatt cccagcccag ccccgccccg ttgtgagctg 1860
 gatagacttg ggatggggag ggagggagtt ttgtctgtct ccctcccctc tcagaacata 1920
 ctgattggga ggtgctgtgt cagcagaacc tgcacacagg acagcgggaa aaatcgatga 1980
 gcgccacctc tttaaaaact cacttacgtt gtcctttttc actttgaaaa gttggaagga 2040
 ctgctgagge ccagtgcata tgcaatgtat agtgtctatt atcacattaa tctcaaagag 2100
 attcgaatga cggtaagtgt tctcatgaag caggaggccc ttgtcgtggg atggcatttg 2160
 gtctcaggca gcaccacact ggggtgctct ccagtcctct gtaagagctt gctccagatt 2220
 ctgatgcata cggctatatt ggtttatgta gtcagttgca ttcattaaat caactttatc 2280
 atatgctcaa aaaaaaaaaa aag 2303

<210> 66
 <211> 3250
 <212> DNA
 <213> Homo sapiens

<400> 66
 cggacgcgtg ggccgggttca gccatgggga cctctccgag cagcagcacc gccctcgcct 60
 cctgcagccg catcgcccgc cgagccacag ccacgatgat cgcgggctcc cttctcctgc 120
 ttggattcct tagcaccacc acagctcagc cagaacagaa ggctcgaat ctcataggca 180
 cataccgcca tgttgaccgt gccaccggcc aggtgctaac ctgtgacaag tgtccagcag 240
 gaacctatgt ctctgagcat tgtaccaaca caagcctgcg cgtctgcagc agttgccctg 300
 tggggacctt taccaggcat gagaatggca tagagaaatg ccatgactgt agtcagccat 360
 gcccatggcc aatgattgag aaattacctt gtgctgcctt gactgaccga gaatgcactt 420
 gccacctgg catgttccag tctaacgcta cctgtgcccc ccatacgggtg tgtcctgtgg 480
 gttgggggtgt gcggaagaaa gggacagaga ctgaggatgt gcggtgtaag cagtgtgctc 540
 ggggtacctt ctgagatgtg ctttctagtg tgatgaaatg caaagcatac acagactgtc 600
 tgagtcagaa cctggtggtg atcaagccgg ggaccaagga gacagacaac gtctgtggca 660
 cactcccgtc cttctccagc tccacctcac ctccccctgg cacagccatc tttccacgcc 720
 ctgagcacat ggaaacccat gaagtcctt cctccactta tggtcccaaa ggcatgaact 780
 caacagaatc caactcttct gcctctgtta gaccaaaggt actgagtagc atccaggaag 840
 ggacagtccc tgacaacaca agctcagcaa gggggaagga agacgtgaac aagaccctcc 900
 caaaccttca ggtagtcaac caccagcaag gccccacca cagacacatc ctgaagctgc 960

tgccgtccat ggaggccact gggggcgaga agtccagcac gcccatcaag ggccccaaga 1020
 ggggacatcc tagacagaac ctacacaagc attttgacat caatgagcat ttgccctgga 1080
 tgattgtgct tttcctgctg ctggtgcttg tgggtgattgt ggtgtgcagt atccggaaaa 1140
 gctcgaggac tctgaaaaag gggccccggc aggatccag tgccattgtg gaaaaggcag 1200
 ggctgaagaa atccatgact ccaaccaga accgggagaa atggatctac tactgcaatg 1260
 gccatggtat cgatatcctg aagcttgtag cagcccaagt gggaagccag tggaaagata 1320
 tctatcagtt tctttgcaat gccagtgaga gggaggttgc tgctttctcc aatgggtaca 1380
 cagccgacca cgagcggggc taogcagctc tgcagcactg gaccatccgg ggccccgagg 1440
 ccagcctcgc ccagctaatt agcgccctgc gccagcaccg gagaaacgat gttgtggaga 1500
 agattcgtgg gctgatggaa gacaccaccc agctggaaac tgacaaacta gctctcccga 1560
 tgagccccag cccgcttagc ccgagcccca tccccagccc caacgcgaaa cttgagaatt 1620
 ccgctctcct gacggtggag ccttccccac aggacaagaa caagggcttc ttcgtggatg 1680
 agteggagcc ccttctccgc tgtgactcta catccagcgg ctctccgcg ctgagcagga 1740
 acggttcctt tattacaaa gaaaagaagg acacagtgtt gcggcaggta cgctggacc 1800
 cctgtgactt gcagcctatc tttgatgaca tgctccactt tctaaatcct gaggagctgc 1860
 ggggtgattga agagattccc caggctgagg acaaactaga ccggctattc gaaattattg 1920
 gagtcaagag ccaggaagcc agccagaccc tcctggactc tgtttatage catcttctg 1980
 acctgctgta gaacataggg atactgcatt ctggaaatta ctcaatttag tggcaggggtg 2040
 gttttttaat tttcttctgt ttctgatttt tgttgtttg ggtgtgtgtg tgtgtttgtg 2100
 tgtgtgtgtg tgtgtgtgtg tgtgtgtgtt taacagagaa tatggccagt gcttgagttc 2160
 tttctccttc tctctctctc tttttttttt aaataactct tctgggaagt tggtttataa 2220
 gcctttgcca ggtgtaactg ttgtgaaata cccaccacta aagtttttta agttccatat 2280
 tttctccatt ttgccttctt atgtattttc aagattatc tgtgcacttt aaatttactt 2340
 aacttaccat aatgcagtg tgacttttcc cacacactgg attgtgaggc tcttaacttc 2400
 ttaaaagtat aatggcatct tgtgaatcct ataagcagtc tttatgtctc ttaacattca 2460
 cacctacttt ttaaaaacaa atattattac tatttttatt attgtttgtc ctttataaat 2520
 tttcttaaag attaagaaaa ttaagaccc cattgagtta ctgtaatgca attcaacttt 2580
 gagttatctt ttaaatatgt cttgtatagt tcatattcat ggctgaaact tgaccacact 2640


```

attgctgatt gtatgggtttt cacctggaca ccgtagtagaa tgcttgatta cttgtactct 2700
tcttatgcta atatgctctg ggctggagaa atgaaatcct caagccatca ggatttgcta 2760
tttaagtggc ttgacaactg ggccacccaaa gaacttgaac ttcacctttt aggatttgag 2820
ctgttctgga acacattgct gcacttttga aagtcaaaat caagtgccag tggcgccctt 2880
tccatagaga atttgcccag ctttgcttta aaagatgtct tgttttttat atacacataa 2940
tcaataggtc caatctgctc tcaaggcctt ggtcctgggtg ggattccttc accaattact 3000
ttaattaaaa atggctgcaa ctgtaagaac ccttgtctga tatatttgca actatgctcc 3060
catttacaaa tgtaccttct aatgctcagt tgccagggtc caatgcaaag gtggcgtgga 3120
ctccctttgt gtgggtgggg tttgtgggta gtgggtgaagg accgatatca gaaaaatgcc 3180
ttcaagtgtg ctaatttatt aataaacatt aggtgtttgt taaaaaaaaa aaaaaaaaaa 3240
aaaaaaaaaa 3250

```

```

<210> 67
<211> 1216
<212> DNA
<213> Homo sapiens

```

```

<400> 67
gtagcggcgc gcgagcgggc cgggcgggcg gccgagtttt ccaagagata acttcaccaa 60
gatgtccagt gataggcaaa ggtccgatga tgagagcccc agcaccagca gtggcagttc 120
agatgcggac cagcgagacc cagccgtctc agagcctgaa gaacaagagg aaagaaaacc 180
ttctgccacc cagcagaaga aaaacaccaa actctctagc aaaaccactg ctaagttatc 240
cactagtgtc aaaagaattc agaaggagct agctgaaata acccttgatc ctctcctaa 300
ttgcagtgtc gggcctaaag gagataacat ttatgaatgg agatcaacta tacttggtcc 360
accgggttct gtatatgaag gtgggtgtgt ttttctggat atcacatttt catcagatta 420
tccattttaag ccaccaaagg ttactttccg caccagaatc tatcactgca acatcaacag 480
tcaggagatc atctgtctgg acatccttaa agacaactgg agtcccgtt tgactatttc 540
aaaggttttg ctgtctatct gttccctttt gacagactgc aaccctgcgg atcctctggt 600
tggaagcata gccactcagt atttgaccaa cagagcagaa cagcacagga tagccagaca 660
gtggaccaag agatacgcaa cataattcac ataatttgta tgcagtgtga aggagcagaa 720
ggcatcttct cactgtgctg caaatcttta tagcctttac aatacggact tctgtgtata 780
tgttatactg attctactct gcttttatcc tttggagcct gggagactcc ccaaaaagg 840

```

aaatgctatc aagagtagaa ctttgtagct gtagattagt tatgtttaaa acgcctactt 900
 gcaagtcttg cttctttggg atatcaaaat gtattttgtg atgtactaag gatactggtc 960
 ctgaagtcta ccaaataatta tagtgcatth tagcctaatt cattatctgt atgaagttat 1020
 aaaagtagct gtagatggct aggaattatg tcatttgtat taaaccacaga tctatttctg 1080
 agtatgtggg tcatgctgtt gtgaaaaatg ttttaccttt tacctttgtc agtttgtaat 1140
 gagaggattt ccttttaccc tttgtagctc agagagcacc tgatgtatca tctcaaacac 1200
 aataaacatg ctccctg 1216

<210> 68
 <211> 2201
 <212> DNA
 <213> Homo sapiens

<400> 68
 ggacagaggc cctccccgcc cggctggagg ctgctccgga ccgggacgca gagtctgcgg 60
 acccggcgcc gaggcggcca cccgagacgc ggcgcgcacg ctccggcctg cgcggggccc 120
 ggccatggcg gcccccgcc cgtctccgc gatctccgtt tcgggtctcg ctccggcttt 180
 ttacgccccg cagaagaagt tcggccctgt ggtggcccca aagcccaaag tgaatccctt 240
 ccggaagact ttcccttgc tccacctccc cttgctgggg atggcgacga tgcagagggg 300
 gctctgggag gtgccttccc gccgccccct ccccgatcg aggaatcatt tccccctgcg 360
 cctctggagg aggagatctt ccttccccg ccgcctctc cggaggagga gggagggcct 420
 gagggcccca tacggcccc accacagccc agggagaagg tgagcagtat tgatttgag 480
 atctctctgt cctcactgct ggatgacatg accaagaatg atcctttcaa agccggggtg 540
 tcatctggat atgtgcccc accagtggcc actccattca gttccaagtc cagtaccaag 600
 cctgcagccg ggggcacagc acccctgcct ccttgaagt ccccttcag ctcccagcct 660
 ctgccccagg ttccggctcc ggctcagagc cagacacagt tccatgttca gccccagccc 720
 cagcccaagc ctcaagtcca actccatgtc cagtcccaga cccagcctgt gtctttggct 780
 aacaccagc cccgagggcc cccagcctca tctccggctc cagcccctaa gttttctcca 840
 gtgactccta agtttactcc tgtggcttcc aagttcagtc ctggagcccc aggtggatct 900
 gggtcacaac caaatcaaaa attggggcac cccgaagctc tttctgctgg cacaggctcc 960
 cctcaacctc ccagcttcac ctatgccag cagagggaga agccccgagt gcaggagaag 1020
 cagcaccocg tgccccacc ggctcagaac caaaaccagg tgcgctccc tggggcccca 1080

```

gggcccctga ctctgaagga ggtggaggag ctggagcagc tgacccagca gctaatgcag 1140
gacatggagc atcctcagag gcagaatgtg gctgtcaacg aactctgcgg ccgatgccat 1200
caacccctgg cccggggcgca gccagccgtc cgcgctctag ggcagctgtt ccacatcgcc 1260
tgcttcacct gccaccagtg tgcgcagcag ctccagggcc agcagttcta cagtctggag 1320
ggggcgccgt actgcgaggg ctgttacact gacaccctgg agaagtgtaa cacctgcggg 1380
gagcccatca ctgaccgcat gctgagggcc acgggcaagg cctatcacc gcactgcttc 1440
acctgtgtgg tctgcgccc cccctggag ggcacctcct tcatcgtgga ccaggccaac 1500
cgccccact gtgtccccga ctaccacaag cagtacgccc cgaggtgctc cgtctgctct 1560
gagcccatca tgctgagcc tggccgagat gagactgtgc gagtggtcgc cctggacaag 1620
aacttccaca tgaagtgtta caagtgtgag gactgcggga agccctgtc gattgaggca 1680
gatgacaatg gctgcttccc cctggacggt cacgtgctct gtcggaagtg ccacactgct 1740
agagcccaga cctgagttag gacaggccct ctccagaccg cagtccatgc ccattgtgg 1800
accaccaca ctgagaccac ctgccccac ctccagttatt gttttgatgt ctagcccctc 1860
ccatttccaa cccctcccta gcatcccagg tgccctgacc caggacccaa catggtctag 1920
ggatgcagga tccccgccct ggggtctggt cctcgcccat cctgcaggga ttgccaccg 1980
tcttccagac accccacctg agggggggcac caggtttagt gctgctgctt tcaactgctgc 2040
acccgcgccc tcggctggcc ccccgagcag cctttgtact ctgcttgcg agggctggga 2100
gaccctccag gacattccca ccctcccca tgctgccaa ttgtagctat agctacaaat 2160
aaaaaaaaac cttgttttcc agaaaaaaaa aaaaaaaaaa a 2201

```

<210> 69
<211> 1219
<212> DNA
<213> Homo sapiens

```

<400> 69
gagaacatcc atctacagtc ctcccttgct tgggtgattg ggctcagagg aacaaaaagt 60
tagtctgact ctgtgcatat tagcatcatg tctttagaga aaggtcagcc tctctggttg 120
ccaaatactc atcatgatgc tcatgactta aaggttctga ggagccttgt ctcccttgga 180
tttttgagtc agggtagagg aaaaaacatt gctgactaac taactgcaaa tgcactctgca 240
ggtgaaaccc tacgaaagca cagttctggc tataaacttc agagttctct gtaaaaaact 300
tagagcacta gaagcacagg aatagtgagt gtacagctta tgcggttgta gaggggcaac 360

```

```

tgatgaacac aggtcccaca tatatgaggg agtatgacgt tctctaccta atatgttctg 420
tgtgcatggt ttgaatgatt gaagatggga ttaactaatg caagtttaca gttgcctcct 480
aaaacacaca ttctgtataa ttatcgctaa atacaatgct gtgaggtcta tagttcctgt 540
aacccttttc tcctcccca ggacagagaa gaactagcca tgtgctatag ggaaccctga 600
gtgccctact cttttcccaa gaagggtaaa gcctacaata tcatcagggg gcatgaagca 660
cattaatttg cagtggctgc ttcatatgag gaggtatggt ggacaggcta atttttcctt 720
gaaaatgtgg cttcttcaac tcctttcaaa tttaggatgg aatacttcct gaaataaaac 780
tgggctttat gcaggattct ctttgaaaat tcttgtatgt ccagaacaaa agataaaaact 840
aattgtattc ctcacattca caatcccat tggctctgaag tcacgtagca cagagcatct 900
atagcacata gtgtttaaag actaatgaat gcaaaaagat aaaatcttca actaattttt 960
gaattgtttc tcatatatgc tactagaaaa tgccttggtg atgaagcaca ttttgggtag 1020
ttgaggctct ttgttttcgc ctttagcttt ctaagctttc ttacaatgtg gactgattac 1080
tgtaacattt cacgtgtaaa ataactggat attctttata tactggaaat aacctgtgaa 1140
tccaatattt cactaagtgt ttttaacttt gtgtatatat ctctcatcaa taaatgtgga 1200
tttcaaaaaa aaaaaaaaaa 1219

```

```

<210> 70
<211> 482
<212> DNA
<213> Homo sapiens

```

```

<400> 70
gtcctatagg cgctaggtgg aaatagcaaa aacaaggccc aggctgggca ggccagaggg 60
gaaggccctg gattctcact catgtgagat cttgaatctc tttctttggt ctgtttgttt 120
agttagtatc atctggtaaa atagttaaaa aacaacaaaa aactctgtat ctgtttctag 180
catgtgctgc attgactcta ttaatcacat ttcaaattca ccctacattc ctctcctctt 240
cactagcctc tctgaagggtg tcctggccag ccctggagaa gcactgggtgt ctgcagcacc 300
cctcagttcc tgtgcctcag cccacaggcc actgtgataa tggctctgttt agcacttctg 360
tatttattgt aagaatgctt atcatgaaga tacacactgt aactacaaga aattataaat 420
gtttttcaca tcaaaaaaaaa aaaaaaaaaa acaaacaaaa caacacacaa aaccaaaaaa 480
aa 482

```

```

<210> 71

```

<211> 456
 <212> DNA
 <213> Homo sapiens

<400> 71
 tttttttttt tttttttcag ggcagaagag ggtgaaataa gttggactct tgttttttatt 60
 ctcaaagtct ccttggaac atactttggg gaatctgttt ttaaagtgag cttatgtcac 120
 ataggcttga tactgtctag aaaaatctct tcaggtgagg gtggggcctc aactaagagt 180
 gcaggcccga agagcctccc aaaggaaact tctagaatca ggctgtgggc tgtgactctc 240
 ctcagcaaag ccacgcagag gtaagggtgct tcaattcagg gacttacaaa agggcctccc 300
 tgctctgctc agatggggaa aagttgatga tggttttttt ttgtttttta aaaaaacacc 360
 ttcttgccac tttcatttcc cttagcattt tatttatatc cacaatgttg ttcttgaaaa 420
 acagataggt aaccaaaaag gaaaaacaga gctgca 456

<210> 72
 <211> 2278
 <212> DNA
 <213> Homo sapiens

<400> 72
 ggggagtgt ccattttccc cgacagcgaa tttccctga gaaacgatac tagaccctgg 60
 gtttgcccac cttgtaactc ttccttatct cctccttttc atccctaatt catcctccct 120
 ctggcatgga attgacgccc gtgcagtaca tttgccagt ggcaccttct ttcaatttat 180
 gttttatatt gctatgggtg tgattcttta tttgctggtt gtcttttctc acacatcttt 240
 ctctctgtct ctctctttcc tgctctttgt tttctgccc agaaaaacct gacttcgata 300
 ccaaaaaaga tgaaactaca gaaactcaaa tttaaaaaaa actttaaaag aaacaaaaaa 360
 atactcaacg attctttcag ctttattaac attttccatt gtttcttgcg acttggtgtc 420
 cgttctttgt agtattgatg atgaacattt gataatgaat gttcttgat attcagataa 480
 agaaaaaaaa aaccaaaaaa gcggtctgaa tttaatagt tttataataa aaatttttaa 540
 aatgaccctc atagcacgca aaacaggatg ggggaatttcc cctcttcttt ctgtgacaat 600
 ggcgatcatt cctgcattag tttttaacac cagactacct acattcatca tttccctcat 660
 ttttctttta ttttcttgca tttgtgaatt agttcaagaa tgctagaaaa gtgtcgagtt 720
 gtgcacatcc atttcttggt tcacaatgtt taaaagtgac agtaattcat tttgtaaact 780
 aaaaaaaaaa aaaaaaagg tggaaatagt agcataatag gtacaacct aacattatt 840
 atgtttatta actttgagac ccagaaataa attcttttct tttcttgatt cttgctctta 900

```

aaaatacaaa aaaaaaaatg ttttgttttg tgttatTTTT ggTTTgttta ttgggggggct 960
ttttttaatt gtcaggatta tgatcttgct gtttttcttc aatatgtata caaggtgatg 1020
tgaaaagatg acttgggcag aggagtaaga acaagtaggc ttgttcttct actttgcttc 1080
agaattcagt taatgccaaa agcgaagatc aagcccatgt tgatgtctcg ttgctcacct 1140
gcatttccag agagtgtgac actcatgcag tccctgagaa aaataaaaatc agggacatac 1200
ttctcttttt agccttttta aaattcaaaa acgttttagtc caagggaact ttttatgcta 1260
tcaggaaagg tttttgctgt ttttgattct gattatcaca gccaaagtact ttgttttatt 1320
tctccctaata taataactac attccatgag gcctcttcca accaaagagg ctttttcttc 1380
caggagagtc ccgcaggaga tgctggatg atgggcacca ttggttaagt aaactacatg 1440
caggaagaag tccttggggc cagtctgcc gctgagtcct ggTTTTggat gaagagttaa 1500
tgagatatg ggccaggctc aatgctgtag ttttaatgct aagagggtac gtttacttca 1560
cagagtacac ctcttagtaa cctctgactt aggcagctgc ttaaagcaaa ttgcaaaact 1620
ggcttgattt ggaatgtttt tattagagga aaaaagaaag ccatattatc tggaaaaaaa 1680
ttcattttta ataccatcat tcaacaaatt atgttcagaa agtggtcaga acttaagcaa 1740
gaaaagtaaa gaaagaatgc agaattgtgg agcaatgctt taggaaatat ttctacctga 1800
acacttgtag tcttgaagtc acaacaaaat aatgatgagc ttttcacatc acctttatgg 1860
tttcaatccc tagctcaaag ctctctggaa tcttttattt ttgttaaact ttttttctt 1920
ttgttaaaat aaataaaaaca ttcaatgttt ttctctttt ctctcttatt acttctttcc 1980
tttggcattt tcaatttgaa atgctttcct ttgggtgttg gttttattct cccctaccc 2040
ctcccccttt ctattattc agaataaaa cctgcaaagc tctgctctgt tttggttttg 2100
aaagtttaag cttttctgct tctgtgagag cacaggttc tgtccctttt gattccaact 2160
gaacttttgt gttctctaata gatactaaca cgggtgtaggt ttacagtct cctaatttgt 2220
actggtaatg catattccaa ataaatagtt tcttttggtg caaaaaaaaaa aaaaaaaa 2278

```

<210> 73
 <211> 1819
 <212> DNA
 <213> Homo sapiens

```

<400> 73
cttccctggt tctcctgaaa aggatttgaa gacaagcttg aaggataaaa agccttggtg 60
cttcccagga gccgagccga ggagcagaag aggaagagcc gggggctgcc gtagcctttg 120

```

gagatggacg agcagcccag gctgatgcat tcccatgctg gggtcgggat ggccggacac 180
 cccggcctgt cccagcactt gcaggatggg gccggaggga ccgaggggga gggcgggagg 240
 aagcaggaca ttggagacat ttacagcaa attatgacca tcacagacca gagtttgat 300
 gaggcgcagg ccagaaaaca tgctttaaac tgccacagaa tgaagcctgc cttgtttaat 360
 gtgttggtg aaatcaaaga aaaaacagtt ttgagtatcc gaggagccca ggaggaggaa 420
 cccacagacc cccagctgat gcggctggac aacatgctgt tagcgggaagg cgtggcgggg 480
 cctgagaagg gcggagggtc ggccggcagcg gcggcagcgg cggcggcttc tggaggggca 540
 ggttcagaca actcagtga gcattcagat tacagagcca aactctcaca gatcagacaa 600
 atctaccata cggagctgga gaaatacgag caggcctgca acgagttcac caccacgtg 660
 atgaatctcc tgcgagagca aagccggacc aggccatct ccccaaagga gattgagcgg 720
 atggtcagca tcatccaccg caagttcagc tccatccaga tgcagctcaa gcagagcacg 780
 tgcgaggcgg tgatgatcct gcgttcccg tttctggatg cgcggcgga gagacggaat 840
 ttcaacaagc aagcgacaga aatcctgaat gaatatttct attcccatct cagcaacctt 900
 taccacagtg aggaagccaa agaggagtta gccagaagt gtggcatcac agtctccag 960
 gtatcaaact gggttgga taagcgaatc cgttacaaga agaacatagg taaatttcaa 1020
 gaggaagcca atatattatgc tgccaaaaca gctgtcactg ctaccaatgt gtcagccat 1080
 ggaagccaag ctaactcgcc ctcaactccc aactcggctg gttcttccag ttcttttaac 1140
 atgtcaaact ctggagattt gttcatgagc gtgcagtcac tcaatgggga ttcttacc aa 1200
 ggggcccagg ttggagccaa cgtgcaatca cagggtggata cccttcgcca tgttatcagc 1260
 cagacaggag gatacagtga tggactcgca gccagtcaga tgtacagtcc gcagggcac 1320
 agtgctaag gaggttgga ggatgctact accccttcat cagtgcctc ccctacagaa 1380
 ggccctggca gtgttcactc tgatacctcc aactgatctc ccagcaatcg catcccggt 1440
 gaccctctgc cccagttggg gcaggggcag gaggagggt ttctctcca agctgaagcg 1500
 gtcagactgg aggtcgaagc aatcagcaaa cacaataaga gtctccttct cttctcttct 1560
 ttgggatgct atttcagcca atctggacac ttctttatac tctcttccct ttttttctg 1620
 ggtagaagcc acccttccct gcctccagct gtcagcctgg ttttcgtcat cttccctgcc 1680
 cctgtgctc tgcctagac ttcccgggt ccccgccctc tctcatatca ctgaaggata 1740
 ttttcaacaa ttagaggaat ttaaagagga aaaaaattac aaagaaaata ataaaagtgt 1800

ttgtacgttt tcaaaaaaa

1819

<210> 74
<211> 495
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (10)..(10)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (31)..(31)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (162)..(162)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (201)..(201)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (209)..(209)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (212)..(212)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (226)..(226)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (267)..(267)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (314)..(314)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (371)..(371)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (399)..(399)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (409)..(409)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (428)..(428)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (433)..(433)

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (465)..(465)

<223> n is a, c, g, or t

<400> 74

```

cgtgggggtn actgatggtg gctgctgtca nattccaagt ggcttatggg ataggacaac      60
ccccaggca cttcactgta ggacagttag caccaagagc taagggttgtag agataatgca      120
aatctggcct gtcacctctg cagagtacag gttcccatatc tntgaggcag cagcagagag      180
ggaaccacca gagaaacagc ntttcagant tntctttcct ttggtntatg gatatgtgtg      240
tgttctagtc tttggtgggc aatggantct gcagctccat gacaatcttg ttaagtagct      300
tatgtgggga agtntttcag ggtcacaagg gccaccatt ctaaggcttc tcattttaat      360
ttccccaggg nttaaggagg acaggtgggg ggaaagggna aaaaccttng cacctttgct      420
attacttnaa ttngggattc caggaggccc aatccaatgg cattntttac cctacttttc      480
ttgggcccac atcca                                           495

```

<210> 75

<211> 871

<212> DNA

<213> Homo sapiens

<400> 75

```

gccagaaccc aagggaacgt catggaggcc acatggggcc acccggtccc ctggggatgg      60
ctccgcctgc acttttgaaa ccccggtttc cttcaacgtc cacattccag gtgaccacac      120

```

gtgtctcctc ctctcatct tagcttccag gttcaccccta accctgtact aacctgcttg 180
 gtggacttgg aaaagacttg gctctgtcgg gaaaggagag acggggcctc catcacgcct 240
 gttaccagag gatccccgag agccacacca gctctggaca tcaccgcccc tggaaactggg 300
 gccaccagcc ctgggcacga gatttgctct gactttatctt atatggcatg aaatctctgg 360
 tttatcttgg gattttttgt ctgtcgggtg cgtcaaagtt cgcctctctt ctaaagtcgt 420
 gtgatctata tatctgacat ttacatctc acagacaccg gtatgtcgtc taacagggga 480
 ccaacagacg gtagtattga caactgttcc cgcttctact accaccacac cagagcacia 540
 cccgaaaccc ctacctccac tcgccacacc ttccccacat gtcctggcgc tcctgtcgg 600
 tcactactta gccggtcgca cccgtgtcgt ccccgcggt atcgaccgcc gcactccctt 660
 cccccaccct ccattctcca gcgcctcgcc cgccgcccc aaccgcccc ctccactgac 720
 cggctccac gccccgagac gcgcccacca gcgccggcac ctgaccccca ccgcaccccc 780
 actcgggccc agcccccg ccgaagcgcc cgggcacccc cgccgcccgc cccccacacc 840
 ccccgaccaa cccccgaca cgcccctga c 871

<210> 76
 <211> 956
 <212> DNA
 <213> Homo sapiens

<400> 76
 aagtaaatgc agcactagt ggtgggattg aggctatgcc ctggtgcata aatagagact 60
 cagctgtgct ggcacactca gaagcttggc ccgcataccta gccgccgact cacacaaggc 120
 aggtgggtga ggaaatccag agttgccatg gagaaaattc cagtgtcagc attcttgctc 180
 cttgtggccc tctcctacac tctggccaga gataccacag tcaaacctgg agccaaaaag 240
 gacacaaagg actctcgacc caaactgccc cagaccctct ccagaggttg gggtagacaa 300
 ctcatctgga ctacagacata tgaagaagct ctatataaat ccaagacaag caacaaaccc 360
 ttgatgatta ttcatcactt ggatgagtgc ccacacagtc aagctttaaa gaaagtgtt 420
 gctgaaaata aagaaatcca gaaattggca gagcagtttg tcctcctcaa tctggtttat 480
 gaaacaactg acaaacacct ttctcctgat ggccagtatg tcccaggat tatgtttgtt 540
 gaccatctc tgacagttag agccgatatc actggaagat attcaaactg tctctatgct 600
 tacgaacctg cagatacagc tctgttgctt gacaacatga agaaagctct caagttgctg 660
 aagactgaat tgtaaagaaa aaaaatctcc aagcccttct gtctgtcagg ccttgagact 720

tgaaaccaga agaagtgtga gaagactggc tagtgtggaa gcatagtga cactgtgatt 780
 aggttatggg ttaatgttac aacaactatt ttttaagaaa aacaagtttt agaaatttgg 840
 tttcaagtgt acatgtgtga aaacaatatt gtatactacc atagtgagcc atgattttct 900
 aaaaaaaaaa ataaatgttt tgggggtgtt ctgttttctc caaaaaaaaa aaaaaa 956

<210> 77
 <211> 591
 <212> DNA
 <213> Homo sapiens

<400> 77
 atggcgccca tccgcaagaa gctgggtggg gtggggcgacg gcgcgtgtgg caagacgtgc 60
 ctgctgatcg tggtcagtaa ggacgagttc cccgaggtgt acgtgcccac cgtcttcgag 120
 aactatgtgg ccgacattga ggtggacggc aagcaggtgg agctggcgct gtgggacacg 180
 gcggggccagg aggactacga ccgcctgcgg ccgctctcct acccggaacac cgacgtcatt 240
 ctcatgtgct tctcgggtgga cagccccggac tcgctggaga acatccccga gaagtgggtc 300
 cccgaggtga agcacttctg tcccaatgtg cccatcatcc tgggtggccaa caaaaaagac 360
 ctgcgacgag acgagcatgt ccgcacagag ctggcccgca tgaagcagga acccggtgcgc 420
 acggatgacg gccgcgccat ggccgtgcgc atccaagcct acgactacct cgagtgtctc 480
 gccaagacca aggaaggcgt gcgcgaggtc ttcgagacgg ccacgcgcgc cgcgctgcag 540
 aagcgctacg gctcccagaa cggtgcac cactgctgca aggtgctatg a 591

<210> 78
 <211> 1414
 <212> DNA
 <213> Homo sapiens

<400> 78
 cgattgagga acccatttcc tcattctgca aattgcaaac ctgagggccc aaagagggac 60
 aggggcttgc caggtctcag caggctgtga gcaagagcta aagcctaata ctctgcctt 120
 tgggctggag ccttccttgt accccagggt cagtgtcttt gttggataca ggcttagatt 180
 gactgactgt accctgagaa cctaggggag tccctgttcc caattcttct cctaccccc 240
 ccttggcctg atggaggaag accctgctgt gttgagatga gcaccagagc caagaagctg 300
 aggaggatct ggagaattct ggaggaagag gagagtgttg ctggagctgt acagaccctg 360
 cttctcaggt ccaggaagg tggcgtcaca tctgcagccg cgtcgacgtt gtcggagcct 420
 ccgaggagga ccagagag ccggactagg accagggccc tgggcctccc cactcccc 480

atggagaagc tggcggcctc tacagagccc caagggcctc ggccgggcctt gggccgtgag 540
 agtgtccagg tgcccgatga ccaagacttt cgcagcttcc ggtcagagtg tgaggctgag 600
 gtgggctgga acctgaccta tagcagggct ggggtgtctg tctgggtgca ggctgtggag 660
 atggatcgga cgctgcacaa gatcaagtgc cggatggagt gctgtgatgt gccagccgag 720
 acactctacg acgtcctaca cgacattgag taccgcaaga aatgggacag caacgtcatt 780
 gagacttttg acatcgcccg cttgacagtc aacgctgacg tgggctatta ctcttgagg 840
 tgtcccaagc ccctgaagaa ccgtgatgtc atcacctcc gctcctggct ccccatgggc 900
 gctgattaca tcattatgaa ctactcagtc aaacatccca aatacccacc tcggaaagac 960
 ttggtccgag ctgtgtccat ccagacgggc tacctcatcc agagcacagg gcccaagagc 1020
 tgcgtcatca cctacctggc ccaggtggac cccaaaggct ccttaccxaa gtgggtgggtg 1080
 aataaatctt ctcaattcct ggctcccaag gccatgaaga agatgtacaa ggctgtgctc 1140
 aagtaccccg agtggaaaca gaagcacctg cctcacttca agccgtggct gcacccggag 1200
 cagagcccggt tgccgagcct ggcgtgtcg gagctgtcgg tgcagcatgc ggactcactg 1260
 gagaacatcg acgagagcgc ggtggccgag agcagagagg agcggatggg cggcgcgggc 1320
 ggcgagggca gcgacgacga cacctcgctc acctgagcga cgcaccgctt cagggacgga 1380
 gacaggaccg gcggagccct ggggcggcgg ccgc 1414

<210> 79
 <211> 2000
 <212> DNA
 <213> Homo sapiens

<400> 79
 cttggcacga gggattggtc tgtgtcctc tctcggctcc tcgaggctcg cggcggccga 60
 cggttcctgg gacacctgct tgcttggccc gtccggcggc tcagggcttc tctgtgcgc 120
 tcccggttcg ctggacggga agaagggtg ggccgtccc tccgtcccc atcggaaccc 180
 caagtgcgc cgctgaccg tcgcagggcg agatgagcgc ggacgcagcg gccggggcgc 240
 ccctgccccg gctctgctgc ctggagaagg gtccgaacgg ctacggcttc cacctgcacg 300
 gggagaaggg caagttgggc cagtacatcc ggctgggtgga gcccggtcg ccggccgaga 360
 aggcgggggt gctggcgggg gaccggctgg tggaggtgaa cggcgaaaac gtggagaagg 420
 agaccaccca gcaggtgggt agccgcaccc gcgcgcact caacgcctg cgcctgctgg 480
 tggtcgaccc cgagacggac gagcagctgc agaagctcgg cgtccaggtc cgagaggagc 540

tgctgcgcg	ccaggaagcg	ccggggcagg	ccgagc'cgcc	ggccgcccgc	gaggtgcagg	600
gggctggcaa	cgaaaatgag	cctcgcgagg	ccgacaagag	ccaccgggag	cagcgcgagc	660
ttcggcctcg	gctctgtacc	atgaagaagg	gccccagtgg	ctatggcttc	aacctgcaca	720
gcgacaagtc	caagccaggc	cagttcatcc	ggtcagtgga	cccagactcc	ccggctgagg	780
cttcagggct	ccggggcccag	gatcgcattg	tggaggtgaa	cggggctctgc	atggagggga	840
agcagcatgg	ggacgtgggtg	tccgccatca	gggctggcgg	ggacgagacc	aagctgctgg	900
tgggtggacag	ggaaactgac	gagttcttca	agaaatgcag	agtgatccca	tctcaggagc	960
acctgaatgg	tcccctgcct	gtgcccttca	ccaatgggga	gatacagaag	gagaacagtc	1020
gtgaagccct	ggcagaggca	gccttgagga	gccccaggcc	agccctgggtg	agatccgcct	1080
ccagtgcac	cagcgaggag	ctgaattccc	aagacagccc	cccaaacag	gactccacag	1140
cgccctcgtc	tacctcctcc	tccgacccca	tcctagactt	caacatctcc	ctggccatgg	1200
ccaaagagag	ggcccaccag	aaacgcagca	gcaaacgggc	cccgcagatg	gactggagca	1260
agaaaaacga	actcttcagc	aacctctgag	cgcctctgtg	ccaccagtg	actggcaggg	1320
ccgagccagc	attccacccc	acctttttcc	ttctcccca	ttactcccct	gaatcaatgt	1380
acaaatcagc	accacatcc	cctttcttga	caaattgattt	ttctagagaa	ctatgttctt	1440
ccctgacttt	agggaagggtg	aatgtgttcc	cgtcctcccg	cagtcagaaa	ggagactctg	1500
cctccctcct	cctcactgag	tgcctcatcc	taccgggtgt	ccctttgcca	ccctgcctgg	1560
gacatcgctg	gaacctgcac	catgccagga	tcattgggacc	aggcgagagg	gcaccctccc	1620
ttcctcccc	atgtgataaa	tgggtccagg	gctgatcaaa	gaactctgac	tgcagaactg	1680
ccgctctcag	tggacagggc	atctgttata	ctgaaccttg	gcagacacgt	cttggtttca	1740
tttgattttg	ttaagagtgc	agtattgcag	agtctagagg	aatttttggt	tccttgatta	1800
acatgatttt	cctggttggt	aatccagggc	atggcagtgg	cctcagcctt	aaacttttgt	1860
tcctactccc	accctcagcg	aactgggcag	cacggggagg	gtttggctac	ccctgcccat	1920
ccctgagcca	ggtaccacca	ttgtaaggaa	acactttcag	aaattcagct	ggttcctcca	1980
aaccaaaaaa	aaaaaaaaaa					2000

<210> 80
 <211> 1206
 <212> DNA
 <213> Homo sapiens

<400> 80
 gttgctgtcg gggagttgaa acctaatttt gtggcgtaga gctatgcagc ttgaaatcca 60
 agtagcacta aattttatta ttctgtattt gtacaataag cttcccagga gacgtgtcaa 120
 catttttgggt gaagaacttg aaagacttct taagaagaaa tatgaagggc actggtatcc 180
 tgaaaagcca tacaaaggat cgggggttag atgtatacac ataggggaga aagtggaccc 240
 agtgattgaa caagcatcca aagagagtgg tttggacatt gatgatgttc gtggcaatct 300
 gccacaggat cttagtgttt ggatcgaccc atttgagggt tcttaccaa ttggtgaaaa 360
 gggaccagtg aagggtgcttt acgtggatga taataatgaa aatggatgtg agttggataa 420
 ggagatcaaa aacagcttta acccagaggc ccagggtttt atgcccataa gtgaccagc 480
 ctcacagtgt tccagctctc catcgctcc ttttggtcac tctgctgctg taagccctac 540
 cttcatgccc cgggtccactc agcctttaac ctttaccact gccacttttg ctgccaccaa 600
 gttcggtctc accaaaatga agaatagtgg ccgtagcaac aagggtgcac gtacttctcc 660
 catcaacctc ggcttgaatg tgaatgacct cttgaagcag aaagccatct cttcctcaat 720
 gcaactctctg tatgggcttg gcttgggtag ccagcagcag ccacagcaac agcagcagcc 780
 agcccagccg ccaccgccac caccaccacc acagcagcaa caacagcaga aaacctctgc 840
 tctttctcct aatgccaagg aatttatatt tctaatatg cagggtcaag gtagtagtac 900
 caatggaatg tcccagggtg acagccccct taacctcagt cctctccagt acagtaatgc 960
 ctttgatgtg ttgacagcct atggaggcct caatgagaag tcttttgtag atggcttgaa 1020
 ttttagctta aataacatgc agtattctaa ccagcaattc cagcctgtta tggctaacta 1080
 aaaaaaagaa aatgtatcgt acaagttaaa atgcacgggc ccaaggggga tttttttttt 1140
 cacctccttg agaatttttt tttttttaag cttatagtaa ggatacatte aagcttgggt 1200
 taataaa 1206

<210> 81
 <211> 540
 <212> DNA
 <213> Homo sapiens

<400> 81
 atccctgact cggggctgcc tttggagcag agaggaggca atggccacca tggagaacaa 60
 ggtgatctgc gccctggtcc tgggtgcat gctggccctc ggcaccctgg ccgaggccca 120
 gacagagacg tgtacagtgg cccccgtga aagacagaat tgtggttttc ctggtgtcac 180
 gccctcccag tgtgcaata agggctgctg ttctgacgac accgttcgtg ggggtccctg 240

```

gtgcttctat cctaatacca tcgacgtccc tccagaagag gagtgtgaat ttagacact      300
tctgcaggga tctgcctgca tcctgacggg gtgccgtccc cagcacgggtg attagtccca      360
gagctcggtt gccacctcca cgggacacct cagacacgct tctgcagctg tgcctcggct      420
cacaacacag attgactgct ctgactttga ctactcaaaa ttggcctaaa aattaaaaga      480
gatcgatatt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      540

```

```

<210> 82
<211> 607
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (457)..(457)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (479)..(479)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (541)..(541)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (562)..(562)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (570)..(570)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (576)..(576)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (583)..(583)
<223> n is a, c, g, or t

```

```

<400> 82
ctcactgata gctgatcaca ttaaacaggt acaggtgcta agaaagttta agactgatct      60
tttggcaatg acagtttagg ttaactctgt ttggaattcc taaaaataaa aagaaatccc      120

```

ttaaaaaagg ctgacaaact gaccacttgg ccttgaatcg actgttaggg tcacacctgc 180
 caatgccagg ggacatcaca aaaaaataga gaatgccaaag ataaaaagtt cactgcattc 240
 aatttggcct aatttcttga taatagtttc ctattagatt ttccgattaa tactgatggc 300
 tcttacctag gctgtgagag tttttttttt tttttttttt tgcaatttta taactttatt 360
 tgatctgacg atcagcgatt agttctcadc cacattgact gtctgtagat ttttgaaagt 420
 gggtaacagg gtacataggt aaccaaagta tatagentat ttgggtgaat cttcatccnc 480
 attacgtttt ctggacagcc gcacacggga ttccgggatgg cacattccct attcccttgg 540
 nccagacagc tttgttgagc cnggggtcan gcgcacnacc ggngtccac tcctcaggga 600
 aattccg 607

<210> 83
 <211> 4012
 <212> DNA
 <213> Homo sapiens

<400> 83
 tgggttttta ccagcaacaa aaaatttatt gaatgagaag aaccatggtg tcctccacac 60
 atctgtagtc ctctcacag aaatgtgtga gcgaagccca gacatgcttg cgcatttcag 120
 agagaatgaa aagcttgtgc cccaattagt tcgtatttta aagaacctca tcatgtccgg 180
 atattcacca ggacatgatg tttctggtat cagtgacccc tttttgcagg tacgaatttt 240
 gcggttatta agaatttttag gacgaaatga tgatgattca agtgaagcta tgaatgatat 300
 attagcacag gttgccacta atactgagac tagtaaaaat gtaggaaatg ctattcttta 360
 tgaaacgggt ttgactatca tggatattaa gtcagagagt ggattgagag tcctagccat 420
 aaatatectg ggtcggtttct tattgaacaa tgacaagaat attaggtatg tggctctgac 480
 atctttgttg aagactgtac agacagatca taatgcagta cagaggcaca gaagcacaat 540
 tgtggactgt cttaaagatt tggatgtctc aataaaacgg cgtgcaatgg aattgagttt 600
 tgccctggta aatgggaata atatccgagg catgatgaaa gaattacttt attttctgga 660
 ttctgtgtgag ccagaattta aagcagactg tgcactgtga atctttcttg ctgcagaaaa 720
 gtatgcacct tccaaacgat ggcatataga cacaattatg cgtgttttga caacggcagg 780
 aagttatgtt cgtgatgatg cagtcccaa tttaatccag ttaataacta atagtgtgga 840
 gatgcatgcc tatactgtcc agcgcctgta caaagcaatt cttgggtgatt attctcaaca 900
 acctttggta caagtggctg catgggtgtat aggtgaatat ggtgatcttc ttgtatctgg 960

ccagtgtgaa gaggaagagc ctattcaggt aacagaggat gaagtgttgg atatttttaga 1020
 aagtgtccta atctctaata tgtccacctc tgtgacacga ggttatgccc tcaactgccat 1080
 tatgaagctt tccactcgat tcaactgtac tgtaaaccga attaagaaag tggtttccat 1140
 ctacggaagc agcattgatg tggaactcca gcggagggca gtagaatata atgcactttt 1200
 caagaaatat gaccacatga ggtctgccct acttgagaga atgcctgtca tggaaaaagt 1260
 gaccacaaat ggccctactg agattgtgca gacaaatgga gagacagaac cagctccact 1320
 agagaccaa cgcgccacct ctgggccaca gccaccagc caggccaatg atttattgga 1380
 tttgttggga ggaaatgaca taacacctgt tattccaact gcgcctacaa gcaaaccatc 1440
 ttctgctggg ggagaacttc ttgatttgct gggagacatc aaccttacag ggtctcactc 1500
 tgtcagccag gctggagtgc agtgggatta tctcggtca cttcaacctc tgcctcctgc 1560
 gttcaggtga gcctcctgcc tcggcctcct gagtagctgg gattataggc gaatgccacc 1620
 atgccgggct aattttttgt attttttagta gagacggggt tttgctgtct tctttaaggg 1680
 gataatgaag agttaagca cacatgacct tgagtaaaaa atagacatag gataacaagt 1740
 tggatgggta gctaagctca ttcccacagg ctgatttttt ttttcctaata acagtggagt 1800
 cacagagtat aggatttatg tctgtgtctt aacaaaattt caaatgtta cttgtcatgt 1860
 acttatgaat catttacaaa tgggtcaattt caaatcctca aatgtcaaag ctgtactgga 1920
 taaccggcaa agaaaaaaca accccacagt taaaccatag catatacttc acctaatatg 1980
 ttagtatttc catgttaata tatatagcct tcataattat aatttttaggt gactaatact 2040
 ttatcaacaa atttgctctg tttactcagt tcgttagtat tgggtagttt ggcttttttt 2100
 tttggttttt ttgaaacgga atcttgcttt gttgcccggg ctggagtgc acagcacgat 2160
 cgcggctcac tgcaacctct gcctcccggg ttcaagtgat tctcctgcct cagcctcccg 2220
 agtagctggg atttataggc acgtgccacc atgccagct aatttttgta tttttttatt 2280
 tgagatgggg tttcaccatg ttggccaggc tgggtcttgaa ctctgacct cggatgatcc 2340
 tcccgccttg gcctcccaa gtgctgggat tacaggcatg agtcaccgca cccagccagt 2400
 atgggggtatt ttgtttctag atttttctac ctacggccc caacaaatat tacatcaatt 2460
 tgttcttatt ttagattaat ttgttagact aagtgactta gtctttctga atctgggttaa 2520
 aattaggatg attaatactt actccataag atatttgtga ggccattga cctattcagt 2580
 gcatgataca tagtaggcac ttggtaaata ttatttacct tttcctcaat ttatatgttt 2640

```

aaccgcacag tcataagcat tgtatattat catttttaaaa agccctattg ggtgaaaatt 2700
tggtcctatt atatttttatt tttattatta ttttttttaaa ttttgtagcc ctctgccagg 2760
cttggtcagc agagagagggc cctattatatt tttgatcaca gagcgagact ccatctcaaa 2820
aaaaaaaaaa aaaaaaaaaa ttattctgta ccatcacaac ttttcacaac gatggcaagc 2880
cttatgtctt gggagcctgt tttgctaggg aaagttacaa gtgacctaat gggagctcaa 2940
atgtgtgtgt gtctctctgt gtgtttgtgt gtgtgtgtgc actcaagacc tctaacagcc 3000
tcgaagcctg ggggtggcatc cgggccttgc cattagcatg cctcatgcat catcagatga 3060
caaggacaac cctcatgacg aagcaacatg aattagggggg cctcttggcc ttggtccaaa 3120
attgtcaatc agaaatgaac ataaaggact ccagagcagt gggactgtct gtcaaaagac 3180
tctgtatatc ttttgccgat gagttttgtg agagaacaga gagaccattg tacctggcac 3240
aagggtctct catgaaaagg gagacttact gggaggtgca agacagtggc atttctctc 3300
tcctcttgct gctcagcaca gccctggatt gcagccccga ggctgagacc agacaaagcc 3360
cgggaggcag aaagatgctc caagaaccaa cactatcaat gtctttgcaa atcctcacag 3420
gattcctgtg ggtccagctt tggaactggg aaacctttct tcggatccgc actcattcca 3480
ctgatgccag ctgccctga aggatgccag tactgtggtg tgtgagtctc agcagccgcc 3540
cacacgctcc taactctgct gcatggcaga tgccatagggtg gaaatagcaa aaacaaggcc 3600
cgggctgggg ccagggccag aggggaaggc cctggattct cactcatgtg agatcttgaa 3660
tctctttctt tgttctgttt gtttagttag tatcatctgg taaaatagtt aaaaaacaac 3720
aaaaaactct gtatctgttt ctagcatgtg ctgcattgac tctattaatc acatttcaaa 3780
ttcacctac attcctctcc tcttcactag cctctctgaa ggtgtcctgg ccagccctgg 3840
agaagcactg gtgtctgcag caccctcag ttctgtgccc tcagcccaca ggccactgtg 3900
ataatggtct gtttagcact tctgtattta ttgtaagaat gattataatg aagatacaca 3960
ctgtaactgc aagaaattat aaatgttttt cacaaaaaaa aaaaaaaaaa aa 4012

```

<210> 84
 <211> 6491
 <212> DNA
 <213> Homo sapiens

```

<400> 84
ccgccccggc gccagggctc ggtgctggag agtcatgcct gtgagccctg ggcacctcct 60
gatgtcctgc gaggtcacgg tgttcccaaa cctcagggtt gccctgcccc actccagagg 120

```

ctctcaggcc ccaccccgga gccctctgtg cggagccgcc tcttcctggc cagttcccca	180
gtagtcctga agggagacct gctgtgtgga gcctcttctg ggaccacagc atgagtgtgg	240
agctgagcaa ctgaacctga aactcttcca ctgtgagtca aggaggcttt tccgcacatg	300
aaggacgctg agcgggaagg actcctctct gcctgcagtt gtagcgagtg gaccagcacc	360
aggggctctc tagactgccc ctctccatc gccttcctg cctctccagg acagagcagc	420
cacgtctgca cacctcgccc tctttacact cagttttcag agcacgtttc tcctatttcc	480
tgcgggttgc agcgcctact tgaacttact cagaccacct atttctctag cagcactggg	540
cgtccctttc agcaagacga tggctgtgct caggcagctg gcgctcctcc tctggaagaa	600
ctacaccctg cagaagcggg aggtcctggt gacggctcct gaactcttcc tgccattgct	660
gtttcctggg atcctcatct ggctccgctt gaagattcag tcggaaaatg tgcccaacgc	720
caccatctac ccgggcccagt ccatccagga gctgcctctg ttcttcacct tccctccgcc	780
aggagacacc tgggagcttg cctacatccc ttctcacagt gacgctgcca agaccgtcac	840
tgagacagtg cgcagggcac ttgtgatcaa catgcgagtg cgcggctttc cctccgagaa	900
ggactttgag gactacatta ggtacgacaa ctgctcgtcc agcgtgctgg ccgccgtggt	960
cttcgagcac cccttcaacc acagcaagga gcccctgccg ctggcgggtga aatatcacct	1020
acggttcagt tacacacgga gaaattacat gtggacccaa acaggctcct ttttcctgaa	1080
agagacagaa ggctggcaca ctacttccct tttcccgtt tcccaaacc caggaccaag	1140
ggaactaaca tcccctgatg gcggagaacc tgggtacatc cgggaaggct tcttgccgt	1200
gcagcatgct gtggaccggg ccatcatgga gtaccatgcc gatgccgcca cagccagct	1260
gttccagaga ctgacgggtga ccatcaagag gttcccgtac ccgccgttca tcgcagaccc	1320
cttcctcgtg gccatccagt accagctgcc cctgctgctg ctgctcagct tcacctacac	1380
cgcgctcacc attgcccgtg ctgtcgtgca ggagaaggaa aggaggctga aggagtacat	1440
gcgcatgatg gggctcagca gctggctgca ctggagtgcc tggttcctct tgttcttct	1500
cttcctcctc atcgccgcct ccttcatgac cctgctcttc tgtgtcaagg tgaagccaaa	1560
tgtagccgtg ctgtcccga gcgacccctc cctggtgctc gccttcctgc tgtgcttcgc	1620
catctctacc atctccttca gcttcatggt cagcaccttc ttcagcaaag ccaacatggc	1680
agcagccttc ggaggcttcc tctacttctt cacctacatc ccctacttct tcgtggcccc	1740
tcgggtacaac tggatgactc tgagccagaa gctctgctcc tgctcctgt ctaatgtgc	1800
catggcaatg ggagcccagc tcattgggaa atttgaggcg aaaggcatgg gcatccagtg	1860

gcgagacctc ctgagtcccg tcaacgtgga cgacgacttc tgcttcgggc aggtgctggg 1920
 gatgctgctg ctggactctg tgctctatgg cctgggtgacc tggatcatgg aggccgtctt 1980
 cccagggcag ttccggcgtgc ctccagccctg gtactttcttc atcatgccct cctattgggtg 2040
 tgggaagcca agggcggttg caggggaagga ggaagaagac agtgaccccg agaaagcact 2100
 cagaaacgag tactttgaag ccgagccaga ggacctgggtg gcgggggatca agatcaagca 2160
 cctgtccaag gtgttcaggg tgggaaataa ggacagggcg gccgtcagag acctgaacct 2220
 caacctgtac gagggacaga tcacctgcct gctggggccac aacggtgccg ggaagaccac 2280
 caccctctcc atgctcacag gtctctttcc ccccaccagt ggacgggcat acatcagcgg 2340
 gtatgaaatt tcccaggaca tggttcagat ccggaagagc ctgggcctgt gcccgagca 2400
 cgacatcctg tttgacaact tgacagtcgc agagcacctt tatttctacg cccagctgaa 2460
 gggcctgtca cgtcagaagt gccctgaaga agtcaagcag atgctgcaca tcatcggcct 2520
 ggaggacaag tggaactcac ggagccgctt cctgagcggg ggcattgaggc gcaagctctc 2580
 catcggcatc gccctcatcg caggctccaa ggtgctgata ctggacgagc ccacctcggg 2640
 catggacgcc atctccagga gggccatctg ggatcttctt cagcggcaga aaagtgaccg 2700
 caccatcgtg ctgaccaccc acttcatgga cgaggctgac ctgctgggag accgcatcgc 2760
 catcatggcc aagggggagc tgcagtgctg cgggtcctcg ctgttcctca agcagaaata 2820
 cgggtgccggc tatcacatga cgctgggtgaa ggagccgcac tgcaaccocgg aagacatctc 2880
 ccagctggtc caccaccacg tgcccaacgc cacgctggag agcagcgcctg gggccgagct 2940
 gtctttcatc cttcccagag agagcacgca caggtttgaa ggtctctttg ctaaactgga 3000
 gaagaagcag aaagagctgg gcattgccag ctttggggca tccatcacca ccatggagga 3060
 agtcttcctt cgggtcggga agctgggtgga cagcagtatg gacatccagg ccatccagct 3120
 ccctgccctg cagtaccagc acgagaggcg cgccagcgac tgggctgtgg acagcaacct 3180
 ctgtggggcc atggaccct ccgacggcat tggagccctc atcgaggagg agcgaccgc 3240
 tgtcaagctc aacactgggc tcgccctgca ctgccagcaa ttctgggcca tgttcctgaa 3300
 gaaggccgca tacagctggc gcgagtggaa aatgggtggcg gcacaggctc tggtgctct 3360
 gacctgcgtc accctggccc tcctggccat caactactcc tcggagctct tcgacgaccc 3420
 catgctgagg ctgaccttg gcgagtacgg cagaaccgtc gtgcccttct cagttcccgg 3480
 gacctccag ctgggtcagc agctgtcaga gcatctgaaa gacgcactgc aggctgaggg 3540

acaggagccc cgcgagggtgc tgggtgacct ggaggagtgc ttgatcttca gggcttctgt	3600
ggagggggggc ggctttaatg agcgggtgcct tgtggcagcg tccttcagag atgtgggaga	3660
gcgcacgggtc gtcaacgcct tgttcaacaa ccaggcgtag cactctccag ccactgccct	3720
ggcgtgctg gacaaccttc tgttcaagct gctgtgcggg cctcacgcct ccattgtgggt	3780
ctccaacttc cccagcccc ggagcgccct gcaggctgcc aaggaccagt ttaacgaggg	3840
ccggaaggga ttgcacattg ccctcaacct gctcttcgcc atggcattct tggccagcac	3900
gttctccatc ctggcggtca gcgagagggc cgtgcaggcc aagcatgtgc agtttgtgag	3960
tggagtccac gtggccagtt tctggctctc tgcctgtctg tgggacctca tctccttct	4020
catccccagt ctgctgctgc tgggtgggtt taaggccttc gacgtgctg ccttcacgcg	4080
ggacggccac atggctgaca ccctgctgct gctcctgctc tacggctggg ccatcatccc	4140
cctcatgtac ctgatgaact tcttcttctt gggggcggcc actgcctaca cgaggctgac	4200
catcttcaac atcctgtcag gcacgcccac cttcctgatg gtcaccatca tgcgcatccc	4260
agctgtaaaa ctggaagaac tttccaaaac cctggatcac gtgttcctgg tgctgcccac	4320
ccactgtctg gggatggcag tcagcagttt ctacgagaac tacgagacgc ggaggtagt	4380
cacctctcc gaggtcgccg cccactactg caagaaatat aacatccagt accaggagaa	4440
cttctatgcc tggagcgccc cgggggtcgg ccgggttctg gcctccatgg ccgcctcagg	4500
gtgcgcctac ctcatcctgc tcttctcat cgagaccaac ctgcttcaga gactcagggg	4560
catcctctgc gccctccgga ggaggcggac actgacagaa ttatacacc ccgatgcctgt	4620
gcttcttgag gaccaagatg tagcggacga gaggaccgc atcctggccc ccagcccgga	4680
ctcctgctc cacacacctc tgattatcaa ggagctctcc aagggtgtacg agcagcgggt	4740
gccctcctg gccgtggaca ggctctccct cgcgggtgcag aaaggggagt gcttcggcct	4800
gctgggcttc aatggagccg ggaagaccac gactttcaaa atgctgaccg gggaggagag	4860
cctcacttct ggggatgcct ttgtcggggg tcacagaatc agctctgatg tcggaaagg	4920
gcggcagcgg atcggctact gccgcagtt tgatgccttg ctggaccaca tgacaggccg	4980
ggagatgctg gtcatgtacg ctcggtccg gggcatccct gagcgccaca tcggggcctg	5040
cgtggagaac actctgcggg gcctgctgct ggagccacat gccacaagc tggtcaggac	5100
gtacagtggg ggtaacaagc ggaagctgag caccggcatc gccctgatcg gagagcctgc	5160
tgtcatcttc ctggacgagc cgtccactgg catggacccc gtggcccggc gcctgcttgc	5220
ggacaccgtg gcacgagccc gagagtctgg caaggccatc atcatcact cccacagcat	5280

```

ggaggagtgt gaggccctgt gcacccggct ggccatcatg gtgcaggggc agttcaagtg 5340
cctgggcagc cccagcacc tcaagagcaa gttcggcagc ggctactccc tgcgggccaa 5400
ggtgcagagt gaagggcaac aggaggcgt ggaggagtgc aaggccttcg tggacctgac 5460
ctttccaggc agcgtcctgg aagatgagca ccaaggcatg gtccattacc acctgccggg 5520
ccgtgacctc agctgggcga aggttttcgg tattctggag aaagccaagg aaaagtacgg 5580
cgtggacgac tactccgtga gccagatctc gctggaacag gtcttcctga gcttcgcccc 5640
cctgcagccg cccaccgcag aggaggggcg atgaggggtg gcggctgtct cgccatcagg 5700
cagggacagg acgggcaagc agggcccatc ttacatcctc tctctccaag tttatctcat 5760
cctttatattt taatcacttt tttctatgat ggatatgaaa aattcaaggc agtatgcaca 5820
gaatggacga gtgcagccca gccctcatgc ccaggatcag catgcgcac cccatgtctg 5880
catactctgg agttcacttt cccagagctg gggcaggccg ggagctctgc gggcaagctc 5940
cgggggtctct ggggtggagag ctgacccagg aagggtctgca gctgagctgg ggggtgaatt 6000
tctccaggca ctccctggag agaggacca gtgacttgtc caagtttaca cacgacacta 6060
atctcccctg gggaggaagc gggaagccag ccagggtgaa ctgtagcgag gccccaggc 6120
cgccaggaat ggaccatgca gatcactgtc agtggaggga agctgctgac tgtgattagg 6180
tgctggggtc ttagcgtcca gcgcagccc ggggcatact ggaggctctg ctcccttagg 6240
gcatggtagt caccgcgaag ccgggcaccg tcccacagca tctcctagaa gcagccggca 6300
caggagggaa ggtggccagg ctggaagcag tctctgtttc cagcactgca ccctcaggaa 6360
gtcgcgccgc ccaggacacg cagggaccac cctaagggct ggggtggctgt ctcaaggaca 6420
cattgaatac gttgtgacca tccagaaaat aaatgctgag gggacacaaa aaaaaaaaaa 6480
aaaaaaaaa a 6491

```

```

<210> 85
<211> 2930
<212> DNA
<213> Homo sapiens

```

```

<400> 85
gaattccggt ttcttcctaa aaaatgtctg atggccgctt tctcggtcgg caccgccatg 60
aatgccagca gttactctgc agagatgacg gagcccaagt cgggtgtgtgt ctcggtggat 120
gaggtggtgt ccagcaacat ggaggccact gagacggacc tgctgaatgg acatctgaaa 180
aaagtagata ataacctcac ggaagcccag cgcttctcct ccttgccctg gagggcagct 240

```

gtgaacattg aattcagggg cctttcctat tcggttctg aaggaccctg gtggaggaag 300
 aaaggataca agaccctcct gaaaggaatt tccgggaagt tcaatagtgg tgagttggtg 360
 gccattatgg gtccttcctg ggcggggaag tccacgtga tgaacatcct ggctggatac 420
 agggagacgg gcatgaaggg ggcggtcctc atcaacggcc tgccccggga cctgcgctgc 480
 ttccggaagg tgtcctgcta catcatgcag gatgacatgc tgctgccgca tctcactgtg 540
 caggaggcca tgatggtgtc ggcacatctg aagcttcagg agaaggatga aggcagaagg 600
 gaaatggtca aggagatact gacagcgctg ggcttgctgt cttgcgcaa cacgcggacc 660
 gggagcctgt caggtggtca ggcgaagcgc ctggccatcg cgctggagct ggtgaacaac 720
 cctccagtca tggtcttcga tgagcccacc agcggcctgg acagcgctc ctgcttcag 780
 gtggtctcgc tgatgaaagg gctcgctcaa gggggtcgt ccatcatttg caccatccac 840
 cagcccagcg ccaaactctt cgagctgttc gaccagcttt acgtcctgag tcaaggacaa 900
 tgtgtgtacc ggggaaaagt ctgcaatctt gtgcatatt tgagggattt gggctctgaac 960
 tgcccaacct accacaacct agcagatttt gtcattggagg ttgcatccgg cgagtacggt 1020
 gatcagaaca gtcggctggt gagagcgggt cgggagggca tgtgtgactc agaccacaag 1080
 agagacctcg ggggtgatgc cgaggtgaac ccttttcttt ggcaccgccc ctctgaagag 1140
 gtaaagcaga caaacgatt aaaggggttg agaaaggact cctcgccat ggaaggctgc 1200
 cacagcttct ctgccagctg cctcacgcag ttctgcatcc tcttcaagag gaccttcctc 1260
 agcatcatga gggactcggc cctgacacac ctgcgcatca cctcgccat tgggatcggc 1320
 ctctcatttg gcctgctgta cttggggatc ggggaacgaaa ccaagaaggc cttgagcaac 1380
 tccggcttcc tcttcttctc catgctgttc ctcatgttcg cggccctcat gcctactgtt 1440
 ctgacatttc ccctggagat gggagtcttt cttcgggaac acctgaacta ctggtacagc 1500
 ctgaaggcct actacctggc caagaccatg gcagacgtgc cctttcagat catgttccca 1560
 gtggcctact gcagcatcgt gtactggatg acgtcgagc cgtccgagc cgtgcgcttt 1620
 gtgctgtttg ccgcgctggg caccatgacc tccctggtgg cacagtcctt gggcctgctg 1680
 atcggagccg cctccacgtc cctgcagggt gccactttcg tgggccagc gacagccatc 1740
 ccggtgctcc tggtctcggg gttcttcgtc agcttcgaca ccatccccac gtacctacag 1800
 tggatgtcct acatctccta tgtcaggatg gggttcgaag gggtcacct ctccatctat 1860
 ggcttagacc ggaagatct gcaactgtgac atcgacgaga cgtgccactt ccagaagtcg 1920

gagggccatcc tgcgggagct ggacgtggaa aatgccaaagc tgtacctgga cttcatcgta 1980
 ctcgggattt tcttcatctc cctccgcctc attgcctatt tggtcctcag gtacaaaatc 2040
 cgggcagaga ggtaaaacac ctgaatgcc a ggaaacagga agattagaca ctgtggccga 2100
 gggcacgtct agaatcgagg aggcaagcct gtgcccgacc gacgacacag agactcttct 2160
 gatccaaccc ctagaaccgc gttggggttg tgggtgtctc gtgctcagcc actctgccc a 2220
 gctgggttg atcttctctc cattccccct tctagcttta actaggaaga tgtaggcaga 2280
 ttggtgggtt tttttttttt ttttaacatac agaattttta ataccacaac tggggcagaa 2340
 tttaaagctg caacacagct ggtgatgaga ggcttcctca gtccagtcgc tccttagcac 2400
 caggcacctg gggtcctgga tggggaactg caagcagcct ctcagctgat ggctgcacag 2460
 tcagatgtct ggtggcagag agtccgagca tggagcgatt ccattttatg actgttggtt 2520
 ttcacatttt catctttcta aggtgtgtct cttttccaat gagaagtcac ttttgcaagc 2580
 caaaagtcga tcaatcgcat tcattttaag aaattatacc ttttttagtac ttgctgaaga 2640
 atgattcagg gtaaatcaca tactttgttt agagaggcga ggggtttaac ccgagtcacc 2700
 cagctggtct catacataga cagcacttgt gaaggattga atgcaggttc cagggtggagg 2760
 gaagacgtgg acaccatctc cactgagcca tgcagacatt tttaaaagct atacacaaaa 2820
 ttgtgagaag acattggcca actctttcaa agtctttctt tttccacgtg cttcttattt 2880
 taagcgaaat atattgtttg tttcttccta aaaaaaaaaa aaaaaaaaaa 2930

<210> 86
 <211> 812
 <212> DNA
 <213> Homo sapiens

<400> 86
 tttttttttt tttttttttt tttcccaagt cgacttgact ttgctttttt ccccccaagt 60
 agaactaatg ctagcttcca gcttgaaagt aaaacyccag tgtggagtga attttgtgtc 120
 taattataaa cctgtaacca aaactcagac atctggtact ggtctttgca ttgagattgg 180
 tccttgtaaa acccccttta aaagcatatt gcatttagta cagagctctt ttttgaaatg 240
 aaggctggag atgtgcattt ttcacggtgt taactgggtg tatcttatta gcaaggagat 300
 tgggggtttg agtggttgcg tgggtgggtt caatttgcca gggaaacagt gcaggctgcc 360
 agcaaggcag taagaagctc ttggcagcca aatgggtgca ttcagggctg atttatagag 420
 acccttgget tctcttctc ctactccctg tctttctggc attttgtagc ttgttagatt 480

ttctgccaga	ggggtgggtc	agagcagtgg	aggggagaca	tcgcccattgt	kcttctgcta	540
ctggtccttg	ggctgggtgg	ttggtagagg	agatgttgac	actatgagcy	aaggggtggc	600
ttttgtaatt	acctgaatct	gaaaggaatg	cctaagggtta	ccttgggggtt	tctcttctgg	660
tgagataggg	ttcctgggtt	gagtwagtta	atgtcctgga	tatttcttgt	ggsaggggggt	720
ggtcaaagag	cctgattgct	gacccagtyt	caggcctgtg	gtcgatgacc	tctcggtaat	780
ttcaaagggg	gctggarggg	gataatttgac	tt			812

<210> 87
 <211> 2775
 <212> DNA
 <213> Homo sapiens

<400> 87	
gtactcgcca	cggcacccag gctgcgcgca cgcggtcccg gtgtgcagct ggagagcgag 60
cggccaccgg	gagcccccg cagagcccg gcccgcggcg caggagcccg cgaagatgcc 120
ccggcgcagc	ctgcacgcgg cggcgctgct cctgctgggtg atcttaaagg aacagccttc 180
cagcccggcc	ccagtgaacg gttccaagtg gacttatttt ggtcctgatg gggagaatag 240
ctggtccaag	aagtaccgct cgtgtggggg cctgctgcag tccccatag acctgcacag 300
tgacatcctc	cagtatgacg ccagcctcac gccctcgag ttccaaggct acaatctgtc 360
tgccaacaag	cagtttctcc tgaccaacaa tggccattca gtgaagctga acctgccctc 420
ggacatgcac	atccagggcc tccagtctcg ctacagtgcc acgcagctgc acctgcactg 480
ggggaacccg	aatgaccgc acggctctga gcacaccgtc agcggacagc acttcgcccgc 540
cgagctgcac	attgtccatt ataactcaga cctttatcct gacgccagca ctgccagcaa 600
caagtcagaa	ggcctcgctg tccctggctgt tctcattgag atgggctcct tcaatccgtc 660
ctatgacaag	atcttcagtc accttcaaca tgtaaagtac aaaggccagg aagcattcgt 720
cccgggattc	aacattgaag agctgcttcc ggagaggacc gctgaatatt accgctaccg 780
ggggtccttg	accacacccc cttgcaaccc cactgtgctc tggacagttt tccgaaaccc 840
cgtgcaaatt	tcccaggagc agctgctggc tttggagaca gccctgtact gcacacacat 900
ggacgaccct	tccccagag aaatgatcaa caacttccgg cagggtccaga agttcgatga 960
gaggctggta	tacacctcct tctcccaagt gcaagtctgt actgcggcag gactgagtct 1020
gggcatcatc	ctctcactgg cctggctgg cattcttggc atctgtattg tgggtgggtggt 1080
gtccatttgg	cttttcagaa ggaagagtat caaaaaaggt gataacaagg gagtcattta 1140

caagccagcc accaagatgg agactgaggc ccacgcttga ggtccccgga gctccccggc	1200
acatccagga aggaccttgc tttggaccct acacacttcg gctctctgga cacttgcgac	1260
acctcaaggt gttctctgta gctcaatctg caaacatgcc aggcctcagg gatcctctgc	1320
tgggtgcctc cttgccttgg gaccatggcc accccagagc catccgatcg atggatggga	1380
tgcactctca gaccaagcag caggaattca aagctgcttg ctgtaactgt gtgagattgt	1440
gaagtggctc gaattctgga atcacaaacc aagccatgct ggtgggcat taatggttgg	1500
aaaacacttt catccggggc tttgccagag cgtgctttca agtgcctgg aaagtctgct	1560
gcttctccaa gctttcagac aagaatgtgc actctctgct taggttttgc ttgggaaact	1620
caacttcttt cctctggaga cggggcatct ccctctgatt tccttctgct atgacaaaac	1680
ctttaatctg caccttaca ctcggggaca aatggggaca ggaaggatca agttgtagag	1740
agaaaaaaga aaacaagaga tatacatgt gatataatag ggacactttc acagtccctgt	1800
cctctggatc acagacactg cacagacctt agggaaatggc aggttcaagt tccacttctt	1860
ggtggggatg agaagggaga gagagctaga gggacaaaga gaatgagaag acatggatga	1920
tctgggagag tctcactttg gaatcagaat tggaatcaca ttctgtttat caagccataa	1980
tgtaaggaca gaataatata atattaagtc caaatccaac ctctgtcag tggagcagtt	2040
atgttttata ctctacagat ttacaaata atgaggctgt tccttgaaaa tgtgtgttg	2100
ctgtgtcctg gaggagacat gagttccgag atgacccaat ctgcctttga atctggagga	2160
aataggcaga aacaaaatga ctgtagaact tattctctgt aggcctaaatt tcatttcagc	2220
cacttctgca ggatccctac tgccaacctg gaatggagac ttttatctac ttctctctct	2280
ctgaagatgt caaatcgtgg tttagatcaa atatatattca agctataaaa gcaggaggtt	2340
atctgtgcag ggggtctggc tcatgtattt aggggcaagt aataatggaa tgctactaag	2400
atactccata ttcttccccg aatcacacag acagtttctg acaggcgcaa ctctccatt	2460
ttcttccccg aggtgagaac cctgtggaga tgagtcagtg ccatgactga gaaggaaccg	2520
accctagtt gagagcacct tgcagttccc cgagaacttt ctgattcaca gtctcathtt	2580
gacagcatga aatgtcctct tgaagcatag ctttttaaata atctttttcc ttctactcct	2640
ccctctgact ctaagaattc tctcttctgg aatcgcttga acccaggagg cggaggttgc	2700
agtaagccaa ggtcatgcca ctgcactcta gcctgggtga cagagcgaga ctccatctca	2760
aaaaaaaaaa aaaaa	2775

<210> 88
 <211> 848
 <212> DNA
 <213> Homo sapiens

<400> 88
 gacatggagc tgttcctcgc gggccgcccgg gtgctgggtca ccggggcagg caaaggtata 60
 gggcgcgga cggccaggc gctgcacgcg acgggcgcgc ggggtgggtggc tgtgagccgg 120
 actcaggcgg atcttgacag ccttgctcgc gagtgcccgg ggatagaacc cgtgtgcgtg 180
 gacctgggtg actgggaggc caccgagcgg gcgctgggca gcgtgggccc cgtggacctg 240
 ctgggtgaaca acgcgcgtgt cgcctgtctg cagcccttcc tggaggtcac caaggaggcc 300
 tttgacagat cctttgaggt gaacctgcgt gcggtcatcc aggtgtcgca gattgtggcc 360
 aggggcttaa tagccggggg agtcccaggg gccatcgtga atgtctccag ccagtgtcc 420
 cagcgggcag taactaacca tagcgtctac tgctccacca aggggtgcct ggacatgctg 480
 accaagggtga tggccctaga gctcgggccc cacaagatcc gagtgaatgc agtaaacc 540
 acagtgggtga tgacgtccat gggccaggcc acctggagtg acccccacaa ggccaagact 600
 atgctgaacc gaatcccact tggcaagttt gctgaggtag agcacgtggg gaacgccatc 660
 ctctttctgc tgagtgaccg aagtggcatg accacgggtt ccactttgcc ggtggaaggg 720
 ggcttctggg cctgctgagc tccctccaca cacctcaagc cccatgccgt gctcatccta 780
 cccccaatcc ctccaataaa cctgattctg ctgccccaaa aaaaaaaaaa aaaaaaaaaa 840
 aaaaaaaaaa 848

<210> 89
 <211> 2546
 <212> DNA
 <213> Homo sapiens

<400> 89
 gctgccgctg ccgcacctcc gtagctgact cgggtactctc tgaagatggc agaagctcac 60
 caagctgtgg cctttcagtt cacggtcact ccggacggga ttgacctgcg gctgagccat 120
 gaagctctta gacaaatcta tctctctgga cttcattcct ggaaaaagaa gttcatcaga 180
 ttcaagaacg gcatcatcac tggcgtgtac ccggcaagcc cctccagttg gcttatcgtg 240
 gtggtgggcg tgatgacaac gatgtacgcc aagatcgacc cctcgttagg aataattgca 300
 aaaatcaatc ggactctgga aacggccaac tgcattgtcc gccagacgaa gaacgtggtc 360
 agcggcgtgc tgtttggcac cggcctgtgg gtggccctca tcgtcaccat gcgctactcc 420

ctgaaagtgc tgctctccta ccacgggtgg atgttctactg agcacggcaa gatgagtcgt 480
 gccaccaaga tctggatggg tatgggtcaag atcttttcag gccgaaaacc catgttgtac 540
 agcttccaga catcgctgcc tcgectgccg gtcccggctg tcaaagacac tgtgaacagg 600
 tatctacagt cggtgaggcc tcttatgaag gaagaagact tcaaacggat gacagcactt 660
 gctcaagatt ttgctgtcgg tcttggaaca agattacagt ggtatttgaa gttaaaatcc 720
 tgggtgggcta caaattacgt gagcgactgg tgggaggagt acatctacct ccgaggacga 780
 gggccgctca tgggtgaacag caactattat gccatggatc tgctgtatat ccttccaact 840
 cacattcagg cagcaagagc cggcaacgcc atccatgcca tcctgcttta caggcgcaaa 900
 ctggaccggg aggaaatcaa accaatctgt cttttgggat ccacgattcc actctgctcc 960
 gctcagtggg agcggatgtt taatacttcc cggatcccag gagaggagac agacaccatc 1020
 cagcacatga gagacagcaa gcacatcgtc gtgtaccatc gaggacgcta cttcaaggtc 1080
 tggctctacc atgatgggag gctgctgaag ccccgaggaga tggagcagca gatgcagagg 1140
 atcctggaca atacctgga gcctcagccc ggggaggcca ggctggcagc cctcaccgca 1200
 ggagacagag ttccctgggc cagggtgtcgt caggcctatt ttggacgtgg gaaaaataag 1260
 cagtctcttg atgctgtgga gaaagcagcg ttcttcgtga cgttagatga aactgaagaa 1320
 ggatacagaa gtgaagacct ggatacgtca atggacagct acgccaaatc tctactacac 1380
 ggccgatgtt acgacagggt gtttgacaag tcgttcacgt ttgttgtctt caaaaacggg 1440
 aagatgggccc tcaacgctga acactcctgg gcagatgcgc cgatcgtggc ccacctttgg 1500
 gagtacgtca tgtccattga cagcctccag ctgggctatg cggaggatgg gcaactgcaa 1560
 ggcgacatca atccgaacat tccgtacccc accaggctgc agtgggacat cccgggggaa 1620
 tgtcaagagg ttatagagac ctccctgaac accgcaaatc ttctggcaaa cgacgtggat 1680
 ttccattcct tcccatctgt agcctttggg aaaggaatca tcaagaaatg tcgcacgagc 1740
 ccagacgcct ttgtgcagct ggccctccag ctggcgcaact acaaggacat gggcaagtgt 1800
 tgctcacat acgaggcctc catgacccgg ctcttccgag aggggaggac ggagaccgtg 1860
 cgctcctgca ccaactgagtc atgcgacttc gtgcgggcca tgggtggaccc ggcccagacg 1920
 gtggaacaga ggctgaagtt gttcaagttg gcgtctgaga agcatcagca tatgtatcgc 1980
 ctgcocatga ccggctctgg gatcgatcgt cacctcttct gcctttacgt ggtgtctaaa 2040
 tatctcgctg tggagtcccc ttctcttaag gaagttttat ctgagccttg gagattatca 2100
 acaagccaga cccctcagca gcaagtggag ctgtttgact tggagaataa cccagagtac 2160

gtgtccagcg gagggggcctt tggaccgggt gctgatgacg gctatgggtgt gtcgtacatc 2220
 cttgtgggag agaacctcat caatttccac atttcttcca agttctcttg ccctgagacg 2280
 gggattataa gtcaaggacc aagttcagat acttgagaca aagtggaaaag tctcagcata 2340
 tggaaacaag gccttggagg agaccatgga catcaccaag ttcattgtgt gggctggaaa 2400
 gaaaagcctg ttgattttca cttgctgtgc atttattcat ccattccatt gcctcaatgc 2460
 tgagaacagt gcctgacaca taaaagatgc tcaataaata tgttaaaagt aaaaaaaaaa 2520
 aaaaaaaaaa aaaaaaaaaa aaaaaa 2546

<210> 90
 <211> 2566
 <212> DNA
 <213> Homo sapiens

<400> 90
 cgtcgccgtc cccgtctcct gccaggcgcg gagccctgcg agccgcgggt gggccccagg 60
 cgcgcagaca tgggctgctc cgccaaagcg cgctgggctg ccggggcgct gggcgtcgcg 120
 gggctactgt gcgctgtgct gggcgctgct atgatcgtga tggtgccgct gctcatcaag 180
 cagcagggtcc ttaagaacgt gcgcacgac ccagtagcc tgtccttcaa catgtggaag 240
 gagatcccta tccccctcta tctctcgcgc tacttctttg acgtcatgaa cccagcgag 300
 atcctgaagg gcgagaagcc gcagggtgcg gagcgcgggc cctacgtgta caggaggtcc 360
 aggcacaaaa gcaacatcac cttcaacaac aacgacaccg tgtccttcct cgagtaccgc 420
 accttccagt tccagccctc caagtccac ggctcggaga gcgactacat cgtcatgccc 480
 aacatcctgg tcttgggtgc ggcggtgatg atggagaata agcccatgac cctgaagctc 540
 atcatgacct tggcattcac caccctcggc gaacgtgcct tcatgaaccg cactgtgggt 600
 gagatcatgt ggggctacaa ggacccccct gtgaatctca tcaacaagta ctttccaggc 660
 atgttcccct tcaaggacaa gttcggatta tttgctgagc tcaacaactc cgactctggg 720
 ctcttcacgg tgttcacggg ggtccagaac atcagcagga tccacctcgt ggacaagtgg 780
 aacgggctga gcaagggtga cttctggcat tccgatcagt gcaacatgat caatggaact 840
 tctgggcaaa tgtggccgcc cttcatgact cctgagtcct cgctggagtt ctacagcccg 900
 gaggcctgcc gatccatgaa gctaattgtac aaggagtcag ggggtgtttga aggcatcccc 960
 acctatcgct tcgtggctcc caaaacctg tttgccaacg ggtccatcta cccaccaac 1020
 gaaggcttct gcccgctgct ggagttctgga attcagaacg tcagcacctg cagggttcagt 1080

```

gcccccttgt ttctctccca tcttcacttc ctcaacgccg acccggttct ggcagaagcg 1140
gtgactggcc tgcaccctaa ccaggaggca cactccttgt tcctggacat ccacccggtc 1200
acgggaatcc ccatgaactg ctctgtgaaa ctgcagctga gcctctacat gaaatctgtc 1260
gcaggcattg gacaaactgg gaagattgag cctgtggtcc tgccgctgct ctggtttgca 1320
gagagcgggg ccattggagg ggagactctt cacacattct acactcagct ggtgttgatg 1380
cccaagggtga tgcactatgc ccagtacgtc ctcttgccgc tgggctgcgt cctgctgctg 1440
gtccctgtca tctgccaaat ccggagccaa gagaaatgct atttattttg gagtagtagt 1500
aaaaagggtct caaaggataa ggaggccatt caggcctatt ctgaatccct gatgacatca 1560
gctcccaagg gctctgtgct gcaggaagca aaactgtagg gtccctgagga caccgtgagc 1620
cagccaggcc tggccgctgg gcctgaccgg cccccagcc cctacacccc gcttctcccg 1680
gactctccca gcagacagcc cccagcccc acagcctgag cctcccagct gccatgtgcc 1740
tgttgcacac ctgcacacac gccctggcac acatacacac atgcgtgcag gcttgtgcag 1800
acactcaggg atggagctgc tgctgaaggg acttgtaggg agaggctcgt caacaagcac 1860
tgttctggaa ccttctctcc acgtggccca caggctgacc acaggggctg tgggtcctgc 1920
gtccccttcc tggggtgagc ctggcctgtc ccgttcagcc gttggggccag gcttcctccc 1980
ctccaagggtg aaacactgca gtcccgggtg ggtggctccc catgcaggac gggccaggct 2040
gggagtgccg ccttcctgtg ccaaattcag tggggactca gtgccaggc cctggcacga 2100
gctttggcct tgggtctacct gccaggccag gcaaagcgcc ttacacagg cctcggaata 2160
caatggagtg agcacaagat gccctgtgca gctgcccag ggtctccgcc caccocggcc 2220
ggactttgat ccccccgaag tcttcacagg cactgcatcg ggttgtctgg cgcccttttc 2280
ctccagccta aactgacatc atcctatgga ctgagccggc cactctctgg ccgaagtggc 2340
gcaggctgtg cccccgagct gccccaccc cctcacaggg tccctcagat tatagggtcc 2400
caggctgagg tgaagaggcc tggggggcct gccttcggg cgctcctgga ccctggggca 2460
aacctgtgac ccttttctac tggaatagaa atgagtttta tcattcttga aaaataattc 2520
actcttgaag taataaacgt ttaaaaaaat ggaaaaaaaa aaaaaa 2566

```

```

<210> 91
<211> 2056
<212> DNA
<213> Homo sapiens

```

<400> 91
 tcgcagacag ctccgggggaa cagtggcggc ttccggccggc ggtccttgcg ctccccaaca 60
 gggcgcgagg cggtgagcc gtcggggcac agtcccggtg ctcttctgtt tctcagtcctt 120
 cgcgcgaccc tcgtgcggtg ccacacgggg cggtctacga gctgctcatc cagaagttcc 180
 tcagcctgta cggcgaccag atcgacatgc accgcaaatt cgtggtgcag ctgttcgcgcg 240
 aggagtgggg ccagtacgtg gacttgccca agggtttcgc ggtgagcgag cgctgcaagg 300
 tgcgcctcgt gccgctgcag atccagctca ctaccctggg aaatcttaca ccttcaagca 360
 ctgtgttttt ctgctgtgat atgcaggaaa ggttcagacc agccatcaag tattttgggg 420
 atattattag cgtgggacag agattgttgc aaggggcccg gatttttagga attcctgtta 480
 ttgtaacaga acaataccct aaaggctctg ggagcacggg tcaagaaatt gatttaacag 540
 gtgtaaaact ggtacttcca aagaccaagt tttcaatggg attaccagaa gtagaagcgg 600
 cattagcaga gattcccga gtcaggagtg ttgtattatt tggagtagaa actcatgtgt 660
 gcatccaaca aactgccctg gagctagttg gccgaggagt cgagggtcac attggtgctg 720
 atgccacctc atcaagaagc atgatggaca ggatgtttgc acgcctcacg tctcgctoga 780
 acggggatca tagtgaccac gagtgaggct gttctgcgtt cagctggtag ctgataagga 840
 cgcacgcaa aattcaagga aattcagaat ctaattaagg acgagtgtc cagagtcggg 900
 tctgctttcc aaagtatagg acatttgaag aactggatatg ctactcactg gtgaaggaca 960
 gtcaggtgaa ggactgtaag ccacacaaag ctctcttat ctctactaga attaaaatgt 1020
 taagtcaaaa acggctcctt ttttgccct cctagtgaag cttaaccagc tagaccattt 1080
 gagtaccagc atttagttac aaacgtcaaa ggcttccggg gctgcttacc ttctttttt 1140
 gttaatgtgc ttttatttat taaaaaaaaat tacaatgaag atgcctgttt tgtctctact 1200
 gtgtactctg atcgtatctt tccaaagtgc agactcttgt gaagttttct taaattgttc 1260
 actttaaaga aaatgacgta ccaacaatga tttggctttt atattactgt aagatgttat 1320
 aatgttaatg tggatgtagt gcttttactt tacagattga ttggaataag attattgcat 1380
 atgaatttac ccacaggact ctgaatcatg ttaccactc ccctcacaat gttgtccact 1440
 tagtgagttg cattgatcta tccgtaccaa atgatgttga ataattacat atctttcttg 1500
 actatactga tttcttattt tggtcactat tactaaatct ctgttaatat tctctctttt 1560
 aactgaaaag ggatgggata gaagggtttg caatgccata ttattgggtg agggctgttt 1620
 taacatcttt gaagtatggc ttgctgaata tctttaccaa catcttgaat atatattcta 1680

gtgtccacaa gatttagcaa aaagataaag cttgggtgga atatcatttt aaaatgttca 1740
 tgtttctgttc tatatcttct tcacctactc tccaaatatt gtaatgcaa aagtctcagt 1800
 aatgatttgg tagtattaat tttgtggtca ttgtttctct tcgataaatt tatttttcatt 1860
 aaatacttgt tagagggttt tgaaatgttt ttcaaataat tgaaatgtga aactgctgtc 1920
 ttttatatta aagtaattaa agaaaatgta ttgtgattga aattatcttg gcctccacaa 1980
 gatggctcta tgagtattct tccagggtatt ctaatattta tttaaggtaa taaaatcttg 2040
 acatttataa tctttc 2056

<210> 92
 <211> 3163
 <212> DNA
 <213> Homo sapiens

<400> 92
 cctttgccct gaagggggct ggatgggcaa ggcggccgag atggctcgag ctggggcggt 60
 ggcgggcggtg gccggaggcg gcggtgcctc ctctcctcg ccccggcgcc ggcggtgatc 120
 cgagcgagcg gccgcggccc ccgatgagac tgctggcggg ctggctgtgc ctgagcctgg 180
 cgtccgtgtg gctggcgcg aggatgtgga cgctgcggag cccgctcacc cgctccctgt 240
 acgtgaacat gactagcggc ccgggtgggc cggcggcggc cgcggggcggc aggaaggaga 300
 accaccagtg gtatgtgtgc aacagagaga aattatgcga atcactccag gctgtctttg 360
 ttcagagtta ccttgatcaa ggaacacaga tcttcttaaa caacagcatt gagaaatcgg 420
 gctggctatt tatccaatta tatcattctt ttgtgtcatc tgttttttagc ctgtttatgt 480
 ctagaacatc tatcaatggg ttgctaggaa gaggtcaat gtttgtgttt tcaccagatc 540
 agtttcagag actgcttaaa attaatccag actggaaaac ccacagactt cttgatttag 600
 gtgctggaga tggagaagtc acaaaaatca tgagccctca ttttgaagaa atctatgcca 660
 ctgagctttc tgaaactatg atatggcagc ttcagaaaaa gaaatacaga gtccttggtg 720
 taaatgaatg gcagaatacg gggttccagt atgatgtcat cagctgcctg aacttgctgg 780
 accgctgtga tcagcccctg actttgttaa aagatatcag aagtgtcttg gagccaacta 840
 gaggcagggt catccttgcc cttgtcctcc cctttcatcc ctatgtggaa aacgtagggtg 900
 gcaagtggga gaaaccatca gaaatttttg aaatcaaagg acagaactgg gaagaacaag 960
 tgaatagtct gcctgaagtt ttcagaaaag ctgggttttg tatcgaagct ttcaccagac 1020
 taccatacct gtgtgaaggc gacatgtata atgactacta cgttctggat gacgctgtct 1080

ttgtttctcaa accagtataa acacgtggag gtctgaagtct tcagagtccg caccctccgg	1140
gatgtgccct tggaagaggg tctgtgttca caattacgtg aaggaggagac ccttggggagac	1200
cgccattcta aatatcatgt aggaatttaa aaagccaaaa tactaattat ttctttgtag	1260
tgtgtaaagg aatgttttta aaagacaaaa acccaactct ttgtggattt ttatcaactc	1320
tttactcaga gccactctcc aatgcaggtc aactccaat tatgatggaa gatatttttt	1380
atacttaatt gcagtaggga ctcatccca gacaaagcaa tagtcacgac ttcattggaac	1440
caatcaatgg attgtttttt gaagactggc aataaagctg tccattcaat tccaaatact	1500
ggttttaagg tatagccact gatattcttt catgtttaga aattctttct gttattattc	1560
aagaaaatgt ttttaatcat gctaataaac ttttttggag atgactttgg catcatgttt	1620
gaattcatat aaagctcccc tagcattttt tattggtttg gcttcaggag tacccaaata	1680
gtagcattat gagaatgacg cagacaattt gaataggggg gaaggaaggc ttcagacttg	1740
ggggaagggg agattattgc aaattgcagt gaacactgag tcagtaaaaa aaaaaaacag	1800
aaacaaaaac ccagcctcat tcagatacag aacttcaggg acccctcccc ccaccccccc	1860
agttaatgct gctgtgaaaa atgcaaaata acctggttct gactttgtga tcaactcatgt	1920
cccatacact gaactttgtt tttttctgga caatctcagg ttctcagaat tgaaacattc	1980
agttttgtct actgacaaaa tgcaactaaa aatgttttaa ttcaacttct tactctacac	2040
ttatatacct ctctcccaga gcttggctct tccctgaaat ccttaaagga gtttattatt	2100
tgccaagaat atggtttgat gaagaccgtg tcagactcat gcattctgga atccgtgagt	2160
gcctccaacc ataaaccag aaatgctgcc atagagggaac ccattagcaa gatcaataac	2220
catcgtggat attccaaaga gcagagcatt taaccagaa tctgaaatct cagtaataac	2280
agaaatgtca atatgagatt gtggttatta acaatatgtt atcctcacta ctttatttct	2340
tttttcatcc aggtgtttca ttaagtattc tcatttatat gctcatagaa gtcattcagat	2400
caacacattc actccaacac ctgggtataa aggcgaatta aaacctgaag aattacttta	2460
ttattcatta agaactgcat tcccacatcc tcacaccaat atcttccact gttactgtgc	2520
agtcataata agagttgggt tatgtgattt atgcaaaatt gttattgggtg tgttctaattg	2580
atTTTTTcc aggaattcaa gtaagtgaag taaaaatact tagcaccata gattgtaaaa	2640
atagaaagag gaaatgagaa aacttaatgt cgttcttgta cagttgagtt ttgcttcttt	2700
ataaactgtc tgttaaaatc aggggttgct gtagactgt caagcagaag tgatggatgt	2760
tcaaggaggc aggttgcccc aaagtgtttt ctaactttca agtagagaac tttatgctct	2820

aataagaaaa atacaactca ttcttaacca ccccccaaaa acagagaaaa cacatacatt 2880
tatgcatttt aaagataaaa agtagtttct caaaaaaatc tgaagttctc tgaaaaccag 2940
cttattaaaa gtgctgtttt gtggtgaaaa ttgaaaccaa atccactcac atttcctatc 3000
gggtcttgaa attcttggtg gtgtgtcacc attccactag atggcagtgt tgcttactga 3060
gtgtcaatgg cttttttccc cgtaaattga atcatgtttt tctcccccaa agtacaataa 3120
agctgccttg tctgcaccaa aaacaaaaaa aaaaaaaaaa aaa 3163

<210> 93

<211> 1250

<212> DNA

<213> Homo sapiens

<400> 93

aattcggcac gagggcaggt gcaggcgcac gcggcgagag cgtatggagc cgagccgtta 60
gcgcgcgccg tcggtgagtc agtcgcgtccg tccgtccgtc cgtcggggcg ccgcagctcc 120
cgccaggccc agcggccccg gcccctcgtc tccccgcacc cggagccacc cggaggagcg 180
ggccttgccg cggcagccat gtccatgggc ctggagatca cgggcaccgc gctggccgtg 240
ctgggctggc tgggcaccat cgtgtgctgc gcgttgcca tgtggcgctg gtcggccttc 300
atcggcagca acatcatcac gtgcgagaac atctgggagg gcctgtggat gaactgcgtg 360
gtgcagagca ccggccagat gcagtgaag gtgtacgact cgctgctggc actgccacag 420
gaccttcagg cggcccgcgc cctcatcgtg gtggccatcc tgctggccgc cttcgggctg 480
ctagtggcgc tgggtgggcgc ccagtgcacc aactgcgtgc aggacgacac ggccaaggcc 540
aagatcacca tcgtggcagg cgtgctgttc cttctcgccg ccctgctcac cctcgtgccg 600
gtgtcctggc cggccaacac cattatccg gacttctaca acccgtggg gcccagggcg 660
cagaagcgcg agatgggcgc gggcctgtac gtgggctggg cggccgcggc gctgcagctg 720
ctggggggcg cgtgctcttg ctgctcgtgt cccccacgcg agaagaagta cacggccacc 780
aaggctgtct actccgcgcc gcgctccacc ggcccgggag ccagcctggg cacaggctac 840
gaccgcaagg actacgtcta agggacagac gcaggagag cccaccacca ccaccaccac 900
caacaccacc accaccaccg cgagctggag cgcgcaccag gccatccagc gtgcagcctt 960
gcctcggagg ccagcccacc cccagaagcc aggaagcccc cgcgctggac tggggcagct 1020
tccccagcag ccacggcttt gcgggcccgg cagtcgactt cggggcccag ggaccaacct 1080
gcatggactg tgaaacctca cccttctgga gcacggggcc tgggtgaccg ccaatacttg 1140

accaccccggt cgagcccat cgggccgctg ccccatgtc gcgctgggca gggaccggca 1200
 gccctggaag gggcacttga ttttttcaa taaaagcctc tcgttttagc 1250

<210> 94
 <211> 1146
 <212> DNA
 <213> Homo sapiens

<400> 94
 ctttccttgc accctcaccg catatggaac tcctggcgtc gtgtcccagg tcacgcctgt 60
 ccccgtaggg aggctggggc cctcccccca gccactcccg agacttgaga cctctgcctc 120
 aggacgatgg gtgggaaggg gcttgccggc tttgcctcag catggagggc ggggccgagg 180
 cagccacccc cacagcactg ccttactacg tggccttctc ccagctgctg ggccctgacct 240
 tggtagccat gaccggcgcg tggctcgggc tgtaccgagg cggcattgcc tgggagagcg 300
 acctgcagtt caacgcgcac cccctctgca tggatcatagg cctgatcttc ctgcagggaa 360
 atgccctgct ggtttaccgt gtcttcagga acgaagctaa acgcaccacc aaggctcctgc 420
 acgggctgct gcacatcttt gcgctcgtea tcgccctggg tggcttggtg gcgggtgttcg 480
 actaccacag gaagaagggc tacgctgacc tgtacagcct acacagctgg tgcgggatcc 540
 ttgtctttgt cctgtacttt gtgcagtggc tggtagggctt cagcttcttc ctgttccccg 600
 gagcttcatt ctccctgagg agccgctacc gccacacagca catcttcttt ggtgctacca 660
 tcttcctcct ttccgtgggc accgccctgc tgggcctgaa ggaggcactg ctgttcaacc 720
 tcgggggcaa gtatagcgca tttgagcccg aggggtgtcct ggccaacgtg ctgggcctgc 780
 tgctggcctg cttcgggtggg gcgggtgctct acatcttgac ccggggccgac tgggaagcggc 840
 ctcccaggc ggaagagcag gccctctcca tggacttcaa gacgctgacg gagggagata 900
 gccccggctc ccagtgatgc gcccgcccg cctgggggt tcgcggggtg tcttcttgcc 960
 tgccccctgct gaggcgtctt caggactgca ggctccggag agtggctctg gcagcaggcg 1020
 ggcgctggg tgcagctgca tctgtttgag tgctgcttcc tggggtcagg tctccgcctc 1080
 ctctgcttct cctttctccg ctgctataga ccagttcatt gtgtgtgaaa aaaaaaaaaa 1140
 aaaaaa 1146

<210> 95
 <211> 543
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (330)..(330)
 <223> n is a, c, g, or t

<400> 95
 ttttaciaaat tatatacatt tttttttaat aatttttaaat aacactcttg tataaattct 60
 ttcatatatt caaatcatat acaaatttag aaatgcatga tgaagcctag tacagcatat 120
 gtatgagaca ctttttttaa gtttgtgtta gaatttttagt gacataaata caagttaa 180
 gtttcagaaa cattccctaa ttgctcggcc tataatttaa tgtattatag agtgcttatg 240
 cctagcatta caacttgact ttaaatacatt tagcttttgg actaacttag atctgaagcc 300
 ctgggttact ttctagggct gctgctgcan aacaagtaac aattcctacc cacatagccc 360
 aaaatatagg aaccagggat gttcattata agtgggtgta tgttcaccaa gcatcctaaa 420
 aagtgttagga ccaaggtgaa tgatctaata accccattcc aatcaaagct gtcaagagga 480
 agtattgttg ctttagtttt ctactcccaa aacagcctta aaggggtaaa tatccctcgt 540
 gcc 543

<210> 96
 <211> 392
 <212> DNA
 <213> Homo sapiens

<400> 96
 tttttttttt tttttttttt tttttttttt ttaggaaaac aaaatatattt tattagccct 60
 taacagaaga aaaacccaaa tggcaaataa atacatgaaa atgaacatac tgtccaccag 120
 attggctaatt tggagaaggt atgcataaat gagctcccat atattgctgg taaaaaccac 180
 tatggaaaac tttggcatta gttagtgcaa ctgacaatat acatattcct atatccagcc 240
 attctaaatc ttaaacataa atagacaagt tgacagcagt atattcataa aaagaaatac 300
 aaggggaaaa gataccttta tatggaaaaa acattggtaa aaacattaaa gaatcagaca 360
 aaaggatatg taacatacgt ttctgtttat ag 392

<210> 97
 <211> 962
 <212> DNA
 <213> Homo sapiens

<400> 97
 agatgggcta tgtgaatatg tttttaaaca tctgatatgt gcatgaaaca aaaaacactt 60

gaagttatta tgtatacaat tctgtgggat gggacttcat tcaggattgg ttttcaagtt	120
tgatttcctg agggattttt tagttgtttg tgaaagaacc ccaggctctac ttttgaaatt	180
ttgtattata attgtaatgt tgcccatggg taaaaaaaaa aagtgttcag tgatctatgt	240
ctcctactac tcctattttct ctgtttttcc tctgcaggag cttgctgctg ttaacagtta	300
ttcttccaag ttgtttcttt gtggggagat gggaggtggg aggaaatata aacatatatg	360
tatagatcct tcaaaatata tgacgggtata cccgtatgtt ctgagtcctg ctgtattatt	420
acctggtaat atttagaaac atttattttg agataaaggc agagcacttt taagttgaac	480
ctgtagtttt aaaacagtac atttcaagta agccaaagca gagaagtaaa tgtatttttc	540
attgttgtat cagaattttg aatttactat tttaacaaat tcaagagttt gtagctgatc	600
tatttcttcc cctcaggcat accaaatagg tcatttgtca accgatttaa gaaatgttta	660
gaaaacgaac actttgggga aagcggggaa ccaattgata ttaagtggga tgtgccataa	720
ctactttagt tgacattcat taccctggat gatacgtgaa ggaaatttta acatgcgtac	780
caggattggg taagcttggt tgatcatcgac gaacaaaaaa agccgggagt ccagggtcac	840
caagtctttg caatctgggt catccaaagg tatctcaaag aatgagcgtt ttgttgga	900
tccataggca acaaggcaca atctgtcaag agacgagaac gaaaacaaaa ttcaagggac	960
gg	962

<210> 98
 <211> 528
 <212> DNA
 <213> Homo sapiens

<400> 98	
ttttttttac tttgagaagc catttatttt gcagccttca gtccaaaaaa agtcaacatt	60
ttcagaattt ttttatataa gttgtaggtc atttttataa caataaactt tctattatct	120
atttatctct cacatacatt tcatgtatcc tgagtattat gttacaacaa tctgctcttg	180
atagtaatgt tcctgataga ttaaaagatt gagaaatact tgaagaacga tcaaagatac	240
aatgagcatg gtatactttt gggttaaaat gtattccttg ataactgatg tcatatagat	300
ccctaagtaa atcaaatatt taatttccta catctgtcta ccttagttaa ctggcccat	360
cctataagct taacaaaaac tcactttaca attatttaaa aaaaacattt aagagatttt	420
tagaagttaa atggaaagat acttttggac attacaatat ttttaatgag ttattatttt	480
aaaattagag atttcacata aaaaccagga ttctttgttt tctcttta	528

<210> 99
 <211> 455
 <212> DNA
 <213> Homo sapiens

<400> 99
 ttttttttttg ggtaagacac aatttatggg aaaattttaa acccacaaca ctatgtattt 60
 ctatatgtaa acatatagat atattaatac atagcaaaaa gatatttgag gaatatatac 120
 tagagaccaa tagttactac catttgggag cactaccaaa gggcactttg acaatatatg 180
 ttttttatttc ttttctaga acattttctt acataattaa atacaaaatg aggaactttc 240
 atatttctag gaagtaccac atacaatgat ttccttaaaaa tagcttgcta ctaaagctag 300
 agtttagcag ataccacttc tttctacttt tcaacattat actttatcct tgctatccct 360
 caccaattct ctcatgac tacacatggt caaatgtaaa gaaatcacct tagctttttc 420
 ttaaaatacg tgatagtga gagatgatac agttg 455

<210> 100
 <211> 605
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (229)..(229)
 <223> n is a, c, g, or t

<400> 100
 tgaaacaaac gccgggttta atgtagggca caggcacccc ggagaagtca gctccgtggg 60
 aaccgtgggc tcagagcacc caggtcatgg tggggcaggg ccaggcctca cctggggagg 120
 cccagaaagg gagggccaca ctcaagggtc agggcaagtc cacgtgcaga cggagccctg 180
 cagcccacac t̄gctgttgcc aggtgtggct gcgcgggaca ctctcggn̄g acaagggcag 240
 cagtccagag cacaggaagg aaatgtagct tctcagtgtc ggggtgcaag gctgaggggc 300
 cgatggggga caatggccac caccaggagg cagcccgggc tcacagacca tcttttgcca 360
 gcctgtacac ccgcttcacc ctggcatagg gccccaggga gtctc̄aaac acaaaatccc 420
 agagcacctt caccaggag tgggtgctgc gcagggtgtc gtagtactcg ggcgcgatct 480
 tccgcaccag cgggagggtt tagccccgga tgctggggaa gtctggtgc tcacgtgtag 540
 cccacattga agggatcagt tggaggccca tagtaggagt ggtctgtggc cctgaggaac 600

atgta 605

<210> 101
 <211> 950
 <212> DNA
 <213> Homo sapiens

<400> 101
 tggagccgga gctgaagccg gagccgggtt ggagtctggg cgggggcccgg gccggagcgg 60
 gctccagaga catgggggtcg accgactcca agctgaactt ccggaaggcg gtgatccagc 120
 tcaccaccaa gacgcagccc gtggaagcca ccgatgatgc cttttgggac cagttctggg 180
 cagacacagc cacctcggtg caggatgtgt ttgcaactgg gccggcagca gagatccggg 240
 ccgtgcggga agagtcaccc tccaacttgg ccaccctgtg ctacaaggcc gttgagaagc 300
 tgggtgcaggg agctgagagt ggctgccact cggagaagga gaagcagatc gtcctgaact 360
 gcagccggct gctcaccgc gtgctgccct acatctttga ggaccccgac tggaggggct 420
 tcttctggtc cacagtgcc ggggcagggc gaggagggca gggagaagag gatgatgagc 480
 atgccaggcc cctggccgag tccctgctcc tggccattgc tgacctgctc ttctgcccgg 540
 acttcacggt tcagagccac cggagagcac tgtggactcg gcagaggacg tccactccct 600
 ggacagctgt gaatacatct gggaggctgg tgtgggcttc gtcactccc cccagcctaa 660
 ctacatccac gatatgaacc ggatggagct gctgaaactg ctgctgacat gcttctccga 720
 ggccatgtac ctgccccag ctccggaaag tggcagcacc aacccatggg ttcagttctt 780
 ttgttccacg gagaacagac atgccctgcc cctcttcacc tccctcctca acaccgtgtg 840
 tgcctatgac cctgtgggct acgggatccc ctacaaccac ctgctcttct ctgactacmg 900
 ggaaccctgg ttggaggagg ctgccaaagg gctcattgtt actttggaca 950

<210> 102
 <211> 961
 <212> DNA
 <213> Homo sapiens

<400> 102
 gaaaattgta tggagaactt aaaacatcac gaatatTTTT aataggatcc gcagacaccc 60
 aaaggagaag cttggtcttt tccaggtatt tccaacttga gttcaacca aagcctttga 120
 aaggaatgca ttaccacatg accacatgct gagaccccat ggggtctaac acgggaccta 180
 agaaagtctc tgcagccaga tagtacatgg tgtctccaca aaactaggca ttctggagat 240
 tgcccagaaa gggatgtgag gggaccgtta agatctgtct tgcttatctc atgcactcac 300

```

attccttcag cctcctggag ttcttgataa aaggaagcca ggtgtggaca ttttttagct 360
attgatttcc caatagcttg tggatcagtt gtacacccac acttccttct ctgcctaatt 420
ccgtttttct ggaaaaagta gtatgcccat gtatgtgtgt ttttcttaac acaggtccat 480
gaaagttggc ttcttggttg atgtctgttg cgtggcctgg aaaccaggga gcagcaacta 540
ttgagatggg ttctgtgttc agtgaaaaat tctatttcat tgagacattt ttctttatcc 600
acagtaattt tttgacactg tcatcatgaa actaccctt aggaaaataa gattacctgg 660
caaaaataag agaaacggaa actgacgtta tgggacatta ggaaaccggg ttgtgaagga 720
ttctggaatt aaacttagag ctgcattacc tttacgatgg gcaacaccct tgagtttgat 780
ttccaagggt agttaaggc ctagttatat ttatcaagtc taggcactat ttattactcc 840
ccagcgggtg tgtatcaaag gggggggagg aaggataaac tggggaaagg ctgtgaaacc 900
ctgttctaca aaaggaggat cttgtgaaag agatttcggc aatattgatt ggtgggagag 960
a 961

```

```

<210> 103
<211> 405
<212> DNA
<213> Homo sapiens

```

```

<400> 103
gtcttctaag tcttcatgtc tacagtgtta ttttttgcta ttattttttg tttcttcgac 60
agtgacataa actgaggtaa acatctgtga ccaacacctc tcctaagggg caaaggggcc 120
cagcccgacc agcagaggag gtggcagcac cagggcccca acctgggtgt ccggttctgc 180
tctgggggtca ggctggaggc tggccctctg ggtgcctctg ggaatgaggg ggctgggcta 240
cataactatg gtcccctccc aactctaaca tactagatac tacaacggct ggggaaactc 300
ccgaacagga tcttaacaga gagagggaga gagagaaaga gaggagagag agagagagag 360
agagagagag agagagagag agagagagag ggagagagag agcgc 405

```

```

<210> 104
<211> 2051
<212> DNA
<213> Homo sapiens

```

```

<400> 104
acatgacgaa gcaacatgaa ttagggggcc tcttggcctt ggtccaaaat tgtcaatcag 60
agatgaacat aaaggactcc agagcagtgg gactgtctgt caaaagactc tgtatatctt 120

```


ttgtggatga	gttttgtgag	agaacagaga	gaccattgta	cctggcacia	gggctcttca	180
tgaaaagga	gacttactgg	gaggtgcaag	acagtggcat	ttctcctctc	ctcttgctgc	240
tcagcacagc	cctggattgc	agccccgagg	ctgagaccag	acaaagcccg	ggaggcagaa	300
agatgctcca	agaaccaaca	ctatcaatgt	ctttgcaa	at	cctcacagga	360
tcagctttg	gaactgggaa	acctttcttc	ggatccgcac	tcattccact	gatgccagct	420
gccctgaag	gatgccagta	ctgtggtgtg	tgagtctcag	cagccgcccc	cacgctccta	480
actctgctgc	atggcagatg	cctaggtgga	aatagcaaaa	acaaggcccc	ggctggggcc	540
agggccagag	gggaaggccc	tggattctca	ctcatgtgag	atcttgaatc	tctttctttg	600
ttctgtttgt	ttagttagta	tcatctggta	aaatagttaa	aaaacaacaa	aaaactctgt	660
atctgtttct	agcatgtgct	gcattgactc	tattaatcac	atttcaaatt	cacctacat	720
tcctctcctc	ttcactagcc	tctctgaagg	tgtcctggcc	agccctggag	aagcactggt	780
gtctgcagca	cccctcagtt	cctgtgcctc	agcccacagg	ccactgtgat	aatggtctgt	840
ttagcacttc	tgtatttatt	gtaagaatga	ttataatgaa	gatacacact	ataactacaa	900
gaaattataa	atgtttttca	catcaggctg	ttcttttttt	ttttttggag	gcgagggttaa	960
agcattacta	tttgcaaagc	actctgtagc	tccttgttat	ggggataggt	aactaatcag	1020
aataataatg	tcactcgcat	ccacttctta	gaacctggct	ccaaaggaaa	ataagctgat	1080
agactcaatc	actttcctga	ggatggaggc	ctatggcatg	tgtggctgca	ggtcgcgaag	1140
ctgcttaatg	gtgctgggaa	gcctagagga	attaaataaa	gacctggag	gaggtgggat	1200
cggagctgca	ccttgaacaa	atagctcaga	tttgaacaga	tggatggaaa	agagggaggt	1260
gttcccaacc	aaggggacat	gatacagggg	acaggtccta	tgtctcttta	ctcctgagag	1320
tattaaacct	agtaggtggg	cagccccctc	tggttgcctg	ttaccttatt	ttgaattctt	1380
tttgcaaaac	atactatcac	cgtccaaat	aatcttttgt	ctaaatccag	acttcacatt	1440
ctgactgggg	caaaaagagg	cagtccagta	aagggtataa	aataggtacc	atcattgttt	1500
gccttattta	gaaaagcttc	caattttcac	tataatcacc	ctaagcctga	gagaggtgaa	1560
ctgttcaagg	gtactttggc	tccagtgggt	gacagtacct	ggcccagctt	tgggaattgaa	1620
acatttctga	tgggtctgtac	tctgctagaa	cacaggatgc	ttctgctctc	cctgctctgg	1680
catcctgcc	ggtgtcatgg	ccacgcacag	gcatgaagac	agccgggaag	ccagagttcc	1740
cacgaagcac	tcactccttg	gacttgctcc	cacccctctg	gggagagcac	tcctggagca	1800
ggaaatgagc	atctctcatc	tcctgaatt	ccacatccac	tggctgaatg	atcagggagg	1860

catagcagtg agagccatag gtcggcagag ggaactcagg ccctccttta ggatggccat 1920
cacctcatct caatccagcc aaatcaacca tctagagcac acaggccgag agaaatgtaa 1980
taaaatataa catgagacac gtatgaaatt taaactttcc ggtagccaca ctagaaaaaa 2040
aaaaaaaaa a 2051

<210> 105
<211> 1291
<212> DNA
<213> Homo sapiens

<400> 105
gtgagcgcac gtgcgcattt atgagcatct acttgccggt gcactcaggg ccatttgaac 60
ccagtgcaga gttatctcta tgaggaggcc cggggtctcc agccccctcc atctcccctg 120
gggtttggca tatttgacat ggagcccat gccaaaggat gcagctgttg gtgtctgtcc 180
agtccattca aggctagcct gcccatgcac tgtggcaggg gttggattgg agggagagaa 240
cagagttggg aaaaacaaca gggttgagtc ctataaagcc ataatttaac tccagtagct 300
gatgtcagac aagcttgtcc tatgtcctat ttgagtggca gcagcgccag cccagcaaga 360
aggctggggg ttgtcaagg tgtccccaga ccttgcttgc agtggttga gaaccaggg 420
ggctgccttg ggccctctgg ccagagggaa gcgggcagct ctagccctgg agattgtggt 480
cacattgggg cttgtttagg attggagggc caggtcacct cccagccac cctcccttct 540
ctcctctggg gtccccactt tagggcgact ttgcccagg cccacgcac catccactcc 600
tttagtgct tgaatctcat tcacaagcag cccctccct tccccctccc ttctcactct 660
gttgatgtaa tcctcccacc cccagtgtcc atcctaagac aggcacaaa agaggcccta 720
actttacttc ccaaattggtg ctttttaaaa aacaccatca ctacattagg ggcaattttt 780
tcacacctcc ctgtcttcag aatgtaaagg gtggggatta tgtctctgtt taatatgcag 840
ccccctgcac tgtgggggtt ggggcatgtt cagtaataag aatgaatata atagacaaag 900
ggggtgtgat gagtgttaac ttggttgttc cagaggtaaa ccaggtctca gggaagagcc 960
tgagagctgct attgcttagg aagttgtacg tgccctgaaa tgtccactac ctgaggacgc 1020
agcatctggt gggcccgggg ctgctggggc caaggaggga ccttgacctt ctggtgctg 1080
cccctccccg gcctacgtgc catccgcgtg acgctaggtc agcgtgccc gttctttacc 1140
aaatgtgctt gcttctccta agttatttat aaagagaaat cactaatgga ctctactggt 1200
ttgagtgtt ctgagctgga tgaccgaccg cctgtatgtt tgtgtaatta attgccataa 1260

taaactttga tgagtcaaaa aaaaaaaaaa a 1291

<210> 106
 <211> 641
 <212> DNA
 <213> Homo sapiens

<400> 106
 ttgggagtag tgtctttatt cattaaagcc tgaggtctga ccaccctgt aaaacctcgt 60
 gccacacag tgctgtctg agtccttctg tgcccaaagc tggagcaggc tgcagagact 120
 tgaagcctgg ggttttctgc ctctcttttg ttttggtttt tttgagacag agtcttgctc 180
 tgttgcttag gctggagtg agtggtgtga tctcggctca ttgcaacctc tgctccagg 240
 gttcaagtga ttctcctgcc tcagcctcca gagtagctgg gattacaggt gtgcaccacc 300
 acgccaggct aatttttcta ttttttagtag agacagggtt tcaccatgtt ggccaggctg 360
 gtctccaact cctggcctca agtcctctc ccgccttagc ctcccaaagt gctggaatta 420
 caggcatgag ccaccacgcc cgggcctctt cttgccagca actcttagac caggaagcct 480
 cggatggcag ctatgaagtc ctgtgggcgt tcagcgtgga tccagtggcc agcgttcagc 540
 accgtctgca tctggacagg atggaagagc cgcataatct tcaggtgata gctggaatgc 600
 acgaacttgg agattccacc aaggagaaag agtgtgagac c 641

<210> 107
 <211> 1433
 <212> DNA
 <213> Homo sapiens

<400> 107
 attcggggcg agggaggagg aagaagcgga ggaggcggct cccgctcgca gggccgtgca 60
 cctgcccgcc cgcccgtctg ctgctctgcc cgccgcgccg cgctgccgac cgccagcatg 120
 ctgccgagag tgggctgccc cgcgctgccg ctgccgccgc cgccgctgct gccgctgctg 180
 ccgctgctgc tgctgctact gggcgcgagt ggcgggcgcg gggggcgcg cgcgagggtg 240
 ctgttcgct gcccgcctctg cacacccgag cgctggcgcg cctgcggggc cccgcccgtt 300
 gcgcccgcgc cgcggtggc cgcagtggcc ggaggcgccc gcatgccatg cgcgagctc 360
 gtccgggagc cgggctgcgg ctgctgctcg gtgtgcgcc ggctggaggg cgaggcgtgc 420
 ggctctaca ccccgcgctg cggccagggg ctgcgctgct atccccaccc gggctccgag 480
 ctgcccctgc aggcgctggt catgggcgag ggcacttgtg agaagcgccg ggacgccgag 540

tatggcgcca gcccgagca ggttgcagac aatggcgatg accactcaga aggaggcctg 600
gtggagaacc acgtggacag caccatgaac atgttgggcg ggggaggcag tgctggccgg 660
aagcccctca agtcgggtat gaaggagctg gccgtgttcc gggagaaggt cactgagcag 720
caccggcaga tgggcaaggg tggcaagcat caccttggcc tggaggagcc caagaagctg 780
cgaccacccc ctgccaggac tccctgccaa caggaactgg accaggtcct ggagcggatc 840
tccaccatgc gccttccgga tgagcggggc cctctggagc acctctactc cctgcacatc 900
cccaactgtg acaagcatgg cctgtacaac ctcaaacagt gcaagatgtc tctgaacggg 960
cagcgtgggg agtgctggtg tgtgaacccc aacaccggga agctgatcca gggagccccc 1020
accatccggg gggaccccga gtgtcatctc ttctacaatg agcagcagga ggcttgccgg 1080
gtgcacaccc agcggatgca gtagaccgca gccagccggt gcctggcgcc cctgcccccc 1140
gccctctcc aaacaccggc agaaaacgga gagtgccttg gtggtgggtg ctggaggatt 1200
ttccagttct gacacacgta tttatatattg gaaagagacc agcaccgagc tcggcacctc 1260
cccgccctct ctcttcccag ctgcagatgc cacacctgct ccttcttgct tccccgggg 1320
gaggaagggg gttgtggtcg gggagctggg gtacaggttt ggggaggggg aagagaaatt 1380
tttatTTTTg aaccctgtg tcccttttgc ataagattaa aggaaggaaa agt 1433

<210> 108
<211> 1825
<212> DNA
<213> Homo sapiens

<400> 108
aagagccctg acttcccttg ttttcccccc ttgcgccc aa cgtgcgtccg ctcccccgcc 60
gagcgcgag tgccctcagt tgcccaggcc tctatctgca tggagggccg ggccgccgtg 120
accagatctg cgcacgggggt acggacgtgc ccgggcagat gggggcctac ggggtgacac 180
cgaggccggg acagcttcag gggccccaga aggacctgac ccagaaattg aggtccccgc 240
tgcttctga ggagggggag gagttgctcc taggtctgaa ccccgccagc cttgccccgt 300
aggaagctgg agtgcgggcc tcgtccaccc acagaccccg gggagcgcag ggaaaaggg 360
gcttcggctg ttccgatggc agtggagacc acgggtccaca ctcacctctc tgcgtctoca 420
ccgcagggt ctccctacga ccacacaccc ggcattggcg gctccttggg gtaccatcct 480
tacgcgcgcc ccctgggatc gtacccttac ggggacccag cgtaccggaa gaacgccaca 540
agggacgcca cggtaccct caaggcctgg ctcaacgagc accgcaagaa ccctacccc 600

accaagggcg agaagatcat gctggccatc atcaccaaga tgaccctcac ccagggtgtcc 660
 acctgggttcg ccaacgcgcg ccggcgccctc aagaaagaga ataaaatgac gtggacgccg 720
 cggaaccgca gcgaggacga ggaagaggag gagaacattg acctggagaa gaacgacgag 780
 gacgagcccc agaagcccga ggacaagggc gaccccgagg gccccgaagc aggaggagct 840
 gagcagaagg cggcttcggg ctgcgaacgg cttcagggac caccaccccc tgcaggcaag 900
 gagacggagg gcagcctcag cgactcggat tttaaggagc cgccctcgga gggccgcctc 960
 gacgcgctgc agggcccccc ccgcaccggc gggccctccc cggctgggccc agcggcgccg 1020
 cggctggcgg agggaccggc ccctcactac cccgccggag cgccggcgcc cggcccgcat 1080
 ccagccgcgg gcgagggtgcc tccgggtccc ggccggccct cggttatcca ttgcgcgct 1140
 ccgccgcgc ctcctgcggg gctcgccaag cccaaactgt ggtctttggc agagatcgcc 1200
 acattgtcgg acaagggtcaa ggacgggggc ggccgggaac agggctctcc atgcccaccg 1260
 tgtcccgggc ccatagccgg gcaagcccta ggaggcagcc gggcgtcgcc ggccccggcg 1320
 ccgtcacgct cgccctcggc gcagtgtcct tttccaggcg ggacgggtgct gtcccggcct 1380
 ctctactaca ccgcgccctt ctatcccggc tacacgaact atggctcctt cggacacctt 1440
 catggccacc cggggccccg gccaggcccc acaaccggtc cgggggtctca tttcaatgga 1500
 ttaaaccaga ccgtgttgaa ccgagcggac gctttggcta aagaccgaa aatgttgccg 1560
 agccagtctc agctagacct gtgcaaagac tctccctatg aattgaagaa aggtatgtcc 1620
 gacatttaac gcgggctgcg tcgggtcccg acttttctaa tttattaaaa acatggcctt 1680
 ggcagttatt tttccatcac cgagagagag agacagagag agaaaataaa ctaccctcc 1740
 tattcagaag tttatagttt atggagatgg atgacataaa aatgtaaaca tctccacaca 1800
 cacaaaaaaaa tgttttaacc aaccg 1825

<210> 109
 <211> 1427
 <212> DNA
 <213> Homo sapiens

<400> 109
 attaaccag gagatggggg tcgaggagag accccgggga gtagagagag agaaactcac 60
 tccccgagtc cccgaccctc cccaagcaag gttataatat aacttatcct ctcatgcttt 120
 tttcctgccc cttctcccca aatcatcaac aatagaagaa gaagaaaaca tgtcaggaca 180
 caaatgcagt tatccctggg acttacagga tcgatatgct caagataagt cagttgtaaa 240

```

taagatgcaa cagaaatatt gggagacgaa gcaggccttt attaaagcca caggggaagaa    300
ggaagatgaa catgttggtg cctctgacgc ggacctggat gccaaagctag agctgtttca    360
ttcaattcag agaacctgtc tggacttatc gaaagcaatt gtactctatc aaaagaggat    420
atgtttcttg tctcaagaag aaaacgaact gggaaaattht cttegatccc aaggtttcca    480
agataaaacc agagcaggaa agatgatgca agcgacagga aaggccctct gctttttcttc    540
ccagcaaagg ttggccttac gaaatccttt gtgtcgattt caccaagaag tggagacttt    600
tcggcatcgg gccatctcag atacttggct gacggtgaac cgcattggaac agtgcaggac    660
ggaatataga ggagcactat tatggatgaa ggacgtgtct caggagcttg atccagacct    720
ctacaagcaa atggagaagt tcaggaaggt acaaacacaa gtgcgccttg caaaaaaaaa    780
ctttgacaaa ttgaagatgg atgtttgtca aaaagtggat cttcttggag cgagcagatg    840
caatctcttg tctcacatgc tagcaacata ccagcttgcc tgggaccagt ggcagggacc    900
ccggaacctg aaggtgctga caaagatgac ctgctgctgt tgagtgagat cttcaatgct    960
tcctccttgg aagagggcga gttcagcaaa gagtgggccc ctgtgtttgg agacggccaa   1020
gtgaaggagc cagtgccac tatggccctg ggagagccag accccaaggc ccagacaggc   1080
tcagggtttcc ttctctcgca gcttttagac caaaatatga aagacttaca ggcctcgcta   1140
caagaacctg ctaaggctgc ctacagacctg actgcctggt tcagcctctt cgctgacctc   1200
gacccactct caaatcctga tgctgttggg aaaaccgata aagaacacga attgctcaat   1260
gcatgaatct gtacccttcg ggagggcact cacatgccgc cccagcagc tcccctgggg   1320
gctagcagaa gtataaagtg atcagtatgc tgttttaata attatgtgcc attttaataa   1380
aatgaaaggg tcaacggccc tgtttatatt ggtataaaaa aaaaaaa                1427

```

```

<210> 110
<211> 823
<212> DNA
<213> Homo sapiens

```

```

<400> 110
aaacgtttat ttctactca aaacttattht cccctcaacc ctatacccaa agaagaaata    60
aaatcacaga aacataacag aagtatttga ggtaccctct catatatgca aacaaatgca    120
gactaggcct caggcagaga ctaaaggaca tctcttgggg tgtcctgaag tgatttggac    180
ccctgagggc agacacctaa gtaggaatcc cagtgggaag caaagccata aggaagccca    240
ggattccttg tgatcaggaa gtgggcccagg aaggtctgta ccagctcaca tctcaactgc    300

```

```

atgcagcacg gaccggatgc gccactggg tcttggttc cctcccatct tctcaagcag      360
tgtccttggt gagccatttg catccttggc tccaggtggc tccctcagtc tggactctac      420
cacttgggtc tccagatttt ctgttacgtc cttgtgggtc aggatatttc tggaagtcac      480
tccgtgagggc tggtaatcct cagamccagc ttctgggtcga ctctggaatg gactgaagct      540
gggcaggatg atgagagcca gggaaaaaag aagaatcaaa acacaagtgc tggctctgggc      600
agctttgttg gaagtttgag caattagcgt ctgcagctgg cggastgagc taccaaggag      660
atgttggtgcc tctccagctc ctggactttt ttctgtaatt cttgggttctg trcagaacag      720
gctgccaccc tgctctccag cccatcaatg tactccttct tccgccgcgc actgtmctga      780
gctgactgct tgtaacggat tttcctcctg accttcttga gga                        823

```

```

<210> 111
<211> 553
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (498)..(498)
<223> n is a, c, g, or t

```

```

<400> 111
aggggggttaa atgtttatta aatcaagctt ttaaattata tatccaccta cagtctataa      60
acaaatatag tacacatgta tgtaaaaggc tagcagataa gaaccagtgg aaaaactaaa      120
gttccctttg cacaccggca cctcatcaca acaccctctt ggtgtggatg ccatggggcc      180
atgctgtagt caaaagttaa atgaaaaacc acaagtttag tttgactccg tctcctaggg      240
tggatttcat tcagatattt gttccatatt ataggagggt ggatcctagc aaggcaacag      300
tgtagttttt acattcacag attggctgaa gtagtacaaa ttgagctgct aatctaggtg      360
tctccctccc tgttaccata cttcataaga aatgtgaatt aaaatgaaca atggaccaca      420
ggtgggttata aaaatagata actcgagag tccataaata tctacagtta gtagagccag      480
aacttccaaa atttacnntt tttccataat ggtgcagaat atccccaagt atggttccaa      540
gaggacacag tca                        553

```

```

<210> 112
<211> 425
<212> DNA
<213> Homo sapiens

```

<220>
 <221> misc_feature
 <222> (388)..(388)
 <223> n is a, c, g, or t

<220>
 <221> misc_feature
 <222> (417)..(417)
 <223> n is a, c, g, or t

<400> 112
 gcggccgcc gccagggcc tgcccatcca gaagggaactc cccagggcct gggggaggag 60
 acccttgga aagtcctctc ttcccagctc ctgattctgg atctgagatt ctcatcac 120
 agggccctgt gctccaggcc gaggctgggc taccctcagg gagatccaga gactcatgcc 180
 catggccatc catgcgtgga cgctgtgtgg agagtccagg atgacgggat cccgcacaag 240
 ctcccttcag tccttcaggg ctgggcccac gtgggttgatt tttctaaagc tggagaaagg 300
 aagaaattgt gccttcgata ttacttgagc ttaaactgac aacctgggat gtaaataagg 360
 gccttttaac tgggtttatta ataaagtncct attggtgatt ttttaaaaaa aaaaacnctc 420
 gtgcc 425

<210> 113
 <211> 544
 <212> DNA
 <213> Homo sapiens

<400> 113
 tttttttttt tttttttaca acaatgagaa tctttatgca tatagctttg tgatcaatac 60
 aatccttcag aacaacaaga gacaaacaaa ggaatacaat gtcccaaaca gctgcagtcc 120
 acaggctgac attgctaact agatttagat catctggagg cttttgtaag aggaactgag 180
 gtgcagaggc atcagaatga gttgattccc ggcaaaaggg ctaagaggct acagacatat 240
 ctaaaaatca agaaaccact acttgtaag tacttctggt gtttgcatat agtgtccaat 300
 acatagggaa gatagcaagt ccatactggt ctttgatcat gctgtgtggt agaggctact 360
 gcaggtttct ttatttttcta aagtaggcaa ggctcataaa ttgaccaatt cacattgtga 420
 ttacttggtg caatgcatgc atgttattgg tacacagagt gctttaatag gaatctgttg 480
 gattttcaaa attctgacaa ggccattttt acctcagagg actattatcc tttccctcgt 540
 gccg 544

<210> 114

<211> 507
 <212> DNA
 <213> Homo sapiens

<400> 114
 tttgttttaa aatgtgtttt aattatattt tcatgaattc caggaagaac atcattgcag 60
 ttaatgttac aaaaaaaaaa aaacaaagag ggacatctga acatgcaata aaaaagtga 120
 ttcacagtga aaataatgca tgtcagtact aaaatagagt tgcttggttc cctgaaggaa 180
 aagggtttct tctaattatc tggtcacttg gattttatta tgagaaaata ttctgtgaaa 240
 gctttgggga agttttcaat ttgtgctact attatcatta gagtctgatg gaagtccctc 300
 attctgaaag cegttgttcg cagtctgtaa ttcaatcaga aaattcaaaa gtacaacagg 360
 tagtttgga actcgttct tggtacatac aaagccatta gcaaaaatat gtaacaaaat 420
 ttatgtaaaa caacaattt tgccttatg tacaaaagac agccttcttc ctcacaccct 480
 cacggcctat tccaaaaagt gggaagg 507

<210> 115
 <211> 4790
 <212> DNA
 <213> Homo sapiens

<400> 115
 gaaagagaca ttcacttgga gggctcttgc tgaaaatggg tttaactctc cttttgccag 60
 tcaccaccag cctgacctca tacactttta gtacaatgga gtggctgagc ctttgagcac 120
 accaccatta catcatcgtg gcaaattaaa gaaggaggtg ggaaaagagg acttattgtt 180
 gtcatggccc atgagatgat tggaactcaa attgttactg agaggttggt ggctctgctg 240
 gaaagtggaa cggaaaaagt gctgctaatt gatagccggc catttggtga atacaataca 300
 tcccacattt tggaagccat taatatcaac tgctccaagc ttatgaagcg aaggttgcaa 360
 caggacaaag tgtaattac agagctcatc cagcattcag cgaaacataa ggttgacatt 420
 gattgcagtc agaaggttgt agtttacgat caaagctccc aagatgttgc ctctctctct 480
 tcagactgtt ttctcactgt acttctgggt aaactggaga agagcttcaa ctctgttcac 540
 ctgcttgagc gtgggtttgc tgagttctct cgttgtttcc ctggcctctg tgaaggaaaa 600
 tccactctag tccctacctg catttctcag ccttgcttac ctggtgccaa cattgggcca 660
 acccgaattc ttcccaatct ttatcttggc tgccagcgag atgtcctcaa caaggagctg 720
 atgcagcaga atgggattgg ttatgtgtta aatgccagca atacctgtcc aaagcctgac 780
 tttatccccg agtctcattt cctgcgtgtg cctgtgaatg acagcttttg tgagaaaatt 840

ttgccgtggt	tggacaaatc	agtagatttc	attgagaaag	caaaagcctc	caatggatgt	900
gttctagtgc	actgttttagc	tgggatctcc	cgctccgcc	ccatcgctat	cgcctacatc	960
atgaagagga	tggacatgtc	tttagatgaa	gcttacagat	ttgtgaaaga	aaaaagacct	1020
actatatctc	caaacttcaa	ttttctgggc	caactcctgg	actatgagaa	gaagattaag	1080
aaccagactg	gagcatcagg	gccaaagagc	aaactcaagc	tgctgcacct	ggagaagcca	1140
aatgaacctg	tccctgctgt	ctcagagggg	ggacagaaaa	gcgagacgcc	cctcagtcca	1200
cctgtgccg	actctgctac	ctcagaggca	gcaggacaaa	ggcccgctga	tcccgccagc	1260
gtgcccagcg	tgcccagcgt	gcagccgtcg	ctgttagagg	acagcccgct	ggtacaggcg	1320
ctcagtgggc	tgcacctgtc	cgcagacagg	ctggaagaca	gcaataagct	caagcgttcc	1380
ttctctctgg	atatcaaatc	agtttcatat	tcagccagca	tggcagcatc	cttacatggc	1440
ttctcctcat	cagaagatgc	tttgggaatac	tacaaacctt	ccactactct	ggatgggacc	1500
aacaagctat	gccagttctc	ccctgttcag	gaactatcgg	agcagactcc	cgaaccagct	1560
cctgataagg	aggaagccag	catccccaag	aagctgcaga	ccgccaggcc	ttcagacagc	1620
cagagcaagc	gattgcattc	ggtcagaacc	agcagcagtg	gcaccgcca	gaggtccctt	1680
ttatctccac	tgcacgaag	tgggagcgtg	gaggacaatt	accacaccag	cttccttttc	1740
ggcctttcca	ccagccagca	gcacctcacg	aagtctgctg	gcctgggcct	taagggctgg	1800
cactcggata	tcttggtccc	ccagacctct	acctctccc	tgaccagcag	ctggtatttt	1860
gccacagagt	cctcacactt	ctactctgcc	tcagccatct	acggaggcag	tgccagttac	1920
tctgcctaca	gctgcagcca	gctgccact	tgccgagacc	aagtctattc	tgtgcgcagg	1980
cggcagaagc	caagtgcag	agctgactcg	cggcggagct	ggcatgaaga	gagccccttt	2040
gaaaagcagt	ttaaagcag	aagctgcca	atggaatttg	gagagagcat	catgtcagag	2100
aacaggtcac	gggaagagct	ggggaaagtg	ggcagtcagt	ctagcttttc	gggcagcatg	2160
gaaatcattg	aggtctcctg	agaagaaaga	cacttgtgac	ttctatagac	aatttttttt	2220
tcttgttcac	aaaaaaattc	cctgtaaatc	tgaaatatat	atatgtacat	acatatatat	2280
ttttggaaaa	tggagctatg	gtgtaaaagc	aacagggtga	tcaaccagct	tgttactctc	2340
ttaacatctg	catttgagag	atcagcta	acttctctca	acaaaaatgg	aagggcagat	2400
gctaggatcc	cccctagacg	gaggaaaacc	attttattca	gtgaattaca	catcctcttg	2460
ttcttaaaaa	agcaagtgtc	tttggtgttg	gaggacaaaa	tcccctacca	ttttcacgtt	2520

gtgctactaa	gagatctcaa	atattagtct	ttgtccggac	ccttccatag	tacaccttag	2580
cgctgagact	gagccagctt	gggggtcagg	taggtagacc	ctggttagga	cagagcctag	2640
tggtaaatcc	aagagaaatg	atcctatcca	aagctgattc	acaaaccac	gctcacctga	2700
cagccgaggg	acacgagcat	cactctgctg	gacggaccat	taggggcctt	gccaaggtct	2760
accttagagc	aaaccagta	cctcagacag	gaaagtcggg	gctttgacca	ctaccatatt	2820
tggtagccca	ttttctaggc	attgtgaata	ggtaggtagc	tagtcacact	tttcagacca	2880
attcaaactg	tctatgcaca	aaattcccg	gggcctagat	ggagataatt	tttttttctt	2940
ctcagcttta	tgaagagaag	ggaaactgtc	taggattcag	ctgaaccacc	aggaacctgg	3000
caacatcacg	atttaagcta	aggttgggag	gctaacgagt	ctacctcct	ctttgtaaat	3060
caaagaattg	tttaaaatgg	gattgtcaat	cctttaaata	aagatgaact	tggtttcaag	3120
ccaaatgtga	atttatttgg	gttggtagca	gagcagcagc	accttcaa	tctcagccaa	3180
agcagatgtt	tttgcccttt	ctgcttca	gcattggatac	agttggtaaa	atgtaataat	3240
atggcagaat	tttataggaa	acttcctagg	gaggtaaatt	atgggaagat	taagaaaggt	3300
acaaattgct	gaggagaagc	aggaaacctg	tttccttagt	ggcttttatt	ccctcggcat	3360
gcgatggggc	tgatgtttct	ataattgcct	cagactttca	catttactag	tagggctgag	3420
agaggcttta	gtgaggaagg	aatattcaga	ataaaacgg	tgagaaagct	gagaagacca	3480
ttgagttttg	atcagttgtg	aatagagtgc	aaagccatgg	ccaagctgtt	tttggaaacg	3540
ctggccggcg	tgtcttcagt	ggaaaaagca	aatcaaaatg	gagcgagagc	aaaggggcgt	3600
cctcagtcct	caacctacaa	tcactgtatg	gaatcgggtc	tggcagctga	acataggagg	3660
tcactggaac	aagtgatagt	gcagattggc	tttcaa	cctcctggct	tgagttttat	3720
cagctacagt	gtgggtctct	ttttgaagcc	ttaattcaca	acagcagctt	tttgggggtg	3780
gggctggg	gggtgtgtca	ttgttctttc	ccttcctgta	agtgtcgcta	gttgcctgcct	3840
cgtatctcag	gtttttctct	gtttttgaga	aatggacagt	tttttgacca	ggatgtgact	3900
tcagtgttcc	tatgggtgact	tctaaaacca	gcacagaatg	atatgactca	acacagaccg	3960
acttggttat	ggggatgatg	agccgcacag	acctcactag	ttgtgcacaa	ataatgtgct	4020
atgatgggg	gtaaagtga	ggcagaagag	ggtcagccgc	attgttatga	tactgggaaa	4080
gtgctggcca	acgatttgag	ttagttttta	gatatacatt	gaaatcttta	atcagacatt	4140
ctcaagtttc	acacagtagt	ttttgatgtt	atgtacacac	acaccaa	tgtaacagtt	4200
caccacttcc	agagtgtggt	catgccccaa	acatgtttta	gaaaggaaag	cagtagctcc	4260

ttgctaacga tgtttcagga ggtttggggg acttggtttt aatgagcttc tgtcatttag 4320
 ggcttctctt ggccatgggc cccttccttc tggaaactgtg atgtagtcac atcctacagc 4380
 ctttagtgct ggttcactag tgtcagataa tcagttcttg gaatcgagac tgccgtggcg 4440
 aaggggtggc ctccgaggca ggctctggag ctgcttggat gtcttttaggt ggggtgggtg 4500
 ctggctctct tcagcatgta attggggaaa ccctcgtttc tactaggggt gatacagatg 4560
 gtgattttta agagcaaaac tagacttcta tgtgagaagt gctggaaaat gatttaggac 4620
 atgtgtaaag ttagatggaa agactgtaaa tgtttaatat gaatatagtg ttcttttgaa 4680
 gtaaggccag ctggtgaacg gttaaactgt gcatttctca ttttgatgtg tcatgtatgt 4740
 taatgtatga aatgattaaa taaaatcaaa actggtacct gtttatacat 4790

<210> 116
 <211> 2016
 <212> DNA
 <213> Homo sapiens

<400> 116
 aggacctgag ctcagcttcc gccccagcca gggaagcggc aggggaaagc accggctcca 60
 ggccagcgtg ggccgctctc tcgctcggtg cccgccgcca tgtgggcccgt cctgagggtta 120
 gccctgcggc cgtgtgcccc cgcctctccc gccgggcccgc gcgcctatca cggggactcg 180
 gtggcctcgc tgggcaccca gccggacttg ggctctgccc tctaccagga gaactacaag 240
 cagatgaaag cactagtaaa tcagctccat gaacgagtgg agcatataaa actaggaggt 300
 ggtgagaaag cccgagcact tcacatatca agaggaaaac tattgcccag agaaagaatt 360
 gacaatctca tagaccaggt gtctccattt ctggaattat ccagtttgc aggttaccag 420
 ttatatgaca atgaggaggt gccaggaggt ggcatatta caggcattgg aagagtatca 480
 ggagtagaat gcatgattat tgccaatgat gccaccgtca aaggaggtgc ctactacca 540
 gtgactgtga aaaaacaatt acgggcccga gaaattgcca tgcaaaacag gctcccctgc 600
 atctacttag ttgattcggg aggagcatac ttacctcgac aagcagatgt gtttcagat 660
 cgagaccact ttggccgtac attctataat caggcaatta tgtcttctaa aaatattgca 720
 cagatcgagc tggatcatgg ctctgcacc gcaggaggag cctatgtgcc tgccatggct 780
 gatgaaaaca tcattgtacg caagcagggt accattttct tggcaggacc ccccttggtt 840
 aaagcggcaa ctggggaaga agtatctgct gaggatcttg gaggtgctga tcttcattgc 900
 agaaagtctg gagtaagtga ccactgggct ttggatgatc atcatgccct tcacttaact 960

aggaagggttg tgaggaatct aaattatcag aagaaattgg atgtcaccat tgaaccttct 1020
 gaagagcctt tatttcctgc tgatgaattg tatggaatag ttggtgctaa ccttaagagg 1080
 agctttgatg tccgagaggt cattgctaga atcgtggatg gaagcagatt cactgagttc 1140
 aaagcctttt atggagacac attagttaca ggatttgctc gaatatttgg gtaccagta 1200
 ggtatcgttg gaaacaacgg agttctcttt tctgaatctg caaaaaaggg tactcacttt 1260
 gtccagttat gctgccaaag aaatattcct ctgctgttcc ttcaaaacat tactggattt 1320
 atggttggtg gagagtatga agctgaagga attgccaaagg atggtgccaa gatggtggcc 1380
 gctgtggcct gtgcccaagt gcctaagata accctcatca ttgggggctc ctatggagcc 1440
 ggaaactatg ggatgtgtgg cagagcgtat agcccaagat ttctctacat ttggccaaat 1500
 gctcgtatct cagtgatggg aggagagcag gcagccaatg tgttgccac gataacaaag 1560
 gaccaaagag cccgggaagg aaagcagttc tccagtgtct atgaagcggc tttaaaagag 1620
 cccatcatta agaagtttga agaggaagga aacccttact attccagcgc aagggtatgg 1680
 gatgatggga tcattgatcc agcagacacc agactggtct tgggtctcag ttttagtgca 1740
 gccctcaacg caccaataga gaagactgac ttcggtatct tcaggatgta actggaataa 1800
 aggatgtttt ctgttggaca tgtactgaaa attaacacat gtagtagcct taaaatttta 1860
 gacttctcga acatgaggct gttacagtaa tttttttaac actgtgcatt gtacttttct 1920
 accttaaaaa aatcagtgag gatatttatt taatgaacat caattccttt taaattttct 1980
 tagagaaatt tctctgtggc tcagttttac caaccc 2016

<210> 117
 <211> 3747
 <212> DNA
 <213> Homo sapiens

<400> 117
 cctcccctgg ggaggctcgc gttcccgtg ctgcgcctg ccgcccgcg gcctcaggaa 60
 cgcgccctct cgcgcgcgc gccctcgcag tcaccgccac ccaccagctc cggcaccaac 120
 agcagcgccg ctgccaccgc ccaccttctg ccgcccgcac cacagccacc ttctcctcct 180
 ccgtgtcct ctcccgtcct cgcctctgtc gactatcagg tgaactttga accaggatgg 240
 ctgagccccg ccaggagttc gaagtgatgg aagatcacgc tgggacgtac gggttggggg 300
 acaggaaaga tcaggggggc tacaccatgc accaagacca agaggggtgac acggacgctg 360
 gcctgaaaga atctcccctg cagaccccca ctgaggacgg atctgaggaa ccgggctctg 420

aaacctctga tgctaagagc actccaacag cggaagatgt gacagcaccc ttagtggatg	480
agggagctcc cggcaagcag gctgccgcgc agccccacac ggagatccca gaaggaacca	540
cagctgaaga agcaggcatt ggagacaccc ccagcctgga agacgaagct gctggtcacg	600
tgaccaaga gcctgaaagt ggtaaggtgg tccaggaagg ctctctccga gagccaggcc	660
ccccaggtct gagccaccag ctcatgtccg gcatgcctgg ggctcccctc ctgcctgagg	720
gccccagaga ggccacacgc caaccttcgg ggacaggacc tgaggacaca gagggcggcc	780
gccacgcccc tgagctgctc aagcaccagc ttctaggaga cctgcaccag gaggggcgcg	840
cgctgaaggg ggcagggggc aaagagaggc cggggagcaa ggaggaggtg gatgaagacc	900
gcgacgtcga tgagtccctc cccaagact cccctccctc caaggcctcc ccagcccaag	960
atgggcggcc tccccagaca gccgccagag aagccaccag catcccaggc ttcccagcgg	1020
agggtgccat cccctccct gtggatttcc tctccaaagt ttccacagag atcccagcct	1080
cagagcccga cgggcccagt gtagggcggg ccaaagggca ggatgcccc ctggagttca	1140
cgtttcacgt ggaaatcaca cccaacgtgc agaaggagca ggcgcactcg gaggagcatt	1200
tgggaagggc tgcatttcca ggggcccctg gagagggggc agaggcccgg ggcccctctt	1260
tgggagagga cacaaaagag gctgacctc cagagccctc tgaaaagcag cctgctgctg	1320
ctccgcgggg gaagcccgtc agccgggtcc ctcaactcaa agctcgcctg gtcagtaaaa	1380
gcaaagacgg gactggaagc gatgacaaaa aagccaagac atccacacgt tcctctgcta	1440
aaaccttgaa aataggcct tgccttagcc ccaaactccc cactcctggt agctcagacc	1500
ctctgatcca accctccagc cctgctgtgt gccagagcc accttcctct cctaaacacg	1560
tctcttctgt cacttcccga actggcagtt ctggagcaaa ggagatgaaa ctcaaggggg	1620
ctgatggtaa aacgaagatc gccacaccgc ggggagcagc ccctccaggc cagaagggcc	1680
aggccaacgc caccaggatt ccagcaaaaa cccgcgccgc tccaaagaca ccaccagct	1740
ctggtgaacc tccaaaatca ggggatcgca gcggctacag cagccccggc tccccaggca	1800
ctcccggcag ccgctcccgc acccgtccc ttccaacccc acccaccggg gagcccaaga	1860
aggtggcagt ggtccgtact ccaccaagt cgccgtcttc cgccaagagc cgctgcaga	1920
cagccccctg gccatgcca gacctgaaga atgtcaagtc caagatcggc tccactgaga	1980
acctgaagca ccagccggga ggcgggaagg tgcagataat taataagaag ctggatctta	2040
gcaacgtcca gtccaagtgt ggctcaaagg ataatatcaa acacgtcccg ggaggcggca	2100

gtgtgcaaat	agtctacaaa	ccagttgacc	tgagcaaggt	gacctccaag	tgtggctcat	2160
taggcaacat	ccatcataaa	ccaggagggtg	gccagggtgga	agtaaaatct	gagaagcttg	2220
acttcaagga	cagagtccag	tccaagattg	ggctccctgga	caatatcacc	cacgtccctg	2280
gcgggagaaa	taaaaagatt	gaaaccacaca	agctgacctt	ccgcgagAAC	gccaaagcca	2340
agacagacca	cggggcggag	atcgtgtaca	agtcgccagt	ggtgtctggg	gacacgtctc	2400
cacggcatct	cagcaatgtc	tcctccaccg	gcagcatcga	catggtagac	tcgccccagc	2460
tcgccacgct	agctgacgag	gtgtctgcct	ccctggccaa	gcagggtttg	tgatcaggcc	2520
cctggggcgg	tcaataattg	tggagaggag	agaatgagag	agtgtggaaa	aaaaaagaat	2580
aatgaccggg	ccccgcct	ctgccccag	ctgctcctcg	cagttcggtt	aattggttaa	2640
tcacttaacc	tgcttttgtc	actcggcttt	ggctcgggac	ttcaaaatca	gtgatgggag	2700
taagagcaaa	tttcatcttt	ccaaattgat	gggtgggcta	gtaataaaat	atttaaaaaa	2760
aaacattcaa	aaacatggcc	acatccaaca	tttcctcagg	caattccttt	tgattctttt	2820
ttcttcccc	tccatgtaga	agaggagaaa	ggagaggctc	tgaaagctgc	ttctggggga	2880
tttcaaggga	ctgggggtgc	caaccacctc	tggccctgtt	gtgggggttg	tcacagaggc	2940
agtggcagca	acaaaggatt	tgaaaacttt	ggtgtgttcg	tggagccaca	ggcagacgat	3000
gtcaaccttg	tgtgagtgtg	acgggggttg	gggtggggcg	ggaggccacg	ggggaggccg	3060
aggcaggggc	tgggcagagg	ggaggaggaa	gcacaagaag	tgggagtggg	agaggaagcc	3120
acgtgctgga	gagtagacat	ccccctcctt	gocgctggga	gagccaaggc	ctatgccacc	3180
tgcagcgtct	gagcggccgc	ctgtccttgg	tggccggggg	tgggggcctg	ctgtgggtca	3240
gtgtgccacc	ctctgcaggg	cagcctgtgg	gagaaggggac	agcgggttaa	aaagagaagg	3300
caagcctggc	aggagggttg	gcacttcgat	gatgacctcc	ttagaaagac	tgaccttgat	3360
gtcttgagag	cgctggcctc	ttcctccctc	cctgcagggt	agggcgcttg	agcctaggcg	3420
gttccctctg	ctccacagaa	accctgtttt	attgagttct	gaaggttgga	actgctgcca	3480
tgattttggc	cacttttgag	acctgggact	ttagggctaa	ccagttctct	ttgtaaggac	3540
ttgtgcctct	tgggagacgt	ccaccogttt	ccaagcctgg	gccactggca	tctctggagt	3600
gtgtgggggt	ctgggaggca	ggccccgagc	cccctgtcct	tcccacggcc	actgcagtca	3660
ccccgtctgc	gccgctgtgc	tggtgtctgc	cgtgagagcc	caatcactgc	ctataccctt	3720
catcacacgt	cacaatgtcc	cgaattc				3747

<210> 118
 <211> 2015
 <212> DNA
 <213> Homo sapiens

<400> 118
 atgaatagaa ttggaggagg tatgtataaa gatttgtttt tttgtatgta cccatcacca 60
 tttttaataa actagaaact gtgttgagaa ttccatgaaa aaaaagtcac ggtttattgt 120
 tggctcatgt tctaaaggct gctagcagaa attgagcctg gtacatactt aaaggaaggt 180
 gatgtgttaa gaagtagctg cacaaggtag ggtggatgaa gagcttactg gtgagattta 240
 acatttaca aacgtacctt tcagctacat gactgacagt tggatctcaa aattaatctt 300
 tattccatag gaataggggt tgggtggtctg gaagcaatga atagcatggg aggatttgga 360
 ggagttggcc gaatgggaga gctgtaccgt ggtgcatga ctagtagcat ggagcgagat 420
 tttggacgtg gtgatatgtg aataaatcga ggctttggag attcctttgg tagacttggt 480
 ggtggaatgg gtagcatgaa cagtgtgact ggaggaatgg ggatgggact ggaccggatg 540
 agttccagct ttgatagaat gggaccaggt ataggagcta tactggaaag gagcatcgat 600
 atggatcgag gattttttatc ggggtccaatg ggaagcggaa tgagagagag aataggctcc 660
 aaaggcaacc agatatttgt cagaaatcta ccttttgact tgacttggca gaaactaaaa 720
 gagaaattca gtcagtgtgg tcatgtaatg tttgcagaaa taaaaatgga gaatggaaag 780
 tcaaaaggct gtggaacagt cagatttgac tcccagaat cagctgaaaa agcctgcaga 840
 ataatgaatg gcataaaaat cagtggcaga gaaattgatg ttcgcttggga tcgtaatgca 900
 taatttcaag ccatgggttg aacattccta catctgtttt gctgaatctc ctagtaaaag 960
 tcattttttt aaagtaatat tgtatgttta caaaagctgt aaaaatgaac ttttaaaact 1020
 cccaccagct tttaacagta taatgttaaa aatatactgt aatttttggt aatctcaagt 1080
 ttgggttttt aaagacagca agtctgggtc ttcagtttaa atgaatgggt atactgtttt 1140
 taatgaaata agccattttc ttgttggttt cagtactaca tagttggatt tgtttgttct 1200
 agtttctcca gtttttgtca acttattgta tggtaaaaca tagatttttt cccccaaac 1260
 ttctgtttta taatatgtaa tttttcatga aaagaaaggg ctcagaaaaa ttaggatgtg 1320
 attttggttg gttttaaaatt actgtaagtt ttagattcta aggttcaaga tttttaaaat 1380
 ttgatttaaa tgaagaaatg gatttttctc tctgccctc cctgccattc atattttctg 1440
 cataacacta ttaataatat caacctccac agccccttat tttattattt ccaataattc 1500
 caagttcata tagaactgat aatgtagcaa gcccgaagta tgataatagg cagactattc 1560

ccaactttct gtctagtttc cagccattga agtgaactgc taaaaaaaga aaaataattg 1620
 aaatgttgag agagatgggt atgtaagtta gtcctctgct gtttacttct gcaggagctg 1680
 atccatttat aaatgcagtt ttaataaacc atggaatacc aaggcacaac atatcaaaca 1740
 cattggatcc cacgatgtta gacatagcca tatctccttt ccctacaaaa gaaaagcata 1800
 ctgttaaaat gtgcttacca atactgcgtt ttattaataa tcttcataag aaaagaaaca 1860
 ctggatactt ttttgttgtt gattcggttt gaaaaattgt tgtagagca aaagtcttac 1920
 tgaatttgta tttttaaaatt tttcttgggt tagtatttaa agtcttaaca tttatttaat 1980
 aattatattt attaaaccat ctttcaataa ggtat 2015

<210> 119
 <211> 3707
 <212> DNA
 <213> Homo sapiens

<400> 119
 gtgtgtccct ccagtgccgc ttgccccttg ttctcccaag caccaggggg acccctgtct 60
 tagattcaag ttgcatcact agactaacag ctctgggaac agaggacact gaggactagt 120
 ttgggaaatg aaaaacatct gcaatgagag gtaattttat tctcctcttc cttttaccct 180
 agtctcactc tccatagtag gacctggatc tttgcatcag agaaaacata atgaacaata 240
 actggaatgt gtgtttcttt cttttctgcc ctagtattac tagaacattt gcatcgggaa 300
 aaacagaaaa ggtgatcttt caagcactca aggagttagg tcttcccagt ggaaagaatg 360
 atgaaattga gccacagca ttttcttatg aaaagttcta tgaactgaca caaaagattt 420
 gtctcggac agatatagaa gatcttttca aaaaaatcaa tggagacaaa actgattatt 480
 taacggtaga ccaattagtg agctttctaa atgaacatca acgagatcct cgattgaatg 540
 aaattttatt tccattttat gatgccaaaa gggcaatgca gatcattgag atgtatgaac 600
 ctgatgaaga tttgaagaaa aaaggcctta tatcaagtga tgggttttgc agatatctga 660
 tgtcagatga aaacgcccc a gtcttcctag atcgtttaga actttacca gaaatggacc 720
 atcctctggc tcactacttc atcagttctt ccataaacac ttatctcact ggcagacagt 780
 tcggcgggaa gtcttcggta gaaatgtaca gacaggttct cctggctggg tgcagatgtg 840
 ttgaacttga ctgctgggat ggaaaagggt aggaccaaga accaataata actcatggaa 900
 aagcaatgtg tacagatatc ctttttaagg atgtaattca agccatcaag gaaactgcat 960
 ttgtcacatc agaatatcct gtaattctct ctttgaaaa tcaactgcagc aaatatcaac 1020

```

agtacaagat gtccaaatat tgcgaagatc tatttgggga tctcctgttg aaacaagcac 1080
ttgaatcaca tccactggaa ccaggcagac ctttgccatc ccccaatgac ctcaaaagaa 1140
aaatactcat aaaaaacaag cggctgaaac ctgaagttga aaaaaaacag ctggaagctt 1200
tgagaagcat gatggaagct ggagaatctg cctccccagc aaacatctta gaggacgata 1260
atgaagagga gatcgaaagt gctgaccaag aggaggaagc tcaccccgaa ttcaaatttg 1320
gaaatgaact ttctgctgat gacttgggtc acaaggaagc tgttgcaa at agcgtcaaga 1380
agggcctggt cactgtagaa gatgagcagg cgtggatggc atcttataaa tatgtaggtg 1440
ctaccactaa tatccatcca tatttgtcca caatgatcaa ctatgccag cctgtaaagt 1500
ttcaaggttt ccatgtggca gaagaacgca atattcatta taacatgtct tcttttaatg 1560
aatcagtcgg tcttggctac ttgaagacac atgcaattga atttgtcaat tataacaaac 1620
ggcaa atgag tgcatttac cccaaggag gccgagtcga ttccagtaat tacatgcctc 1680
agattttctg gaacgctggc tgccagatgg tttcactgaa ctatcaaacc ccagatttag 1740
cgatgcaatt gaatcaggga aaatttgagt ataatggatc gtgcgggtac cttctcaaac 1800
cagatttcat gaggcggcct gatcgaacat ttgaccctt ctctgaaacg cctgttgatg 1860
gggttattgc agccacttgc tcagtgcagg ttatatcagg tcaattctta tcagataaga 1920
aaattggcac ctacgtagag gtggatatgt atgggttgcc cactgacacc atacgtaagg 1980
aattccgaac tcgcatgggt atgaataatg gactcaatcc agtttacaat gaagagtcac 2040
ttgtatttcg gaaggtgatc ctgccggacc tggctgtctt gagaatagct gtgtatgatg 2100
ataacaacaa gctgattggc cagaggattc ctccgcttga tggcctccaa gccggatatc 2160
gacacatttc ctttcgaaat gagggaaata aaccattatc actaccaaca attttctgca 2220
atattgttct taaaacatat gtgcctgatg gatttggaga tatcgtggat gctttatcag 2280
atccaaagac atttctctca attacagaaa agagagcaga ccaa atgaga gctatgggca 2340
ttgagactag tgacatagcc gacgtgcca gtgacacttc caaaaatgac aagaaaggaa 2400
aggccaacac cgccaaagca aatgtgaccc ctgagatg ctctgagctc agaccaacca 2460
ccacggctgc cctgccgtct ggtgtggaag ccaagaaagg tattgaactt atccctcaag 2520
taaggataga agacttaaag cagatgaagg cttacttgaa gcatttaaag aaacagcaga 2580
aggagctaaa ttcttttaaag aagaaacatg caaaggaaca cagtaccatg cagaagttac 2640
actgcacgca agttgacaaa attgtggcac agtatgacaa agagaagtcg actcatgaga 2700

```

```

aaatcctaga gaaggcaatg aagaagaaag ggggaagtaa ttgtcttgaa atgaagaaag 2760
aacagaaat taaaattcag acgctgacat cagatcacaa atctaaggtc aaggagattg 2820
tagcacagca caciaaggaa tggtcagaaa tgatcaatac tcacagtgtc gaggagcaag 2880
aaatccgaga cctgcacctc agccagcagt gtgagctgtc gaaaaagcta ctcatcaatg 2940
cccacgagca gcaaaccag cagctgaaac tgtcccatga cagggaagc aaggaaatgc 3000
gagcacacca ggctaagatt tctatggaaa atagcaaagc catcagccaa gataaatcta 3060
tcaagaataa agcagaacgg gaaaggcgag tcagggagtt aaacagcagc aacactaaaa 3120
agtttctgga agaaagaaag agacttgcca tgaagcagtc caaagaaatg gatcagttga 3180
aaaaagtcca gcttgaacat ctagaattcc tagagaaaca gaatgagcag gcgaaggaga 3240
tgcagcagat ggtgaaattg gaagccgaga tggaccgcag accagcaaca gtagtatgaa 3300
actccaaaat gcaaactgaa gcagcaaacc caciaagcat caaaagactc actcacaaaa 3360
cttctgaaca caaactccat ggatgaaagc tgtttatttt gtttccttta tgtgtaaaca 3420
agatgatatc tgaaaccaga gagacttgga atgtctgact gacttctatt taacagcttg 3480
agtattgcat ttccttggcc aaacaaaaat agctacaaat ccacaaaaat ttactattcc 3540
agtaaggcag agtccaacca ttgataatac aacttaaaca tgtttgctat aaaataccat 3600
cacaagtaaa tgagcttggt gtgaacaact cttcctttgt gatgccttag gacatgttgt 3660
aactgcaggc aaaacaaaca aaacagtgc ttagcaattt catagca 3707

```

```

<210> 120
<211> 1894
<212> DNA
<213> Homo sapiens

```

```

<400> 120
gtctgacttc ctcccagcac attcctgcac tctgccgtgt ccacactgcc ccacagaccc 60
agtcctccaa gcctgctgcc agctccctgc aagcccctca ggttgggcct tgccacggtg 120
ccagcaggca gccctgggct gggggtaggg gactccctac aggcacgcag ccctgagacc 180
tcagagggcc accccttgag ggtggccagg ccccagtg ccaacctgag tgctgcctct 240
gccaccagcc ctgctggccc ctggttccgc tggcccccca gatgcctggc tgagacacgc 300
cagtggcctc agctgccac acctcttccc ggccctgaa gttggcactg cagcagacag 360
ctccctgggc accaggcagc taacagacac agccgccagc ccaaacagca gcggcatggg 420
cagcgccagc cggggtctga gcagcgtatc cccagccac ctctgctgc ccccgacac 480

```

```

ggtgtcgcg acaggtcttg agaaggcggc agcgggggca gtgggtctcg agagacggga 540
ctggagtccc agtccacccg ccacgcccga gcagggcctg tccgccttct acctctccta 600
ctttgacatg ctgtaccctg aggacagcag ctgggcagcc aaggcccttg gggccagcag 660
tcgggaggag ccacctgagg agcctgagca gtgcccggtc attgacagcc aagccccagc 720
gggcagcctg gacttggtgc ccggcgggct gaccttgag gagcactcgc tggagcaggt 780
gcagtccatg gtggtgggcg aagtgtcaa ggacatcgag acggcctgca agctgtcaa 840
catcacccga gatcccatgg actggagccc cagcaatgtg cagaagtggc tcctgtggac 900
agagcaccaa taccggctgc ccccatggg caaggccttc caggagctgg cgggcaagga 960
gctgtgcgcc atgtcggagg agcagttccg ccagcgcctc cccctgggtg gggatgtgct 1020
gcacgcccac ctggacatct ggaagtcagc ggcttgatg aaagagcgga cttcacctgg 1080
ggcgattcac tactgtgcct cgaccagtga ggagagctgg accgacagcg aggtggactc 1140
atcatgctcc gggcagccca tccacctgtg gcagttcctc aaggagttgc tactcaagcc 1200
ccacagctat ggccgcttca ttaggtggct caacaaggag aagggcattc tcaaaattga 1260
ggactcagcc caggtggccc ggctgtgggg catccgcaag aaccgtccc ccatgaacta 1320
cgacaagctg agccgctcca tccgccagta ttacaagaag ggcatcatcc ggaagccaga 1380
catctcccag cgctcgtct accagttcgt gcaccccatc tgagtgcctg gccaggggcc 1440
tgaaacccgc cctcaggggc ctctctcctg cctgccctgc ctcagccagg ccctgagatg 1500
ggggaaaacg ggcagtctgc tctgctgctc tgacctcca gagccaagg tcaggagggg 1560
gcaaccaact gcccagggg gatatgggtc ctctggggcc ttcgggacca tggggcaggg 1620
gtgcttcctc ctcaggccca gctgctcccc tggaggacag agggagacag ggctgctccc 1680
caacacctgc ctctgacccc agcatttcca gagcagagcc tacagaaggg cagtgactcg 1740
acaaaggcca caggcagtc aggcctctct ctgctccatc cccctgcctc ccattctgca 1800
ccacacctgg catggtgcag ggagacatct gcacccctga gttgggcagc caggagtgcc 1860
cccggaatg gataataaag atactagaga actg 1894

```

```

<210> 121
<211> 644
<212> DNA
<213> Homo sapiens

```

```

<400> 121
gcgcgggagg ctggggaatg gctgctgcca tgggtgccgg gcgcagcgag agctgggagc 60

```

gcggggagcc tggccgcccc gccctgtact tctgcgggag cattcgcggc ggacgcgagg 120
acaggacgct gtacgagcgg atcgtgtctc ggctgcggcg attcgggaca gtgctcaccg 180
agcacgtggc ggccgcccag ctgggcgcgc gcggggaaga ggctgctggg ggtgacaggc 240
tcatccatga gcaggacctg gagtggctgc agcaggcgga cgtggctctg gcagaagtga 300
cacagccatc cttgggtgta ggctatgagc tgggcccggc cgtggccttt aacaagcgga 360
tcctgtgcct gttccgcccc cagtctggcc gcgctgtttc ggccatgac cggggagcag 420
cagatggctc tcggttccag gtgtgggact atgaggaggg agaggtggag gccctgctgg 480
atcgatactt cgaggctgat cctccagggc aggtggctgc ctcccctgac ccaaccactt 540
gacttaatct cacttttcta aattcttcta ttctcagaca ctgctctagt accattcctt 600
cctcttagcc ccaggagcaa attaaaaggc acagttaaaa tcct 644

<210> 122
<211> 1470
<212> DNA
<213> Homo sapiens

<400> 122
gtcctggagc tgctgctgct gctgcggctg ctgcggcggc tgcaccggcg gcgccgaggc 60
gagatcgagg ccgggggtgcg cgcttcgcaa acgtgcccta tccgtgcggc ttggctgcgc 120
cagcccttgc ggccaccggc gcgtctaggc gggctctgtc gccgcccggg cgaggatggg 180
ctgttccggt ggctgctgaa gcagccggtg cccaagcaga tcgagcgcta ctgcgccttt 240
tcgccgtcgc cgctctccat caaacaattc ctggacttcg ggagagataa tgcattgtgag 300
aaaacttcat atatgtttct acgaaaggaa cttcctgtgc ggctggctaa cacaatgaga 360
gaagttaatc ttctgccgga taatttactt aaccgccctt cagtgggatt ggttcagagt 420
tggtatatgc agagttttct tgaactttta gaatatgaaa ataagagccc tgaggatcca 480
caggtcttgg ataactttct acaagttctg attaaagtca gaaatagaca caatgatgtg 540
gttcctacaa tggcacaagg agtgattgaa tacaaggaga agtttgggtt tgatcctttc 600
attagcacta acatccaata ttttctggat cggttttata ccaaccgcat ctctttccgc 660
atgcttatta atcagcacac acttctgttt gggggtgaca ctaatcctgt tcatcctaaa 720
cacataggaa gtatcgatcc cacctgtaac gtggcggatg tggtgaaaga tgcatatgaa 780
acagccaaga tgctgtgtga acagtattac ctggtagctc cagagctgga agttgaagaa 840
ttcaatgcca aagcgccaga caaacctatt caggtgggtt atgtgcctc acatctgttt 900

catatgctat ttgagttggt caagaactca atgagagcga cagttgaact ctatgaagac 960
 agaaaagagg gctaccctgc tgttaaaacc ctcgttactt tgggtaaaga agacttatcc 1020
 attaagatca gtgacctagg tgggtggtgc ccacttcgaa aaatagatcg tctttttaac 1080
 tacatgtatt ctactgctcc tagaccacgc ctggagccta ccagagctgc ccctttggct 1140
 ggatttggtt atggtttgcc aatttcccggt ctgtatgcta gatattttca aggagatctg 1200
 aaactgtatt ccatggaagg agtgggtact gatgctgtca tttatttgaa ggctctttca 1260
 agtgagtcac ttgagagact tccagttttt aataagtccg catggcgcca ttacaagacc 1320
 acgcctgaag ccgatgattg gagcaatccc agcagtgaac ccagggatgc ttcaaaatac 1380
 aaagcaaaac agtaatatac caccttgatt tccattacaa agtatctgat ttgtctgaat 1440
 aaaggtgtcc cactcaaaaa aaaaaaaaaa 1470

<210> 123
 <211> 3668
 <212> DNA
 <213> Homo sapiens

<400> 123
 ggcagagggt gggccttagg acgggtctcc cttaaactgg gcgatcaggc agcgacccta 60
 gaggcgtctg tagggtaaag ctgggggttc tgtagccgga ggcggcggcg agtccagaac 120
 gtctctggct tacagggaga aggcgtcact cgcggttaca agtgcctgac cctcactcca 180
 gttggcggag gaggagaagg aaggggccgg gccgggtccc ctcccctcgc gcccgggatg 240
 gatgtgcccc gcccggtgtc tcggcggcg gcggcggcg cgccactgt gctcctgcgg 300
 accgctcggg tcgctcgga atgctgggtc ttgccgaccg cgctgctctg cgccctacggc 360
 ttcttcgcca gccctcaggcc gtccgagccc ttcttgaccc cgtacctgct ggggccggac 420
 aagaacctga ccgagagggg ggtcttcaat gaaatttata cagtatggac ttactcttac 480
 ctgggtgctac tgtttcctgt gttccttgcc acagactacc tccgttataa acctgttggt 540
 ctactgcagg ggctcagcct tattgttaca tggtttatgc tgctctatgc ccagggactg 600
 ctggccattc aatttctaga atttttttat ggcctcgcca cagccactga aattgcctat 660
 tactcttata tctacagtgt ggtggacctg ggcatgtacc agaaagtcac aagtactgt 720
 cgaagtgcc ctttggtggg ctttacagtg ggctctgtcc tagggcaaact ccttgtctca 780
 gtggcaggct ggctcgtgtt cagcctgaat gtcctctctc ttacctgtgt ttcagtggct 840
 tttgctgtgg cctgggtttt acctatgcc cagaagagcc tcttctttca ccacattcct 900

tctacctgcc	agagagtgaa	tggcatcaag	gtacaaaatg	gtggcattgt	tactgacacc	960
ccagcttcta	accaccttcc	tggtggggag	gacattgagt	caaaaatccc	tctaaatatg	1020
gaggagcctc	ccgtggagga	accggaaccc	aagccagacc	gtctccttgt	attgaaagta	1080
ctatggaatg	atttcctgat	gtgctactcc	tctcgccctc	ttctctgctg	gtctgtgtgg	1140
tgggcctctc	ctacctgtgg	ctattttcaa	gttgtgaact	acacacaggg	cctgtggggag	1200
aaagtgatgc	cttctcgcta	tgctgctatc	tataatgggtg	gcgtggaggc	cgtttcaacc	1260
ttactgggtg	ctggttgcgtg	gtttgcagtt	ggttatataa	aaatatcctg	gtcaacttgg	1320
ggagaaatga	cattatctct	cttttctctc	ctgattgctg	ctgcagtgtg	tatcatggac	1380
actgtgggta	acatttgggt	gtgctatgca	tcctatgttg	tcttcagaat	catctacatg	1440
ttactcatca	cgatagcaac	ttttcaaatt	gctgcaaacc	tcagcatgga	acgctatgcc	1500
ctagtatttg	gtgtaaatac	cttcattgcc	ctggcactgc	agacgctgct	cactctaatt	1560
gtggtagatg	ccagtggcct	tggattagaa	attaccactc	agtttttgat	ctatgccagt	1620
tattttgcac	tcctcgctgt	ggttttcctg	gccagtgggtg	cagtcagtgt	tatgaagaaa	1680
tgtagaaagc	tggaagatcc	acaatcaagt	tctcaagtaa	ccacttcata	atatactgct	1740
gaagggcttc	ttcttatagc	aagaactctg	cacagcaact	gcctggatgt	atttgatttt	1800
ttaaagcgta	gacatatatt	tatgaatgtg	catttcttga	cttcacagca	gccacttgac	1860
taataccttg	tgttccggga	ataacatgat	actattcaga	ggagccagaa	gtaaagttta	1920
tttcatggat	tatttatgag	agctaattta	aggatgactt	tttttctgat	tcaaaagtga	1980
acttgatttt	aaaaaccagt	caagagcaat	caaagcagca	catgggtgtg	tatacttcat	2040
tagcaagtga	gtttgggtgt	ttataggtca	catatgtctg	tatctactta	gccagatgct	2100
tggcctgggtg	ggaccagggc	tcacagagg	ccacaaaatg	ttgcaagtca	tgatggatgg	2160
aaatatgttc	taacagcatc	tgccctctatt	caatttaatt	cttatttctg	tgttactcat	2220
gtacattgggt	ctttctacat	agttattcta	tcactggcaa	tatttgttct	ggtttagtgt	2280
tctgtatttt	aaggtgtacg	tatcatttct	aattttaagt	tattttaaaa	aaattcatca	2340
tatgaatgtt	cttgggtccc	attgtgacga	ttatttattt	ctgtaaaatt	tgtttagaag	2400
tacgtttttg	cattattcat	atgcttccca	gagaagctca	tttagttaga	aaataaggca	2460
agttttgaag	cctgctaaat	gaagagactt	aagaaagctt	aaggtagcgt	tgcttgtctt	2520
taaatcttca	atatgaagga	ctattaattc	caagattaaa	agttcatata	taggctaaag	2580
atgtaactag	gccatttgta	tttgtattcc	cttttatttc	caaaataaaa	tgaaaaatct	2640

ttttttaata atttcatccc tatttatagt ttttatatta atttgttttt cttatccaag	2700
taaagatgtc aataggaatt gcattagtcc aaggcctttt tcataaactg agcctctttt	2760
caattatttc aatgggacag gaactaggat agatgtgatt cctgcatttt tttaccttaa	2820
atctgccttt gtttctaaag gtagatcatc ttgaatattt gcttaaaatt gctagtgtatt	2880
tcattaccaa gttacttgaa aaaatgttct atatgcattt aattctgaaa tcagtctacc	2940
aaggggctgc tagtatatgt cagacatgaa aactatttta aagctgactt tgttgcctta	3000
tcttgaaaag aatctagata ggtgctttta actgggggtat taactttttt agaatgacac	3060
agctgaacag tgttaataat agtgtgtcaa gattgcaaag tcgacatact catttggttt	3120
aagcaggaat cctagaagca aatggatggg gataagaata ggtcattttc tattcaccat	3180
cctttactat taagggaag gaaaagaaca ctagctaagg aagggaagg gaagtgatat	3240
cataaaagta gcaaccttca ttttacattc tgtctgtttt tctttttttg ctttgttttg	3300
tttgtgctaa tttgggaatt gtgtactccg aaacaagtag aaaagtgtg tttgagggat	3360
tttattaaat ctttttttaa tggaatgtgg tacaaattgt tcatgttacc aaagcaatat	3420
ttccctggaa ttttaattcaa agtttgtggc atacaacctg agccttttct tatataagac	3480
agaatatgt tcacatcttg gtatgtggcc atatttatag aatgctgaac tcaatgtgca	3540
agttgtactg tatgcagttt tgtaaataag tgaaaataat ttgttgact ttttattcaa	3600
ttctgtatag attataaaat tatttttatt aaataaatat tttacagtat aaaaaaaaaa	3660
aaaaaaaa	3668

<210> 124
 <211> 1334
 <212> DNA
 <213> Homo sapiens

<400> 124	
ggcacgaggg ggcgctcctg agcttcgcgg ggccgcagtc cgggatgcct gcgcgaaggg	60
aggggcgaag ggccggccgt tgccgacgtg ggtgttaagt ggccgcccc gccggcgacc	120
cggagccgag agcgggaggc ggagcctgag ctggacgcgg ccacgccggc gcggcgggat	180
atgtggtgcc tgtcataagc tccagagagc tgccctccac aagaccagca gaagagtggg	240
caaacatgaa atccaatcct gctatccagg ctgccattga cctcacagcg ggggctgcag	300
gaggtacagc atgtgtactg accgggcagc cctttgacac aatgaaagtg aagatgcaga	360
cgttccctga cctgtaccgg ggcctcaccg actgctgcct gaagacttac tcccaggtgg	420

gcttccgtgg cttctacaag ggtaccagtc cagcactaat cgccaacatc gctgagaact 480
 cagtcctctt catgtgctac ggcttctgcc agcaggtggg gcggaaagtg gctggattgg 540
 acaagcaggg aaagctgagt gatctgcaga atgcagccgc cggttccttc gcctctgcct 600
 ttgctgcact ggtgctctgc cccacggagc tcgtgaagtg ccggctgcag accatgtatg 660
 agatggagac atcaggggaag atagccaaga gccagaatac agtgtggtct gtcacaaaaa 720
 gtattcttag gaaagatggc cccttggggg tctaccatgg actctcaagc actttacttc 780
 gagaagtacc aggctatttc ttcttcttcg gtggctatga actgagccgg tccttttttg 840
 catcagggag atcaaaagat gaattaggcc ctgtaccttt gatgttaagt ggtggagttg 900
 gtgggatttg cctctggcct gcggtatacc cagtggattg tatcaaatcc agaattcaag 960
 ttctttccat gtctggaaaa caggcaggat ttatcagaac ctttttaaag gttgtgaaaa 1020
 atgaaggaat aacggcctta tattctggac tgaaacctac tatgattcga gcattccctg 1080
 ccaatggagc actctttttg gcctacgaat atagcaggaa gttgatgatg aaccagttgg 1140
 aagcactactg aagtgtcttg gtgggcctga gccaaagcaca ggtgtttgag gactacagtt 1200
 catctcaggg tttcttggag tacaagacca gtgtgaagtt attctgattt cttgggaatt 1260
 ttgctttttg tcttcccttc taccctacat cttaaacttt atggaagaac ctcaaaaaaa 1320
 aaaaaaaaaa aaaa 1334

<210> 125
 <211> 1883
 <212> DNA
 <213> Homo sapiens

<400> 125
 agttccgcgc ggggctgtcg gggaaacctg gctgccccga gagacaatgt cactttatta 60
 ttcaagttat actgcttggc agtgatgacc ctgatggctg cagtctatac catagcttta 120
 agatacacia ggacatcaga caaagaactc tacttttcaa ccacagccgt gtgtatcaca 180
 gaagttataa agttattgct aagtgtggga atttttagcta aagaaactgg tagtctgggt 240
 agattcaaag catctttaag agaaaatgtc ttggggagcc ccaaggaact gttgaagtta 300
 agtgtgccat cgttagtgta tgctgttcag aacaacatgg ctttcctagc tcttagcaat 360
 ctggatgcag cagtgtacca ggtgacctac cagttgaaga ttccgtgtac tgctttatgc 420
 actgttttaa tgtaaaaccg gacactcagc aaattacagt gggtttcagt ttttatgctg 480
 tgtgctggag ttacgcttgt acagtggaaa ccagcccaag ctacaaaagt ggtggtggaa 540

```

caaaatccat tattaggggt tggcgctata gctattgctg tatttgctc aggatttgca      600
ggagtatatt ttgaaaaagt tttaaagagt tcagatactt ctctttgggt gagaaacatt      660
caaatgtatc tatcagggat tattgtgaca ttagctggcg tctacttgct agatggagct      720
gaaattaaag aaaaaggatt tttctatggg tacacatatt atgtctgggt tgtcatcttt      780
cttgcaagtg ttggtggcct ctacacttct gttgtgggta agtacacaga caacatcatg      840
aaaggctttt ctgcagcagc ggccattgtc ctttcacca ttgcttcagt aatgctgttt      900
ggattacaga taacaactcac ctttgccttg ggtactcttc ttgtatgtgt ttccatatat      960
ctctatggat taccagaca agacactaca tccatccaac aaggagaaac agcttcaaag     1020
gagagagtta ttggtgtgtg attttagcct cacgtgagac tccttttaag actaaacat     1080
ttgcattaaa ctagagcctt aagtcaatct cagaaggtag cataaacaaa taaaaattaa     1140
ctgtatggca tgatcagtcg ggttatgtgg aaacaacaac aaacaaacga agctatctga     1200
gtgaactgct aatacagaaa cttaatgtag acctgtttgg ggtctactat tgttttagaa     1260
tgaaggaatt gtattattgt gtgtatatat aatttgtaaa taaaagtat ggagatgata     1320
cgggtgttaa aaaaatcatg gtgaggctac aatactcaag taacaagggt tgggacaatg     1380
tctaagggtt aaagtgccaa agccatttct gtactaactg ttctcttggt ccggtaccgg     1440
ggagaaggat gacccctcct tattctccaa ttcatgtaca gtattttgtc ctagcagcat     1500
aaagacctag ctcttttctt acaagaggca gaaacaagac aggctagttc ataaacaaac     1560
tgaatgtgta actaacttct caaatgaat ctatttcata actcggacaa tttctgggtg     1620
gtgactgagt acccctttag tgagtacccc tttagtgtta ttttgtgcc attcattatc     1680
tggttcatat ttctttgctg ttagatgata cacatttctt caaaaaaatt tctaattgtca     1740
cttttgtact tttttaaata aagtatgttt aactgttggg ctctcaataa tttgtgaaat     1800
ttcagtgttt tctataatgt taatggggaa attcagcaat aaactttatt tgcaaaaaaa     1860
aaaaaaaaaa aaaaaaaaaa aaa                                             1883

```

```

<210> 126
<211> 3000
<212> DNA
<213> Homo sapiens

```

```

<400> 126
ctgaggggag gagaccgcgc gcgggacggg gaggaatggc ctgtccgcgt taaacctca      60
caagccatgg ttgcggaagg gccacgcgtc cccagtagg agaatgactc cgattcgtga     120

```

ccctcagcgc	cggtgcatgt	cgatatat	ttt	attgagtgtc	tactgtgtgc	caggcactat	180	
atctatgtgc	atagaaaaac	cctggaaggc	catacaacaa	tatatataga	gtgatcgtct		240	
ctgcttgctg	agctaacagg	ggtgtcaagc	ttccat	ttttg	gtatctactt	ctaaatacac	300	
tcagaacagg	agaaat	tttg	acta	at	tttc	taacagacag	360	
tttcaaaagt	ggactcgaat	taactgagtt	gcaaaacatg	acagtgcccg	aggatgataa		420	
cattagcaat	gactccaatg	at	ttcacccga	agtagaaaat	ggtcagataa	atagcaagtt	480	
tatttctgat	cgtgaaagta	gaagaagtct	cacaaacagc	catttggaaa	aaaagaagtg		540	
tgatgagtat	attccaggta	caacctcctt	aggcatgtct	gtttttaacc	taagcaacgc		600	
cattatgggc	agtgggattt	tgggactcgc	ctttgccctg	gcaaacactg	gaatcctact		660	
ttttctggta	cttttgactt	cagtgcacatt	gctgtctata	tattcaataa	acctcctatt		720	
gatctgttca	aaagaaacag	gctgcatggg	gtatgaaaag	ctgggggaac	aagtcttttg		780	
caccacaggg	aagttcgtaa	tctttggagc	cacctctcta	cagaacactg	gagcaatgct		840	
gagctacctc	ttcatcgtaa	aaaatgaact	acctctctgcc	ataaagtttc	taatgggaaa		900	
ggaagagaca	ttttcagcct	ggtacgtgga	tggccgcgtt	ctggtggtga	tagttacctt		960	
tggcataatt	ctccctctgt	gtctcttgaa	gaacttaggg	tatcttggct	atactagtgg		1020	
at	tttctcttg	agctgtatgg	tttttttctt	aattgtgggt	atttacaaga	aatttcaa	1080	
ttcctgcatt	gttccagagc	taaattcaac	aataagtgtc	aattcaacaa	atgctgacac		1140	
gtgtacgcca	aaatatgtta	ccttcaattc	aaagaccgtg	tatgctttac	ccaccattgc		1200	
at	ttgcattt	gtttgccacc	cgtcagtcct	gccaat	tttac	agtgagctta	aagaccgatc	1260
acagaaaaaa	atgcagatgg	tttcaa	acat	ctcctttt	tc	gcatg	tttg	1320
cttgactgcc	at	tttttggt	acttgacatt	ctatgacaac	gtgcagtc	cg	acctccttca	1380
caaatatcag	agtaaagatg	acattctcat	cctgacagtg	cggctggctg	tcattgttgc		1440	
tgtgatcctc	acagtgcccg	tgttat	tttt	cacggttcgt	tcatctttat	ttgaactggc	1500	
taagaaaaca	aagtttaatt	tatgtcgtca	taccgtgggt	acctgcatac	tcttggttgt		1560	
tatcaacttg	ttggtgatct	tcataccctc	catgaaggat	at	tttttg	gag	tcgtaggagt	1620
tacatctgct	aacatgctta	ttttcattct	tccttcac	ct	ttat	ttta	aaatcacaga	1680
ccaggatgga	gataaaggaa	ctcaaagaat	ttgggctgcc	cttttcttgg	gcctgggggt		1740	
gttgttctcc	ttggtcagca	ttcccttggt	catctatgac	tgggcctgct	catcgagtag		1800	

tgacgaaggc	cactgaaacc	cgccgagaaa	aagaaacatc	cctgttgtct	gctcagtcaa	1860
gtccccacac	atcagcaatc	tctcaccact	tcttttgcaa	gtttacagaa	gcaaacagaa	1920
atgtacagga	tacttaaaat	ggaataactt	tttggttgca	aaacagagac	atggttctat	1980
aatgcttcat	gtccctccaa	gatttgagat	caatttaggg	attgtgaaat	ttttttttca	2040
aatttcatac	aatcatattt	cccagtactt	ttcacaaatc	tttttttacc	atctaactct	2100
atgttttgtg	gcttcccggt	ctcttagaac	tttgaaaaca	tgatatacaa	taatgtttat	2160
ttattataca	tccagattct	gaaataattt	tcctactgat	gttcagctca	cactatctgt	2220
accttttttag	aagagaaaag	aatcttgaat	tgtatatatt	tattttgctt	tacagaaaaa	2280
aatggtttcg	taaataattt	gcctattttg	gttaacatag	cacatggaga	taatcatctg	2340
aaagttatag	ggcactgcc	ctgctgaatc	agagcatgcc	caatatttga	ggtggctctg	2400
atttcctggc	agctgaactc	gggtagtcca	gtggcctagc	tggtaccaca	tctattccca	2460
tccagagaca	ttctctggca	agtgttctca	gctgaaaagt	ggttggggat	gattcttacc	2520
ttggtaatta	aatgaagcta	cacatttggg	taatctagca	aatgaagtat	ttttccctc	2580
ttggcaactt	gtgtcagagt	tactctggtc	tgagtcaact	ttcgctgggg	aaaacctatg	2640
gaacctactg	caaaaagatt	gtccaaaatg	cctaagaaaa	tactcctctg	atgcatttag	2700
ccttcaacc	tacctgtctt	gctgaaggga	gaaaaatggt	ttagtacatt	ataggcccag	2760
cagcttttat	tcatgtccac	cagctagtgt	cacagagaat	catgtgtacc	taactaagga	2820
tgatctagga	taagtaactc	ctgttttata	ttgagtattt	tagggaagtc	tttaaaagac	2880
ttgttttata	tctataaatc	taggttatta	caaatacaag	aattttgtac	cttaaataag	2940
cctcatttct	atttcttctt	cattaattct	ccatctagtc	ttgtgaaaaa	aaaaaaaaaa	3000

<210> 127

<211> 2165

<212> DNA

<213> Homo sapiens

<400> 127

ctgagcgaca	gcaagtgcag	cgggctccta	ccccgggtga	ggggtggcct	ccgcgtggga	60
tcgtagccctc	ttcagcccgc	tctgtcccc	gacatcacgt	gtattccgca	cgtcccctcc	120
gcgctgtgtg	tctactgaga	cggggaggcg	tgacagggcc	cgggtccctt	ctcagtgggtg	180
ctctgtgctt	cagggcaagc	tccccgtctc	cgggcgcact	tccctcgctt	gtgttcggtc	240
catcctcctt	tctccagcct	cctcccctcg	caggtgggat	cgtcgggtggg	accggagcgc	300

```

gggcggggcgc ggcccccccg gaccatggcc ggggtccgaca ccgcgccctt cctcagccag 360
gcggatgacc cggacgacgg gccagtgcct ggcaccccg ggttgccagg gtccacgggg 420
aaccogaagt ccgaggagcc cgaggcccc gaccaggagg ggctgcagcg catcacccggc 480
ctgtctcccc gccgttcggc tctcatagt gcggtgctgt gctacatcaa tctcctgaac 540
tacatggacc gcttcaccgt ggctggcgtc cttcccgaca tcgagcagtt cttcaacatc 600
ggggacagta gctctgggct catccagacc gtgttcatct ccagttacat ggtgttgga 660
cctgtgtttg gctacctggg tgacaggtac aatcggaagt atctcatgtg cgggggcatt 720
gccttctggg ccctggtgac actgggggtca tccttcatcc ccggagagca tttctggctg 780
ctcctcctga ccgggggcct ggtgggggtc ggggaggcca gttattccac catcgcgccc 840
actctcattg ccgacctctt tgtggccgac cagcggagcc ggatgctcag catcttctac 900
tttgccatcc cgggtgggcag tgggtctgggc tacattgcag gctccaaagt gaaggatatg 960
gctggagact ggcaactgggc tctgaggggtg acaccgggtc taggagtggg ggccgttctg 1020
ctgctgttcc tggtagtgcg ggagccgcca aggggagccg tggagcgcca ctcagatttg 1080
ccacccctga accccacctc gtgggtgggca gatctgaggg ctctggcaag aaatcctagt 1140
ttcgtcctgt cttccctggg cttcactgct gtggcctttg tcacgggctc cctggctctg 1200
tgggctccgg cattcctgct gcgttccgc gtggtccttg gggagacccc accctgcctt 1260
cccgagact cctgctcttc ctctgacagt ctcatctttg gactcatcac ctgcctgacc 1320
ggagtccctg gtgtgggcct ggggtgtggag atcagccgcc ggctccgcca ctccaacccc 1380
cgggctgac ccctgggtctg tgccactggc ctccctgggt ctgcaccctt cctcttccctg 1440
tcccttgccg gcgcccgtgg tagcatcgtg gccacttata ttttcatctt cattggagag 1500
accctcctgt ccatgaactg ggccatcgtg gccgacattc tgctgtacgt ggtgatccct 1560
accgacgct ccaccgccga ggccttcag atcgtgctgt ccacactgct gggatgatgt 1620
gggagccccc acctcattgg cctgatctct gaccgcctgc gccggaactg gccccctcc 1680
ttcttgctcc agttccgggc tctgcagttc tcgctcatgc tctgcgcgtt tgttggggca 1740
ctgggcggcg cagccttccct gggcacccgc atcttcattg aggccgaccg ccggcgggca 1800
cagctgcacg tgcagggcct gctgcacgaa gcaggggtcca cagacgaccg gattgtggtg 1860
ccccagcggg gccgctccac ccgcgtgcc gtggccagtg tgctcatctg agaggctgcc 1920
gctcacctac ctgcacatct gccacagctg gccctggggc caccacga agggcctggg 1980
cctaaccctc tggcctggcc cagcttcag agggaccctg ggccgtgtgc cagctcccag 2040

```

acactacatg ggtagctcag gggaggaggt ggggggtccag gagggggatc cctctccaca 2100
 ggggcagccc caagggctcg gtgctatttg taacggaata aaatttgtgc cagaaaaaaa 2160
 aaaaaa 2165

<210> 128

<211> 1443

<212> DNA

<213> Homo sapiens

<400> 128

ggcaggtgca ggcgccgcgg ggcgggatcc tccgcgcggc cgagtcctac tcctgggaaa 60
 tggggcggac agtgtttcct tgactgacta ttgtgagcgc cctctctctc cggcggagcg 120
 gagaccatgg cccccactca gggcccccg gcccgcctgg aattcggagg gccctgggc 180
 gccgcggctc tgctactgct gctgcccgcc accatgttcc acctgctcct ggcgggccgt 240
 tcgggccccg cgcgcctgct ggggtccacc gcgtccctgc ccgggctgga ggtgctgtgg 300
 agcccacggg cgctgctgct gtggctcgcc tggtcggcc tgcaggcggc gctctaccta 360
 ctgccggcgc gcaaggtggc cgaagggcag gaattgaagg acaagagtcg cctgcgctat 420
 cctattaacg gcttccaggc cctgggtgctg acagccctgt tgggtggggct ggggatgtca 480
 gcggggctgc ctctgggggc gctcccgaa atgctcctgc ccttggcggt tgtcgccacc 540
 ctcaccgctt tcatcttcag cctctttctc tacatgaagg cgcaggtagc ccagtttcg 600
 gccctggcac ctggggggaa ctcaggcaat ccgatttacg acttttttct gggacgagag 660
 ctcaaccctc gtatctgttt cttegacttc aaatatctct gtgaactgcg acccggcctc 720
 atcggctggg tcctcatcaa cctggccctg ttgatgaagg aggcagagct tcgaggcagt 780
 ccctcactgg ccatgtggct ggtcaatggc ttccagttgc tctacgtggg tgatgccctc 840
 tggcacgagg aggccgtcct caccaccatg gatatcacac atgacgggtt tggttcctg 900
 ctggcgtttg gggacatggc ctgggtgcc ttcacctaca gcctgcaggc ccagttcctg 960
 ctgcaccacc cgcagccctt ggggttgccc atggcctctg tcatctgcct catcaatgct 1020
 attggttact acatcttccg tggggcgaat tcccagaaaa acactttccg aaagaatcct 1080
 tctgaccca gagtggctgg gcttgagacc atctctacag ccacagggcg gaaactgctg 1140
 gtgtctgggt ggtggggtat ggtccgcat cccaactatc ttggagacct catcatggct 1200
 ctggcttggc ccttgccctg cggggtgtca cacctgctgc cctacttcta cctcctctac 1260
 ttcaccgcgc tgctggtgca ccgtgaggcc cgggatgagc ggcagtgcct gcagaagtac 1320

ggcctggcct ggcaggagta ctgccggcgt gtgccttacc gcatcatgcc ctacatctac 1380
 tgaggatgaa caacctcaga gaagaggtgg tttagagcaa ggaaaaaat gaaaccagtg 1440
 acc 1443

<210> 129
 <211> 2596
 <212> DNA
 <213> Homo sapiens

<400> 129
 aatgaagaac agctggaaga tatgagacag gaacttgtac gacaatacca agaacatcaa 60
 caggcaacgg aattgttaag gcaagcacat atgcggcaga aggagagaca atgaccaaga 120
 cagacaagag ctcgagtggg gctaaaaaga aggacttctc cagcaaggga gccgaggata 180
 atatggtaac gagctataat tgtcagttct gtgacttccg atattccaaa agccatggcc 240
 ctgatgtaat tgtagtgggg ccacttctcc gtcattatca acagctccat aacattcaca 300
 agtgtacat taaacactgt ccattctgtc ccagaggact ttgcagccca gaaaagcacc 360
 ttggagaaat tacttatccg tttgcttgta gaaaaagtaa ttgttccac tgtgcactct 420
 tgcttctgca cttgtctcct ggggcggctg gaagctcgcg agtcaaacat cagtgccatc 480
 agtggtcatt caccaccct gacgtagatg tactcctctt tcactatgaa agtgtgcatg 540
 agtcccaagc atcggatgtc aaacaagaag caaatcacct gcaaggatcg gatgggcagc 600
 agtctgtcaa ggaaagcaaa gaacactcat gtaccaaagtg tgattttatt acccaagtgg 660
 aagaagagat ttcccgacac tacaggagag cacacagctg ctacaaatgc cgtcagtgca 720
 gttttacagc tgccgatact cagtccactac tggagcactt caacactggt cactgccagg 780
 aacaggacat cactacagcc aacggcgaag aggacggtca tgccatatcc accatcaaag 840
 aggagcccaa aattgacttc agggctctaca atctgctaac tccagactct aaaatgggag 900
 agccagtttc tgagagtgtg gtgaagagag agaagctgga agagaaggac gggctcaaag 960
 agaaagtttg gaccgagagt tccagtgatg accttcgcaa tgtgacttgg agaggggag 1020
 acatcctgcg ggggagtcg tcatacacc aagcaagcct ggggctgctg acgcctgtgt 1080
 ctggcaccca agagcagaca aagactctaa gggatagtcc caatgtggag gccgccatc 1140
 tggcgcgacc tatatatggc ttggctgtgg aaaccaaggg attcctgcag ggggcgccag 1200
 ctggcggaga gaagtctggg gccctcccc agcagtatcc tgcacggga gaaaacaagt 1260
 ccaaggatga atcccagtcc ctgttacgga ggcgtagagg ctccggtgtt tttgtgcca 1320

```

attgcctgac cacaagacc tctctctggc gaaagaatgc aaatggcgga tatgtatgca 1380
acgcgtgtgg cctctaccag aagcttcact cgactcccag gccttttaaac atcattaaac 1440
aaaacaacgg tgagcagatt attaggagga gaacaagaaa gcgccttaac ccagaggcac 1500
ttcaggctga gcagctcaac aaacagcaga ggggcagcaa tgaggagcaa gtcaatggaa 1560
gcccgttaga gaggaggtca gaagatcatc taactgaaag tcaccagaga gaaattccac 1620
tcccagcct aagtaaatac gaagcccagg gttcattgac taaaagccat tctgctcagc 1680
agccagtctt ggtcagccaa actctggata ttcacaaaag gatgcaacct ttgcacattc 1740
agataaaaag tcctcaggaa agtactggag atccaggaaa tagttcatcc gtatctgaag 1800
ggaaaggaag ttccgagaga ggcagtccta tagaaaagta catgagacct gcgaaacacc 1860
caaattattc accaccaggc agccctattg aaaagtacca gtaccactt tttggacttc 1920
cctttgtaca taatgacttc cagagtgaag ctgattggct gcggttcttg agtaaata 1980
agctctccgt tcctgggaat ccgcactact tgagtcacgt gcctggccta ccaaatacct 2040
gccaaaacta tgtgccttat cccaccttca atctgcctcc tcatttttca gctgttggat 2100
cagacaatga cattcctcta gatttggcga tcaagcattc cagacctggg ccaactgcaa 2160
acggtgcctc caaggagaaa acgaaggcac caccaaagt aaaaaatgaa ggtcccttga 2220
atgtagtaaa aacagagaaa gttgatagaa gtactcaaga tgaactttca acaaatgtg 2280
tgactgtgg cattgtcttt ctggatgaag tgatgtatgc tttgcatatg agttgccatg 2340
gtgacagtgg acctttccag tgcagcatat gccagcatct ttgcacggac aaatatgact 2400
tcacaacaca tatccagagg ggcctgcata ggaacaatgc acaagtggaa aaaaaatgga 2460
aaacctaag agtaaacct tagcacttag cacaattaaa tagaaatagg tttcttgat 2520
gggaattcaa tagcttgtaa tgtcttatga agacctatta aaaaaatact tcatagagcc 2580
tgccttatcc aacatg
2596

```

```

<210> 130
<211> 487
<212> DNA
<213> Homo sapiens

```

```

<400> 130
ttttttttgt tctcaacttg tttaatatgg aaaaagggtc tcaaacgggt aggcagggtg 60
ctgtttttta tacattcttg ggatgttggc cattcagaca gcattatttc aaatatagat 120
gagttatcca actttttttg actcaaagat agtttgctta gatttttttt ttttgagatg 180

```



```

gagtcttgct ctgtcaccag gctggagtgt agtggcggtga tctcagctca ccgcaacctc 240
cgctctccag gttcaagcaa ttctcctacc tcagcctccc aagtagctgg gactacagggc 300
atgcaccacc acaccagct aattttttgta ttttagtag agacaggggtt tcaccatggt 360
ggccaggatg gtctcgatct cttgacctcg tgatcagccc gccttggcct cccaaagtgc 420
tgggattaca ggcgtgagcc actgcgcccc gactagattt taacaagacc taattccatg 480
ggattat 487

```

```

<210> 131
<211> 569
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (476)..(476)
<223> n is a, c, g, or t

```

```

<400> 131
tttttttttt tttttttaaa ttagttattg tcattcttaa aaaatcagga aatttttagat 60
gtaagtgtgg aatcgccagc aacaatgggc ccacatttca ggtacatcag aactgacggc 120
ctctgttaga gagggcatgc ctgctcctgt tccctcagaa tcaatcctta cccatcacat 180
tgtcttacat tagggcccac ttgactcatt taaataggta gctgcctggg tcttgagtct 240
gaaatccctg tcttaaagga tgatgaaaac aatgggttac gtctattcta ctttcttatt 300
aggcctcacc gatgtgcagt ataaaacacc tctctaactt tttcccatgt aatgtatcac 360
catttcaaag tgagatctct gcaggcttcc atcagcttat gctatcacac cctattttaa 420
attaatacag caatagctca agagccaggg tgaagaataa gactgggtggc tttcanggat 480
gtgaggaaag aaccctccac tattatgaat tactattgca ttatgtttcc tcttcaaaga 540
ccaaatatca gaaatgaaag gctgatatt 569

```

```

<210> 132
<211> 4574
<212> DNA
<213> Homo sapiens

```

```

<400> 132
gagcgggcga gggagcgcgc ggggccgcca caaagctcgg gcgcgcgggg gctgcatgcg 60
gcgtacctgg cccggcgcgg cgactgctct ccgggctggc gggggccggc cgcgagcccc 120

```

gggggccccg	aggccgcagc	ttgcctgcgc	gctctgagcc	ttcgcaactc	gcgagcaaag	180
tttgggtggag	gcaacgccaa	gcctgagtcc	tttcttctctc	tcgttcccca	aatccgaggc	240
agcccgcggg	cgtcatgccc	gcgctcctcc	gcagcctggg	gtacgcgctg	aagcccgga	300
ggcttggcgc	cggcgaagac	ccaaggacca	ctcttctgcg	tttggagttg	ctccccacaa	360
ccccgggctc	gtcgctttct	ccatcccgac	ccagccgggg	cgcggggaca	acacaggctc	420
cggaggagcg	ttgccattca	agtgactgca	gcagcagcgg	cagcgctctg	gttcctgagc	480
ccaccgcagg	ctgaaggcat	tgcgcgtagt	ccatgcccgt	agaggaagtg	tgcagatggg	540
attaacgtcc	acatggagat	atggaagagg	accggggatt	ggtaccgtaa	ccatggctcag	600
ctggggctgt	ttcatctgcc	tggtcgtgg	caccatggca	accttgtccc	tggeccggcc	660
ctccttcagt	ttagttgagg	ataccacatt	agagccagaa	gagccaccaa	ccaaatacca	720
aatctctcaa	ccagaagtgt	acgtggctgc	gccaggggag	tcgctagagg	tgcgctgcct	780
gttgaaagat	gccgccgtga	tcagttggac	taaggatggg	gtgcacttgg	ggcccaacaa	840
taggacagtg	cttattgggg	agtacttgca	gataaagggc	gccacgccta	gagactccgg	900
cctctatgct	tgtactgcca	gtaggactgt	agacagtgaa	acttggtact	tcatggtgaa	960
tgtcacagat	gccatctcat	ccggagatga	tgaggatgac	accgatgggtg	cggaagattt	1020
tgtcagttag	aacagtaaca	acaagagagc	accatactgg	accaacacag	aaaagatgga	1080
aaagcggctc	catgctgtgc	ctgcggccaa	cactgtcaag	tttcgctgcc	cagccggggg	1140
gaacccaatg	ccaaccatgc	ggtggctgaa	aaacgggaag	gagtttaagc	aggagcatcg	1200
cattggaggc	tacaaggtag	gaaaccagca	ctggagcctc	attatggaaa	gtgtgggtccc	1260
atctgacaag	ggaaattata	cctgtgtgg	ggagaatgaa	tacgggtcca	tcaatcacac	1320
gtaccacctg	gatgttgtgg	agcgatcgcc	tcaccggccc	atcctccaag	ccggactgcc	1380
ggcaaatgcc	tccacagtgg	tcggaggaga	cgtagagttt	gtctgcaagg	tttacagtga	1440
tgcccagccc	cacatccagt	ggatcaagca	cgtggaaaag	aacggcagta	aatacggggc	1500
cgacgggctg	ccctacctca	aggttctcaa	gcactcgggg	ataaatagtt	ccaatgcaga	1560
agtgctggct	ctgttcaatg	tgaccgaggc	ggatgctggg	gaatatatat	gtaagggtctc	1620
caattatata	gggcaggcca	accagtctgc	ctggctcact	gtcctgccaa	aacagcaagc	1680
gcctggaaga	gaaaaggaga	ttacagcttc	cccagactac	ctggagatag	ccatttactg	1740
cataggggtc	ttcttaatcg	cctgtatgg	ggtaacagtc	atcctgtgcc	gaatgaagaa	1800
cacgaccaag	aagccagact	tcagcagcca	gccggctgtg	cacaagctga	ccaaacgtat	1860

```

ccccctgcgg agacaggtaa cagtttcggc tgagtccagc tcctccatga actccaacac 1920
cccgtctggtg aggataacaa cagcctctc ttcaacggca gacacccccca tgetggcagg 1980
ggtctccgag tatgaacttc cagaggaccc aaaatgggag tttccaagag ataagctgac 2040
actgggcaag ccctgggag aaggttgctt tgggcaagtg gtcattggcg aagcagtggg 2100
aattgacaaa gacaagccca aggaggcggc caccgtggcc gtgaagatgt tgaaagatga 2160
tgccacagag aaagaccttt ctgatctggt gtcagagatg gagatgatga agatgattgg 2220
gaaacacaag aatatcataa atcttcttgg agcctgcaca caggatgggc ctctctatgt 2280
catagttgag tatgcctcta aaggcaacct ccgagaatac ctccgagccc ggaggccacc 2340
cgggatggag tactcctatg acattaaccg tgttcctgag gagcagatga ccttcaagga 2400
cttggtgtca tgcacctacc agctggccag aggcattggag tacttggctt cccaaaaatg 2460
tattcatcga gatttagcag ccagaaatgt tttggtaaca gaaaacaatg tgatgaaaat 2520
agcagacttt ggactcgcca gagatatcaa caatatagac tattacaaaa agaccaccaa 2580
tgggcgggctt ccagtcaagt ggatggctcc agaagccctg tttgatagag tatacactca 2640
tcagagtgat gtctggtcct tcggggtggt aatgtgggag atcttcactt tagggggctc 2700
gccctaccca gggattcccg tggaggaact ttttaagctg ctgaaggaag gacacagaat 2760
ggataagcca gccaaactgca ccaacgaact gtacatgatg atgagggact gttggcatgc 2820
agtgcctcc cagagaccaa cgttcaagca gttggtagaa gacttggatc gaattctcac 2880
tctcacaacc aatgaggaat acttggact cagccaacct ctggaacagt attcacctag 2940
ttacctgac acaagaagtt cttgttcttc aggagatgat tctgtttttt ctccagaccc 3000
catgcottac gaacctgccc ttcctcagta tccacacata aacggcagtg ttaaaacatg 3060
aatgactgtg tctgcctgtc cccaaacagg acagcactgg gaacctagct aactgagca 3120
gggagaccat gcctccaga gcttggtgtc tccacttgta tatatggatc agaggagtaa 3180
ataattggaa aagtaatcag catatgtgta aagatttata cagttgaaaa cttgtaattct 3240
tccccaggag gagaagaagg tttctggagc agtggactgc cacaagccac catgtaaccc 3300
ctctcacctg ccgtgcgtac tggtgtgga ccagtaggac tcaaggtgga cgtgcgttct 3360
gccttccttg ttaattttgt aataattgga gaagatttat gtcagcacac acttacagag 3420
caciaatgca gtatataggt gctggatgta tgtaaatata ttcaaattat gtataaatat 3480
atattatata tttacaagga gttatttttt gtattgattt taaatggatg tccaatgca 3540

```

cctagaaaat tgggtctctct ttttttaata gctatttgct aaatgctggt cttacacata 3600
 atttcttaat tttcaccgag cagagggtga aaaatacttt tgctttcagg gaaaatggta 3660
 taacgttaat ttattaataa attggtaata tacaaaacaa ttaatcattt atagtttttt 3720
 ttgtaattta agtggcattt ctatgcaggc agcacagcag actagttaat ctattgcttg 3780
 gacttaacta gttatcagat ctttgaaaa gagaatattt acaatatatg actaatttgg 3840
 ggaaaatgaa gttttgattt atttgtgttt aaatgctgct gtcagacgat tgttcttaga 3900
 cctcctaaat gccccatatt aaaagaactc attcatagga aggtgtttca ttttggtgtg 3960
 caaccctgtc attacgtcaa cgcaacgtct aactggactt cccaagataa atggtaccag 4020
 cgtcctctta aaagatgcct taatccattc cttgaggaca gaccttagtt gaaatgatag 4080
 cagaatgtgc ttctctctgg cagctggcct tctgcttctg agttgcacat taatcagatt 4140
 agcctgattc tcttcagtga attttgataa tggttccag actctttgcg ttggagacgc 4200
 ctgttaggat cttcaagtcc catcatagaa aattgaaaca cagagttggt ctgctgatag 4260
 ttttggggat acgtccatct ttttaagga ttgctttcat ctaattctgg caggacctca 4320
 ccaaaagatc cagcctcata cctacatcag acaaaatata gccgttggtc cttctgtact 4380
 aaagtattgt gttttgcttt ggaaacaccc actcactttg caatagccgt gcaagatgaa 4440
 tgcagattac actgatctta tgtgttacaa aattggagaa agtatttaat aaaacctgtt 4500
 aatttttata ctgacaataa aaatgtttct acagatatta atgttaacaa gacaaaataa 4560
 atgtcacgca actt 4574

<210> 133
 <211> 549
 <212> DNA
 <213> Homo sapiens

<400> 133
 ttttttttta tgtttcgata gattgggaaa gctaaagaaa ctcccataca caccttggtg 60
 ccaccaatca acttaaacat gacatcctca gagagacagt ctcatatcat ccaattagca 120
 ccttctatta tttatttact tcttagacac ttgtcgaaat ctgaaaattc tttattcggt 180
 ggtttgctta tattgacaga ctgtaactgg atgaaggcaa gagaccttgt cttgtacata 240
 gttgtgtcct cagcacttgg cagaatgtct agatggagca ggtgcttaaa tacttggtga 300
 aaaaataaaa actgcaactg caggggtttt taaatatata aacataaaaa tattactcat 360
 caaaatttaa gtaatatagc taaagctatg ctgagaggaa cattcaatag gattacattt 420

ttacattata aaacataaaa tattataaaa gttgcaattt tattaagtta aaaaattcaa 480
aactggccag gcacagtggg tcacgcctgt aatcccagca ctttgggagg ccgagggtggg 540
tagatcacc 549

<210> 134
<211> 799
<212> DNA
<213> Homo sapiens

<400> 134
tcgcctcgca cccccagcca gtccgtcgat ccagctgcca gcgcagccgc cagcgccggc 60
acatcccgtc ctgggcttta aacgtgaccc ctgcctcgca ctgcacctgc cctgtgaaaa 120
tgttggtgct tcttgctttc atcatcgct tccacatcac ctctgcagcc ttgctgttca 180
ttgccaccgt cgacaatgcc tgggtgggtag gagatgagtt ttttgcagat gtctggagaa 240
tatgtaccaa caacacgaat tgcacagtca tcaatgacag ctttcaagag tactccacgc 300
tgcaggcggc ccaggccacc atgacacctc ccaccattct ctgctgcac gccttcttca 360
tcttcgtgct ccagctcttc cgcctgaagc agggagagag gtttgtccta acctccatca 420
tccagcta atgtcatgtctg tgtgtcatga ttgcggcctc catttataca gacaggcgtg 480
aagacattca cgacaaaaac gcgaaattct atcccgtgac cagagaaggc agctacggct 540
actcctacat cctggcgtgg gtggccttcg cctgcacctt catcagcggc atgatgtacc 600
tgatactgag gaagcgcaaa tagagttccg gagctgggtt gcttctgctg cagtacagaa 660
tccacattca gataaccatt ttgtatataa tcattatttt ttgaggtttt tctagcaaac 720
gtattgtttc ctttaaaagc caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagaa 780
aaaaaaaaaa aaaaaaaaaa 799

<210> 135
<211> 561
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (368)..(368)
<223> n is a, c, g, or t

<400> 135
ttttaggaca aataaaattt atttttctct gtaaattcat taaaagtat gttatctatg 60
attatcctat caagggcaga aatgttagat ctactccaa gataggtaaa cgcctttgaa 120

```

acgcaacaaa aagagacgat gatcttatga gctcatttat gttcatgCGT gaaagtgtga      180
aggtcactag ctttgctgtg tttctacaag tttccttgac tgtaaaaaca gtcaaaatgt      240
aaccaaccta attcaagatg ttaaattaat taagttaa ataaattagcc aaagcactgt      300
aaattaaatg acataatact taagttctgt actgatgaca ccctttgatc aaaagaaggt      360
ggacccanta aggtgcttct ggagggttatt acttctctaa ttccgaattt atcatcactg      420
actctttagg cataataaaa tgtagagtgt aaatagggtg gtgacaattt atttaattta      480
ggttgagcta cttataaata cctgagagct ctggaaacaa catatatatc catcttgcaa      540
atatcagtaa aaagaacaag t                                                561

```

```

<210> 136
<211> 567
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (61)..(61)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (432)..(432)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (441)..(441)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (465)..(465)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (495)..(495)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (501)..(501)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (532)..(532)

```

<223> n is a, c, g, or t

<220>

<221> misc_feature

<222> (559)..(559)

<223> n is a, c, g, or t

<400> 136

tttttttaag agaacctgaa ttaaattttt aatattttta	aaaaggaaag ttgctgggaa	60
ntggtaaaca gaaacagaag attagaggcc taactagaaa	gagacactgg tgtagcaga	120
gagatattga ggggctgtaa gctaaagggt tgaaatctaa	agatagagtg gaaaaggag	180
taggcacccc caccagcccc tgcttgacat ctgctttagt	tcattccagc aggaaggagg	240
agaagggcag ggaggtaggg agcttctcag caaagccagc	ttcagctttg ataatctcac	300
ccacctaccc catttaagga gttccagggt taagagttta	aaaacagggtg gcaccagacc	360
atcattcagg agacaggaac tcattccagg ttcttaagag	aactcctatc tcagacctga	420
aggggtttcc anggettcag nttgagctcc tctgggctaa	ccagnagtca cttgattaag	480
tcccgtgcc ttgancccat nttccaggag ggggctattg	cccgaggag tntaaggag	540
ttccagcccc caagccttnt taggcac		567

<210> 137

<211> 1551

<212> DNA

<213> Homo sapiens

<400> 137

aaaacatggt gateccaatg atgtgatcac ttttgaacct	ttccattaca aagcattgta	60
tagataactt ttttaattcag taggaggaga aagttcattc	ttggcctggt ggctttgatt	120
attatgggta ctttaaagtc agtatttatc aagaaagga	acttgaccac cattggcaca	180
tgtgacattt aagctcttca gccttttcct ttttagttgt	aggtgtttac atttcatttc	240
taagccaact ctgtatttat gagagaagtt taagccttac	atcatttgat actaaagggt	300
tatttgtggt aatgaaaaa tgaccccaaa attacagagg	aatatgccag ttttaagaaat	360
ggctacttaa agttgcttct ctctttcctt ctactcatg	aaattaattg gtcttcttca	420
agtttcttta gattccatta aatgattaaa tctatttaa	gagccattca tcaacgtgat	480
ttgtgtgtta gccaatgaat ctgtctcagc ttttgaccaa	atgggtttta gacaaatgca	540
aagatctgcc tctagtccat atggctcttt ttgagtgcta	gtattttgca tttcacataa	600
tgtagttatt ttgagctttt aaagagagca tttagacaaa	gaagcaaaga gaggaaggga	660

```

ccaatcaact catcagttcc atgcatcaac aaagcatagc tagtagagga atataaatga      720
cagattgaca aactgtagga aacactgtta ctctctttct gaagttttca agcaccatcc      780
tatgtgaaag ttccctcctg tccaaacaag ctcaaggccc atcttctccc tatacaaggc      840
aaacctgtaa ggccttcctt ccaaagagta cattgctttg gttttcttcc taaattccta      900
ttggaattag aactctcaga atccctggga gacagagcaa agatgactta attcattgag      960
cagcagagct ccctataagt gaacatcacc ttcccatctt ttctactgc cacaccata      1020
cgagagagga tctagaaaga gcgatggcag cctgaacaca gaaaacaccc ccacttggca      1080
gacctctcct cagcaatccc ccagcctca tgcttcactt gcaaagtgtg acataaccac      1140
gggacgagtg ccttgcttga accaaagcaa cgatttagcc agtctggacc tctctgtgct      1200
ttttttaatt cttcctgtga atacctcagc ttcaactggg cctccataca gtcagttggt      1260
gggcttattg tactgtggtg ctttgcaatg caaccctgca aagaacaaga tttgtactaa      1320
taccaaaggt tctttctcta tgtctcctcc tctgcctccc tcgttcttcc cttttttcta      1380
gttcttcacg gttccaaagc tttactatga acctgggcat gttggcaatg cagaccgcgc      1440
aattccttac cgaattttct cagatatacc tcatagacaa tagtgtttag agtaatgtta      1500
ttatagcgta tgtaataaat tattcactgt ttcttttggt aactgtgatt t              1551

```

<210> 138
 <211> 976
 <212> PRT
 <213> Homo sapiens

<400> 138

```

Met Glu Leu Gln Ala Ala Arg Ala Cys Phe Ala Leu Leu Trp Gly Cys
1      5      10      15

```

```

Ala Leu Ala Ala Ala Ala Ala Gln Gly Lys Glu Val Val Leu Leu
20      25      30

```

```

Asp Phe Ala Ala Ala Gly Gly Glu Leu Gly Trp Leu Thr His Pro Tyr
35      40      45

```

```

Gly Lys Gly Trp Asp Leu Met Gln Asn Ile Met Asn Asp Met Pro Ile
50      55      60

```

```

Tyr Met Tyr Ser Val Cys Asn Val Met Ser Gly Asp Gln Asp Asn Trp
65      70      75      80

```


Leu Arg Thr Asn Trp Val Tyr Arg Gly Glu Ala Glu Arg Asn Asn Phe
 85 90 95

Glu Leu Asn Phe Thr Val Arg Asp Cys Asn Ser Phe Pro Gly Gly Ala
 100 105 110

Ser Ser Cys Lys Glu Thr Phe Asn Leu Tyr Tyr Ala Glu Ser Asp Leu
 115 120 125

Asp Tyr Gly Thr Asn Phe Gln Lys Arg Leu Phe Thr Lys Ile Asp Thr
 130 135 140

Ile Ala Pro Asp Glu Ile Thr Val Ser Ser Asp Phe Glu Ala Arg His
 145 150 155 160

Val Lys Leu Asn Val Glu Glu Arg Ser Val Gly Pro Leu Thr Arg Lys
 165 170 175

Gly Phe Tyr Leu Ala Phe Gln Asp Ile Gly Ala Cys Val Ala Leu Leu
 180 185 190

Ser Val Arg Val Tyr Tyr Lys Lys Cys Pro Glu Leu Leu Gln Gly Leu
 195 200 205

Ala His Phe Pro Glu Thr Ile Ala Gly Ser Asp Ala Pro Ser Leu Ala
 210 215 220

Thr Val Ala Gly Thr Cys Val Asp His Ala Val Val Pro Pro Gly Gly
 225 230 235 240

Glu Glu Pro Arg Met His Cys Ala Val Asp Gly Glu Trp Leu Val Pro
 245 250 255

Ile Gly Gln Cys Leu Cys Gln Ala Gly Tyr Glu Lys Val Glu Asp Ala
 260 265 270

Cys Gln Ala Cys Ser Pro Gly Phe Phe Lys Phe Glu Ala Ser Glu Ser
 275 280 285

Pro Cys Leu Glu Cys Pro Glu His Thr Leu Pro Ser Pro Glu Gly Ala
 290 295 300

Thr Ser Cys Glu Cys Glu Glu Gly Phe Phe Arg Ala Pro Gln Asp Pro
 305 310 315 320

Ala Ser Met Pro Cys Thr Arg Pro Pro Ser Ala Pro His Tyr Leu Thr
 325 330 335

Ala Val Gly Met Gly Ala Lys Val Glu Leu Arg Trp Thr Pro Pro Gln
 340 345 350

Asp Ser Gly Gly Arg Glu Asp Ile Val Tyr Ser Val Thr Cys Glu Gln
 355 360 365

Cys Trp Pro Glu Ser Gly Glu Cys Gly Pro Cys Glu Ala Ser Val Arg
 370 375 380

Tyr Ser Glu Pro Pro His Gly Leu Thr Arg Thr Ser Val Thr Val Ser
 385 390 395 400

Asp Leu Glu Pro His Met Asn Tyr Thr Phe Thr Val Glu Ala Arg Asn
 405 410 415

Gly Val Ser Gly Leu Val Thr Ser Arg Ser Phe Arg Thr Ala Ser Val
 420 425 430

Ser Ile Asn Gln Thr Glu Pro Pro Lys Val Arg Leu Glu Gly Arg Ser
 435 440 445

Thr Thr Ser Leu Ser Val Ser Trp Ser Ile Pro Pro Pro Gln Gln Ser
 450 455 460

Arg Val Trp Lys Tyr Glu Val Thr Tyr Arg Lys Lys Gly Asp Ser Asn
 465 470 475 480

Ser Tyr Asn Val Arg Arg Thr Glu Gly Phe Ser Val Thr Leu Asp Asp
 485 490 495

Leu Ala Pro Asp Thr Thr Tyr Leu Val Gln Val Gln Ala Leu Thr Gln
 500 505 510

Glu Gly Gln Gly Ala Gly Ser Lys Val His Glu Phe Gln Thr Leu Ser
 515 520 525

Pro Glu Gly Ser Gly Asn Leu Ala Val Ile Gly Gly Val Ala Val Gly

530		535		540											
Val 545	Val 545	Leu 545	Leu 545	Leu 545	Val 550	Leu 550	Ala 550	Gly 550	Val 555	Gly 555	Phe 555	Phe 555	Ile 560	His 560	Arg 560
Arg 565	Arg 565	Lys 565	Asn 565	Gln 565	Arg 565	Ala 565	Arg 565	Gln 570	Ser 570	Pro 570	Glu 570	Asp 570	Val 575	Tyr 575	Phe 575
Ser 580	Lys 580	Ser 580	Glu 580	Gln 580	Leu 580	Lys 580	Pro 585	Leu 585	Lys 585	Thr 585	Tyr 585	Val 590	Asp 590	Pro 590	His 590
Thr 595	Tyr 595	Glu 595	Asp 595	Pro 595	Asn 595	Gln 595	Ala 600	Val 600	Leu 600	Lys 600	Phe 605	Thr 605	Thr 605	Glu 605	Ile 605
His 610	Pro 610	Ser 610	Cys 610	Val 610	Thr 610	Arg 615	Gln 615	Lys 615	Val 615	Ile 615	Gly 620	Ala 620	Gly 620	Glu 620	Phe 620
Gly 625	Glu 625	Val 625	Tyr 625	Lys 625	Gly 630	Met 630	Leu 630	Lys 630	Thr 635	Ser 635	Ser 635	Gly 635	Lys 635	Lys 635	Glu 640
Val 645	Pro 645	Val 645	Ala 645	Ile 645	Lys 645	Thr 645	Leu 645	Lys 645	Ala 650	Gly 650	Tyr 650	Thr 650	Glu 655	Lys 655	Gln 655
Arg 660	Val 660	Asp 660	Phe 660	Leu 660	Gly 660	Glu 660	Ala 665	Gly 665	Ile 665	Met 665	Gly 665	Gln 665	Phe 670	Ser 670	His 670
His 675	Asn 675	Ile 675	Ile 675	Arg 675	Leu 675	Glu 675	Gly 680	Val 680	Ile 680	Ser 680	Lys 680	Tyr 685	Lys 685	Pro 685	Met 685
Met 690	Ile 690	Ile 690	Thr 690	Glu 690	Tyr 690	Met 695	Glu 695	Asn 695	Gly 695	Ala 695	Leu 700	Asp 700	Lys 700	Phe 700	Leu 700
Arg 705	Glu 705	Lys 705	Asp 705	Gly 705	Glu 710	Phe 710	Ser 710	Val 710	Leu 710	Gln 715	Leu 715	Val 715	Gly 715	Met 715	Leu 720
Arg 725	Gly 725	Ile 725	Ala 725	Ala 725	Gly 725	Met 725	Lys 725	Tyr 725	Leu 730	Ala 730	Asn 730	Met 730	Asn 735	Tyr 735	Val 735
His 740	Arg 740	Asp 740	Leu 740	Ala 740	Ala 740	Arg 740	Asn 745	Ile 745	Leu 745	Val 745	Asn 745	Ser 745	Asn 750	Leu 750	Val 750
Cys 755	Lys 755	Val 755	Ser 755	Asp 755	Phe 755	Gly 755	Leu 760	Ser 760	Arg 760	Val 760	Leu 760	Glu 765	Asp 765	Asp 765	Pro 765

Glu Ala Thr Tyr Thr Thr Ser Gly Gly Lys Ile Pro Ile Arg Trp Thr
 770 775 780

Ala Pro Glu Ala Ile Ser Tyr Arg Lys Phe Thr Ser Ala Ser Asp Val
 785 790 795 800

Trp Ser Phe Gly Ile Val Met Trp Glu Val Met Thr Tyr Gly Glu Arg
 805 810 815

Pro Tyr Trp Glu Leu Ser Asn His Glu Val Met Lys Ala Ile Asn Asp
 820 825 830

Gly Phe Arg Leu Pro Thr Pro Met Asp Cys Pro Ser Ala Ile Tyr Gln
 835 840 845

Leu Met Met Gln Cys Trp Gln Gln Glu Arg Ala Arg Arg Pro Lys Phe
 850 855 860

Ala Asp Ile Val Ser Ile Leu Asp Lys Leu Ile Arg Ala Pro Asp Ser
 865 870 875 880

Leu Lys Thr Leu Ala Asp Phe Asp Pro Arg Val Ser Ile Arg Leu Pro
 885 890 895

Ser Thr Ser Gly Ser Glu Gly Val Pro Phe Arg Thr Val Ser Glu Trp
 900 905 910

Leu Glu Ser Ile Lys Met Gln Gln Tyr Thr Glu His Phe Met Ala Ala
 915 920 925

Gly Tyr Thr Ala Ile Glu Lys Val Val Gln Met Thr Asn Asp Asp Ile
 930 935 940

Lys Arg Ile Gly Val Arg Leu Pro Gly His Gln Lys Arg Ile Ala Tyr
 945 950 955 960

Ser Leu Leu Gly Leu Lys Asp Gln Val Asn Thr Val Gly Ile Pro Ile
 965 970 975

<210> 139
 <211> 1055
 <212> PRT

<213> Homo sapiens

<400> 139

Met Ala Leu Arg Arg Leu Gly Ala Ala Leu Leu Leu Leu Pro Leu Leu
 1 5 10 15

Ala Ala Val Glu Glu Thr Leu Met Asp Ser Thr Thr Ala Thr Ala Glu
 20 25 30

Leu Gly Trp Met Val His Pro Pro Ser Gly Trp Glu Glu Val Ser Gly
 35 40 45

Tyr Asp Glu Asn Met Asn Thr Ile Arg Thr Tyr Gln Val Cys Asn Val
 50 55 60

Phe Glu Ser Ser Gln Asn Asn Trp Leu Arg Thr Lys Phe Ile Arg Arg
 65 70 75 80

Arg Gly Ala His Arg Ile His Val Glu Met Lys Phe Ser Val Arg Asp
 85 90 95

Cys Ser Ser Ile Pro Ser Val Pro Gly Ser Cys Lys Glu Thr Phe Asn
 100 105 110

Leu Tyr Tyr Tyr Glu Ala Asp Phe Asp Ser Ala Thr Lys Thr Phe Pro
 115 120 125

Asn Trp Met Glu Asn Pro Trp Val Lys Val Asp Thr Ile Ala Ala Asp
 130 135 140

Glu Ser Phe Ser Gln Val Asp Leu Gly Gly Arg Val Met Lys Ile Asn
 145 150 155 160

Thr Glu Val Arg Ser Phe Gly Pro Val Ser Arg Ser Gly Phe Tyr Leu
 165 170 175

Ala Phe Gln Asp Tyr Gly Gly Cys Met Ser Leu Ile Ala Val Arg Val
 180 185 190

Phe Tyr Arg Lys Cys Pro Arg Ile Ile Gln Asn Gly Ala Ile Phe Gln
 195 200 205

Glu Thr Leu Ser Gly Ala Glu Ser Thr Ser Leu Val Ala Ala Arg Gly

210		215		220
Ser Cys Ile Ala Asn Ala Glu Glu Val Asp Val Pro Ile Lys Leu Tyr				
225		230		240
Cys Asn Gly Asp Gly Glu Trp Leu Val Pro Ile Gly Arg Cys Met Cys				
	245		250	255
Lys Ala Gly Phe Glu Ala Val Glu Asn Gly Thr Val Cys Arg Gly Cys				
	260		265	270
Pro Ser Gly Thr Phe Lys Ala Asn Gln Gly Asp Glu Ala Cys Thr His				
	275		280	285
Cys Pro Ile Asn Ser Arg Thr Thr Ser Glu Gly Ala Thr Asn Cys Val				
	290		295	300
Cys Arg Asn Gly Tyr Tyr Arg Ala Asp Leu Asp Pro Leu Asp Met Pro				
305		310		320
Cys Thr Thr Ile Pro Ser Ala Pro Gln Ala Val Ile Ser Ser Val Asn				
	325		330	335
Glu Thr Ser Leu Met Leu Glu Trp Thr Pro Pro Arg Asp Ser Gly Gly				
	340		345	350
Arg Glu Asp Leu Val Tyr Asn Ile Ile Cys Lys Ser Cys Gly Ser Gly				
	355		360	365
Arg Gly Ala Cys Thr Arg Cys Gly Asp Asn Val Gln Tyr Ala Pro Arg				
	370		375	380
Gln Leu Gly Leu Thr Glu Pro Arg Ile Tyr Ile Ser Asp Leu Leu Ala				
385		390		400
His Thr Gln Tyr Thr Phe Glu Ile Gln Ala Val Asn Gly Val Thr Asp				
	405		410	415
Gln Ser Pro Phe Ser Pro Gln Phe Ala Ser Val Asn Ile Thr Thr Asn				
	420		425	430
Gln Ala Ala Pro Ser Ala Val Ser Ile Met His Gln Val Ser Arg Thr				
	435		440	445

Val Asp Ser Ile Thr Leu Ser Trp Ser Gln Pro Asp Gln Pro Asn Gly
 450 455 460

Val Ile Leu Asp Tyr Glu Leu Gln Tyr Tyr Glu Lys Glu Leu Ser Glu
 465 470 475 480

Tyr Asn Ala Thr Ala Ile Lys Ser Pro Thr Asn Thr Val Thr Val Gln
 485 490 495

Gly Leu Lys Ala Gly Ala Ile Tyr Val Phe Gln Val Arg Ala Arg Thr
 500 505 510

Val Ala Gly Tyr Gly Arg Tyr Ser Gly Lys Met Tyr Phe Gln Thr Met
 515 520 525

Thr Glu Ala Glu Tyr Gln Thr Ser Ile Gln Glu Lys Leu Pro Leu Ile
 530 535 540

Ile Gly Ser Ser Ala Ala Gly Leu Val Phe Leu Ile Ala Val Val Val
 545 550 555 560

Ile Ala Ile Val Cys Asn Arg Arg Gly Phe Glu Arg Ala Asp Ser Glu
 565 570 575

Tyr Thr Asp Lys Leu Gln His Tyr Thr Ser Gly His Met Thr Pro Gly
 580 585 590

Met Lys Ile Tyr Ile Asp Pro Phe Thr Tyr Glu Asp Pro Asn Glu Ala
 595 600 605

Val Arg Glu Phe Ala Lys Glu Ile Asp Ile Ser Cys Val Lys Ile Glu
 610 615 620

Gln Val Ile Gly Ala Gly Glu Phe Gly Glu Val Cys Ser Gly His Leu
 625 630 635 640

Lys Leu Pro Gly Lys Arg Glu Ile Phe Val Ala Ile Lys Thr Leu Lys
 645 650 655

Ser Gly Tyr Thr Glu Lys Gln Arg Arg Asp Phe Leu Ser Glu Ala Ser
 660 665 670

Ile Met Gly Gln Phe Asp His Pro Asn Val Ile His Leu Glu Gly Val
 675 680 685

Val Thr Lys Ser Thr Pro Val Met Ile Ile Thr Glu Phe Met Glu Asn
 690 695 700

Gly Ser Leu Asp Ser Phe Leu Arg Gln Asn Asp Gly Gln Phe Thr Val
 705 710 715 720

Ile Gln Leu Val Gly Met Leu Arg Gly Ile Ala Ala Gly Met Lys Tyr
 725 730 735

Leu Ala Asp Met Asn Tyr Val His Arg Asp Leu Ala Ala Arg Asn Ile
 740 745 750

Leu Val Asn Ser Asn Leu Val Cys Lys Val Ser Asp Phe Gly Leu Ser
 755 760 765

Arg Phe Leu Glu Asp Asp Thr Ser Asp Pro Thr Tyr Thr Ser Ala Leu
 770 775 780

Gly Gly Lys Ile Pro Ile Arg Trp Thr Ala Pro Glu Ala Ile Gln Tyr
 785 790 795 800

Arg Lys Phe Thr Ser Ala Ser Asp Val Trp Ser Tyr Gly Ile Val Met
 805 810 815

Trp Glu Val Met Ser Tyr Gly Glu Arg Pro Tyr Trp Asp Met Thr Asn
 820 825 830

Gln Asp Val Ile Asn Ala Ile Glu Gln Asp Tyr Arg Leu Pro Pro Pro
 835 840 845

Met Asp Cys Pro Ser Ala Leu His Gln Leu Met Leu Asp Cys Trp Gln
 850 855 860

Lys Asp Arg Asn His Arg Pro Lys Phe Gly Gln Ile Val Asn Thr Leu
 865 870 875 880

Asp Lys Met Ile Arg Asn Pro Asn Ser Leu Lys Ala Met Ala Pro Leu
 885 890 895

Ser Ser Gly Ile Asn Leu Pro Leu Leu Asp Arg Thr Ile Pro Asp Tyr
 900 905 910

Thr Ser Phe Asn Thr Val Asp Glu Trp Leu Glu Ala Ile Lys Met Gly
 915 920 925

Gln Tyr Lys Glu Ser Phe Ala Asn Ala Gly Phe Thr Ser Phe Asp Val
 930 935 940

Val Ser Gln Met Met Met Glu Asp Ile Leu Arg Val Gly Val Thr Leu
 945 950 955 960

Ala Gly His Gln Lys Lys Ile Leu Asn Ser Ile Gln Val Met Arg Ala
 965 970 975

Gln Met Asn Gln Ile Gln Ser Val Glu Gly Gln Pro Leu Ala Arg Arg
 980 985 990

Pro Arg Ala Thr Gly Arg Thr Lys Arg Cys Gln Pro Arg Asp Val Thr
 995 1000 1005

Lys Lys Thr Cys Asn Ser Asn Asp Gly Lys Lys Lys Gly Met Gly
 1010 1015 1020

Lys Lys Lys Thr Asp Pro Gly Arg Gly Arg Glu Ile Gln Gly Ile
 1025 1030 1035

Phe Phe Lys Glu Asp Ser His Lys Glu Ser Asn Asp Cys Ser Cys
 1040 1045 1050

Gly Gly
 1055

<210> 140
 <211> 178
 <212> PRT
 <213> Homo sapiens

<400> 140

Met Ser Gly Gly Lys Tyr Val Asp Ser Glu Gly His Leu Tyr Thr Val
 1 5 10 15

Pro Ile Arg Glu Gln Gly Asn Ile Tyr Lys Pro Asn Asn Lys Ala Met
 20 25 30

Ala Asp Glu Leu Ser Glu Lys Gln Val Tyr Asp Ala His Thr Lys Glu
 35 40 45

Ile Asp Leu Val Asn Arg Asp Pro Lys His Leu Asn Asp Asp Val Val
 50 55 60

Lys Ile Asp Phe Glu Asp Val Ile Ala Glu Pro Glu Gly Thr His Ser
 65 70 75 80

Phe Asp Gly Ile Trp Lys Ala Ser Phe Thr Thr Phe Thr Val Thr Lys
 85 90 95

Tyr Trp Phe Tyr Arg Leu Leu Ser Ala Leu Phe Gly Ile Pro Met Ala
 100 105 110

Leu Ile Trp Gly Ile Tyr Phe Ala Ile Leu Ser Phe Leu His Ile Trp
 115 120 125

Ala Val Val Pro Cys Ile Lys Ser Phe Leu Ile Glu Ile Gln Cys Ile
 130 135 140

Ser Arg Val Tyr Ser Ile Tyr Val His Thr Val Cys Asp Pro Leu Phe
 145 150 155 160

Glu Ala Val Gly Lys Ile Phe Ser Asn Val Arg Ile Asn Leu Gln Lys
 165 170 175

Glu Ile

<210> 141
 <211> 162
 <212> PRT
 <213> Homo sapiens

<400> 141

Met Gly Leu Glu Thr Glu Lys Ala Asp Val Gln Leu Phe Met Asp Asp
 1 5 10 15

Asp Ser Tyr Ser His His Ser Gly Leu Glu Tyr Ala Asp Pro Glu Lys
 20 25 30

Phe Ala Asp Ser Asp Gln Asp Arg Asp Pro His Arg Leu Asn Ser His
 35 40 45

Leu Lys Leu Gly Phe Glu Asp Val Ile Ala Glu Pro Val Thr Thr His
 50 55 60

Ser Phe Asp Lys Val Trp Ile Cys Ser His Ala Leu Phe Glu Ile Ser
 65 70 75 80

Lys Tyr Val Met Tyr Lys Phe Leu Thr Val Phe Leu Ala Ile Pro Leu
 85 90 95

Ala Phe Ile Ala Gly Ile Leu Phe Ala Thr Leu Ser Cys Leu His Ile
 100 105 110

Trp Ile Leu Met Pro Phe Val Lys Thr Cys Leu Met Val Leu Pro Ser
 115 120 125

Val Gln Thr Ile Trp Lys Ser Val Thr Asp Val Ile Ile Ala Pro Leu
 130 135 140

Cys Thr Ser Val Gly Arg Cys Phe Ser Ser Val Ser Leu Gln Leu Ser
 145 150 155 160

Gln Asp

<210> 142
 <211> 346
 <212> PRT
 <213> Homo sapiens

<400> 142

Met Ala Met Val Ser Glu Phe Leu Lys Gln Ala Trp Phe Ile Glu Asn
 1 5 10 15

Glu Glu Gln Glu Tyr Val Gln Thr Val Lys Ser Ser Lys Gly Gly Pro
 20 25 30

Gly Ser Ala Val Ser Pro Tyr Pro Thr Phe Asn Pro Ser Ser Asp Val
 35 40 45

Ala Ala Leu His Lys Ala Ile Met Val Lys Gly Val Asp Glu Ala Thr
 50 55 60

Ile Ile Asp Ile Leu Thr Lys Arg Asn Asn Ala Gln Arg Gln Gln Ile
 65 70 75 80

Lys Ala Ala Tyr Leu Gln Glu Thr Gly Lys Pro Leu Asp Glu Thr Leu
 85 90 95

Lys Lys Ala Leu Thr Gly His Leu Glu Glu Val Val Leu Ala Leu Leu
 100 105 110

Lys Thr Pro Ala Gln Phe Asp Ala Asp Glu Leu Arg Ala Ala Met Lys
 115 120 125

Gly Leu Gly Thr Asp Glu Asp Thr Leu Ile Glu Ile Leu Ala Ser Arg
 130 135 140

Thr Asn Lys Glu Ile Arg Asp Ile Asn Arg Val Tyr Arg Glu Glu Leu
 145 150 155 160

Lys Arg Asp Leu Ala Lys Asp Ile Thr Ser Asp Thr Ser Gly Asp Phe
 165 170 175

Arg Asn Ala Leu Leu Ser Leu Ala Lys Gly Asp Arg Ser Glu Asp Phe
 180 185 190

Gly Val Asn Glu Asp Leu Ala Asp Ser Asp Ala Arg Ala Leu Tyr Glu
 195 200 205

Ala Gly Glu Arg Arg Lys Gly Thr Asp Val Asn Val Phe Asn Thr Ile
 210 215 220

Leu Thr Thr Arg Ser Tyr Pro Gln Leu Arg Arg Val Phe Gln Lys Tyr
 225 230 235 240

Thr Lys Tyr Ser Lys His Asp Met Asn Lys Val Leu Asp Leu Glu Leu
 245 250 255

Lys Gly Asp Ile Glu Lys Cys Leu Thr Ala Ile Val Lys Cys Ala Thr
 260 265 270

Ser Lys Pro Ala Phe Phe Ala Glu Lys Leu His Gln Ala Met Lys Gly
 275 280 285

Val Gly Thr Arg His Lys Ala Leu Ile Arg Ile Met Val Ser Arg Ser
 290 295 300

Glu Ile Asp Met Asn Asp Ile Lys Ala Phe Tyr Gln Lys Met Tyr Gly
 305 310 315 320

Ile Ser Leu Cys Gln Ala Ile Leu Asp Glu Thr Lys Gly Asp Tyr Glu
 325 330 335

Lys Ile Leu Val Ala Leu Cys Gly Gly Asn
 340 345

<210> 143
 <211> 339
 <212> PRT
 <213> Homo sapiens

<400> 143

Met Ser Thr Val His Glu Ile Leu Cys Lys Leu Ser Leu Glu Gly Asp
 1 5 10 15

His Ser Thr Pro Pro Ser Ala Tyr Gly Ser Val Lys Ala Tyr Thr Asn
 20 25 30

Phe Asp Ala Glu Arg Asp Ala Leu Asn Ile Glu Thr Ala Ile Lys Thr
 35 40 45

Lys Gly Val Asp Glu Val Thr Ile Val Asn Ile Leu Thr Asn Arg Ser
 50 55 60

Asn Ala Gln Arg Gln Asp Ile Ala Phe Ala Tyr Gln Arg Arg Thr Lys
 65 70 75 80

Lys Glu Leu Ala Ser Ala Leu Lys Ser Ala Leu Ser Gly His Leu Glu
 85 90 95

Thr Val Ile Leu Gly Leu Leu Lys Thr Pro Ala Gln Tyr Asp Ala Ser
 100 105 110

Glu Leu Lys Ala Ser Met Lys Gly Leu Gly Thr Asp Glu Asp Ser Leu
 115 120 125

Ile Glu Ile Ile Cys Ser Arg Thr Asn Gln Glu Leu Gln Glu Ile Asn

130

135

140

Arg Val Tyr Lys Glu Met Tyr Lys Thr Asp Leu Glu Lys Asp Ile Ile
 145 150 155 160

Ser Asp Thr Ser Gly Asp Phe Arg Lys Leu Met Val Ala Leu Ala Lys
 165 170 175

Gly Arg Arg Ala Glu Asp Gly Ser Val Ile Asp Tyr Glu Leu Ile Asp
 180 185 190

Gln Asp Ala Arg Asp Leu Tyr Asp Ala Gly Val Lys Arg Lys Gly Thr
 195 200 205

Asp Val Pro Lys Trp Ile Ser Ile Met Thr Glu Arg Ser Val Pro His
 210 215 220

Leu Gln Lys Val Phe Asp Arg Tyr Lys Ser Tyr Ser Pro Tyr Asp Met
 225 230 235 240

Leu Glu Ser Ile Arg Lys Glu Val Lys Gly Asp Leu Glu Asn Ala Phe
 245 250 255

Leu Asn Leu Val Gln Cys Ile Gln Asn Lys Pro Leu Tyr Phe Ala Asp
 260 265 270

Arg Leu Tyr Asp Ser Met Lys Gly Lys Gly Thr Arg Asp Lys Val Leu
 275 280 285

Ile Arg Ile Met Val Ser Arg Ser Glu Val Asp Met Leu Lys Ile Arg
 290 295 300

Ser Glu Phe Lys Arg Lys Tyr Gly Lys Ser Leu Tyr Tyr Tyr Ile Gln
 305 310 315 320

Gln Asp Thr Lys Gly Asp Tyr Gln Lys Ala Leu Leu Tyr Leu Cys Gly
 325 330 335

Gly Asp Asp

<210> 144

<211> 372

<212> PRT

<213> Homo sapiens

<400> 144

Met Ala Thr Ser Pro Gln Lys Ser Pro Ser Val Pro Lys Ser Pro Thr
 1 5 10 15

Pro Lys Ser Pro Pro Ser Arg Lys Lys Asp Asp Ser Phe Leu Gly Lys
 20 25 30

Leu Gly Gly Thr Leu Ala Arg Arg Lys Lys Ala Lys Glu Val Ser Glu
 35 40 45

Leu Gln Glu Glu Gly Met Asn Ala Ile Asn Leu Pro Leu Ser Pro Ile
 50 55 60

Pro Phe Glu Leu Asp Pro Glu Asp Thr Met Leu Glu Glu Asn Glu Val
 65 70 75 80

Arg Thr Met Val Asp Pro Asn Ser Arg Ser Asp Pro Lys Leu Gln Glu
 85 90 95

Leu Met Lys Val Leu Ile Asp Trp Ile Asn Asp Val Leu Val Gly Glu
 100 105 110

Arg Ile Ile Val Lys Asp Leu Ala Glu Asp Leu Tyr Asp Gly Gln Val
 115 120 125

Leu Gln Lys Leu Phe Glu Lys Leu Glu Ser Glu Lys Leu Asn Val Ala
 130 135 140

Glu Val Thr Gln Ser Glu Ile Ala Gln Lys Gln Lys Leu Gln Thr Val
 145 150 155 160

Leu Glu Lys Ile Asn Glu Thr Leu Lys Leu Pro Pro Arg Ser Ile Lys
 165 170 175

Trp Asn Val Asp Ser Val His Ala Lys Ser Leu Val Ala Ile Leu His
 180 185 190

Leu Leu Val Ala Leu Ser Gln Tyr Phe Arg Ala Pro Ile Arg Leu Pro
 195 200 205

Asp His Val Ser Ile Gln Val Val Val Val Gln Lys Arg Glu Gly Ile
 210 215 220

Leu Gln Ser Arg Gln Ile Gln Glu Glu Ile Thr Gly Asn Thr Glu Ala
 225 230 235 240

Leu Ser Gly Arg His Glu Arg Asp Ala Phe Asp Thr Leu Phe Asp His
 245 250 255

Ala Pro Asp Lys Leu Asn Val Val Lys Lys Thr Leu Ile Thr Phe Val
 260 265 270

Asn Lys His Leu Asn Lys Leu Asn Leu Glu Val Thr Glu Leu Glu Thr
 275 280 285

Gln Phe Ala Asp Gly Val Tyr Leu Val Leu Leu Met Gly Leu Leu Glu
 290 295 300

Gly Tyr Phe Val Pro Leu His Ser Phe Phe Leu Thr Pro Asp Ser Phe
 305 310 315 320

Glu Gln Lys Val Leu Asn Val Ser Phe Ala Phe Glu Leu Met Gln Asp
 325 330 335

Gly Gly Leu Glu Lys Pro Lys Pro Arg Pro Glu Asp Ile Val Asn Cys
 340 345 350

Asp Leu Lys Ser Thr Leu Arg Val Leu Tyr Asn Leu Phe Thr Lys Tyr
 355 360 365

Arg Asn Val Glu
 370

<210> 145
 <211> 397
 <212> PRT
 <213> Homo sapiens

<400> 145

Met Arg Ser Pro Ser Ala Ala Trp Leu Leu Gly Ala Ala Ile Leu Leu
 1 5 10 15

Ala Ala Ser Leu Ser Cys Ser Gly Thr Ile Gln Gly Thr Ser Arg Ser
 20 25 30

Ser Lys Gly Arg Ser Leu Ile Gly Lys Val Asp Gly Thr Ser His Val
 35 40 45

Thr Gly Lys Gly Val Thr Val Glu Thr Val Phe Ser Val Asp Glu Phe
 50 55 60

Ser Ala Ser Val Leu Thr Gly Lys Leu Thr Thr Val Phe Leu Pro Ile
 65 70 75 80

Val Tyr Thr Ile Val Phe Val Val Gly Leu Pro Ser Asn Gly Met Ala
 85 90 95

Leu Trp Val Phe Leu Phe Arg Thr Lys Lys Lys His Pro Ala Val Ile
 100 105 110

Tyr Met Ala Asn Leu Ala Leu Ala Asp Leu Leu Ser Val Ile Trp Phe
 115 120 125

Pro Leu Lys Ile Ala Tyr His Ile His Gly Asn Asn Trp Ile Tyr Gly
 130 135 140

Glu Ala Leu Cys Asn Val Leu Ile Gly Phe Phe Tyr Gly Asn Met Tyr
 145 150 155 160

Cys Ser Ile Leu Phe Met Thr Cys Leu Ser Val Gln Arg Tyr Trp Val
 165 170 175

Ile Val Asn Pro Met Gly His Ser Arg Lys Lys Ala Asn Ile Ala Ile
 180 185 190

Gly Ile Ser Leu Ala Ile Trp Leu Leu Ile Leu Leu Val Thr Ile Pro
 195 200 205

Leu Tyr Val Val Lys Gln Thr Ile Phe Ile Pro Ala Leu Asn Ile Thr
 210 215 220

Thr Cys His Asp Val Leu Pro Glu Gln Leu Leu Val Gly Asp Met Phe
 225 230 235 240

Asn Tyr Phe Leu Ser Leu Ala Ile Gly Val Phe Leu Phe Pro Ala Phe
 245 250 255

Leu Thr Ala Ser Ala Tyr Val Leu Met Ile Arg Met Leu Arg Ser Ser
 260 265 270

Ala Met Asp Glu Asn Ser Glu Lys Lys Arg Lys Arg Ala Ile Lys Leu
 275 280 285

Ile Val Thr Val Leu Ala Met Tyr Leu Ile Cys Phe Thr Pro Ser Asn
 290 295 300

Leu Leu Leu Val Val His Tyr Phe Leu Ile Lys Ser Gln Gly Gln Ser
 305 310 315 320

His Val Tyr Ala Leu Tyr Ile Val Ala Leu Cys Leu Ser Thr Leu Asn
 325 330 335

Ser Cys Ile Asp Pro Phe Val Tyr Tyr Phe Val Ser His Asp Phe Arg
 340 345 350

Asp His Ala Lys Asn Ala Leu Leu Cys Arg Ser Val Arg Thr Val Lys
 355 360 365

Gln Met Gln Val Ser Leu Thr Ser Lys Lys His Ser Arg Lys Ser Ser
 370 375 380

Ser Tyr Ser Ser Ser Ser Thr Thr Val Lys Thr Ser Tyr
 385 390 395

<210> 146
 <211> 295
 <212> PRT
 <213> Homo sapiens

<400> 146

Met Glu Thr Pro Ala Trp Pro Arg Val Pro Arg Pro Glu Thr Ala Val
 1 5 10 15

Ala Arg Thr Leu Leu Leu Gly Trp Val Phe Ala Gln Val Ala Gly Ala
 20 25 30

Ser Gly Thr Thr Asn Thr Val Ala Ala Tyr Asn Leu Thr Trp Lys Ser
 35 40 45

Thr Asn Phe Lys Thr Ile Leu Glu Trp Glu Pro Lys Pro Val Asn Gln

50		55		60
Val Tyr Thr Val Gln Ile Ser Thr Lys Ser Gly Asp Trp Lys Ser Lys				
65		70		75 80
Cys Phe Tyr Thr Thr Asp Thr Glu Cys Asp Leu Thr Asp Glu Ile Val				
		85		90 95
Lys Asp Val Lys Gln Thr Tyr Leu Ala Arg Val Phe Ser Tyr Pro Ala				
		100		105 110
Gly Asn Val Glu Ser Thr Gly Ser Ala Gly Glu Pro Leu Tyr Glu Asn				
		115		120 125
Ser Pro Glu Phe Thr Pro Tyr Leu Glu Thr Asn Leu Gly Gln Pro Thr				
		130		135 140
Ile Gln Ser Phe Glu Gln Val Gly Thr Lys Val Asn Val Thr Val Glu				
145		150		155 160
Asp Glu Arg Thr Leu Val Arg Arg Asn Asn Thr Phe Leu Ser Leu Arg				
		165		170 175
Asp Val Phe Gly Lys Asp Leu Ile Tyr Thr Leu Tyr Tyr Trp Lys Ser				
		180		185 190
Ser Ser Ser Gly Lys Lys Thr Ala Lys Thr Asn Thr Asn Glu Phe Leu				
		195		200 205
Ile Asp Val Asp Lys Gly Glu Asn Tyr Cys Phe Ser Val Gln Ala Val				
210		215		220
Ile Pro Ser Arg Thr Val Asn Arg Lys Ser Thr Asp Ser Pro Val Glu				
225		230		235 240
Cys Met Gly Gln Glu Lys Gly Glu Phe Arg Glu Ile Phe Tyr Ile Ile				
		245		250 255
Gly Ala Val Val Phe Val Val Ile Ile Leu Val Ile Ile Leu Ala Ile				
		260		265 270
Ser Leu His Lys Cys Arg Lys Ala Gly Val Gly Gln Ser Trp Lys Glu				
		275		280 285

Asn Ser Pro Leu Asn Val Ser
290 295

<210> 147
<211> 491
<212> PRT
<213> Homo sapiens

<400> 147

Met Ala Gln Ser Gly Gly Glu Ala Arg Pro Gly Pro Lys Thr Ala Val
1 5 10 15

Gln Ile Arg Val Ala Ile Gln Glu Ala Glu Asp Val Asp Glu Leu Glu
20 25 30

Asp Glu Glu Glu Gly Ala Glu Thr Arg Gly Ala Gly Asp Pro Ala Arg
35 40 45

Tyr Leu Ser Pro Gly Trp Gly Ser Ala Ser Glu Glu Glu Pro Ser Arg
50 55 60

Gly His Ser Gly Thr Thr Ala Ser Gly Gly Glu Asn Glu Arg Glu Asp
65 70 75 80

Leu Glu Gln Glu Trp Lys Pro Pro Asp Glu Glu Leu Ile Lys Lys Leu
85 90 95

Val Asp Gln Ile Glu Phe Cys Phe Ser Asp Glu Asn Leu Glu Lys Asp
100 105 110

Ala Phe Leu Leu Lys His Val Arg Arg Asn Lys Leu Gly Tyr Val Ser
115 120 125

Val Lys Leu Leu Thr Ser Phe Lys Lys Val Lys His Leu Thr Arg Asp
130 135 140

Trp Arg Thr Thr Ala His Ala Leu Lys Tyr Ser Val Val Leu Glu Leu
145 150 155 160

Asn Glu Asp His Arg Lys Val Arg Arg Thr Thr Pro Val Pro Leu Phe
165 170 175

Pro Asn Glu Asn Leu Pro Ser Lys Met Leu Leu Val Tyr Asp Leu Tyr
 180 185 190

Leu Ser Pro Lys Leu Trp Ala Leu Ala Thr Pro Gln Lys Asn Gly Arg
 195 200 205

Val Gln Glu Lys Val Met Glu His Leu Leu Lys Leu Phe Gly Thr Phe
 210 215 220

Gly Val Ile Ser Ser Val Arg Ile Leu Lys Pro Gly Arg Glu Leu Pro
 225 230 235 240

Pro Asp Ile Arg Arg Ile Ser Ser Arg Tyr Ser Gln Val Gly Thr Gln
 245 250 255

Glu Cys Ala Ile Val Glu Phe Glu Glu Val Glu Ala Ala Ile Lys Ala
 260 265 270

His Glu Phe Met Ile Thr Glu Ser Gln Gly Lys Glu Asn Met Lys Ala
 275 280 285

Val Leu Ile Gly Met Lys Pro Pro Lys Lys Lys Pro Ala Lys Asp Lys
 290 295 300

Asn His Asp Glu Glu Pro Thr Ala Ser Ile His Leu Asn Lys Ser Leu
 305 310 315 320

Asn Lys Arg Val Glu Glu Leu Gln Tyr Met Gly Asp Glu Ser Ser Ala
 325 330 335

Asn Ser Ser Ser Asp Pro Glu Ser Asn Pro Thr Ser Pro Met Ala Gly
 340 345 350

Arg Arg His Ala Ala Thr Asn Lys Leu Ser Pro Ser Gly His Gln Asn
 355 360 365

Leu Phe Leu Ser Pro Asn Ala Ser Pro Cys Thr Ser Pro Trp Ser Ser
 370 375 380

Pro Leu Ala Gln Arg Lys Gly Val Ser Arg Lys Ser Pro Leu Ala Glu
 385 390 395 400

Glu Gly Arg Leu Asn Cys Ser Thr Ser Pro Glu Ile Phe Arg Lys Cys

405 410 415
 Met Asp Tyr Ser Ser Asp Ser Ser Val Thr Pro Ser Gly Ser Pro Trp
 420 425 430
 Val Arg Arg Arg Arg Gln Ala Glu Met Gly Thr Gln Glu Lys Ser Pro
 435 440 445
 Gly Thr Ser Pro Leu Leu Ser Arg Lys Met Gln Thr Ala Asp Gly Leu
 450 455 460
 Pro Val Gly Val Leu Arg Leu Pro Arg Gly Pro Asp Asn Thr Arg Gly
 465 470 475 480
 Phe His Gly His Glu Arg Ser Arg Ala Cys Val
 485 490

 <210> 148
 <211> 374
 <212> PRT
 <213> Homo sapiens

 <400> 148
 Met Arg Pro Gly Thr Ala Leu Gln Ala Val Leu Leu Ala Val Leu Leu
 1 5 10 15

 Val Gly Leu Arg Ala Ala Thr Gly Arg Leu Leu Ser Gly Gln Pro Val
 20 25 30

 Cys Arg Gly Gly Thr Gln Arg Pro Cys Tyr Lys Val Ile Tyr Phe His
 35 40 45

 Asp Thr Ser Arg Arg Leu Asn Phe Glu Glu Ala Lys Glu Ala Cys Arg
 50 55 60

 Arg Asp Gly Gly Gln Leu Val Ser Ile Glu Ser Glu Asp Glu Gln Lys
 65 70 75 80

 Leu Ile Glu Lys Phe Ile Glu Asn Leu Leu Pro Ser Asp Gly Asp Phe
 85 90 95

 Trp Ile Gly Leu Arg Arg Arg Glu Glu Lys Gln Ser Asn Ser Thr Ala
 100 105 110

Cys Gln Asp Leu Tyr Ala Trp Thr Asp Gly Ser Ile Ser Gln Phe Arg
 115 120 125

Asn Trp Tyr Val Asp Glu Pro Ser Cys Gly Ser Glu Val Cys Val Val
 130 135 140

Met Tyr His Gln Pro Ser Ala Pro Ala Gly Ile Gly Gly Pro Tyr Met
 145 150 155 160

Phe Gln Trp Asn Asp Asp Arg Cys Asn Met Lys Asn Asn Phe Ile Cys
 165 170 175

Lys Tyr Ser Asp Glu Lys Pro Ala Val Pro Ser Arg Glu Ala Glu Gly
 180 185 190

Glu Glu Thr Glu Leu Thr Thr Pro Val Leu Pro Glu Glu Thr Gln Glu
 195 200 205

Glu Asp Ala Lys Lys Thr Phe Lys Glu Ser Arg Glu Ala Ala Leu Asn
 210 215 220

Leu Ala Tyr Ile Leu Ile Pro Ser Ile Pro Leu Leu Leu Leu Leu Val
 225 230 235 240

Val Thr Thr Val Val Cys Trp Val Trp Ile Cys Arg Lys Arg Lys Arg
 245 250 255

Glu Gln Pro Asp Pro Ser Thr Lys Lys Gln His Thr Ile Trp Pro Ser
 260 265 270

Pro His Gln Gly Asn Ser Pro Asp Leu Glu Val Tyr Asn Val Ile Arg
 275 280 285

Lys Gln Ser Glu Ala Asp Leu Ala Glu Thr Arg Pro Asp Leu Lys Asn
 290 295 300

Ile Ser Phe Arg Val Cys Ser Gly Glu Ala Thr Pro Asp Asp Met Ser
 305 310 315 320

Cys Asp Tyr Asp Asn Met Ala Val Asn Pro Ser Glu Ser Gly Phe Val
 325 330 335

Thr Leu Val Ser Val Glu Ser Gly Phe Val Thr Asn Asp Ile Tyr Glu
 340 345 350

Phe Ser Pro Asp Gln Met Gly Arg Ser Lys Glu Ser Gly Trp Val Glu
 355 360 365

Asn Glu Ile Tyr Gly Tyr
 370

<210> 149
 <211> 276
 <212> PRT
 <213> Homo sapiens

<400> 149

Met Ala Leu Leu Asp Val Cys Gly Ala Pro Arg Gly Gln Arg Pro Glu
 1 5 10 15

Ser Ala Leu Pro Val Ala Gly Ser Gly Arg Arg Ser Asp Pro Gly His
 20 25 30

Tyr Ser Phe Ser Met Arg Ser Pro Glu Leu Ala Leu Pro Arg Gly Met
 35 40 45

Lys Pro Thr Glu Phe Phe Gln Ser Leu Gly Gly Asp Gly Glu Arg Asn
 50 55 60

Val Gln Ile Glu Met Ala His Gly Thr Thr Thr Leu Ala Phe Lys Phe
 65 70 75 80

Gln His Gly Val Ile Ala Ala Val Asp Ser Arg Ala Ser Ala Gly Ser
 85 90 95

Tyr Ile Ser Ala Leu Arg Val Asn Lys Val Ile Glu Ile Asn Pro Tyr
 100 105 110

Leu Leu Gly Thr Met Ser Gly Cys Ala Ala Asp Cys Gln Tyr Trp Glu
 115 120 125

Arg Leu Leu Ala Lys Glu Cys Arg Leu Tyr Tyr Leu Arg Asn Gly Glu
 130 135 140

Arg Ile Ser Val Ser Ala Ala Ser Lys Leu Leu Ser Asn Met Met Cys
 145 150 155 160

Gln Tyr Arg Gly Met Gly Leu Ser Met Gly Ser Met Ile Cys Gly Trp
 165 170 175

Asp Lys Lys Gly Pro Gly Leu Tyr Tyr Val Asp Glu His Gly Thr Arg
 180 185 190

Leu Ser Gly Asn Met Phe Ser Thr Gly Ser Gly Asn Thr Tyr Ala Tyr
 195 200 205

Gly Val Met Asp Ser Gly Tyr Arg Pro Asn Leu Ser Pro Glu Glu Ala
 210 215 220

Tyr Asp Leu Gly Arg Arg Ala Ile Ala Tyr Ala Thr His Arg Asp Ser
 225 230 235 240

Tyr Ser Gly Gly Val Val Asn Met Tyr His Met Lys Glu Asp Gly Trp
 245 250 255

Val Lys Val Glu Ser Thr Asp Val Ser Asp Leu Leu His Gln Tyr Arg
 260 265 270

Glu Ala Asn Gln
 275

<210> 150
 <211> 219
 <212> PRT
 <213> Homo sapiens

<400> 150

Met Leu Arg Ala Gly Ala Pro Thr Gly Asp Leu Pro Arg Ala Gly Glu
 1 5 10 15

Val His Thr Gly Thr Thr Ile Met Ala Val Glu Phe Asp Gly Gly Val
 20 25 30

Val Met Gly Ser Asp Ser Arg Val Ser Ala Gly Glu Ala Val Val Asn
 35 40 45

Arg Val Phe Asp Lys Leu Ser Pro Leu His Glu Arg Ile Tyr Cys Ala
 50 55 60

Leu Ser Gly Ser Ala Ala Asp Ala Gln Ala Val Ala Asp Met Ala Ala
65 70 75 80

Tyr Gln Leu Glu Leu His Gly Ile Glu Leu Glu Glu Pro Pro Leu Val
85 90 95

Leu Ala Ala Ala Asn Val Val Arg Asn Ile Ser Tyr Lys Tyr Arg Glu
100 105 110

Asp Leu Ser Ala His Leu Met Val Ala Gly Trp Asp Gln Arg Glu Gly
115 120 125

Gly Gln Val Tyr Gly Thr Leu Gly Gly Met Leu Thr Arg Gln Pro Phe
130 135 140

Ala Ile Gly Gly Ser Gly Ser Thr Phe Ile Tyr Gly Tyr Val Asp Ala
145 150 155 160

Ala Tyr Lys Pro Gly Met Ser Pro Glu Glu Cys Arg Arg Phe Thr Thr
165 170 175

Asp Ala Ile Ala Leu Ala Met Ser Arg Asp Gly Ser Ser Gly Gly Val
180 185 190

Ile Tyr Leu Val Thr Ile Thr Ala Ala Gly Val Asp His Arg Val Ile
195 200 205

Leu Gly Asn Glu Leu Pro Lys Phe Tyr Asp Glu
210 215

<210> 151

<211> 253

<212> PRT

<213> Homo sapiens

<400> 151

Met Ala Asn Leu Gly Cys Trp Met Leu Val Leu Phe Val Ala Thr Trp
1 5 10 15

Ser Asp Leu Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly Trp Asn
20 25 30

Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly Gly Asn Arg
35 40 45

Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly
 50 55 60

Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly
 65 70 75 80

Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Gly Gly Gly Thr His
 85 90 95

Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met Lys His Met
 100 105 110

Ala Gly Ala Ala Ala Ala Gly Ala Val Val Gly Gly Leu Gly Gly Tyr
 115 120 125

Met Leu Gly Ser Ala Met Ser Arg Pro Ile Ile His Phe Gly Ser Asp
 130 135 140

Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met His Arg Tyr Pro Asn Gln
 145 150 155 160

Val Tyr Tyr Arg Pro Met Asp Glu Tyr Ser Asn Gln Asn Asn Phe Val
 165 170 175

His Asp Cys Val Asn Ile Thr Ile Lys Gln His Thr Val Thr Thr Thr
 180 185 190

Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Val Lys Met Met Glu Arg
 195 200 205

Val Val Glu Gln Met Cys Ile Thr Gln Tyr Glu Arg Glu Ser Gln Ala
 210 215 220

Tyr Tyr Gln Arg Gly Ser Ser Met Val Leu Phe Ser Ser Pro Pro Val
 225 230 235 240

Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
 245 250

<210> 152

<211> 323

<212> PRT

<213> Homo sapiens

<400> 152

Met Asp Ser Lys Gln Gln Cys Val Lys Leu Asn Asp Gly His Phe Met
 1 5 10 15

Pro Val Leu Gly Phe Gly Thr Tyr Ala Pro Pro Glu Val Pro Arg Ser
 20 25 30

Lys Ala Leu Glu Val Ser Lys Leu Ala Ile Glu Ala Gly Phe Arg His
 35 40 45

Ile Asp Ser Ala His Leu Tyr Asn Asn Glu Glu Gln Val Gly Leu Ala
 50 55 60

Ile Arg Ser Lys Ile Ala Asp Gly Ser Val Lys Arg Glu Asp Ile Phe
 65 70 75 80

Tyr Thr Ser Lys Leu Trp Ser Thr Ser His Arg Pro Glu Leu Val Arg
 85 90 95

Pro Ala Leu Glu Asn Ser Leu Lys Lys Ala Gln Leu Asp Tyr Val Asp
 100 105 110

Leu Tyr Leu Ile His Ser Pro Met Ser Leu Lys Pro Gly Glu Glu Leu
 115 120 125

Ser Pro Thr Asp Glu Asn Gly Lys Val Ile Phe Asp Ile Val Asp Leu
 130 135 140

Cys Thr Thr Trp Glu Ala Met Glu Lys Cys Lys Asp Ala Gly Leu Ala
 145 150 155 160

Lys Ser Ile Gly Val Ser Asn Phe Asn Arg Arg Gln Leu Glu Met Ile
 165 170 175

Leu Asn Lys Pro Gly Leu Lys Tyr Lys Pro Val Cys Asn Gln Val Glu
 180 185 190

Cys His Pro Tyr Phe Asn Arg Ser Lys Leu Leu Asp Phe Cys Lys Ser
 195 200 205

Lys Asp Ile Val Leu Val Ala Tyr Ser Ala Leu Gly Ser Gln Arg Asp

210

215

220

Lys Arg Trp Val Asp Pro Asn Ser Pro Val Leu Leu Glu Asp Pro Val
 225 230 235 240

Leu Cys Ala Leu Ala Lys Lys His Lys Arg Thr Pro Ala Leu Ile Ala
 245 250 255

Leu Arg Tyr Gln Leu Gln Arg Gly Val Val Val Leu Ala Arg Ser Tyr
 260 265 270

Asn Glu Gln Arg Ile Arg Gln Asn Val Gln Val Phe Glu Phe Gln Leu
 275 280 285

Thr Ala Glu Asp Met Lys Ala Ile Asp Gly Leu Asp Arg Asn Leu His
 290 295 300

Tyr Phe Asn Ser Asp Ser Phe Ala Ser His Pro Asn Tyr Pro Tyr Ser
 305 310 315 320

Asp Glu Tyr

<210> 153
 <211> 784
 <212> PRT
 <213> Homo sapiens

<400> 153

Met Glu Gly Asp Gly Gly Thr Pro Trp Ala Leu Ala Leu Leu Arg Thr
 1 5 10 15

Phe Asp Ala Gly Glu Phe Thr Gly Trp Glu Lys Val Gly Ser Gly Gly
 20 25 30

Phe Gly Gln Val Tyr Lys Val Arg His Val His Trp Lys Thr Trp Leu
 35 40 45

Ala Ile Lys Cys Ser Pro Ser Leu His Val Asp Asp Arg Glu Arg Met
 50 55 60

Glu Leu Leu Glu Glu Ala Lys Lys Met Glu Met Ala Lys Phe Arg Tyr
 65 70 75 80

Ile Leu Pro Val Tyr Gly Ile Cys Arg Glu Pro Val Gly Leu Val Met
85 90 95

Glu Tyr Met Glu Thr Gly Ser Leu Glu Lys Leu Leu Ala Ser Glu Pro
100 105 110

Leu Pro Trp Asp Leu Arg Phe Arg Ile Ile His Glu Thr Ala Val Gly
115 120 125

Met Asn Phe Leu His Cys Met Ala Pro Pro Leu Leu His Leu Asp Leu
130 135 140

Lys Pro Ala Asn Ile Leu Leu Asp Ala His Tyr His Val Lys Ile Ser
145 150 155 160

Asp Phe Gly Leu Ala Lys Cys Asn Gly Leu Ser His Ser His Asp Leu
165 170 175

Ser Met Asp Gly Leu Phe Gly Thr Ile Ala Tyr Leu Pro Pro Glu Arg
180 185 190

Ile Arg Glu Lys Ser Arg Leu Phe Asp Thr Lys His Asp Val Tyr Ser
195 200 205

Phe Ala Ile Val Ile Trp Gly Val Leu Thr Gln Lys Lys Pro Phe Ala
210 215 220

Asp Glu Lys Asn Ile Leu His Ile Met Val Lys Val Val Lys Gly His
225 230 235 240

Arg Pro Glu Leu Pro Pro Val Cys Arg Ala Arg Pro Arg Ala Cys Ser
245 250 255

His Leu Ile Arg Leu Met Gln Arg Cys Trp Gln Gly Asp Pro Arg Val
260 265 270

Arg Pro Thr Phe Gln Glu Ile Thr Ser Glu Thr Glu Asp Leu Cys Glu
275 280 285

Lys Pro Asp Asp Glu Val Lys Glu Thr Ala His Asp Leu Asp Val Lys
290 295 300

Ser Pro Pro Glu Pro Arg Ser Glu Val Val Pro Ala Arg Leu Lys Arg
 305 310 315 320
 Ala Ser Ala Pro Thr Phe Asp Asn Asp Tyr Ser Leu Ser Glu Leu Leu
 325 330 335
 Ser Gln Leu Asp Ser Gly Val Ser Gln Ala Val Glu Gly Pro Glu Glu
 340 345 350
 Leu Ser Arg Ser Ser Ser Glu Ser Lys Leu Pro Ser Ser Gly Ser Gly
 355 360 365
 Lys Arg Leu Ser Gly Val Ser Ser Val Asp Ser Ala Phe Ser Ser Arg
 370 375 380
 Gly Ser Leu Ser Leu Ser Phe Glu Arg Glu Pro Ser Thr Ser Asp Leu
 385 390 395 400
 Gly Thr Thr Asp Val Gln Lys Lys Lys Leu Val Asp Ala Ile Val Ser
 405 410 415
 Gly Asp Thr Ser Lys Leu Met Lys Ile Leu Gln Pro Gln Asp Val Asp
 420 425 430
 Leu Ala Leu Asp Ser Gly Ala Ser Leu Leu His Leu Ala Val Glu Ala
 435 440 445
 Gly Gln Glu Glu Cys Ala Lys Trp Leu Leu Leu Asn Asn Ala Asn Pro
 450 455 460
 Asn Leu Ser Asn Arg Arg Gly Ser Thr Pro Leu His Met Ala Val Glu
 465 470 475 480
 Arg Arg Val Arg Gly Val Val Glu Leu Leu Leu Ala Arg Lys Ile Ser
 485 490 495
 Val Asn Ala Lys Asp Glu Asp Gln Trp Thr Ala Leu His Phe Ala Ala
 500 505 510
 Gln Asn Gly Asp Glu Ser Ser Thr Arg Leu Leu Leu Glu Lys Asn Ala
 515 520 525
 Ser Val Asn Glu Val Asp Phe Glu Gly Arg Thr Pro Met His Val Ala

530

535

540

Cys Gln His Gly Gln Glu Asn Ile Val Arg Ile Leu Leu Arg Arg Gly
 545 550 555 560

Val Asp Val Ser Leu Gln Gly Lys Asp Ala Trp Leu Pro Leu His Tyr
 565 570 575

Ala Ala Trp Gln Gly His Leu Pro Ile Val Lys Leu Leu Ala Lys Gln
 580 585 590

Pro Gly Val Ser Val Asn Ala Gln Thr Leu Asp Gly Arg Thr Pro Leu
 595 600 605

His Leu Ala Ala Gln Arg Gly His Tyr Arg Val Ala Arg Ile Leu Ile
 610 615 620

Asp Leu Cys Ser Asp Val Asn Val Cys Ser Leu Leu Ala Gln Thr Pro
 625 630 635 640

Leu His Val Ala Ala Glu Thr Gly His Thr Ser Thr Ala Arg Leu Leu
 645 650 655

Leu His Arg Gly Ala Gly Lys Lys Ala Val Thr Ser Asp Gly Tyr Thr
 660 665 670

Ala Leu His Leu Ala Ala Arg Asn Gly His Leu Ala Thr Val Lys Leu
 675 680 685

Leu Val Glu Glu Lys Ala Asp Val Leu Ala Arg Gly Pro Leu Asn Gln
 690 695 700

Thr Ala Leu His Leu Ala Ala His Gly His Ser Glu Val Val Glu
 705 710 715 720

Glu Leu Val Ser Ala Asp Val Ile Asp Leu Phe Asp Glu Gln Gly Leu
 725 730 735

Ser Ala Leu His Leu Ala Ala Gln Gly Arg His Ala Gln Thr Val Glu
 740 745 750

Thr Leu Leu Arg His Gly Ala His Ile Asn Leu Gln Ser Leu Lys Phe
 755 760 765

Gln Gly Gly His Gly Pro Ala Ala Thr Leu Leu Arg Arg Ser Lys Thr
 770 775 780

<210> 154
 <211> 682
 <212> PRT
 <213> Homo sapiens

<400> 154

Met Gly Lys Lys Tyr Lys Asn Ile Val Leu Leu Lys Gly Leu Glu Val
 1 5 10 15

Ile Asn Asp Tyr His Phe Arg Met Val Lys Ser Leu Leu Ser Asn Asp
 20 25 30

Leu Lys Leu Asn Leu Lys Met Arg Glu Glu Tyr Asp Lys Ile Gln Ile
 35 40 45

Ala Asp Leu Met Glu Glu Lys Phe Arg Gly Asp Ala Gly Leu Gly Lys
 50 55 60

Leu Ile Lys Ile Phe Glu Asp Ile Pro Thr Leu Glu Asp Leu Ala Glu
 65 70 75 80

Thr Leu Lys Lys Glu Lys Leu Lys Val Lys Gly Pro Ala Leu Ser Arg
 85 90 95

Lys Arg Lys Lys Glu Val His Ala Thr Ser Pro Ala Pro Ser Thr Ser
 100 105 110

Ser Thr Val Lys Thr Glu Gly Ala Glu Ala Thr Pro Gly Ala Gln Lys
 115 120 125

Arg Lys Lys Ser Thr Lys Glu Lys Ala Gly Pro Lys Gly Ser Lys Val
 130 135 140

Ser Glu Glu Gln Thr Gln Pro Pro Ser Pro Ala Gly Ala Gly Met Ser
 145 150 155 160

Thr Ala Met Gly Arg Ser Pro Ser Pro Lys Thr Ser Leu Ser Ala Pro
 165 170 175

Pro Asn Ser Ser Ser Thr Glu Asn Pro Lys Thr Val Ala Lys Cys Gln
 180 185 190

Val Thr Pro Arg Arg Asn Val Leu Gln Lys Arg Pro Val Ile Val Lys
 195 200 205

Val Leu Ser Thr Thr Lys Pro Phe Glu Tyr Glu Thr Pro Glu Met Glu
 210 215 220

Lys Lys Ile Met Phe His Ala Thr Val Ala Thr Gln Thr Gln Phe Phe
 225 230 235 240

His Val Lys Val Leu Asn Thr Ser Leu Lys Glu Lys Phe Asn Gly Lys
 245 250 255

Lys Ile Ile Ile Ile Ser Asp Tyr Leu Glu Tyr Asp Ser Leu Leu Glu
 260 265 270

Val Asn Glu Glu Ser Thr Val Ser Glu Ala Gly Pro Asn Gln Thr Phe
 275 280 285

Glu Val Pro Asn Lys Ile Ile Asn Arg Ala Lys Glu Thr Leu Lys Ile
 290 295 300

Asp Ile Leu His Lys Lys Gln Ala Ser Gly Asn Ile Val Tyr Gly Val Phe
 305 310 315 320

Met Leu His Lys Lys Thr Val Asn Gln Lys Thr Thr Ile Tyr Glu Ile
 325 330 335

Gln Asp Asp Arg Gly Lys Met Asp Val Val Gly Thr Gly Gln Cys His
 340 345 350

Asn Ile Pro Cys Glu Glu Gly Asp Lys Leu Gln Leu Phe Cys Phe Arg
 355 360 365

Leu Arg Lys Lys Asn Gln Met Ser Lys Leu Ile Ser Glu Met His Ser
 370 375 380

Phe Ile Gln Ile Lys Lys Lys Thr Asn Pro Arg Asn Asn Asp Pro Lys
 385 390 395 400

Ser Met Lys Leu Pro Gln Glu Gln Arg Gln Leu Pro Tyr Pro Ser Glu

405	410	415
Ala Ser Thr Thr Phe Pro Glu Ser His Leu Arg Thr Pro Gln Met Pro		
420	425	430
Pro Thr Thr Pro Ser Ser Ser Phe Phe Thr Lys Lys Ser Glu Asp Thr		
435	440	445
Ile Ser Lys Met Asn Asp Phe Met Arg Met Gln Ile Leu Lys Glu Gly		
450	455	460
Ser His Phe Pro Gly Pro Phe Met Thr Ser Ile Gly Pro Ala Glu Ser		
465	470	475
His Pro His Thr Pro Gln Met Pro Pro Ser Thr Pro Ser Ser Ser Phe		
485	490	495
Leu Thr Thr Leu Lys Pro Arg Leu Lys Thr Glu Pro Glu Glu Val Ser		
500	505	510
Ile Glu Asp Ser Ala Gln Ser Asp Leu Lys Glu Val Met Val Leu Asn		
515	520	525
Ala Thr Glu Ser Phe Val Tyr Glu Pro Lys Glu Gln Lys Lys Met Phe		
530	535	540
His Ala Thr Val Ala Thr Glu Asn Glu Val Phe Arg Val Lys Val Phe		
545	550	555
Asn Ile Asp Leu Lys Glu Lys Phe Thr Pro Lys Lys Ile Ile Ala Ile		
565	570	575
Ala Asn Tyr Val Cys Arg Asn Gly Phe Leu Glu Val Tyr Pro Phe Thr		
580	585	590
Leu Val Ala Asp Val Asn Ala Asp Arg Asn Met Glu Ile Pro Lys Gly		
595	600	605
Leu Ile Arg Ser Ala Ser Val Thr Pro Lys Ile Asn Gln Leu Cys Ser		
610	615	620
Gln Thr Lys Gly Ser Phe Val Asn Gly Val Phe Glu Val His Lys Val		
625	630	635
		640

Ser Pro His His Cys Phe Ile Lys Phe Leu Leu Gln Pro Pro Ile Phe
 645 650 655

Lys Val Leu Thr Cys Gln Leu Glu Phe Gly Gln Leu Thr Gln His Arg
 660 665 670

Lys Ser Thr Pro Ser Pro Phe Pro Gln His
 675 680

<210> 155
 <211> 1218
 <212> PRT
 <213> Homo sapiens

<400> 155

Met Arg Ser Pro Arg Thr Arg Gly Arg Ser Gly Arg Pro Leu Ser Leu
 1 5 10 15

Leu Leu Ala Leu Leu Cys Ala Leu Arg Ala Lys Val Cys Gly Ala Ser
 20 25 30

Gly Gln Phe Glu Leu Glu Ile Leu Ser Met Gln Asn Val Asn Gly Glu
 35 40 45

Leu Gln Asn Gly Asn Cys Cys Gly Gly Ala Arg Asn Pro Gly Asp Arg
 50 55 60

Lys Cys Thr Arg Asp Glu Cys Asp Thr Tyr Phe Lys Val Cys Leu Lys
 65 70 75 80

Glu Tyr Gln Ser Arg Val Thr Ala Gly Gly Pro Cys Ser Phe Gly Ser
 85 90 95

Gly Ser Thr Pro Val Ile Gly Gly Asn Thr Phe Asn Leu Lys Ala Ser
 100 105 110

Arg Gly Asn Asp Arg Asn Arg Ile Val Leu Pro Phe Ser Phe Ala Trp
 115 120 125

Pro Arg Ser Tyr Thr Leu Leu Val Glu Ala Trp Asp Ser Ser Asn Asp
 130 135 140

Thr Val Gln Pro Asp Ser Ile Ile Glu Lys Ala Ser His Ser Gly Met
145 150 155 160

Ile Asn Pro Ser Arg Gln Trp Gln Thr Leu Lys Gln Asn Thr Gly Val
165 170 175

Ala His Phe Glu Tyr Gln Ile Arg Val Thr Cys Asp Asp Tyr Tyr Tyr
180 185 190

Gly Phe Gly Cys Asn Lys Phe Cys Arg Pro Arg Asp Asp Phe Phe Gly
195 200 205

His Tyr Ala Cys Asp Gln Asn Gly Asn Lys Thr Cys Met Glu Gly Trp
210 215 220

Met Gly Pro Glu Cys Asn Arg Ala Ile Cys Arg Gln Gly Cys Ser Pro
225 230 235 240

Lys His Gly Ser Cys Lys Leu Pro Gly Asp Cys Arg Cys Gln Tyr Gly
245 250 255

Trp Gln Gly Leu Tyr Cys Asp Lys Cys Ile Pro His Pro Gly Cys Val
260 265 270

His Gly Ile Cys Asn Glu Pro Trp Gln Cys Leu Cys Glu Thr Asn Trp
275 280 285

Gly Gly Gln Leu Cys Asp Lys Asp Leu Asn Tyr Cys Gly Thr His Gln
290 295 300

Pro Cys Leu Asn Gly Gly Thr Cys Ser Asn Thr Gly Pro Asp Lys Tyr
305 310 315 320

Gln Cys Ser Cys Pro Glu Gly Tyr Ser Gly Pro Asn Cys Glu Ile Ala
325 330 335

Glu His Ala Cys Leu Ser Asp Pro Cys His Asn Arg Gly Ser Cys Lys
340 345 350

Glu Thr Ser Leu Gly Phe Glu Cys Glu Cys Ser Pro Gly Trp Thr Gly
355 360 365

Pro Thr Cys Ser Thr Asn Ile Asp Asp Cys Ser Pro Asn Asn Cys Ser

370

375

380

His Gly Gly Thr Cys Gln Asp Leu Val Asn Gly Phe Lys Cys Val Cys
 385 390 395 400

Pro Pro Gln Trp Thr Gly Lys Thr Cys Gln Leu Asp Ala Asn Glu Cys
 405 410 415

Glu Ala Lys Pro Cys Val Asn Ala Lys Ser Cys Lys Asn Leu Ile Ala
 420 425 430

Ser Tyr Tyr Cys Asp Cys Leu Pro Gly Trp Met Gly Gln Asn Cys Asp
 435 440 445

Ile Asn Ile Asn Asp Cys Leu Gly Gln Cys Gln Asn Asp Ala Ser Cys
 450 455 460

Arg Asp Leu Val Asn Gly Tyr Arg Cys Ile Cys Pro Pro Gly Tyr Ala
 465 470 475 480

Gly Asp His Cys Glu Arg Asp Ile Asp Glu Cys Ala Ser Asn Pro Cys
 485 490 495

Leu Asn Gly Gly His Cys Gln Asn Glu Ile Asn Arg Phe Gln Cys Leu
 500 505 510

Cys Pro Thr Gly Phe Ser Gly Asn Leu Cys Gln Leu Asp Ile Asp Tyr
 515 520 525

Cys Glu Pro Asn Pro Cys Gln Asn Gly Ala Gln Cys Tyr Asn Arg Ala
 530 535 540

Ser Asp Tyr Phe Cys Lys Cys Pro Glu Asp Tyr Glu Gly Lys Asn Cys
 545 550 555 560

Ser His Leu Lys Asp His Cys Arg Thr Thr Pro Cys Glu Val Ile Asp
 565 570 575

Ser Cys Thr Val Ala Met Ala Ser Asn Asp Thr Pro Glu Gly Val Arg
 580 585 590

Tyr Ile Ser Ser Asn Val Cys Gly Pro His Gly Lys Cys Lys Ser Gln
 595 600 605

Ser Gly Gly Lys Phe Thr Cys Asp Cys Asn Lys Gly Phe Thr Gly Thr
610 615 620

Tyr Cys His Glu Asn Ile Asn Asp Cys Glu Ser Asn Pro Cys Arg Asn
625 630 635 640

Gly Gly Thr Cys Ile Asp Gly Val Asn Ser Tyr Lys Cys Ile Cys Ser
645 650 655

Asp Gly Trp Glu Gly Ala Tyr Cys Glu Thr Asn Ile Asn Asp Cys Ser
660 665 670

Gln Asn Pro Cys His Asn Gly Gly Thr Cys Arg Asp Leu Val Asn Asp
675 680 685

Phe Tyr Cys Asp Cys Lys Asn Gly Trp Lys Gly Lys Thr Cys His Ser
690 695 700

Arg Asp Ser Gln Cys Asp Glu Ala Thr Cys Asn Asn Gly Gly Thr Cys
705 710 715 720

Tyr Asp Glu Gly Asp Ala Phe Lys Cys Met Cys Pro Gly Gly Trp Glu
725 730 735

Gly Thr Thr Cys Asn Ile Ala Arg Asn Ser Ser Cys Leu Pro Asn Pro
740 745 750

Cys His Asn Gly Gly Thr Cys Val Val Asn Gly Glu Ser Phe Thr Cys
755 760 765

Val Cys Lys Glu Gly Trp Glu Gly Pro Ile Cys Ala Gln Asn Thr Asn
770 775 780

Asp Cys Ser Pro His Pro Cys Tyr Asn Ser Gly Thr Cys Val Asp Gly
785 790 795 800

Asp Asn Trp Tyr Arg Cys Glu Cys Ala Pro Gly Phe Ala Gly Pro Asp
805 810 815

Cys Arg Ile Asn Ile Asn Glu Cys Gln Ser Ser Pro Cys Ala Phe Gly
820 825 830

Ala Thr Cys Val Asp Glu Ile Asn Gly Tyr Arg Cys Val Cys Pro Pro
 835 840 845

Gly His Ser Gly Ala Lys Cys Gln Glu Val Ser Gly Arg Pro Cys Ile
 850 855 860

Thr Met Gly Ser Val Ile Pro Asp Gly Ala Lys Trp Asp Asp Asp Cys
 865 870 875 880

Asn Thr Cys Gln Cys Leu Asn Gly Arg Ile Ala Cys Ser Lys Val Trp
 885 890 895

Cys Gly Pro Arg Pro Cys Leu Leu His Lys Gly His Ser Glu Cys Pro
 900 905 910

Ser Gly Gln Ser Cys Ile Pro Ile Leu Asp Asp Gln Cys Phe Val His
 915 920 925

Pro Cys Thr Gly Val Gly Glu Cys Arg Ser Ser Ser Leu Gln Pro Val
 930 935 940

Lys Thr Lys Cys Thr Ser Asp Ser Tyr Tyr Gln Asp Asn Cys Ala Asn
 945 950 955 960

Ile Thr Phe Thr Phe Asn Lys Glu Met Met Ser Pro Gly Leu Thr Thr
 965 970 975

Glu His Ile Cys Ser Glu Leu Arg Asn Leu Asn Ile Leu Lys Asn Val
 980 985 990

Ser Ala Glu Tyr Ser Ile Tyr Ile Ala Cys Glu Pro Ser Pro Ser Ala
 995 1000 1005

Asn Asn Glu Ile His Val Ala Ile Ser Ala Glu Asp Ile Arg Asp
 1010 1015 1020

Asp Gly Asn Pro Ile Lys Glu Ile Thr Asp Lys Ile Ile Asp Leu
 1025 1030 1035

Val Ser Lys Arg Asp Gly Asn Ser Ser Leu Ile Ala Ala Val Ala
 1040 1045 1050

Glu Val Arg Val Gln Arg Arg Pro Leu Lys Asn Arg Thr Asp Phe
1055 1060 1065

Leu Val Pro Leu Leu Ser Ser Val Leu Thr Val Ala Trp Ile Cys
1070 1075 1080

Cys Leu Val Thr Ala Phe Tyr Trp Cys Leu Arg Lys Arg Arg Lys
1085 1090 1095

Pro Gly Ser His Thr His Ser Ala Ser Glu Asp Asn Thr Thr Asn
1100 1105 1110

Asn Val Arg Glu Gln Leu Asn Gln Ile Lys Asn Pro Ile Glu Lys
1115 1120 1125

His Gly Ala Asn Thr Val Pro Ile Lys Asp Tyr Glu Asn Lys Asn
1130 1135 1140

Ser Lys Met Ser Lys Ile Arg Thr His Asn Ser Glu Val Glu Glu
1145 1150 1155

Asp Asp Met Asp Lys His Gln Gln Lys Ala Arg Phe Ala Lys Gln
1160 1165 1170

Pro Ala Tyr Thr Leu Val Asp Arg Glu Glu Lys Pro Pro Asn Gly
1175 1180 1185

Thr Pro Thr Lys His Pro Asn Trp Thr Asn Lys Gln Asp Asn Arg
1190 1195 1200

Asp Leu Glu Ser Ala Gln Ser Leu Asn Arg Met Glu Tyr Ile Val
1205 1210 1215

<210> 156
<211> 334
<212> PRT
<213> Homo sapiens

<400> 156

Met Lys Met Ala Ser Ser Leu Ala Phe Leu Leu Leu Asn Phe His Val
1 5 10 15

Ser Leu Leu Leu Val Gln Leu Leu Thr Pro Cys Ser Ala Gln Phe Ser
20 25 30

Val Leu Gly Pro Ser Gly Pro Ile Leu Ala Met Val Gly Glu Asp Ala
 35 40 45

Asp Leu Pro Cys His Leu Phe Pro Thr Met Ser Ala Glu Thr Met Glu
 50 55 60

Leu Lys Trp Val Ser Ser Ser Leu Arg Gln Val Val Asn Val Tyr Ala
 65 70 75 80

Asp Gly Lys Glu Val Glu Asp Arg Gln Ser Ala Pro Tyr Arg Gly Arg
 85 90 95

Thr Ser Ile Leu Arg Asp Gly Ile Thr Ala Gly Lys Ala Ala Leu Arg
 100 105 110

Ile His Asn Val Thr Ala Ser Asp Ser Gly Lys Tyr Leu Cys Tyr Phe
 115 120 125

Gln Asp Gly Asp Phe Tyr Glu Lys Ala Leu Val Glu Leu Lys Val Ala
 130 135 140

Ala Leu Gly Ser Asn Leu His Val Glu Val Lys Gly Tyr Glu Asp Gly
 145 150 155 160

Gly Ile His Leu Glu Cys Arg Ser Thr Gly Trp Tyr Pro Gln Pro Gln
 165 170 175

Ile Gln Trp Gly Asn Ala Lys Gly Glu Asn Ile Pro Ala Val Glu Ala
 180 185 190

Pro Val Val Ala Asp Gly Val Gly Leu Tyr Glu Val Ala Ala Ser Val
 195 200 205

Ile Met Lys Ser Gly Ser Gly Glu Gly Val Ser Cys Ile Ile Arg Asn
 210 215 220

Ser Leu Leu Gly Leu Glu Lys Thr Ala Ser Ile Ser Ile Ala Asp Pro
 225 230 235 240

Phe Phe Arg Ser Ala Gln Pro Trp Ile Ala Ala Leu Ala Gly Thr Leu
 245 250 255

Pro Ile Leu Leu Leu Leu Leu Ala Gly Ala Ser Tyr Phe Leu Trp Arg
 260 265 270

Gln Gln Lys Glu Ile Thr Ala Leu Ser Ser Glu Ile Glu Ser Glu Gln
 275 280 285

Glu Met Lys Glu Met Gly Tyr Ala Ala Thr Glu Arg Glu Ile Ser Leu
 290 295 300

Arg Glu Ser Leu Gln Glu Glu Leu Lys Arg Lys Lys Ile Gln Tyr Leu
 305 310 315 320

Thr Arg Gly Glu Glu Ser Ser Ser Asp Thr Asn Lys Ser Ala
 325 330

<210> 157
 <211> 584
 <212> PRT
 <213> Homo sapiens

<400> 157

Met Lys Met Ala Ser Ser Leu Ala Phe Leu Leu Leu Asn Phe His Val
 1 5 10 15

Ser Leu Phe Leu Val Gln Leu Leu Thr Pro Cys Ser Ala Gln Phe Ser
 20 25 30

Val Leu Gly Pro Ser Gly Pro Ile Leu Ala Met Val Gly Glu Asp Ala
 35 40 45

Asp Leu Pro Cys His Leu Phe Pro Thr Met Ser Ala Glu Thr Met Glu
 50 55 60

Leu Arg Trp Val Ser Ser Ser Leu Arg Gln Val Val Asn Val Tyr Ala
 65 70 75 80

Asp Gly Lys Glu Val Glu Asp Arg Gln Ser Ala Pro Tyr Arg Gly Arg
 85 90 95

Thr Ser Ile Leu Arg Asp Gly Ile Thr Ala Gly Lys Ala Ala Leu Arg
 100 105 110

Ile His Asn Val Thr Ala Ser Asp Ser Gly Lys Tyr Leu Cys Tyr Phe

115 120 125
 Gln Asp Gly Asp Phe Tyr Glu Lys Ala Leu Val Glu Leu Lys Val Ala
 130 135 140
 Ala Leu Gly Ser Asp Leu His Ile Glu Val Lys Gly Tyr Glu Asp Gly
 145 150 155 160
 Gly Ile His Leu Glu Cys Arg Ser Thr Gly Trp Tyr Pro Gln Pro Gln
 165 170 175
 Ile Lys Trp Ser Asp Thr Lys Gly Glu Asn Ile Pro Ala Val Glu Ala
 180 185 190
 Pro Val Val Ala Asp Gly Val Gly Leu Tyr Ala Val Ala Ala Ser Val
 195 200 205
 Ile Met Arg Gly Ser Ser Gly Gly Gly Val Ser Cys Ile Ile Arg Asn
 210 215 220
 Ser Leu Leu Gly Leu Glu Lys Thr Ala Ser Ile Ser Ile Ala Asp Pro
 225 230 235 240
 Phe Phe Arg Ser Ala Gln Pro Trp Ile Ala Ala Leu Ala Gly Thr Leu
 245 250 255
 Pro Ile Ser Leu Leu Leu Leu Ala Gly Ala Ser Tyr Phe Leu Trp Arg
 260 265 270
 Gln Gln Lys Glu Lys Ile Ala Leu Ser Arg Glu Thr Glu Arg Glu Arg
 275 280 285
 Glu Met Lys Glu Met Gly Tyr Ala Ala Thr Glu Gln Glu Ile Ser Leu
 290 295 300
 Arg Glu Lys Leu Gln Glu Glu Leu Lys Trp Arg Lys Ile Gln Tyr Met
 305 310 315 320
 Ala Arg Gly Glu Lys Ser Leu Ala Tyr His Glu Trp Lys Met Ala Leu
 325 330 335
 Phe Lys Pro Ala Asp Val Ile Leu Asp Pro Asp Thr Ala Asn Ala Ile
 340 345 350

Leu Leu Val Ser Glu Asp Gln Arg Ser Val Gln Arg Ala Glu Glu Pro
 355 360 365

Arg Asp Leu Pro Asp Asn Pro Glu Arg Phe Glu Trp Arg Tyr Cys Val
 370 375 380

Leu Gly Cys Glu Asn Phe Thr Ser Gly Arg His Tyr Trp Glu Val Glu
 385 390 395 400

Val Gly Asp Arg Lys Glu Trp His Ile Gly Val Cys Ser Lys Asn Val
 405 410 415

Glu Arg Lys Lys Gly Trp Val Lys Met Thr Pro Glu Asn Gly Tyr Trp
 420 425 430

Thr Met Gly Leu Thr Asp Gly Asn Lys Tyr Arg Ala Leu Thr Glu Pro
 435 440 445

Arg Thr Asn Leu Lys Leu Pro Glu Pro Pro Arg Lys Val Gly Ile Phe
 450 455 460

Leu Asp Tyr Glu Thr Gly Glu Ile Ser Phe Tyr Asn Ala Thr Asp Gly
 465 470 475 480

Ser His Ile Tyr Thr Phe Pro His Ala Ser Phe Ser Glu Pro Leu Tyr
 485 490 495

Pro Val Phe Arg Ile Leu Thr Leu Glu Pro Thr Ala Leu Thr Ile Cys
 500 505 510

Pro Ile Pro Lys Glu Val Glu Ser Ser Pro Asp Pro Asp Leu Val Pro
 515 520 525

Asp His Ser Leu Glu Thr Pro Leu Thr Pro Gly Leu Ala Asn Glu Ser
 530 535 540

Gly Glu Pro Gln Ala Glu Val Thr Ser Leu Leu Leu Pro Ala His Pro
 545 550 555 560

Gly Ala Glu Val Ser Pro Ser Ala Thr Thr Asn Gln Asn His Lys Leu
 565 570 575

Gln Ala Arg Thr Glu Ala Leu Tyr
580

<210> 158
<211> 708
<212> PRT
<213> Homo sapiens

<400> 158

Met Asn Pro Thr Glu Thr Lys Ala Ile Pro Val Ser Gln Gln Met Glu
1 5 10 15

Gly Pro His Leu Pro Asn Lys Lys Lys His Lys Lys Gln Ala Val Lys
20 25 30

Thr Glu Pro Glu Lys Lys Ser Gln Ser Thr Lys Leu Ser Val Val His
35 40 45

Glu Lys Lys Ser Gln Glu Gly Lys Pro Lys Glu His Thr Glu Pro Lys
50 55 60

Ser Leu Pro Lys Gln Ala Ser Asp Thr Gly Ser Asn Asp Ala His Asn
65 70 75 80

Lys Lys Ala Val Ser Arg Ser Ala Glu Gln Gln Pro Ser Glu Lys Ser
85 90 95

Thr Glu Pro Lys Thr Lys Pro Gln Asp Met Ile Ser Ala Gly Gly Glu
100 105 110

Ser Val Ala Gly Ile Thr Ala Ile Ser Gly Lys Pro Gly Asp Lys Lys
115 120 125

Lys Glu Lys Lys Ser Leu Thr Pro Ala Val Pro Val Glu Ser Lys Pro
130 135 140

Asp Lys Pro Ser Gly Lys Ser Gly Met Asp Ala Ala Leu Asp Asp Leu
145 150 155 160

Ile Asp Thr Leu Gly Gly Pro Glu Glu Thr Glu Glu Glu Asn Thr Thr
165 170 175

Tyr Thr Gly Pro Glu Val Ser Asp Pro Met Ser Ser Thr Tyr Ile Glu

180	185	190
Glu Leu Gly Lys Arg Glu Val Thr Ile Pro Pro Lys Tyr Arg Glu Leu		
195	200	205
Leu Ala Lys Lys Glu Gly Ile Thr Gly Pro Pro Ala Asp Ser Ser Lys		
210	215	220
Pro Ile Gly Pro Asp Asp Ala Ile Asp Ala Leu Ser Ser Asp Phe Thr		
225	230	235
Cys Gly Ser Pro Thr Ala Ala Gly Lys Lys Thr Glu Lys Glu Glu Ser		
245	250	255
Thr Glu Val Leu Lys Ala Gln Ser Ala Gly Thr Val Arg Ser Ala Ala		
260	265	270
Pro Pro Gln Glu Lys Lys Arg Lys Val Glu Lys Asp Thr Met Ser Asp		
275	280	285
Gln Ala Leu Glu Ala Leu Ser Ala Ser Leu Gly Thr Arg Gln Ala Glu		
290	295	300
Pro Glu Leu Asp Leu Arg Ser Ile Lys Glu Val Asp Glu Ala Lys Ala		
305	310	315
Lys Glu Glu Lys Leu Glu Lys Cys Gly Glu Asp Asp Glu Thr Ile Pro		
325	330	335
Ser Glu Tyr Arg Leu Lys Pro Ala Thr Asp Lys Asp Gly Lys Pro Leu		
340	345	350
Leu Pro Glu Pro Glu Glu Lys Pro Lys Pro Arg Ser Glu Ser Glu Leu		
355	360	365
Ile Asp Glu Leu Ser Glu Asp Phe Asp Arg Ser Glu Cys Lys Glu Lys		
370	375	380
Pro Ser Lys Pro Thr Glu Lys Thr Glu Glu Ser Lys Ala Ala Ala Pro		
385	390	395
Ala Pro Val Ser Glu Ala Val Cys Arg Thr Ser Met Cys Ser Ile Gln		
405	410	415

Ser Ala Pro Pro Glu Pro Ala Thr Leu Lys Gly Thr Val Pro Asp Asp
420 425 430

Ala Val Glu Ala Leu Ala Asp Ser Leu Gly Lys Lys Glu Ala Asp Pro
435 440 445

Glu Asp Gly Lys Pro Val Met Asp Lys Val Lys Glu Lys Ala Lys Glu
450 455 460

Glu Asp Arg Glu Lys Leu Gly Glu Lys Glu Glu Thr Ile Pro Pro Asp
465 470 475 480

Tyr Arg Leu Glu Glu Val Lys Asp Lys Asp Gly Lys Pro Leu Leu Pro
485 490 495

Lys Glu Ser Lys Glu Gln Leu Pro Pro Met Ser Glu Asp Phe Leu Leu
500 505 510

Asp Ala Leu Ser Glu Asp Phe Ser Gly Pro Gln Asn Ala Ser Ser Leu
515 520 525

Lys Phe Glu Asp Ala Lys Leu Ala Ala Ala Ile Ser Glu Val Val Ser
530 535 540

Gln Thr Pro Ala Ser Thr Thr Gln Ala Gly Ala Pro Pro Arg Asp Thr
545 550 555 560

Ser Gln Ser Asp Lys Asp Leu Asp Asp Ala Leu Asp Lys Leu Ser Asp
565 570 575

Ser Leu Gly Gln Arg Gln Pro Asp Pro Asp Glu Asn Lys Pro Met Glu
580 585 590

Asp Lys Val Lys Glu Lys Ala Lys Ala Glu His Arg Asp Lys Leu Gly
595 600 605

Glu Arg Asp Asp Thr Ile Pro Pro Glu Tyr Arg His Leu Leu Asp Asp
610 615 620

Asn Gly Gln Asp Lys Pro Val Lys Pro Pro Thr Lys Lys Ser Glu Asp
625 630 635 640

Ser Lys Lys Pro Ala Asp Asp Gln Asp Pro Ile Asp Ala Leu Ser Gly
645 650 655

Asp Leu Asp Ser Cys Pro Ser Thr Thr Glu Thr Ser Gln Asn Thr Ala
660 665 670

Lys Asp Lys Cys Lys Lys Ala Ala Ser Ser Ser Lys Ala Pro Lys Asn
675 680 685

Gly Gly Lys Ala Lys Asp Ser Ala Lys Thr Thr Glu Glu Thr Ser Lys
690 695 700

Pro Lys Asp Asp
705

<210> 159
<211> 395
<212> PRT
<213> Homo sapiens

<400> 159

Met Trp Leu Pro Arg Val Ser Ser Thr Ala Val Thr Ala Leu Leu Leu
1 5 10 15

Ala Gln Thr Phe Leu Leu Leu Phe Leu Val Ser Arg Pro Gly Pro Ser
20 25 30

Ser Pro Ala Gly Gly Glu Ala Arg Val His Val Leu Val Leu Ser Ser
35 40 45

Trp Arg Ser Gly Ser Ser Phe Val Gly Gln Leu Phe Asn Gln His Pro
50 55 60

Asp Val Phe Tyr Leu Met Glu Pro Ala Trp His Val Trp Thr Thr Leu
65 70 75 80

Ser Gln Gly Ser Ala Ala Thr Leu His Met Ala Val Arg Asp Leu Val
85 90 95

Arg Ser Val Phe Leu Cys Asp Met Asp Val Phe Asp Ala Tyr Leu Pro
100 105 110

Trp Arg Arg Asn Leu Ser Asp Leu Phe Gln Trp Ala Val Ser Arg Ala

115	120	125
Leu Cys Ser Pro Pro Ala Cys Ser Ala Phe Pro Arg Gly Ala Ile Ser		
130	135	140
Ser Glu Ala Val Cys Lys Pro Leu Cys Ala Arg Gln Ser Phe Thr Leu		
145	150	155
Ala Arg Glu Ala Cys Arg Ser Tyr Ser His Val Val Leu Lys Glu Val		
165	170	175
Arg Phe Phe Asn Leu Gln Val Leu Tyr Pro Leu Leu Ser Asp Pro Ala		
180	185	190
Leu Asn Leu Arg Ile Val His Leu Val Arg Asp Pro Arg Ala Val Leu		
195	200	205
Arg Ser Arg Glu Gln Thr Ala Lys Ala Leu Ala Arg Asp Asn Gly Ile		
210	215	220
Val Leu Gly Thr Asn Gly Thr Trp Val Glu Ala Asp Pro Gly Leu Arg		
225	230	235
Val Val Arg Glu Val Cys Arg Ser His Val Arg Ile Ala Glu Ala Ala		
245	250	255
Thr Leu Lys Pro Pro Pro Phe Leu Arg Gly Arg Tyr Arg Leu Val Arg		
260	265	270
Phe Glu Asp Leu Ala Arg Glu Pro Leu Ala Glu Ile Arg Ala Leu Tyr		
275	280	285
Ala Phe Thr Gly Leu Ser Leu Thr Pro Gln Leu Glu Ala Trp Ile His		
290	295	300
Asn Ile Thr His Gly Ser Gly Pro Gly Ala Arg Arg Glu Ala Phe Lys		
305	310	315
Thr Ser Ser Arg Asn Ala Leu Asn Val Ser Gln Ala Trp Arg His Ala		
325	330	335
Leu Pro Phe Ala Lys Ile Arg Arg Val Gln Glu Leu Cys Ala Gly Ala		
340	345	350

Leu Gln Leu Leu Gly Tyr Arg Pro Val Tyr Ser Glu Asp Glu Gln Arg
 355 360 365

Asn Leu Ala Leu Asp Leu Val Leu Pro Arg Gly Leu Asn Gly Phe Thr
 370 375 380

Trp Ala Ser Ser Thr Ala Ser His Pro Arg Asn
 385 390 395

<210> 160
 <211> 254
 <212> PRT
 <213> Homo sapiens

<400> 160

Met Pro Ala Lys Thr Pro Ile Tyr Leu Lys Ala Ala Asn Asn Lys Lys
 1 5 10 15

Gly Lys Lys Phe Lys Leu Arg Asp Ile Leu Ser Pro Asp Met Ile Ser
 20 25 30

Pro Pro Leu Gly Asp Phe Arg His Thr Ile His Ile Gly Lys Glu Gly
 35 40 45

Gln His Asp Val Phe Gly Asp Ile Ser Phe Leu Gln Gly Asn Tyr Glu
 50 55 60

Leu Leu Pro Gly Asn Gln Glu Lys Ala His Leu Gly Gln Phe Pro Gly
 65 70 75 80

His Asn Glu Phe Phe Arg Ala Asn Ser Thr Ser Asp Ser Val Phe Thr
 85 90 95

Glu Thr Pro Ser Pro Val Leu Lys Asn Ala Ile Ser Leu Pro Thr Ile
 100 105 110

Gly Gly Ser Gln Ala Leu Met Leu Pro Leu Leu Ser Pro Val Thr Phe
 115 120 125

Asn Ser Lys Gln Glu Ser Phe Gly Pro Ala Lys Leu Pro Arg Leu Ser
 130 135 140

Cys Glu Pro Val Met Glu Glu Lys Ala Gln Glu Lys Ser Ser Leu Leu
 145 150 155 160

Glu Asn Gly Thr Val His Gln Gly Asp Thr Ser Trp Gly Ser Ser Gly
 165 170 175

Ser Ala Ser Gln Ser Ser Gln Gly Arg Asp Ser His Ser Ser Ser Leu
 180 185 190

Ser Glu Gln Tyr Pro Asp Trp Pro Ala Glu Asp Met Phe Asp His Pro
 195 200 205

Thr Pro Cys Glu Leu Ile Lys Gly Lys Thr Lys Ser Glu Glu Ser Leu
 210 215 220

Ser Asp Leu Thr Gly Ser Leu Leu Ser Leu Gln Leu Asp Leu Gly Pro
 225 230 235 240

Ser Leu Leu Asp Glu Val Leu Asn Val Met Asp Lys Asn Lys
 245 250

<210> 161
 <211> 536
 <212> PRT
 <213> Homo sapiens

<400> 161

Met Asp Lys Val Gly Lys Met Trp Asn Asn Phe Lys Tyr Arg Cys Gln
 1 5 10 15

Asn Leu Phe Gly His Glu Gly Gly Ser Arg Ser Glu Asn Val Asp Met
 20 25 30

Asn Ser Asn Arg Cys Leu Ser Val Lys Glu Lys Asn Ile Ser Ile Gly
 35 40 45

Asp Ser Thr Pro Gln Gln Gln Ser Ser Pro Leu Arg Glu Asn Ile Ala
 50 55 60

Leu Gln Leu Gly Leu Ser Pro Ser Lys Asn Ser Ser Arg Arg Asn Gln
 65 70 75 80

Asn Cys Ala Thr Glu Ile Pro Gln Ile Val Glu Ile Ser Ile Glu Lys
 85 90 95

Asp Asn Asp Ser Cys Val Thr Pro Gly Thr Arg Leu Ala Arg Arg Asp
 100 105 110

Ser Tyr Ser Arg His Ala Pro Trp Gly Gly Lys Lys Lys His Ser Cys
 115 120 125

Ser Thr Lys Thr Gln Ser Ser Leu Asp Ala Asp Lys Lys Phe Gly Arg
 130 135 140

Thr Arg Ser Gly Leu Gln Arg Arg Glu Arg Arg Tyr Gly Val Ser Ser
 145 150 155 160

Val His Asp Met Asp Ser Val Ser Ser Arg Thr Val Gly Ser Arg Ser
 165 170 175

Leu Arg Gln Arg Leu Gln Asp Thr Val Gly Leu Cys Phe Pro Met Arg
 180 185 190

Thr Tyr Ser Lys Gln Ser Lys Pro Leu Phe Ser Asn Lys Arg Lys Ile
 195 200 205

His Leu Ser Glu Leu Met Leu Glu Lys Cys Pro Phe Pro Ala Gly Ser
 210 215 220

Asp Leu Ala Gln Lys Trp His Leu Ile Lys Gln His Thr Ala Pro Val
 225 230 235 240

Ser Pro His Ser Thr Phe Phe Asp Thr Phe Asp Pro Ser Leu Val Ser
 245 250 255

Thr Glu Asp Glu Glu Asp Arg Leu Arg Glu Arg Arg Arg Leu Ser Ile
 260 265 270

Glu Glu Gly Val Asp Pro Pro Pro Asn Ala Gln Ile His Thr Phe Glu
 275 280 285

Ala Thr Ala Gln Val Asn Pro Leu Tyr Lys Leu Gly Pro Lys Leu Ala
 290 295 300

Pro Gly Met Thr Glu Ile Ser Gly Asp Ser Ser Ala Ile Pro Gln Ala
 305 310 315 320

Asn Cys Asp Ser Glu Glu Asp Thr Thr Thr Leu Cys Leu Gln Ser Arg
 325 330 335

Arg Gln Lys Gln Arg Gln Ile Ser Gly Asp Ser His Thr His Val Ser
 340 345 350

Arg Gln Gly Ala Trp Lys Val His Thr Gln Ile Asp Tyr Ile His Cys
 355 360 365

Leu Val Pro Asp Leu Leu Gln Ile Thr Gly Asn Pro Cys Tyr Trp Gly
 370 375 380

Val Met Asp Arg Tyr Glu Ala Glu Ala Leu Leu Glu Gly Lys Pro Glu
 385 390 395 400

Gly Thr Phe Leu Leu Arg Asp Ser Ala Gln Glu Asp Tyr Leu Phe Ser
 405 410 415

Val Ser Phe Arg Arg Tyr Asn Arg Ser Leu His Ala Arg Ile Glu Gln
 420 425 430

Trp Asn His Asn Phe Ser Phe Asp Ala His Asp Pro Cys Val Phe His
 435 440 445

Ser Ser Thr Val Thr Gly Leu Leu Glu His Tyr Lys Asp Pro Ser Ser
 450 455 460

Cys Met Phe Phe Glu Pro Leu Leu Thr Ile Ser Leu Asn Arg Thr Phe
 465 470 475 480

Pro Phe Ser Leu Gln Tyr Ile Cys Arg Ala Val Ile Cys Arg Cys Thr
 485 490 495

Thr Tyr Asp Gly Ile Asp Gly Leu Pro Leu Pro Ser Met Leu Gln Asp
 500 505 510

Phe Leu Lys Glu Tyr His Tyr Lys Gln Lys Val Arg Val Arg Trp Leu
 515 520 525

Glu Arg Glu Pro Val Lys Ala Lys
 530 535

<210> 162
 <211> 142
 <212> PRT
 <213> Homo sapiens

<400> 162

Met Ala Thr Lys Ile Asp Lys Glu Ala Cys Arg Ala Ala Tyr Asn Leu
 1 5 10 15

Val Arg Asp Asp Gly Ser Ala Val Ile Trp Val Thr Phe Lys Tyr Asp
 20 25 30

Gly Ser Thr Ile Val Pro Gly Glu Gln Gly Ala Glu Tyr Gln His Phe
 35 40 45

Ile Gln Gln Cys Thr Asp Asp Val Arg Leu Phe Ala Phe Val Arg Phe
 50 55 60

Thr Thr Gly Asp Ala Met Ser Lys Arg Ser Lys Phe Ala Leu Ile Thr
 65 70 75 80

Trp Ile Gly Glu Asn Val Ser Gly Leu Gln Arg Ala Lys Thr Gly Thr
 85 90 95

Asp Lys Thr Leu Val Lys Glu Val Val Gln Asn Phe Ala Lys Glu Phe
 100 105 110

Val Ile Ser Asp Arg Lys Glu Leu Glu Glu Asp Phe Ile Lys Ser Glu
 115 120 125

Leu Lys Lys Ala Gly Gly Ala Asn Tyr Asp Ala Gln Thr Glu
 130 135 140

<210> 163
 <211> 658
 <212> PRT
 <213> Homo sapiens

<400> 163

Met Ala Glu Ala Ala Ala Ala Gly Gly Thr Gly Leu Gly Ala Gly
 1 5 10 15

Ala Ser Tyr Gly Ser Ala Ala Asp Arg Asp Arg Asp Pro Asp Pro Asp
 20 25 30

Arg Ala Gly Arg Arg Leu Arg Val Leu Ser Gly His Leu Leu Gly Arg
 35 40 45

Pro Arg Glu Ala Leu Ser Thr Asn Glu Cys Lys Ala Arg Arg Ala Ala
 50 55 60

Ser Ala Ala Thr Ala Ala Pro Thr Ala Thr Pro Ala Ala Gln Glu Ser
 65 70 75 80

Gly Thr Ile Pro Lys Lys Arg Gln Glu Val Met Lys Trp Asn Gly Trp
 85 90 95

Gly Tyr Asn Asp Ser Lys Phe Ile Phe Asn Lys Lys Gly Gln Ile Glu
 100 105 110

Leu Thr Gly Lys Arg Tyr Pro Leu Ser Gly Met Gly Leu Pro Thr Phe
 115 120 125

Lys Glu Trp Ile Gln Asn Thr Leu Gly Val Asn Val Glu His Lys Thr
 130 135 140

Thr Ser Lys Ala Ser Leu Asn Pro Ser Asp Thr Pro Pro Ser Val Val
 145 150 155 160

Asn Glu Asp Phe Leu His Asp Leu Lys Glu Thr Asn Ile Ser Tyr Ser
 165 170 175

Gln Glu Ala Asp Asp Arg Val Phe Arg Ala His Gly His Cys Leu His
 180 185 190

Glu Ile Phe Leu Leu Arg Glu Gly Met Phe Glu Arg Ile Pro Asp Ile
 195 200 205

Val Leu Trp Pro Thr Cys His Asp Asp Val Val Lys Ile Val Asn Leu
 210 215 220

Ala Cys Lys Tyr Asn Leu Cys Ile Ile Pro Ile Gly Gly Gly Thr Ser
 225 230 235 240

Val Ser Tyr Gly Leu Met Cys Pro Ala Asp Glu Thr Arg Thr Ile Ile
 245 250 255

Ser Leu Asp Thr Ser Gln Met Asn Arg Ile Leu Trp Val Asp Glu Asn
 260 265 270

Asn Leu Thr Ala His Val Glu Ala Gly Ile Thr Gly Gln Glu Leu Glu
 275 280 285

Arg Gln Leu Lys Glu Ser Gly Tyr Cys Thr Gly His Glu Pro Asp Ser
 290 295 300

Leu Glu Phe Ser Thr Val Gly Gly Trp Val Ser Thr Arg Ala Ser Gly
 305 310 315 320

Met Lys Lys Asn Ile Tyr Gly Asn Ile Glu Asp Leu Val Val His Ile
 325 330 335

Lys Met Val Thr Pro Arg Gly Ile Ile Glu Lys Ser Cys Gln Gly Pro
 340 345 350

Arg Met Ser Thr Gly Pro Asp Ile His His Phe Ile Met Gly Ser Glu
 355 360 365

Gly Thr Leu Gly Val Ile Thr Glu Ala Thr Ile Lys Ile Arg Pro Val
 370 375 380

Pro Glu Tyr Gln Lys Tyr Gly Ser Val Ala Phe Pro Asn Phe Glu Gln
 385 390 395 400

Gly Val Ala Cys Leu Arg Glu Ile Ala Lys Gln Arg Cys Ala Pro Ala
 405 410 415

Ser Ile Arg Leu Met Asp Asn Lys Gln Phe Gln Phe Gly His Ala Leu
 420 425 430

Lys Pro Gln Val Ser Ser Ile Phe Thr Ser Phe Leu Asp Gly Leu Lys
 435 440 445

Lys Phe Tyr Ile Thr Lys Phe Lys Gly Phe Asp Pro Asn Gln Leu Ser
 450 455 460

Val Ala Thr Leu Leu Phe Glu Gly Asp Arg Glu Lys Val Leu Gln His
 465 470 475 480

Glu Lys Gln Val Tyr Asp Ile Ala Ala Lys Phe Gly Gly Leu Ala Ala

485

490

495

Gly Glu Asp Asn Gly Gln Arg Gly Tyr Leu Leu Thr Tyr Val Ile Ala
 500 505 510

Tyr Ile Arg Asp Leu Ala Leu Glu Tyr Tyr Val Leu Gly Glu Ser Phe
 515 520 525

Glu Thr Ser Ala Pro Trp Asp Arg Val Val Asp Leu Cys Arg Asn Val
 530 535 540

Lys Glu Arg Ile Thr Arg Glu Cys Lys Glu Lys Gly Val Gln Phe Ala
 545 550 555 560

Pro Phe Ser Thr Cys Arg Val Thr Gln Thr Tyr Asp Ala Gly Ala Cys
 565 570 575

Ile Tyr Phe Tyr Phe Ala Phe Asn Tyr Arg Gly Ile Ser Asp Pro Leu
 580 585 590

Thr Val Phe Glu Gln Thr Glu Ala Ala Ala Arg Glu Glu Ile Leu Ala
 595 600 605

Asn Gly Gly Ser Leu Ser His His His Gly Val Gly Lys Leu Arg Lys
 610 615 620

Gln Trp Leu Lys Glu Ser Ile Ser Asp Val Gly Phe Gly Met Leu Lys
 625 630 635 640

Ser Val Lys Glu Tyr Val Asp Pro Asn Asn Ile Phe Gly Asn Arg Asn
 645 650 655

Leu Leu

<210> 164
 <211> 482
 <212> PRT
 <213> Homo sapiens

<400> 164

Met Pro Pro Ser Pro Leu Asp Asp Arg Val Val Val Ala Leu Ser Arg
 1 5 10 15

Pro Val Arg Pro Gln Asp Leu Asn Leu Cys Leu Asp Ser Ser Tyr Leu
20 25 30

Gly Ser Ala Asn Pro Gly Ser Asn Ser His Pro Pro Val Ile Ala Thr
35 40 45

Thr Val Val Ser Leu Lys Ala Ala Asn Leu Thr Tyr Met Pro Ser Ser
50 55 60

Ser Gly Ser Ala Arg Ser Leu Asn Cys Gly Cys Ser Ser Ala Ser Cys
65 70 75 80

Cys Thr Val Ala Thr Tyr Asp Lys Asp Asn Gln Ala Gln Thr Gln Ala
85 90 95

Ile Ala Ala Gly Thr Thr Thr Thr Ala Ile Gly Thr Ser Thr Thr Cys
100 105 110

Pro Ala Asn Gln Met Val Asn Asn Asn Glu Asn Thr Gly Ser Leu Ser
115 120 125

Pro Ser Ser Gly Val Gly Ser Pro Val Ser Gly Thr Pro Lys Gln Leu
130 135 140

Ala Ser Ile Lys Ile Ile Tyr Pro Asn Asp Leu Ala Lys Lys Met Thr
145 150 155 160

Lys Cys Ser Lys Ser His Leu Pro Ser Gln Gly Pro Val Ile Ile Asp
165 170 175

Cys Arg Pro Phe Met Glu Tyr Asn Lys Ser His Ile Gln Gly Ala Val
180 185 190

His Ile Asn Cys Ala Asp Lys Ile Ser Arg Arg Arg Leu Gln Gln Gly
195 200 205

Lys Ile Thr Val Leu Asp Leu Ile Ser Cys Arg Glu Gly Lys Asp Ser
210 215 220

Phe Lys Arg Ile Phe Ser Lys Glu Ile Ile Val Tyr Asp Glu Asn Thr
225 230 235 240

236

465 470 475 480

Val Val

<210> 165
 <211> 407
 <212> PRT
 <213> Homo sapiens

<400> 165

Met Glu Ser Ala Ile Thr Leu Trp Gln Phe Leu Leu Gln Leu Leu Leu
 1 5 10 15

Asp Gln Lys His Glu His Leu Ile Cys Trp Thr Ser Asn Asp Gly Glu
 20 25 30

Phe Lys Leu Leu Lys Ala Glu Glu Val Ala Lys Leu Trp Gly Leu Arg
 35 40 45

Lys Asn Lys Thr Asn Met Asn Tyr Asp Lys Leu Ser Arg Ala Leu Arg
 50 55 60

Tyr Tyr Tyr Asp Lys Asn Ile Ile Lys Lys Val Ile Gly Gln Lys Phe
 65 70 75 80

Val Tyr Lys Phe Val Ser Phe Pro Glu Ile Leu Lys Met Asp Pro His
 85 90 95

Ala Val Glu Ile Ser Arg Glu Ser Leu Leu Leu Gln Asp Ser Asp Cys
 100 105 110

Lys Val Ser Pro Glu Gly Arg Glu Ala His Lys His Gly Leu Ala Val
 115 120 125

Leu Arg Ser Thr Ser Arg Asn Glu Tyr Ile His Ser Gly Leu Tyr Ser
 130 135 140

Ser Phe Thr Ile Asn Ser Leu Glu Asn Pro Pro Asp Ala Phe Lys Ala
 145 150 155 160

Ile Lys Arg Glu Lys Leu Glu Glu Pro Pro Glu Asp Ser Pro Pro Val
 165 170 175

Glu Glu Val Arg Thr Val Ile Arg Phe Val Thr Asn Lys Thr Asp Lys
 180 185 190

His Val Thr Arg Pro Val Val Ser Leu Pro Ser Thr Ser Glu Ala Ala
 195 200 205

Ala Ala Ser Ala Phe Leu Ala Ser Ser Val Ser Ala Lys Ile Ser Ser
 210 215 220

Leu Met Leu Pro Asn Ala Ala Ser Ile Ser Ser Ala Ser Pro Phe Ser
 225 230 235 240

Ser Arg Ser Pro Ser Leu Ser Pro Lys Ser Pro Leu Pro Ser Glu His
 245 250 255

Arg Ser Leu Phe Leu Glu Ala Ala Cys His Asp Ser Asp Ser Leu Glu
 260 265 270

Pro Leu Asn Leu Ser Ser Gly Ser Lys Thr Lys Ser Pro Ser Leu Pro
 275 280 285

Pro Lys Ala Lys Lys Pro Lys Gly Leu Glu Ile Ser Ala Pro Pro Leu
 290 295 300

Val Leu Ser Gly Thr Asp Ile Gly Ser Ile Ala Leu Asn Ser Pro Ala
 305 310 315 320

Leu Pro Ser Gly Ser Leu Thr Pro Ala Phe Phe Thr Ala Gln Thr Pro
 325 330 335

Asn Gly Leu Leu Leu Thr Pro Ser Pro Leu Leu Ser Ser Ile His Phe
 340 345 350

Trp Ser Ser Leu Ser Pro Val Ala Pro Leu Ser Pro Ala Arg Leu Gln
 355 360 365

Gly Pro Ser Thr Leu Phe Gln Phe Pro Thr Leu Leu Asn Gly His Met
 370 375 380

Pro Val Pro Ile Pro Ser Leu Asp Arg Ala Ala Ser Pro Val Leu Leu
 385 390 395 400

Ser Ser Asn Ser Gln Lys Ser
405

<210> 166
<211> 364
<212> PRT
<213> Homo sapiens

<400> 166

Met Ala Ala Ile Ser Thr Ser Ile Pro Val Ile Ser Gln Pro Gln Phe
1 5 10 15

Thr Ala Met Asn Glu Pro Gln Cys Phe Tyr Asn Glu Ser Ile Ala Phe
20 25 30

Phe Tyr Asn Arg Ser Gly Lys His Leu Ala Thr Glu Trp Asn Thr Val
35 40 45

Ser Lys Leu Val Met Gly Leu Gly Ile Thr Val Cys Ile Phe Ile Met
50 55 60

Leu Ala Asn Leu Leu Val Met Val Ala Ile Tyr Val Asn Arg Arg Phe
65 70 75 80

His Phe Pro Ile Tyr Tyr Leu Met Ala Asn Leu Ala Ala Ala Asp Phe
85 90 95

Phe Ala Gly Leu Ala Tyr Phe Tyr Leu Met Phe Asn Thr Gly Pro Asn
100 105 110

Thr Arg Arg Leu Thr Val Ser Thr Trp Leu Leu Arg Gln Gly Leu Ile
115 120 125

Asp Thr Ser Leu Thr Ala Ser Val Ala Asn Leu Leu Ala Ile Ala Ile
130 135 140

Glu Arg His Ile Thr Val Phe Arg Met Gln Leu His Thr Arg Met Ser
145 150 155 160

Asn Arg Arg Val Val Val Val Ile Val Val Ile Trp Thr Met Ala Ile
165 170 175

Val Met Gly Ala Ile Pro Ser Val Gly Trp Asn Cys Ile Cys Asp Ile
180 185 190

Glu Asn Cys Ser Asn Met Ala Pro Leu Tyr Ser Asp Ser Tyr Leu Val
 195 200 205

Phe Trp Ala Ile Phe Asn Leu Val Thr Phe Val Val Met Val Val Leu
 210 215 220

Tyr Ala His Ile Phe Gly Tyr Val Arg Gln Arg Thr Met Arg Met Ser
 225 230 235 240

Arg His Ser Ser Gly Pro Arg Arg Asn Arg Asp Thr Met Met Ser Leu
 245 250 255

Leu Lys Thr Val Val Ile Val Leu Gly Ala Phe Ile Ile Cys Trp Thr
 260 265 270

Pro Gly Leu Val Leu Leu Leu Leu Asp Val Cys Cys Pro Gln Cys Asp
 275 280 285

Val Leu Ala Tyr Glu Lys Phe Phe Leu Leu Leu Ala Glu Phe Asn Ser
 290 295 300

Ala Met Asn Pro Ile Ile Tyr Ser Tyr Arg Asp Lys Glu Met Ser Ala
 305 310 315 320

Thr Phe Arg Gln Ile Leu Cys Cys Gln Arg Ser Glu Asn Pro Thr Gly
 325 330 335

Pro Thr Glu Gly Ser Asp Arg Ser Ala Ser Ser Leu Asn His Thr Ile
 340 345 350

Leu Ala Gly Val His Ser Asn Asp His Ser Val Val
 355 360

<210> 167
 <211> 759
 <212> PRT
 <213> Homo sapiens

<400> 167

Met Glu Ser Ser Pro Phe Asn Arg Arg Gln Trp Thr Ser Leu Ser Leu
 1 5 10 15

Arg Val Thr Ala Lys Glu Leu Ser Leu Val Asn Lys Asn Lys Ser Ser
 20 25 30

Ala Ile Val Glu Ile Phe Ser Lys Tyr Gln Lys Ala Ala Glu Glu Thr
 35 40 45

Asn Met Glu Lys Lys Arg Ser Asn Thr Glu Asn Leu Ser Gln His Phe
 50 55 60

Arg Lys Gly Thr Leu Thr Val Leu Lys Lys Lys Trp Glu Asn Pro Gly
 65 70 75 80

Leu Gly Ala Glu Ser His Thr Asp Ser Leu Arg Asn Ser Ser Thr Glu
 85 90 95

Ile Arg His Arg Ala Asp His Pro Pro Ala Glu Val Thr Ser His Ala
 100 105 110

Ala Ser Gly Ala Lys Ala Asp Gln Glu Glu Gln Ile His Pro Arg Ser
 115 120 125

Arg Leu Arg Ser Pro Pro Glu Ala Leu Val Gln Gly Arg Tyr Pro His
 130 135 140

Ile Lys Asp Gly Glu Asp Leu Lys Asp His Ser Thr Glu Ser Lys Lys
 145 150 155 160

Met Glu Asn Cys Leu Gly Glu Ser Arg His Glu Val Glu Lys Ser Glu
 165 170 175

Ile Ser Glu Asn Thr Asp Ala Ser Gly Lys Ile Glu Lys Tyr Asn Val
 180 185 190

Pro Leu Asn Arg Leu Lys Met Met Phe Glu Lys Gly Glu Pro Thr Gln
 195 200 205

Thr Lys Ile Leu Arg Ala Gln Ser Arg Ser Ala Ser Gly Arg Lys Ile
 210 215 220

Ser Glu Asn Ser Tyr Ser Leu Asp Asp Leu Glu Ile Gly Pro Gly Gln
 225 230 235 240

Leu Ser Ser Ser Thr Phe Asp Ser Glu Lys Asn Glu Ser Arg Arg Asn

245	250	255
Leu Glu Leu Pro Arg Leu Ser Glu Thr Ser Ile Lys Asp Arg Met Ala		
260	265	270
Lys Tyr Gln Ala Ala Val Ser Lys Gln Ser Ser Ser Thr Asn Tyr Thr		
275	280	285
Asn Glu Leu Lys Ala Ser Gly Gly Glu Ile Lys Ile His Lys Met Glu		
290	295	300
Gln Lys Glu Asn Val Pro Pro Gly Pro Glu Val Cys Ile Thr His Gln		
305	310	315
Glu Gly Glu Lys Ile Ser Ala Asn Glu Asn Ser Leu Ala Val Arg Ser		
325	330	335
Thr Pro Ala Glu Asp Asp Ser Arg Asp Ser Gln Val Lys Ser Glu Val		
340	345	350
Gln Gln Pro Val His Pro Lys Pro Leu Ser Pro Asp Ser Arg Ala Ser		
355	360	365
Ser Leu Ser Glu Ser Ser Pro Pro Lys Ala Met Lys Lys Phe Gln Ala		
370	375	380
Pro Ala Arg Glu Thr Cys Val Glu Cys Gln Lys Thr Val Tyr Pro Met		
385	390	395
Glu Arg Leu Leu Ala Asn Gln Gln Val Phe His Ile Ser Cys Phe Arg		
405	410	415
Cys Ser Tyr Cys Asn Asn Lys Leu Ser Leu Gly Thr Tyr Ala Ser Leu		
420	425	430
His Gly Arg Ile Tyr Cys Lys Pro His Phe Asn Gln Leu Phe Lys Ser		
435	440	445
Lys Gly Asn Tyr Asp Glu Gly Phe Gly His Arg Pro His Lys Asp Leu		
450	455	460
Trp Ala Ser Lys Asn Glu Asn Glu Glu Ile Leu Glu Arg Pro Ala Gln		
465	470	475
		480

Leu Ala Asn Ala Arg Glu Thr Pro His Ser Pro Gly Val Glu Asp Ala
 485 490 495

Pro Ile Ala Lys Val Gly Val Leu Ala Ala Ser Met Glu Ala Lys Ala
 500 505 510

Ser Ser Gln Gln Glu Lys Glu Asp Lys Pro Ala Glu Thr Lys Lys Leu
 515 520 525

Arg Ile Ala Trp Pro Pro Pro Thr Glu Leu Gly Ser Ser Gly Ser Ala
 530 535 540

Leu Glu Glu Gly Ile Lys Met Ser Lys Pro Lys Trp Pro Pro Glu Asp
 545 550 555 560

Glu Ile Ser Lys Pro Glu Val Pro Glu Asp Val Asp Leu Asp Leu Lys
 565 570 575

Lys Leu Arg Arg Ser Ser Ser Leu Lys Glu Arg Ser Arg Pro Phe Thr
 580 585 590

Val Ala Ala Ser Phe Gln Ser Thr Ser Val Lys Ser Pro Lys Thr Val
 595 600 605

Ser Pro Pro Ile Arg Lys Gly Trp Ser Met Ser Glu Gln Ser Glu Glu
 610 615 620

Ser Val Gly Gly Arg Val Ala Glu Arg Lys Gln Val Glu Asn Ala Lys
 625 630 635 640

Ala Ser Lys Lys Asn Gly Asn Val Gly Lys Thr Thr Trp Gln Asn Lys
 645 650 655

Glu Ser Lys Gly Glu Thr Gly Lys Arg Ser Lys Glu Gly His Ser Leu
 660 665 670

Glu Met Glu Asn Glu Asn Leu Val Glu Asn Gly Ala Asp Ser Asp Glu
 675 680 685

Asp Asp Asn Ser Phe Leu Lys Gln Gln Ser Pro Gln Glu Pro Lys Ser
 690 695 700

Leu Asn Trp Ser Ser Phe Val Asp Asn Thr Phe Ala Glu Glu Phe Thr
705 710 715 720

Thr Gln Asn Gln Lys Ser Gln Asp Val Glu Leu Trp Glu Gly Glu Val
725 730 735

Val Lys Glu Leu Ser Val Glu Glu Gln Ile Lys Arg Asn Arg Tyr Tyr
740 745 750

Asp Glu Asp Glu Asp Glu Glu
755

<210> 168
<211> 695
<212> PRT
<213> Homo sapiens

<400> 168

Met Ile Met Lys Ser Asn Phe Asp Glu Thr Tyr Ile Glu Asn Val Val
1 5 10 15

Arg Asn Ile Leu Lys Gly Gln Asp Val Asp Ser Lys Glu Ala Gln Leu
20 25 30

Ile Ser Phe Leu Ala Leu Leu Ser Ser Tyr Val Thr Asp Ser Thr Ile
35 40 45

Ser Val Ser Gln Cys Glu Ile Phe Leu Gly Ile Ile Tyr Thr Ser Thr
50 55 60

Pro Trp Glu Pro Glu Ser Leu Glu Asp Lys Met Gly Thr Tyr Ser Thr
65 70 75 80

Leu Leu Ile Lys Thr Glu Val Ala Glu Tyr Gly Arg Tyr Thr Gly Val
85 90 95

Arg Ile Ile His Pro Leu Ile Ala Leu Tyr Cys Leu Lys Glu Leu Glu
100 105 110

Arg Ser Tyr His Leu Asp Lys Cys Gln Ile Ala Leu Asn Ile Leu Glu
115 120 125

Glu Asn Leu Phe Tyr Asp Ser Gly Ile Gly Arg Asp Lys Phe Gln His

130

135

140

Asp Val Gln Thr Leu Leu Leu Thr Arg Gln Arg Lys Val Tyr Gly Asp
 145 150 155 160

Glu Thr Asp Thr Leu Phe Ser Pro Leu Met Glu Ala Leu Gln Asn Lys
 165 170 175

Asp Ile Glu Lys Val Leu Ser Ala Gly Ser Arg Arg Phe Pro Gln Asn
 180 185 190

Ala Phe Ile Cys Gln Ala Leu Ala Arg His Phe Tyr Ile Lys Glu Lys
 195 200 205

Asp Phe Asn Thr Ala Leu Asp Trp Ala Arg Gln Ala Lys Met Lys Ala
 210 215 220

Pro Lys Asn Ser Tyr Ile Ser Asp Thr Leu Gly Gln Val Tyr Lys Ser
 225 230 235 240

Glu Ile Lys Trp Trp Leu Asp Gly Asn Lys Asn Cys Arg Ser Ile Thr
 245 250 255

Val Asn Asp Leu Thr His Leu Leu Glu Ala Ala Glu Lys Ala Ser Arg
 260 265 270

Ala Phe Lys Glu Ser Gln Arg Gln Thr Asp Ser Lys Asn Tyr Glu Thr
 275 280 285

Glu Asn Trp Ser Pro Gln Lys Ser Gln Arg Arg Tyr Asp Met Tyr Asn
 290 295 300

Thr Ala Cys Phe Leu Gly Glu Ile Glu Val Gly Leu Tyr Thr Ile Gln
 305 310 315 320

Ile Leu Gln Leu Thr Pro Phe Phe His Lys Glu Asn Glu Leu Ser Lys
 325 330 335

Lys His Met Val Gln Phe Leu Ser Gly Lys Trp Thr Ile Pro Pro Asp
 340 345 350

Pro Arg Asn Glu Cys Tyr Leu Ala Leu Ser Lys Phe Thr Ser His Leu
 355 360 365

Lys Asn Leu Gln Ser Asp Leu Lys Arg Cys Phe Asp Phe Phe Ile Asp
 370 375 380

Tyr Met Val Leu Leu Lys Met Arg Tyr Thr Gln Lys Glu Ile Ala Glu
 385 390 395 400

Ile Met Leu Ser Lys Lys Val Ser Arg Cys Phe Arg Lys Tyr Thr Glu
 405 410 415

Leu Phe Cys His Leu Asp Pro Cys Leu Leu Gln Ser Lys Glu Ser Gln
 420 425 430

Leu Leu Gln Glu Glu Asn Cys Arg Lys Lys Leu Glu Ala Leu Arg Ala
 435 440 445

Asp Arg Phe Ala Gly Leu Leu Glu Tyr Leu Asn Pro Asn Tyr Lys Asp
 450 455 460

Ala Thr Thr Met Glu Ser Ile Val Asn Glu Tyr Ala Phe Leu Leu Gln
 465 470 475 480

Gln Asn Ser Lys Lys Pro Met Thr Asn Glu Lys Gln Asn Ser Ile Leu
 485 490 495

Ala Asn Ile Ile Leu Ser Cys Leu Lys Pro Asn Ser Lys Leu Ile Gln
 500 505 510

Pro Leu Thr Thr Leu Lys Lys Gln Leu Arg Glu Val Leu Gln Phe Val
 515 520 525

Gly Leu Ser His Gln Tyr Pro Gly Pro Tyr Phe Leu Ala Cys Leu Leu
 530 535 540

Phe Trp Pro Glu Asn Gln Glu Leu Asp Gln Asp Ser Lys Leu Ile Glu
 545 550 555 560

Lys Tyr Val Ser Ser Leu Asn Arg Ser Phe Arg Gly Gln Tyr Lys Arg
 565 570 575

Met Cys Arg Ser Lys Gln Ala Ser Thr Leu Phe Tyr Leu Gly Lys Arg
 580 585 590

Lys Gly Leu Asn Ser Ile Val His Lys Ala Lys Ile Glu Gln Tyr Phe
 595 600 605

Asp Lys Ala Gln Asn Thr Asn Ser Leu Trp His Ser Gly Asp Val Trp
 610 615 620

Lys Lys Asn Glu Val Lys Asp Leu Leu Arg Arg Leu Thr Gly Gln Ala
 625 630 635 640

Glu Gly Lys Leu Ile Ser Val Glu Tyr Gly Thr Glu Glu Lys Ile Lys
 645 650 655

Ile Pro Val Ile Ser Val Tyr Ser Gly Pro Leu Arg Ser Gly Arg Asn
 660 665 670

Ile Glu Arg Val Ser Phe Tyr Leu Gly Phe Ser Ile Glu Gly Pro Leu
 675 680 685

Ala Tyr Asp Ile Glu Val Ile
 690 695

<210> 169
 <211> 746
 <212> PRT
 <213> Homo sapiens

<400> 169

Met Gln Ala Lys Lys Arg Tyr Phe Ile Leu Leu Ser Ala Gly Ser Cys
 1 5 10 15

Leu Ala Leu Leu Phe Tyr Phe Gly Gly Leu Gln Phe Arg Ala Ser Arg
 20 25 30

Ser His Ser Arg Arg Glu Glu His Ser Gly Arg Asn Gly Leu His His
 35 40 45

Pro Ser Pro Asp His Phe Trp Pro Arg Phe Pro Glu Pro Leu Arg Pro
 50 55 60

Phe Val Pro Trp Asp Gln Leu Glu Asn Glu Asp Ser Ser Val His Ile
 65 70 75 80

Ser Pro Arg Gln Lys Arg Asp Ala Asn Ser Ser Ile Tyr Lys Gly Lys

					85						90					95
Lys	Cys	Arg	Met	Glu	Ser	Cys	Phe	Asp	Phe	Thr	Leu	Cys	Lys	Lys	Asn	
			100					105					110			
Gly	Phe	Lys	Val	Tyr	Val	Tyr	Pro	Gln	Gln	Lys	Gly	Glu	Lys	Ile	Ala	
		115					120					125				
Glu	Ser	Tyr	Gln	Asn	Ile	Leu	Ala	Ala	Ile	Glu	Gly	Ser	Arg	Phe	Tyr	
	130					135					140					
Thr	Ser	Asp	Pro	Ser	Gln	Ala	Cys	Leu	Phe	Val	Leu	Ser	Leu	Asp	Thr	
145					150					155					160	
Leu	Asp	Arg	Asp	Gln	Leu	Ser	Pro	Gln	Tyr	Val	His	Asn	Leu	Arg	Ser	
				165					170					175		
Lys	Val	Gln	Ser	Leu	His	Leu	Trp	Asn	Asn	Gly	Arg	Asn	His	Leu	Ile	
		180						185					190			
Phe	Asn	Leu	Tyr	Ser	Gly	Thr	Trp	Pro	Asp	Tyr	Thr	Glu	Asp	Val	Gly	
	195						200					205				
Phe	Asp	Ile	Gly	Gln	Ala	Met	Leu	Ala	Lys	Ala	Ser	Ile	Ser	Thr	Glu	
	210					215					220					
Asn	Phe	Arg	Pro	Asn	Phe	Asp	Val	Ser	Ile	Pro	Leu	Phe	Ser	Lys	Asp	
225				230						235					240	
His	Pro	Arg	Thr	Gly	Gly	Glu	Arg	Gly	Phe	Leu	Lys	Phe	Asn	Thr	Ile	
				245					250					255		
Pro	Pro	Leu	Arg	Lys	Tyr	Met	Leu	Val	Phe	Lys	Gly	Lys	Arg	Tyr	Leu	
		260						265					270			
Thr	Gly	Ile	Gly	Ser	Asp	Thr	Arg	Asn	Ala	Leu	Tyr	His	Val	His	Asn	
	275						280					285				
Gly	Glu	Asp	Val	Val	Leu	Leu	Thr	Thr	Cys	Lys	His	Gly	Lys	Asp	Trp	
	290					295					300					
Gln	Lys	His	Lys	Asp	Ser	Arg	Cys	Asp	Arg	Asp	Asn	Thr	Glu	Tyr	Glu	
305					310					315					320	

Lys Tyr Asp Tyr Arg Glu Met Leu His Asn Ala Thr Phe Cys Leu Val
 325 330 335

Pro Arg Gly Arg Arg Leu Gly Ser Phe Arg Phe Leu Glu Ala Leu Gln
 340 345 350

Ala Ala Cys Val Pro Val Met Leu Ser Asn Gly Trp Glu Leu Pro Phe
 355 360 365

Ser Glu Val Ile Asn Trp Asn Gln Ala Ala Val Ile Gly Asp Glu Arg
 370 375 380

Leu Leu Leu Gln Ile Pro Ser Thr Ile Arg Ser Ile His Gln Asp Lys
 385 390 395 400

Ile Leu Ala Leu Arg Gln Gln Thr Gln Phe Leu Trp Glu Ala Tyr Phe
 405 410 415

Ser Ser Val Glu Lys Ile Val Leu Thr Thr Leu Glu Ile Ile Gln Asp
 420 425 430

Arg Ile Phe Lys His Ile Ser Arg Asn Ser Leu Ile Trp Asn Lys His
 435 440 445

Pro Gly Gly Leu Phe Val Leu Pro Gln Tyr Ser Ser Tyr Leu Gly Asp
 450 455 460

Phe Pro Tyr Tyr Tyr Ala Asn Leu Gly Leu Lys Pro Pro Ser Lys Phe
 465 470 475 480

Thr Ala Val Ile His Ala Val Thr Pro Leu Val Ser Gln Ser Gln Pro
 485 490 495

Val Leu Lys Leu Leu Val Ala Ala Ala Lys Ser Gln Tyr Cys Ala Gln
 500 505 510

Ile Ile Val Leu Trp Asn Cys Asp Lys Pro Leu Pro Ala Lys His Arg
 515 520 525

Trp Pro Ala Thr Ala Val Pro Val Val Val Ile Glu Gly Glu Ser Lys
 530 535 540

Val Met Ser Ser Arg Phe Leu Pro Tyr Asp Asn Ile Ile Thr Asp Ala
 545 550 555 560

Val Leu Ser Leu Asp Glu Asp Thr Val Leu Ser Thr Thr Glu Val Asp
 565 570 575

Phe Ala Phe Thr Val Trp Gln Ser Phe Pro Glu Arg Ile Val Gly Tyr
 580 585 590

Pro Ala Arg Ser His Phe Trp Asp Asn Ser Lys Glu Arg Trp Gly Tyr
 595 600 605

Thr Ser Lys Trp Thr Asn Asp Tyr Ser Met Val Leu Thr Gly Ala Ala
 610 615 620

Ile Tyr His Lys Tyr Tyr His Tyr Leu Tyr Ser His Tyr Leu Pro Ala
 625 630 635 640

Ser Leu Lys Asn Met Val Asp Gln Leu Ala Asn Cys Glu Asp Ile Leu
 645 650 655

Met Asn Phe Leu Val Ser Ala Val Thr Lys Leu Pro Pro Ile Lys Val
 660 665 670

Thr Gln Lys Lys Gln Tyr Lys Glu Thr Met Met Gly Gln Thr Ser Arg
 675 680 685

Ala Ser Arg Trp Ala Asp Pro Asp His Phe Ala Gln Arg Gln Ser Cys
 690 695 700

Met Asn Thr Phe Ala Ser Trp Phe Gly Tyr Met Pro Leu Ile His Ser
 705 710 715 720

Gln Met Arg Leu Asp Pro Val Leu Phe Lys Asp Gln Val Ser Ile Leu
 725 730 735

Arg Lys Lys Tyr Arg Asp Ile Glu Arg Leu
 740 745

<210> 170
 <211> 1069
 <212> PRT
 <213> Homo sapiens

<400> 170

Met Leu Arg Met Arg Thr Ala Gly Trp Ala Arg Gly Trp Cys Leu Gly
 1 5 10 15

Cys Cys Leu Leu Leu Pro Leu Ser Phe Ser Leu Ala Ala Ala Lys Gln
 20 25 30

Leu Leu Arg Tyr Arg Leu Ala Glu Glu Gly Pro Ala Asp Val Arg Ile
 35 40 45

Gly Asn Val Ala Ser Asp Leu Gly Ile Val Thr Gly Ser Gly Glu Val
 50 55 60

Thr Phe Ser Leu Glu Ser Gly Ser Glu Tyr Leu Lys Ile Asp Asn Leu
 65 70 75 80

Thr Gly Glu Leu Ser Thr Ser Glu Arg Arg Ile Asp Arg Glu Lys Leu
 85 90 95

Pro Gln Cys Gln Met Ile Phe Asp Glu Asn Glu Cys Phe Leu Asp Phe
 100 105 110

Glu Val Ser Val Ile Gly Pro Ser Gln Ser Trp Val Asp Leu Phe Glu
 115 120 125

Gly Gln Val Ile Val Leu Asp Ile Asn Asp Asn Thr Pro Thr Phe Pro
 130 135 140

Ser Pro Val Leu Thr Leu Thr Val Glu Glu Asn Arg Pro Val Gly Thr
 145 150 155 160

Leu Tyr Leu Leu Pro Thr Ala Thr Asp Arg Asp Phe Gly Arg Asn Gly
 165 170 175

Ile Glu Arg Tyr Glu Leu Leu Gln Glu Pro Gly Gly Gly Gly Ser Gly
 180 185 190

Gly Glu Ser Arg Arg Ala Gly Ala Ala Asp Ser Ala Pro Tyr Pro Gly
 195 200 205

Gly Gly Gly Asn Gly Ala Ser Gly Gly Gly Ser Gly Gly Ser Lys Arg
 210 215 220

Arg Leu Asp Ala Ser Glu Gly Gly Gly Gly Thr Asn Pro Gly Gly Arg
225 230 235 240

Ser Ser Val Phe Glu Leu Gln Val Ala Asp Thr Pro Asp Gly Glu Lys
245 250 255

Gln Pro Gln Leu Ile Val Lys Gly Ala Leu Asp Arg Glu Gln Arg Asp
260 265 270

Ser Tyr Glu Leu Thr Leu Arg Val Arg Asp Gly Gly Asp Pro Pro Arg
275 280 285

Ser Ser Gln Ala Ile Leu Arg Val Leu Ile Thr Asp Val Asn Asp Asn
290 295 300

Ser Pro Arg Phe Glu Lys Ser Val Tyr Glu Ala Asp Leu Ala Glu Asn
305 310 315 320

Ser Ala Pro Gly Thr Pro Ile Leu Gln Leu Arg Ala Ala Asp Leu Asp
325 330 335

Val Gly Val Asn Gly Gln Ile Glu Tyr Val Phe Gly Ala Ala Thr Glu
340 345 350

Ser Val Arg Arg Leu Leu Arg Leu Asp Glu Thr Ser Gly Trp Leu Ser
355 360 365

Val Leu His Arg Ile Asp Arg Glu Glu Val Asn Gln Leu Arg Phe Thr
370 375 380

Val Met Ala Arg Asp Arg Gly Gln Pro Pro Lys Thr Asp Lys Ala Thr
385 390 395 400

Val Val Leu Asn Ile Lys Asp Glu Asn Asp Asn Val Pro Ser Ile Glu
405 410 415

Ile Arg Lys Ile Gly Arg Ile Pro Leu Lys Asp Gly Val Ala Asn Val
420 425 430

Ala Glu Asp Val Leu Val Asp Thr Pro Ile Ala Leu Val Gln Val Ser
435 440 445

Asp Arg Asp Gln Gly Glu Asn Gly Val Val Thr Cys Thr Val Val Gly
 450 455 460

Asp Val Pro Phe Gln Leu Lys Pro Ala Ser Asp Thr Glu Gly Asp Gln
 465 470 475 480

Asn Lys Lys Lys Tyr Phe Leu His Thr Ser Thr Pro Leu Asp Tyr Glu
 485 490 495

Ala Thr Arg Glu Phe Asn Val Val Ile Val Ala Val Asp Ser Gly Ser
 500 505 510

Pro Ser Leu Ser Ser Lys Asn Ser Leu Ile Val Lys Val Gly Asp Thr
 515 520 525

Asn Asp Asn Pro Pro Met Phe Gly Gln Ser Val Val Glu Val Tyr Phe
 530 535 540

Pro Glu Asn Asn Ile Pro Gly Glu Arg Val Ala Thr Val Leu Ala Thr
 545 550 555 560

Asp Ala Asp Ser Gly Lys Asn Ala Glu Ile Ala Tyr Ser Leu Asp Ser
 565 570 575

Ser Val Met Gly Ile Phe Ala Ile Asp Pro Asp Ser Gly Asp Ile Leu
 580 585 590

Val Asn Thr Val Leu Asp Arg Glu Gln Thr Asp Arg Tyr Glu Phe Lys
 595 600 605

Val Asn Ala Lys Asp Lys Gly Ile Pro Val Leu Gln Gly Ser Thr Thr
 610 615 620

Val Ile Val Gln Val Ala Asp Lys Asn Asp Asn Asp Pro Lys Phe Met
 625 630 635 640

Gln Asp Val Phe Thr Phe Tyr Val Lys Glu Asn Leu Gln Pro Asn Ser
 645 650 655

Pro Val Gly Met Val Thr Val Met Asp Ala Asp Lys Gly Arg Asn Ala
 660 665 670

Glu Met Ser Leu Tyr Ile Glu Glu Asn Asn Asn Ile Phe Ser Ile Glu
675 680 685

Asn Asp Thr Gly Thr Ile Tyr Ser Thr Met Ser Phe Asp Arg Glu His
690 695 700

Gln Thr Thr Tyr Thr Phe Arg Val Lys Ala Val Asp Gly Gly Asp Pro
705 710 715 720

Pro Arg Ser Ala Thr Ala Thr Val Ser Leu Phe Val Met Asp Glu Asn
725 730 735

Asp Asn Ala Pro Thr Val Thr Leu Pro Lys Asn Ile Ser Tyr Thr Leu
740 745 750

Leu Pro Pro Ser Ser Asn Val Arg Thr Val Val Ala Thr Val Leu Ala
755 760 765

Thr Asp Ser Asp Asp Gly Ile Asn Ala Asp Leu Asn Tyr Ser Ile Val
770 775 780

Gly Gly Asn Pro Phe Lys Leu Phe Glu Ile Asp Pro Thr Ser Gly Val
785 790 795 800

Val Ser Leu Val Gly Lys Leu Thr Gln Lys His Tyr Gly Leu His Arg
805 810 815

Leu Val Val Gln Val Asn Asp Ser Gly Gln Pro Ser Gln Ser Thr Thr
820 825 830

Thr Val Val His Val Phe Val Asn Glu Ser Val Ser Asn Ala Thr Ala
835 840 845

Ile Asp Ser Gln Ile Ala Arg Ser Leu His Ile Pro Leu Thr Gln Asp
850 855 860

Ile Ala Gly Asp Pro Ser Tyr Glu Ile Ser Lys Gln Arg Leu Ser Ile
865 870 875 880

Val Ile Gly Val Val Ala Gly Ile Met Thr Val Ile Leu Ile Ile Leu
885 890 895

Ile Val Val Met Ala Arg Tyr Cys Arg Ser Lys Asn Lys Asn Gly Tyr

900 905 910
 Glu Ala Gly Lys Lys Asp His Glu Asp Phe Phe Thr Pro Gln Gln His
 915 920 925
 Asp Lys Ser Lys Lys Pro Lys Lys Asp Lys Lys Asn Lys Lys Ser Lys
 930 935 940
 Gln Pro Leu Tyr Ser Ser Ile Val Thr Val Glu Ala Ser Lys Pro Asn
 945 950 955 960
 Gly Gln Arg Tyr Asp Ser Val Asn Glu Lys Leu Ser Asp Ser Pro Ser
 965 970 975
 Met Gly Arg Tyr Arg Ser Val Asn Gly Gly Pro Gly Ser Pro Asp Leu
 980 985 990
 Ala Arg His Tyr Lys Ser Ser Ser Pro Leu Pro Thr Val Gln Leu His
 995 1000 1005
 Pro Gln Ser Pro Thr Ala Gly Lys Lys His Gln Ala Val Gln Asp
 1010 1015 1020
 Leu Pro Pro Ala Asn Thr Phe Val Gly Ala Gly Asp Asn Ile Ser
 1025 1030 1035
 Ile Gly Ser Asp His Cys Ser Glu Tyr Ser Cys Gln Thr Asn Asn
 1040 1045 1050
 Lys Tyr Ser Lys Gln Met Arg Leu His Pro Tyr Ile Thr Val Phe
 1055 1060 1065

Gly

<210> 171
 <211> 437
 <212> PRT
 <213> Homo sapiens

<400> 171

Met Ser Trp Ser Leu His Pro Arg Asn Leu Ile Leu Tyr Phe Tyr Ala
 1 5 10 15

Leu Leu Phe Leu Ser Ser Thr Cys Val Ala Tyr Val Ala Thr Arg Asp
 20 25 30

Asn Cys Cys Ile Leu Asp Glu Arg Phe Gly Ser Tyr Cys Pro Thr Thr
 35 40 45

Cys Gly Ile Ala Asp Phe Leu Ser Thr Tyr Gln Thr Lys Val Asp Lys
 50 55 60

Asp Leu Gln Ser Leu Glu Asp Ile Leu His Gln Val Glu Asn Lys Thr
 65 70 75 80

Ser Glu Val Lys Gln Leu Ile Lys Ala Ile Gln Leu Thr Tyr Asn Pro
 85 90 95

Asp Glu Ser Ser Lys Pro Asn Met Ile Asp Ala Ala Thr Leu Lys Ser
 100 105 110

Arg Lys Met Leu Glu Glu Ile Met Lys Tyr Glu Ala Ser Ile Leu Thr
 115 120 125

His Asp Ser Ser Ile Arg Tyr Leu Gln Glu Ile Tyr Asn Ser Asn Asn
 130 135 140

Gln Lys Ile Val Asn Leu Lys Glu Lys Val Ala Gln Leu Glu Ala Gln
 145 150 155 160

Cys Gln Glu Pro Cys Lys Asp Thr Val Gln Ile His Asp Ile Thr Gly
 165 170 175

Lys Asp Cys Gln Asp Ile Ala Asn Lys Gly Ala Lys Gln Ser Gly Leu
 180 185 190

Tyr Phe Ile Lys Pro Leu Lys Ala Asn Gln Gln Phe Leu Val Tyr Cys
 195 200 205

Glu Ile Asp Gly Ser Gly Asn Gly Trp Thr Val Phe Gln Lys Arg Leu
 210 215 220

Asp Gly Ser Val Asp Phe Lys Lys Asn Trp Ile Gln Tyr Lys Glu Gly
 225 230 235 240


```
<210> 172
<211> 642
<212> PRT
<213> Homo sapiens
```

<400> 172

Met Lys Arg Ser Ser Val Ser Ser Gly Gly Ala Gly Arg Leu Ser Met
 1 5 10 15

Gln Glu Leu Arg Ser Gln Asp Val Asn Lys Gln Gly Leu Tyr Thr Pro
 20 25 30

Gln Thr Lys Glu Lys Pro Thr Phe Gly Lys Leu Ser Ile Asn Lys Pro
 35 40 45

Thr Ser Glu Arg Lys Val Ser Leu Phe Gly Lys Arg Thr Ser Gly His
 50 55 60

Gly Ser Arg Asn Ser Gln Leu Gly Ile Phe Ser Ser Ser Glu Lys Ile
 65 70 75 80

Lys Asp Pro Arg Pro Leu Asn Asp Lys Ala Phe Ile Gln Gln Cys Ile
 85 90 95

Arg Gln Leu Cys Glu Phe Leu Thr Glu Asn Gly Tyr Ala His Asn Val
 100 105 110

Ser Met Lys Ser Leu Gln Ala Pro Ser Val Lys Asp Phe Leu Lys Ile
 115 120 125

Phe Thr Phe Leu Tyr Gly Phe Leu Cys Pro Ser Tyr Glu Leu Pro Asp
 130 135 140

Thr Lys Phe Glu Glu Glu Val Pro Arg Ile Phe Lys Asp Leu Gly Tyr
 145 150 155 160

Pro Phe Ala Leu Ser Lys Ser Ser Met Tyr Thr Val Gly Ala Pro His
 165 170 175

Thr Trp Pro His Ile Val Ala Ala Leu Val Trp Leu Ile Asp Cys Ile
 180 185 190

Lys Ile His Thr Ala Met Lys Glu Ser Ser Pro Leu Phe Asp Asp Gly
 195 200 205

Gln Pro Trp Gly Glu Glu Thr Glu Asp Gly Ile Met His Asn Lys Leu
 210 215 220

Phe Leu Asp Tyr Thr Ile Lys Cys Tyr Glu Ser Phe Met Ser Gly Ala
 225 230 235 240

Asp Ser Phe Asp Glu Met Asn Ala Glu Leu Gln Ser Lys Leu Lys Asp
 245 250 255

Leu Phe Asn Val Asp Ala Phe Lys Leu Glu Ser Leu Glu Ala Lys Asn
 260 265 270

Arg Ala Leu Asn Glu Gln Ile Ala Arg Leu Glu Gln Glu Arg Glu Lys
 275 280 285

Glu Pro Asn Arg Leu Glu Ser Leu Arg Lys Leu Lys Ala Ser Leu Gln
 290 295 300

Gly Asp Val Gln Lys Tyr Gln Ala Tyr Met Ser Asn Leu Glu Ser His
 305 310 315 320

Ser Ala Ile Leu Asp Gln Lys Leu Asn Gly Leu Asn Glu Glu Ile Ala
 325 330 335

Arg Val Glu Leu Glu Cys Glu Thr Ile Lys Gln Glu Asn Thr Arg Leu
 340 345 350

Gln Asn Ile Ile Asp Asn Gln Lys Tyr Ser Val Ala Asp Ile Glu Arg
 355 360 365

Ile Asn His Glu Arg Asn Glu Leu Gln Gln Thr Ile Asn Lys Leu Thr
 370 375 380

Lys Asp Leu Glu Ala Glu Gln Gln Lys Leu Trp Asn Glu Glu Leu Lys
 385 390 395 400

Tyr Ala Arg Gly Lys Glu Ala Ile Glu Thr Gln Leu Ala Glu Tyr His
 405 410 415

Lys Leu Ala Arg Lys Leu Lys Leu Ile Pro Lys Gly Ala Glu Asn Ser
 420 425 430

Lys Gly Tyr Asp Phe Glu Ile Lys Phe Asn Pro Glu Ala Gly Ala Asn
 435 440 445

Cys Leu Val Lys Tyr Arg Ala Gln Val Tyr Val Pro Leu Lys Glu Leu
 450 455 460

Leu Asn Glu Thr Glu Glu Glu Ile Asn Lys Ala Leu Asn Lys Lys Met
 465 470 475 480

Gly Leu Glu Asp Thr Leu Glu Gln Leu Asn Ala Met Ile Thr Glu Ser
 485 490 495

Lys Arg Ser Val Arg Thr Leu Lys Glu Glu Val Gln Lys Leu Asp Asp
 500 505 510

Leu Tyr Gln Gln Lys Ile Lys Glu Ala Glu Glu Glu Asp Glu Lys Cys
 515 520 525

Ala Ser Glu Leu Glu Ser Leu Glu Lys His Lys His Leu Leu Glu Ser
 530 535 540

Thr Val Asn Gln Gly Leu Ser Glu Ala Met Asn Glu Leu Asp Ala Val
 545 550 555 560

Gln Arg Glu Tyr Gln Leu Val Val Gln Thr Thr Thr Glu Glu Arg Arg
 565 570 575

Lys Val Gly Asn Asn Leu Gln Arg Leu Leu Glu Met Val Ala Thr His
 580 585 590

Val Gly Ser Val Glu Lys His Leu Glu Glu Gln Ile Ala Lys Val Asp
 595 600 605

Arg Glu Tyr Glu Glu Cys Met Ser Glu Asp Leu Ser Glu Asn Ile Lys
 610 615 620

Glu Ile Arg Asp Lys Tyr Glu Lys Lys Ala Thr Leu Ile Lys Ser Ser
 625 630 635 640

Glu Glu

<210> 173
 <211> 178
 <212> PRT
 <213> Homo sapiens

<400> 173

Met Ser Pro Ser Gly Arg Leu Cys Leu Leu Thr Ile Val Gly Leu Ile
 1 5 10 15

Leu Pro Thr Arg Gly Gln Thr Leu Lys Asp Thr Thr Ser Ser Ser
 20 25 30

Ala Asp Ser Thr Ile Met Asp Ile Gln Val Pro Thr Arg Ala Pro Asp
 35 40 45

Ala Val Tyr Thr Glu Leu Gln Pro Thr Ser Pro Thr Pro Thr Trp Pro
 50 55 60

Ala Asp Glu Thr Pro Gln Pro Gln Thr Gln Thr Gln Gln Leu Glu Gly
 65 70 75 80

Thr Asp Gly Pro Leu Val Thr Asp Pro Glu Thr His Lys Ser Thr Lys
 85 90 95

Ala Ala His Pro Thr Asp Asp Thr Thr Thr Leu Ser Glu Arg Pro Ser
 100 105 110

Pro Ser Thr Asp Val Gln Thr Asp Pro Gln Thr Leu Lys Pro Ser Gly
 115 120 125

Phe His Glu Asp Asp Pro Phe Phe Tyr Asp Glu His Thr Leu Arg Lys
 130 135 140

Arg Gly Leu Leu Val Ala Ala Val Leu Phe Ile Thr Gly Ile Ile Ile
 145 150 155 160

Leu Thr Ser Gly Lys Cys Arg Gln Leu Ser Arg Leu Cys Arg Asn His
 165 170 175

Cys Arg

<210> 174

<211> 237

<212> PRT

<213> Homo sapiens

<400> 174

Met Leu Gly Gly Ser Leu Gly Ser Arg Leu Leu Arg Gly Val Gly Gly
 1 5 10 15

Ser His Gly Arg Phe Gly Ala Arg Gly Val Arg Glu Gly Gly Ala Ala
 20 25 30

Met Ala Ala Gly Glu Ser Met Ala Gln Arg Met Val Trp Val Asp Leu
 35 40 45

Glu Met Thr Gly Leu Asp Ile Glu Lys Asp Gln Ile Ile Glu Met Ala
 50 55 60

Cys Leu Ile Thr Asp Ser Asp Leu Asn Ile Leu Ala Glu Gly Pro Asn
 65 70 75 80

Leu Ile Ile Lys Gln Pro Asp Glu Leu Leu Asp Ser Met Ser Asp Trp
 85 90 95

Cys Lys Glu His His Gly Arg Ser Gly Leu Thr Lys Ala Val Lys Glu
 100 105 110

Ser Thr Ile Thr Leu Gln Gln Ala Glu Tyr Glu Phe Leu Ser Phe Val
 115 120 125

Arg Gln Gln Thr Pro Pro Gly Leu Cys Pro Leu Ala Gly Asn Ser Val
 130 135 140

His Glu Asp Lys Lys Phe Leu Asp Lys Tyr Met Pro Gln Phe Met Lys
 145 150 155 160

His Leu His Tyr Arg Ile Ile Asp Val Ser Thr Val Lys Glu Leu Cys
 165 170 175

Arg Arg Trp Tyr Pro Glu Glu Tyr Glu Phe Ala Pro Lys Lys Ala Ala
 180 185 190

Ser His Arg Ala Leu Asp Asp Ile Ser Glu Ser Ile Lys Glu Leu Gln
 195 200 205

Phe Tyr Arg Asn Asn Ile Phe Lys Lys Lys Ile Asp Glu Lys Lys Arg
 210 215 220

Lys Ile Ile Glu Asn Gly Glu Asn Glu Lys Thr Val Ser

225

230

235

<210> 175
 <211> 390
 <212> PRT
 <213> Homo sapiens

<400> 175

Met Gly Gln Arg Leu Ser Gly Gly Arg Ser Cys Leu Asp Val Pro Gly
 1 5 10 15

Arg Leu Leu Pro Gln Pro Pro Pro Pro Pro Pro Pro Val Arg Arg Lys
 20 25 30

Leu Ala Leu Leu Phe Ala Met Leu Cys Val Trp Leu Tyr Met Phe Leu
 35 40 45

Tyr Ser Cys Ala Gly Ser Cys Ala Ala Ala Pro Gly Leu Leu Leu Leu
 50 55 60

Gly Ser Gly Ser Arg Ala Ala His Asp Pro Pro Ala Leu Ala Thr Ala
 65 70 75 80

Pro Asp Gly Thr Pro Pro Arg Leu Pro Phe Arg Ala Pro Pro Ala Thr
 85 90 95

Pro Leu Ala Ser Gly Lys Glu Met Ala Glu Gly Ala Ala Ser Pro Glu
 100 105 110

Glu Gln Ser Pro Glu Val Pro Asp Ser Pro Ser Pro Ile Ser Ser Phe
 115 120 125

Phe Ser Gly Ser Gly Ser Lys Gln Leu Pro Gln Ala Ile Ile Ile Gly
 130 135 140

Val Lys Lys Gly Gly Thr Arg Ala Leu Leu Glu Phe Leu Arg Val His
 145 150 155 160

Pro Asp Val Arg Ala Val Gly Ala Glu Pro His Phe Phe Asp Arg Ser
 165 170 175

Tyr Asp Lys Gly Leu Ala Trp Tyr Arg Asp Leu Met Pro Arg Thr Leu
 180 185 190

Asp Gly Gln Ile Thr Met Glu Lys Thr Pro Ser Tyr Phe Val Thr Arg
 195 200 205

Glu Ala Pro Ala Arg Ile Ser Ala Met Ser Lys Asp Thr Lys Leu Ile
 210 215 220

Val Val Val Arg Asp Pro Val Thr Arg Ala Ile Ser Asp Tyr Thr Gln
 225 230 235 240

Thr Leu Ser Lys Arg Pro Asp Ile Pro Thr Phe Glu Ser Leu Thr Phe
 245 250 255

Lys Asn Arg Thr Ala Gly Leu Ile Asp Thr Ser Trp Ser Ala Ile Gln
 260 265 270

Ile Gly Ile Tyr Ala Lys His Leu Glu His Trp Leu Arg His Phe Pro
 275 280 285

Ile Arg Gln Met Leu Phe Val Ser Gly Glu Arg Leu Ile Ser Asp Pro
 290 295 300

Ala Gly Glu Leu Gly Arg Val Gln Asp Phe Leu Gly Leu Lys Arg Ile
 305 310 315 320

Ile Thr Asp Lys His Phe Tyr Phe Asn Lys Thr Lys Gly Phe Pro Cys
 325 330 335

Leu Lys Lys Ala Glu Gly Ser Ser Arg Pro His Cys Leu Gly Lys Thr
 340 345 350

Lys Gly Arg Thr His Pro Glu Ile Asp Arg Glu Val Val Arg Arg Leu
 355 360 365

Arg Glu Phe Tyr Arg Pro Phe Asn Leu Lys Phe Tyr Gln Met Thr Gly
 370 375 380

His Asp Phe Gly Trp Asp
 385 390

<210> 176
 <211> 742
 <212> PRT
 <213> Homo sapiens

<400> 176

```

Met Asp Lys Phe Trp Trp His Ala Ala Trp Gly Leu Cys Leu Val Pro
1           5           10           15

Leu Ser Leu Ala Gln Ile Asp Leu Asn Ile Thr Cys Arg Phe Ala Gly
20           25           30

Val Phe His Val Glu Lys Asn Gly Arg Tyr Ser Ile Ser Arg Thr Glu
35           40           45

Ala Ala Asp Leu Cys Lys Ala Phe Asn Ser Thr Leu Pro Thr Met Ala
50           55           60

Gln Met Glu Lys Ala Leu Ser Ile Gly Phe Glu Thr Cys Arg Tyr Gly
65           70           75           80

Phe Ile Glu Gly His Val Val Ile Pro Arg Ile His Pro Asn Ser Ile
85           90           95

Cys Ala Ala Asn Asn Thr Gly Val Tyr Ile Leu Thr Tyr Asn Thr Ser
100          105          110

Gln Tyr Asp Thr Tyr Cys Phe Asn Ala Ser Ala Pro Pro Glu Glu Asp
115          120          125

Cys Thr Ser Val Thr Asp Leu Pro Asn Ala Phe Asp Gly Pro Ile Thr
130          135          140

Ile Thr Ile Val Asn Arg Asp Gly Thr Arg Tyr Val Gln Lys Gly Glu
145          150          155          160

Tyr Arg Thr Asn Pro Glu Asp Ile Tyr Pro Ser Asn Pro Thr Asp Asp
165          170          175

Asp Val Ser Ser Gly Ser Ser Ser Glu Arg Ser Ser Thr Ser Gly Gly
180          185          190

Tyr Ile Phe Tyr Thr Phe Ser Thr Val His Pro Ile Pro Asp Glu Asp
195          200          205

Ser Pro Trp Ile Thr Asp Ser Thr Asp Arg Ile Pro Ala Thr Thr Leu
210          215          220

```

Met Ser Thr Ser Ala Thr Ala Thr Glu Thr Ala Thr Lys Arg Gln Glu
225 230 235 240

Ala Trp Asp Trp Phe Ser Trp Leu Phe Leu Pro Ser Glu Ser Lys Asn
245 250 255

His Leu His Thr Thr Thr Gln Met Ala Gly Thr Ser Ser Asn Thr Ile
260 265 270

Ser Ala Gly Trp Glu Pro Asn Glu Glu Asn Glu Asp Glu Arg Asp Arg
275 280 285

His Leu Ser Phe Ser Gly Ser Gly Ile Asp Asp Asp Glu Asp Phe Ile
290 295 300

Ser Ser Thr Ile Ser Thr Thr Pro Arg Ala Phe Asp His Thr Lys Gln
305 310 315 320

Asn Gln Asp Trp Thr Gln Trp Asn Pro Ser His Ser Asn Pro Glu Val
325 330 335

Leu Leu Gln Thr Thr Thr Arg Met Thr Asp Val Asp Arg Asn Gly Thr
340 345 350

Thr Ala Tyr Glu Gly Asn Trp Asn Pro Glu Ala His Pro Pro Leu Ile
355 360 365

His His Glu His His Glu Glu Glu Glu Thr Pro His Ser Thr Ser Thr
370 375 380

Ile Gln Ala Thr Pro Ser Ser Thr Thr Glu Glu Thr Ala Thr Gln Lys
385 390 395 400

Glu Gln Trp Phe Gly Asn Arg Trp His Glu Gly Tyr Arg Gln Thr Pro
405 410 415

Arg Glu Asp Ser His Ser Thr Thr Gly Thr Ala Ala Ala Ser Ala His
420 425 430

Thr Ser His Pro Met Gln Gly Arg Thr Thr Pro Ser Pro Glu Asp Ser
435 440 445

Ser Trp Thr Asp Phe Phe Asn Pro Ile Ser His Pro Met Gly Arg Gly
 450 455 460

His Gln Ala Gly Arg Arg Met Asp Met Asp Ser Ser His Ser Thr Thr
 465 470 475 480

Leu Gln Pro Thr Ala Asn Pro Asn Thr Gly Leu Val Glu Asn Leu Asp
 485 490 495

Arg Thr Gly Pro Leu Ser Met Thr Thr Gln Gln Ser Asn Ser Gln Ser
 500 505 510

Phe Ser Thr Ser His Glu Gly Leu Glu Glu Asp Lys Asp His Pro Thr
 515 520 525

Thr Ser Thr Leu Thr Ser Ser Asn Arg Asn Asp Val Thr Gly Gly Arg
 530 535 540

Arg Asp Pro Asn His Ser Glu Gly Ser Thr Thr Leu Leu Glu Gly Tyr
 545 550 555 560

Thr Ser His Tyr Pro His Thr Lys Glu Ser Arg Thr Phe Ile Pro Val
 565 570 575

Thr Ser Ala Lys Thr Gly Ser Phe Gly Val Thr Ala Val Thr Val Gly
 580 585 590

Asp Ser Asn Ser Asn Val Asn Arg Ser Leu Ser Gly Asp Gln Asp Thr
 595 600 605

Phe His Pro Ser Gly Gly Ser His Thr Thr His Gly Ser Glu Ser Asp
 610 615 620

Gly His Ser His Gly Ser Gln Glu Gly Gly Ala Asn Thr Thr Ser Gly
 625 630 635 640

Pro Ile Arg Thr Pro Gln Ile Pro Glu Trp Leu Ile Ile Leu Ala Ser
 645 650 655

Leu Leu Ala Leu Ala Leu Ile Leu Ala Val Cys Ile Ala Val Asn Ser
 660 665 670

Arg Arg Arg Cys Gly Gln Lys Lys Lys Leu Val Ile Asn Ser Gly Asn
 675 680 685

Gly Ala Val Glu Asp Arg Lys Pro Ser Gly Leu Asn Gly Glu Ala Ser
 690 695 700

Lys Ser Gln Glu Met Val His Leu Val Asn Lys Glu Ser Ser Glu Thr
 705 710 715 720

Pro Asp Gln Phe Met Thr Ala Asp Glu Thr Arg Asn Leu Gln Asn Val
 725 730 735

Asp Met Lys Ile Gly Val
 740

<210> 177
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 177

Met Ala Gly Thr Thr Asp Arg Glu Glu Ala Thr Arg Leu Leu Ala Glu
 1 5 10 15

Lys Arg Arg Gln Ala Arg Glu Gln Arg Glu Arg Glu Glu Gln Glu Arg
 20 25 30

Arg Leu Gln Ala Glu Arg Asp Lys Arg Met Arg Glu Glu Gln Leu Ala
 35 40 45

Arg Glu Ala Glu Ala Arg Ala Glu Arg Glu Ala Glu Ala Arg Arg Arg
 50 55 60

Glu Glu Gln Glu Ala Arg Glu Lys Ala Gln Ala Glu Gln Glu Glu Gln
 65 70 75 80

Glu Arg Leu Gln Lys Gln Lys Glu Glu Ala Glu Ala Arg Ser Arg Glu
 85 90 95

Glu Ala Glu Arg Gln Arg Leu Glu Arg Glu Lys His Phe Gln Gln Gln
 100 105 110

Glu Gln Glu Arg Gln Glu Arg Arg Lys Arg Leu Glu Glu Ile Met Lys
 115 120 125

Arg Thr Arg Lys Ser Glu Val Ser Glu Thr Lys Lys Gln Asp Ser Lys
 130 135 140

Glu Ala Asn Ala Asn Gly Ser Ser Pro Glu Pro Val Lys Ala Val Glu
 145 150 155 160

Ala Arg Ser Pro Gly Leu Gln Lys Glu Ala Val Gln Lys Glu Glu Pro
 165 170 175

Ile Pro Gln Glu Pro Gln Trp Ser Leu Pro Ser Lys Glu Leu Pro Ala
 180 185 190

Ser Leu Val Asn Gly Leu Gln Pro Leu Pro Ala His Gln Glu Asn Gly
 195 200 205

Phe Ser Thr Asn Gly Pro Ser Gly Asp Lys Ser Leu Ser Arg Thr Pro
 210 215 220

Glu Thr Leu Leu Pro Phe Ala Glu Ala Glu Ala Phe Leu Lys Lys Ala
 225 230 235 240

Val Val Gln Ser Pro Gln Val Thr Glu Val Leu
 245 250

<210> 178
 <211> 71
 <212> PRT
 <213> Homo sapiens

<400> 178

Ser Ser Lys Thr Ala Ser Thr Asn Asn Ile Ala Gln Ala Arg Arg Thr
 1 5 10 15

Val Gln Gln Leu Arg Leu Glu Ala Ser Ile Glu Arg Ile Lys Val Ser
 20 25 30

Lys Ala Ser Ala Asp Leu Met Ser Tyr Cys Glu Glu His Ala Arg Ser
 35 40 45

Asp Pro Leu Leu Ile Gly Ile Pro Thr Ser Glu Asn Pro Phe Lys Asp
 50 55 60

Lys Lys Thr Cys Ile Ile Leu
65 70

<210> 179
<211> 292
<212> PRT
<213> Homo sapiens

<400> 179

Met Asn Leu Asn Met Gly Arg Glu Met Lys Glu Glu Leu Glu Glu Glu
1 5 10 15

Glu Lys Met Arg Glu Asp Gly Gly Gly Lys Asp Arg Ala Lys Ser Lys
20 25 30

Lys Val His Arg Ile Val Ser Lys Trp Met Leu Pro Glu Lys Ser Arg
35 40 45

Gly Thr Tyr Leu Glu Arg Ala Asn Cys Phe Pro Pro Pro Val Phe Ile
50 55 60

Ile Ser Ile Ser Leu Ala Glu Leu Ala Val Phe Ile Tyr Tyr Ala Val
65 70 75 80

Trp Lys Pro Gln Lys Gln Trp Ile Thr Leu Asp Thr Gly Ile Leu Glu
85 90 95

Ser Pro Phe Ile Tyr Ser Pro Glu Lys Arg Glu Glu Ala Trp Arg Phe
100 105 110

Ile Ser Tyr Met Leu Val His Ala Gly Val Gln His Ile Leu Gly Asn
115 120 125

Leu Cys Met Gln Leu Val Leu Gly Ile Pro Leu Glu Met Val His Lys
130 135 140

Gly Leu Arg Val Gly Leu Val Tyr Leu Ala Gly Val Ile Ala Gly Ser
145 150 155 160

Leu Ala Ser Ser Ile Phe Asp Pro Leu Arg Tyr Leu Val Gly Ala Ser
165 170 175

Gly Gly Val Tyr Ala Leu Met Gly Gly Tyr Phe Met Asn Val Leu Val
180 185 190

Asn Phe Gln Glu Met Ile Pro Ala Phe Gly Ile Phe Arg Leu Leu Ile
 195 200 205

Ile Ile Leu Ile Ile Val Leu Asp Met Gly Phe Ala Leu Tyr Arg Arg
 210 215 220

Phe Phe Val Pro Glu Asp Gly Ser Pro Val Ser Phe Ala Ala His Ile
 225 230 235 240

Ala Gly Gly Phe Ala Gly Met Ser Ile Gly Tyr Thr Val Phe Ser Cys
 245 250 255

Phe Asp Lys Ala Leu Leu Lys Asp Pro Arg Phe Trp Ile Ala Ile Ala
 260 265 270

Ala Tyr Leu Ala Cys Val Leu Phe Ala Val Phe Phe Asn Ile Phe Leu
 275 280 285

Ser Pro Ala Asn
 290

<210> 180
 <211> 775
 <212> PRT
 <213> Homo sapiens

<400> 180

Met Ala Ser Arg Ala Val Val Arg Ala Arg Arg Cys Pro Gln Cys Pro
 1 5 10 15

Gln Val Arg Ala Ala Ala Ala Ala Pro Ala Trp Ala Ala Leu Pro Leu
 20 25 30

Ser Arg Ser Leu Pro Pro Cys Ser Asn Ser Ser Ser Phe Ser Met Pro
 35 40 45

Leu Phe Leu Leu Leu Leu Leu Val Leu Leu Leu Leu Leu Glu Asp Ala
 50 55 60

Gly Ala Gln Gln Gly Asp Gly Cys Gly His Thr Val Leu Gly Pro Glu
 65 70 75 80

Ser Gly Thr Leu Thr Ser Ile Asn Tyr Pro Gln Thr Tyr Pro Asn Ser
85 90 95

Thr Val Cys Glu Trp Glu Ile Arg Val Lys Met Gly Glu Arg Val Arg
100 105 110

Ile Lys Phe Gly Asp Phe Asp Ile Glu Asp Ser Asp Ser Cys His Phe
115 120 125

Asn Tyr Leu Arg Ile Tyr Asn Gly Ile Gly Val Ser Arg Thr Glu Ile
130 135 140

Gly Lys Tyr Cys Gly Leu Gly Leu Gln Met Asn His Ser Ile Glu Ser
145 150 155 160

Lys Gly Asn Glu Ile Thr Leu Leu Phe Met Ser Gly Ile His Val Ser
165 170 175

Gly Arg Gly Phe Leu Ala Ser Tyr Ser Val Ile Asp Lys Gln Asp Leu
180 185 190

Ile Thr Cys Leu Asp Thr Ala Ser Asn Phe Leu Glu Pro Glu Phe Ser
195 200 205

Lys Tyr Cys Pro Ala Gly Cys Leu Leu Pro Phe Ala Glu Ile Ser Gly
210 215 220

Thr Ile Pro His Gly Tyr Arg Asp Ser Ser Pro Leu Cys Met Ala Gly
225 230 235 240

Val His Ala Gly Val Val Ser Asn Thr Leu Gly Gly Gln Ile Ser Val
245 250 255

Val Ile Ser Lys Gly Ile Pro Tyr Tyr Glu Ser Ser Leu Ala Asn Asn
260 265 270

Val Thr Ser Val Val Gly His Leu Ser Thr Ser Leu Phe Thr Phe Lys
275 280 285

Thr Ser Gly Cys Tyr Gly Thr Leu Gly Met Glu Ser Gly Val Ile Ala
290 295 300

Asp Pro Gln Ile Thr Ala Ser Ser Val Leu Glu Trp Thr Asp His Thr

305	310	315	320
Gly Gln Glu Asn Ser Trp Lys Pro Lys Lys Ala Arg Leu Lys Lys Pro	325	330	335
Gly Pro Pro Trp Ala Ala Phe Ala Thr Asp Glu Tyr Gln Trp Leu Gln	340	345	350
Ile Asp Leu Asn Lys Glu Lys Lys Ile Thr Gly Ile Ile Thr Thr Gly	355	360	365
Ser Thr Met Val Glu His Asn Tyr Tyr Val Ser Ala Tyr Arg Ile Leu	370	375	380
Tyr Ser Asp Asp Gly Gln Lys Trp Thr Val Tyr Arg Glu Pro Gly Val	385	390	395
Glu Gln Asp Lys Ile Phe Gln Gly Asn Lys Asp Tyr His Gln Asp Val	405	410	415
Arg Asn Asn Phe Leu Pro Pro Ile Ile Ala Arg Phe Ile Arg Val Asn	420	425	430
Pro Thr Gln Trp Gln Gln Lys Ile Ala Met Lys Met Glu Leu Leu Gly	435	440	445
Cys Gln Phe Ile Pro Lys Gly Arg Pro Pro Lys Leu Thr Gln Pro Pro	450	455	460
Pro Pro Arg Asn Ser Asn Asp Leu Lys Asn Thr Thr Ala Pro Pro Lys	465	470	475
Ile Ala Lys Gly Arg Ala Pro Lys Phe Thr Gln Pro Leu Gln Pro Arg	485	490	495
Ser Ser Asn Glu Phe Pro Ala Gln Thr Glu Gln Thr Thr Ala Ser Pro	500	505	510
Asp Ile Arg Asn Thr Thr Val Thr Pro Asn Val Thr Lys Asp Val Ala	515	520	525
Leu Ala Ala Val Leu Val Pro Val Leu Val Met Val Leu Thr Thr Leu	530	535	540

Ile Leu Ile Leu Val Cys Ala Trp His Trp Arg Asn Arg Lys Lys Lys
545 550 555 560

Thr Glu Gly Thr Tyr Asp Leu Pro Tyr Trp Asp Arg Ala Gly Trp Trp
565 570 575

Lys Gly Met Lys Gln Phe Leu Pro Ala Lys Ala Val Asp His Glu Glu
580 585 590

Thr Pro Val Arg Tyr Ser Ser Ser Glu Val Asn His Leu Ser Pro Arg
595 600 605

Glu Val Thr Thr Val Leu Gln Ala Asp Ser Ala Glu Tyr Ala Gln Pro
610 615 620

Leu Val Gly Gly Ile Val Gly Thr Leu His Gln Arg Ser Thr Phe Lys
625 630 635 640

Pro Glu Glu Gly Lys Glu Ala Gly Tyr Ala Asp Leu Asp Pro Tyr Asn
645 650 655

Ser Pro Gly Gln Glu Val Tyr His Ala Tyr Ala Glu Pro Leu Pro Ile
660 665 670

Thr Gly Pro Glu Tyr Ala Thr Pro Ile Ile Met Asp Met Ser Gly His
675 680 685

Pro Thr Thr Ser Val Gly Gln Pro Ser Thr Ser Thr Phe Lys Ala Thr
690 695 700

Gly Asn Gln Pro Pro Pro Leu Val Gly Thr Tyr Asn Thr Leu Leu Ser
705 710 715 720

Arg Thr Asp Ser Cys Ser Ser Ala Gln Ala Gln Tyr Asp Thr Pro Lys
725 730 735

Ala Gly Lys Pro Gly Leu Pro Ala Pro Asp Glu Leu Val Tyr Gln Val
740 745 750

Pro Gln Ser Thr Gln Glu Val Ser Gly Ala Gly Arg Asp Gly Glu Cys
755 760 765

Asp Val Phe Lys Glu Ile Leu
770 775

<210> 181
<211> 494
<212> PRT
<213> Homo sapiens

<400> 181

Glu Asn Tyr Lys Asn Leu Val Ala Val Asp Trp Glu Ser His Ile Asn
1 5 10 15

Thr Lys Trp Ser Ala Pro Gln Gln Asn Phe Leu Gln Gly Lys Thr Ser
20 25 30

Ser Val Val Glu Met Glu Arg Asn His Phe Gly Glu Glu Leu Phe Asp
35 40 45

Phe Asn Gln Cys Glu Lys Ala Leu Ser Glu His Ser Cys Leu Lys Thr
50 55 60

His Arg Arg Thr Tyr Phe Arg Lys Lys Thr Cys Glu Cys Asn Gln Cys
65 70 75 80

Glu Lys Ala Phe Arg Lys Pro Ser Ile Phe Thr Leu His Lys Lys Thr
85 90 95

Asp Ile Gly Glu Glu Leu Pro Asn Cys Asn Gln Cys Glu Thr Ala Phe
100 105 110

Ser Gln His Leu His Leu Val Cys Lys Lys Thr Ser Gln Asn Leu His
115 120 125

Leu Val Cys Lys Lys Thr His Thr Gln Glu Lys Pro Tyr Lys Cys Ser
130 135 140

Asp Cys Glu Lys Gly Leu Pro Ser Ser Ser His Leu Arg Glu Cys Val
145 150 155 160

Arg Ile Tyr Gly Gly Glu Arg Pro Tyr Thr His Lys Glu Tyr Val Glu
165 170 175

Thr Phe Ser His Ser Thr Ala Leu Phe Val His Met Gln Thr Gln Asp

180	185	190
Gly Glu Lys Phe Tyr Glu Cys Lys Ala Cys Gly Lys Pro Phe Thr Glu		
195	200	205
Ser Ser Tyr Leu Thr Gln His Leu Arg Thr His Ser Arg Val Leu Pro		
210	215	220
Ile Glu His Lys Lys Phe Gly Lys Ala Phe Ala Phe Ser Pro Asp Leu		
225	230	235
Ala Lys His Ile Arg Leu Arg Thr Arg Gly Lys His Tyr Val Cys Asn		
245	250	255
Glu Cys Gly Lys Glu Phe Thr Cys Phe Ser Lys Leu Asn Ile His Ile		
260	265	270
Arg Val His Thr Gly Glu Lys Pro Tyr Glu Cys Asn Lys Cys Gly Lys		
275	280	285
Ala Phe Thr Asp Ser Ser Gly Leu Ile Lys His Arg Arg Thr His Thr		
290	295	300
Gly Glu Lys Pro Tyr Glu Cys Lys Glu Cys Gly Lys Ala Phe Ala Asn		
305	310	315
Ser Ser His Leu Thr Val His Met Arg Thr His Thr Gly Glu Lys Pro		
325	330	335
Tyr Gln Cys Lys Glu Cys Gly Lys Ala Phe Ile Asn Ser Ser Ser Phe		
340	345	350
Lys Ser His Met Gln Thr His Pro Gly Val Lys Pro Tyr Asp Cys Gln		
355	360	365
Gln Cys Gly Lys Ala Phe Ile Arg Ser Ser Phe Leu Ile Arg His Leu		
370	375	380
Arg Ser His Ser Ala Glu Arg Pro Phe Glu Cys Glu Glu Cys Gly Lys		
385	390	395
Ala Phe Arg Tyr Ser Ser His Leu Ser Gln His Lys Arg Ile His Thr		
405	410	415

Gly Glu Arg Pro Tyr Lys Cys Gln Lys Cys Gly Gln Ala Phe Ser Ile
 420 425 430

Ser Ser Gly Leu Thr Val His Met Arg Thr His Thr Gly Glu Arg Pro
 435 440 445

Phe Glu Cys Gln Glu Cys Gly Lys Ala Phe Thr Arg Ser Thr Tyr Leu
 450 455 460

Ile Arg His Leu Arg Ser His Ser Val Glu Lys Pro Tyr Lys Glu Cys
 465 470 475 480

Gly Gln Thr Phe Ser Asn Ser Ser Cys Leu Thr Glu Cys Val
 485 490

<210> 182
 <211> 556
 <212> PRT
 <213> Homo sapiens

<400> 182

Met Met Asn Lys Leu Tyr Ile Gly Asn Leu Ser Pro Ala Val Thr Ala
 1 5 10 15

Asp Asp Leu Arg Gln Leu Phe Gly Asp Arg Lys Leu Pro Leu Ala Gly
 20 25 30

Gln Val Leu Leu Lys Ser Gly Tyr Ala Phe Val Asp Tyr Pro Asp Gln
 35 40 45

Asn Trp Ala Ile Arg Ala Ile Glu Thr Leu Ser Gly Lys Val Glu Leu
 50 55 60

His Gly Lys Ile Met Glu Val Asp Tyr Ser Val Ser Lys Lys Leu Arg
 65 70 75 80

Ser Arg Lys Ile Gln Ile Arg Asn Ile Pro Pro His Leu Gln Trp Glu
 85 90 95

Val Leu Asp Gly Leu Leu Ala Gln Tyr Gly Thr Val Glu Asn Val Glu
 100 105 110

Gln Val Asn Thr Asp Thr Glu Thr Ala Val Val Asn Val Thr Tyr Ala
 115 120 125

Thr Arg Glu Glu Ala Lys Ile Ala Met Glu Lys Leu Ser Gly His Gln
 130 135 140

Phe Glu Asn Tyr Ser Phe Lys Ile Ser Tyr Ile Pro Asp Glu Glu Val
 145 150 155 160

Ser Ser Pro Ser Pro Pro Gln Arg Ala Gln Arg Gly Asp His Ser Ser
 165 170 175

Arg Glu Gln Gly His Ala Pro Gly Gly Thr Ser Gln Ala Arg Gln Ile
 180 185 190

Asp Phe Pro Leu Arg Ile Leu Val Pro Thr Gln Phe Val Gly Ala Ile
 195 200 205

Ile Gly Lys Glu Gly Leu Thr Ile Lys Asn Ile Thr Lys Gln Thr Gln
 210 215 220

Ser Arg Val Asp Ile His Arg Lys Glu Asn Ser Gly Ala Ala Glu Lys
 225 230 235 240

Pro Val Thr Ile His Ala Thr Pro Glu Gly Thr Ser Glu Ala Cys Arg
 245 250 255

Met Ile Leu Glu Ile Met Gln Lys Glu Ala Asp Glu Thr Lys Leu Ala
 260 265 270

Glu Glu Ile Pro Leu Lys Ile Leu Ala His Asn Gly Leu Val Gly Arg
 275 280 285

Leu Ile Gly Lys Glu Gly Arg Asn Leu Lys Lys Ile Glu His Glu Thr
 290 295 300

Gly Thr Lys Ile Thr Ile Ser Ser Leu Gln Asp Leu Ser Ile Tyr Asn
 305 310 315 320

Pro Glu Arg Thr Ile Thr Val Lys Gly Thr Val Glu Ala Cys Ala Ser
 325 330 335

Ala Glu Ile Glu Ile Met Lys Lys Leu Arg Glu Ala Phe Glu Asn Asp

279

<212> PRT

<213> Homo sapiens

<400> 183

Met Ser Asp Ile Leu Arg Glu Leu Leu Cys Val Ser Glu Lys Ala Ala
 1 5 10 15

Asn Ile Ala Arg Ala Cys Arg Gln Gln Glu Ala Leu Phe Gln Leu Leu
 20 25 30

Ile Glu Glu Lys Lys Glu Gly Glu Lys Asn Lys Lys Phe Ala Val Asp
 35 40 45

Phe Lys Thr Leu Ala Asp Val Leu Val Gln Glu Val Ile Lys Gln Asn
 50 55 60

Met Glu Asn Lys Phe Pro Gly Leu Glu Lys Asn Ile Phe Gly Glu Glu
 65 70 75 80

Ser Asn Glu Phe Thr Asn Asp Trp Gly Glu Lys Ile Thr Leu Arg Leu
 85 90 95

Cys Ser Thr Glu Glu Glu Thr Ala Glu Leu Leu Ser Lys Val Leu Asn
 100 105 110

Gly Asn Lys Val Ala Ser Glu Ala Leu Ala Arg Val Val His Gln Asp
 115 120 125

Val Ala Phe Thr Asp Pro Thr Leu Asp Ser Thr Glu Ile Asn Val Pro
 130 135 140

Gln Asp Ile Leu Gly Ile Trp Val Asp Pro Ile Asp Ser Thr Tyr Gln
 145 150 155 160

Tyr Ile Lys Gly Ser Ala Asp Ile Lys Ser Asn Gln Gly Ile Phe Pro
 165 170 175

Cys Gly Leu Gln Cys Val Thr Ile Leu Ile Gly Val Tyr Asp Ile Gln
 180 185 190

Thr Gly Val Pro Leu Met Gly Val Ile Asn Gln Pro Phe Val Ser Arg
 195 200 205

Asp Pro Asn Thr Leu Arg Trp Lys Gly Gln Cys Tyr Trp Gly Leu Ser
 210 215 220

Tyr Met Gly Thr Asn Met His Ser Leu Gln Leu Thr Ile Ser Arg Arg
 225 230 235 240

Asn Gly Ser Glu Thr His Thr Gly Asn Thr Gly Ser Glu Ala Ala Phe
 245 250 255

Ser Pro Ser Phe Ser Ala Val Ile Ser Thr Ser Glu Lys Glu Thr Ile
 260 265 270

Lys Ala Ala Leu Ser Arg Val Cys Gly Asp Arg Ile Phe Gly Ala Ala
 275 280 285

Gly Ala Gly Tyr Lys Ser Leu Cys Val Val Gln Gly Leu Val Asp Ile
 290 295 300

Tyr Ile Phe Ser Glu Asp Thr Thr Phe Lys Trp Asp Ser Cys Ala Ala
 305 310 315 320

His Ala Ile Leu Arg Ala Met Gly Gly Gly Ile Val Asp Leu Lys Glu
 325 330 335

Cys Leu Glu Arg Asn Pro Glu Thr Gly Leu Asp Leu Pro Gln Leu Val
 340 345 350

Tyr His Val Glu Asn Glu Gly Ala Ala Gly Val Asp Arg Trp Ala Asn
 355 360 365

Lys Gly Gly Leu Ile Ala Tyr Arg Ser Arg Lys Arg Leu Glu Thr Phe
 370 375 380

Leu Ser Leu Leu Val Gln Asn Leu Ala Pro Ala Glu Thr His Thr
 385 390 395

<210> 184
 <211> 662
 <212> PRT
 <213> Homo sapiens

<400> 184

Pro Leu Cys Pro Ala Leu Cys Pro Thr Ser Pro Pro Pro Leu Pro Leu
 1 5 10 15

Leu Pro Pro Ser Val Ser Pro Pro Gly Cys Leu Thr Leu Trp Ser Leu
 20 25 30

Ser Phe Leu Phe Ser Val Pro Ser Ala Pro Tyr Pro His Leu Lys Thr
 35 40 45

Thr Met Ala Thr Ile Pro Asp Trp Lys Leu Gln Leu Leu Ala Arg Arg
 50 55 60

Arg Gln Glu Glu Ala Ser Val Arg Gly Arg Glu Lys Ala Glu Arg Glu
 65 70 75 80

Arg Leu Ser Gln Met Pro Ala Trp Lys Arg Gly Leu Leu Glu Arg Arg
 85 90 95

Arg Ala Lys Leu Gly Leu Ser Pro Gly Glu Pro Ser Pro Val Leu Gly
 100 105 110

Thr Val Glu Ala Gly Pro Pro Asp Pro Asp Glu Ser Ala Val Leu Leu
 115 120 125

Glu Ala Ile Gly Pro Val His Gln Asn Arg Phe Ile Arg Gln Glu Arg
 130 135 140

Gln Gln Gln Gln Gln Gln Gln Gln Arg Ser Glu Glu Leu Leu Ala Glu
 145 150 155 160

Arg Lys Pro Gly Pro Leu Glu Ala Arg Glu Arg Arg Pro Ser Pro Gly
 165 170 175

Glu Met Arg Asp Gln Ser Pro Lys Gly Arg Glu Ser Arg Glu Glu Arg
 180 185 190

Leu Ser Pro Arg Glu Thr Arg Glu Arg Arg Leu Gly Ile Gly Gly Ala
 195 200 205

Gln Glu Leu Ser Leu Arg Pro Leu Glu Ala Arg Asp Trp Arg Gln Ser
 210 215 220

Pro Gly Glu Val Gly Asp Arg Ser Ser Arg Leu Ser Glu Ala Trp Lys
 225 230 235 240

Trp Arg Leu Ser Pro Gly Glu Thr Pro Glu Arg Ser Leu Arg Leu Ala
 245 250 255

Glu Ser Arg Glu Gln Ser Pro Arg Arg Lys Glu Val Glu Ser Arg Leu
 260 265 270

Ser Pro Gly Glu Ser Ala Tyr Gln Lys Leu Gly Leu Thr Glu Ala His
 275 280 285

Lys Trp Arg Pro Asp Ser Arg Glu Ser Gln Glu Gln Ser Leu Val Gln
 290 295 300

Leu Glu Ala Thr Glu Trp Arg Leu Arg Ser Gly Glu Glu Arg Gln Asp
 305 310 315 320

Tyr Ser Glu Glu Cys Gly Arg Lys Glu Glu Trp Pro Val Pro Gly Val
 325 330 335

Ala Pro Lys Glu Thr Ala Glu Leu Ser Glu Thr Leu Thr Arg Glu Ala
 340 345 350

Gln Gly Asn Ser Ser Ala Gly Val Glu Ala Ala Glu Gln Arg Pro Val
 355 360 365

Glu Asp Gly Glu Arg Gly Met Lys Pro Thr Glu Gly Trp Lys Trp Thr
 370 375 380

Leu Asn Ser Gly Lys Ala Arg Glu Trp Thr Pro Arg Asp Ile Glu Ala
 385 390 395 400

Gln Thr Gln Lys Pro Glu Pro Pro Glu Ser Ala Glu Lys Leu Leu Glu
 405 410 415

Ser Pro Gly Val Glu Ala Gly Glu Gly Glu Ala Glu Lys Glu Glu Ala
 420 425 430

Gly Ala Gln Gly Arg Pro Leu Arg Ala Leu Gln Asn Cys Cys Ser Val
 435 440 445

Pro Ser Pro Leu Pro Pro Glu Asp Ala Gly Thr Gly Gly Leu Arg Gln
 450 455 460

Gln Glu Glu Glu Ala Val Glu Leu Gln Pro Pro Pro Pro Ala Pro Leu
 465 470 475 480

Ser Pro Pro Pro Pro Ala Pro Thr Ala Pro Gln Pro Pro Gly Asp Pro
 485 490 495

Leu Met Ser Arg Leu Phe Tyr Gly Val Lys Ala Gly Pro Gly Val Gly
 500 505 510

Ala Pro Arg Arg Ser Gly His Thr Phe Thr Val Asn Pro Arg Arg Ser
 515 520 525

Val Pro Pro Ala Thr Pro Ala Thr Pro Thr Ser Pro Ala Thr Val Asp
 530 535 540

Ala Ala Val Pro Gly Ala Gly Lys Lys Arg Tyr Pro Thr Ala Glu Glu
 545 550 555 560

Ile Leu Val Leu Gly Gly Tyr Leu Arg Leu Ser Arg Ser Cys Leu Ala
 565 570 575

Lys Gly Ser Pro Glu Arg His His Lys Gln Leu Lys Ile Ser Phe Ser
 580 585 590

Glu Thr Ala Leu Glu Thr Thr Tyr Gln Tyr Pro Ser Glu Ser Ser Val
 595 600 605

Leu Glu Glu Leu Gly Pro Glu Pro Glu Val Pro Ser Ala Pro Asn Pro
 610 615 620

Pro Ala Ala Gln Pro Asp Asp Glu Glu Asp Glu Glu Glu Leu Leu Leu
 625 630 635 640

Leu Gln Pro Glu Leu Gln Gly Gly Leu Arg Thr Lys Ala Leu Ile Val
 645 650 655

Asp Glu Ser Cys Arg Arg
 660

<210> 185

<211> 1609

<212> PRT

<213> Homo sapiens

<400> 185

Met Arg Gly Ser His Arg Ala Ala Pro Ala Leu Arg Pro Arg Gly Arg
 1 5 10 15

Leu Trp Pro Val Leu Ala Val Leu Ala Ala Ala Ala Ala Ala Gly Cys
 20 25 30

Ala Gln Ala Ala Met Asp Glu Cys Thr Asp Glu Gly Gly Arg Pro Gln
 35 40 45

Arg Cys Met Pro Glu Phe Val Asn Ala Ala Phe Asn Val Thr Val Val
 50 55 60

Ala Thr Asn Thr Cys Gly Thr Pro Pro Glu Glu Tyr Cys Val Gln Thr
 65 70 75 80

Gly Val Thr Gly Val Thr Lys Ser Cys His Leu Cys Asp Ala Gly Gln
 85 90 95

Pro His Leu Gln His Gly Ala Ala Phe Leu Thr Asp Tyr Asn Asn Gln
 100 105 110

Ala Asp Thr Thr Trp Trp Gln Ser Gln Thr Met Leu Ala Gly Val Gln
 115 120 125

Tyr Pro Ser Ser Ile Asn Leu Thr Leu His Leu Gly Lys Ala Phe Asp
 130 135 140

Ile Thr Tyr Val Arg Leu Lys Phe His Thr Ser Arg Pro Glu Ser Phe
 145 150 155 160

Ala Ile Tyr Lys Arg Thr Arg Glu Asp Gly Pro Trp Ile Pro Tyr Gln
 165 170 175

Tyr Tyr Ser Gly Ser Cys Glu Asn Thr Tyr Ser Lys Ala Asn Arg Gly
 180 185 190

Phe Ile Arg Thr Gly Gly Asp Glu Gln Gln Ala Leu Cys Thr Asp Glu
 195 200 205

Phe Ser Asp Phe Ser Pro Leu Thr Gly Gly Asn Val Ala Phe Ser Thr
 210 215 220

Leu Glu Gly Arg Pro Ser Ala Tyr Asn Phe Asp Asn Ser Pro Val Leu
 225 230 235 240

Gln Glu Trp Val Thr Ala Thr Asp Ile Arg Val Thr Leu Asn Arg Leu
 245 250 255

Asn Thr Phe Gly Asp Glu Val Phe Asn Asp Pro Lys Val Leu Lys Ser
 260 265 270

Tyr Tyr Tyr Ala Ile Ser Asp Phe Ala Val Gly Gly Arg Cys Lys Cys
 275 280 285

Asn Gly His Ala Ser Glu Cys Met Lys Asn Glu Phe Asp Lys Leu Val
 290 295 300

Cys Asn Cys Lys His Asn Thr Tyr Gly Val Asp Cys Glu Lys Cys Leu
 305 310 315 320

Pro Phe Phe Asn Asp Arg Pro Trp Arg Arg Ala Thr Ala Glu Ser Ala
 325 330 335

Ser Glu Cys Leu Pro Cys Asp Cys Asn Gly Arg Ser Gln Glu Cys Tyr
 340 345 350

Phe Asp Pro Glu Leu Tyr Arg Ser Thr Gly His Gly Gly His Cys Thr
 355 360 365

Asn Cys Gln Asp Asn Thr Asp Gly Ala His Cys Glu Arg Cys Arg Glu
 370 375 380

Asn Phe Phe Arg Leu Gly Asn Asn Glu Ala Cys Ser Ser Cys His Cys
 385 390 395 400

Ser Pro Val Gly Ser Leu Ser Thr Gln Cys Asp Ser Tyr Gly Arg Cys
 405 410 415

Ser Cys Lys Pro Gly Val Met Gly Asp Lys Cys Asp Arg Cys Gln Pro
 420 425 430

Gly Phe His Ser Leu Thr Glu Ala Gly Cys Arg Pro Cys Ser Cys Asp
 435 440 445

Pro Ser Gly Ser Ile Asp Glu Cys Asn Val Glu Thr Gly Arg Cys Val
 450 455 460

Cys Lys Asp Asn Val Glu Gly Phe Asn Cys Glu Arg Cys Lys Pro Gly
 465 470 475 480

Phe Phe Asn Leu Glu Ser Ser Asn Pro Arg Gly Cys Thr Pro Cys Phe
 485 490 495

Cys Phe Gly His Ser Ser Val Cys Thr Asn Ala Val Gly Tyr Ser Val
 500 505 510

Tyr Ser Ile Ser Ser Thr Phe Gln Ile Asp Glu Asp Gly Trp Arg Ala
 515 520 525

Glu Gln Arg Asp Gly Ser Glu Ala Ser Leu Glu Trp Ser Ser Glu Arg
 530 535 540

Gln Asp Ile Ala Val Ile Ser Asp Ser Tyr Phe Pro Arg Tyr Phe Ile
 545 550 555 560

Ala Pro Ala Lys Phe Leu Gly Lys Gln Val Leu Ser Tyr Gly Gln Asn
 565 570 575

Leu Ser Phe Ser Phe Arg Val Asp Arg Arg Asp Thr Arg Leu Ser Ala
 580 585 590

Glu Asp Leu Val Leu Glu Gly Ala Gly Leu Arg Val Ser Val Pro Leu
 595 600 605

Ile Ala Gln Gly Asn Ser Tyr Pro Ser Glu Thr Thr Val Lys Tyr Val
 610 615 620

Phe Arg Leu His Glu Ala Thr Asp Tyr Pro Trp Arg Pro Ala Leu Thr
 625 630 635 640

Pro Phe Glu Phe Gln Lys Leu Leu Asn Asn Leu Thr Ser Ile Lys Ile
 645 650 655

Arg Gly Thr Tyr Ser Glu Arg Ser Ala Gly Tyr Leu Asp Asp Val Thr
 660 665 670

Leu Ala Ser Ala Arg Pro Gly Pro Gly Val Pro Ala Thr Trp Val Glu

675	680	685
Ser Cys Thr Cys Pro Val Gly Tyr Gly Gly Gln Phe Cys Glu Met Cys 690 695 700		
Leu Ser Gly Tyr Arg Arg Glu Thr Pro Asn Leu Gly Pro Tyr Ser Pro 705 710 715 720		
Cys Val Leu Cys Ala Cys Asn Gly His Ser Glu Thr Cys Asp Pro Glu 725 730 735		
Thr Gly Val Cys Asn Cys Arg Asp Asn Thr Ala Gly Pro His Cys Glu 740 745 750		
Lys Cys Ser Asp Gly Tyr Tyr Gly Asp Ser Thr Ala Gly Thr Ser Ser 755 760 765		
Asp Cys Gln Pro Cys Pro Cys Pro Gly Gly Ser Ser Cys Ala Val Val 770 775 780		
Pro Lys Thr Lys Glu Val Val Cys Thr Asn Cys Pro Thr Gly Thr Thr 785 790 795 800		
Gly Lys Arg Cys Glu Leu Cys Asp Asp Gly Tyr Phe Gly Asp Pro Leu 805 810 815		
Gly Arg Asn Gly Pro Val Arg Leu Cys Arg Leu Cys Gln Cys Ser Asp 820 825 830		
Asn Ile Asp Pro Asn Ala Val Gly Asn Cys Asn Arg Leu Thr Gly Glu 835 840 845		
Cys Leu Lys Cys Ile Tyr Asn Thr Ala Gly Phe Tyr Cys Asp Arg Cys 850 855 860		
Lys Asp Gly Phe Phe Gly Asn Pro Leu Ala Pro Asn Pro Ala Asp Lys 865 870 875 880		
Cys Lys Ala Cys Asn Cys Asn Pro Tyr Gly Thr Met Lys Gln Gln Ser 885 890 895		
Ser Cys Asn Pro Val Thr Gly Gln Cys Glu Cys Leu Pro His Val Thr 900 905 910		

Gly Gln Asp Cys Gly Ala Cys Asp Pro Gly Phe Tyr Asn Leu Gln Ser
 915 920 925

Gly Gln Gly Cys Glu Arg Cys Asp Cys His Ala Leu Gly Ser Thr Asn
 930 935 940

Gly Gln Cys Asp Ile Arg Thr Gly Gln Cys Glu Cys Gln Pro Gly Ile
 945 950 955 960

Thr Gly Gln His Cys Glu Arg Cys Glu Val Asn His Phe Gly Phe Gly
 965 970 975

Pro Glu Gly Cys Lys Pro Cys Asp Cys His Pro Glu Gly Ser Leu Ser
 980 985 990

Leu Gln Cys Lys Asp Asp Gly Arg Cys Glu Cys Arg Glu Gly Phe Val
 995 1000 1005

Gly Asn Arg Cys Asp Gln Cys Glu Glu Asn Tyr Phe Tyr Asn Arg
 1010 1015 1020

Ser Trp Pro Gly Cys Gln Glu Cys Pro Ala Cys Tyr Arg Leu Val
 1025 1030 1035

Lys Asp Lys Val Ala Asp His Arg Val Lys Leu Gln Glu Leu Glu
 1040 1045 1050

Ser Leu Ile Ala Asn Leu Gly Thr Gly Asp Glu Met Val Thr Asp
 1055 1060 1065

Gln Ala Phe Glu Asp Arg Leu Lys Glu Ala Glu Arg Glu Val Met
 1070 1075 1080

Asp Leu Leu Arg Glu Ala Gln Asp Val Lys Asp Val Asp Gln Asn
 1085 1090 1095

Leu Met Asp Arg Leu Gln Arg Val Asn Asn Thr Leu Ser Ser Gln
 1100 1105 1110

Ile Ser Arg Leu Gln Asn Ile Arg Asn Thr Ile Glu Glu Thr Gly
 1115 1120 1125

Asn Leu Ala Glu Gln Ala Arg Ala His Val Glu Asn Thr Glu Arg
 1130 1135 1140

Leu Ile Glu Ile Ala Ser Arg Glu Leu Glu Lys Ala Lys Val Ala
 1145 1150 1155

Ala Ala Asn Val Ser Val Thr Gln Pro Glu Ser Thr Gly Asp Pro
 1160 1165 1170

Asn Asn Met Thr Leu Leu Ala Glu Glu Ala Arg Lys Leu Ala Glu
 1175 1180 1185

Arg His Lys Gln Glu Ala Asp Asp Ile Val Arg Val Ala Lys Thr
 1190 1195 1200

Ala Asn Asp Thr Ser Thr Glu Ala Tyr Asn Leu Leu Leu Arg Thr
 1205 1210 1215

Leu Ala Gly Glu Asn Gln Thr Ala Phe Glu Ile Glu Glu Leu Asn
 1220 1225 1230

Arg Lys Tyr Glu Gln Ala Lys Asn Ile Ser Gln Asp Leu Glu Lys
 1235 1240 1245

Gln Ala Ala Arg Val His Glu Glu Ala Lys Arg Ala Gly Asp Lys
 1250 1255 1260

Ala Val Glu Ile Tyr Ala Ser Val Ala Gln Leu Ser Pro Leu Asp
 1265 1270 1275

Ser Glu Thr Leu Glu Asn Glu Ala Asn Asn Ile Lys Met Glu Ala
 1280 1285 1290

Glu Asn Leu Glu Gln Leu Ile Asp Gln Lys Leu Lys Asp Tyr Glu
 1295 1300 1305

Asp Leu Arg Glu Asp Met Arg Gly Lys Glu Leu Glu Val Lys Asn
 1310 1315 1320

Leu Leu Glu Lys Gly Lys Thr Glu Gln Gln Thr Ala Asp Gln Leu
 1325 1330 1335

Leu Ala Arg Ala Asp Ala Ala Lys Ala Leu Ala Glu Glu Ala Ala
 1340 1345 1350

Lys Lys Gly Arg Asp Thr Leu Gln Glu Ala Asn Asp Ile Leu Asn
 1355 1360 1365

Asn Leu Lys Asp Phe Asp Arg Arg Val Asn Asp Asn Lys Thr Ala
 1370 1375 1380

Ala Glu Glu Ala Leu Arg Lys Ile Pro Ala Ile Asn Gln Thr Ile
 1385 1390 1395

Thr Glu Ala Asn Glu Lys Thr Arg Glu Ala Gln Gln Ala Leu Gly
 1400 1405 1410

Ser Ala Ala Ala Asp Ala Thr Glu Ala Lys Asn Lys Ala His Glu
 1415 1420 1425

Ala Glu Arg Ile Ala Ser Ala Val Gln Lys Asn Ala Thr Ser Thr
 1430 1435 1440

Lys Ala Glu Ala Glu Arg Thr Phe Ala Glu Val Thr Asp Leu Asp
 1445 1450 1455

Asn Glu Val Asn Asn Met Leu Lys Gln Leu Gln Glu Ala Glu Lys
 1460 1465 1470

Glu Leu Lys Arg Lys Gln Asp Asp Ala Asp Gln Asp Met Met Met
 1475 1480 1485

Ala Gly Met Ala Ser Gln Ala Ala Gln Glu Ala Glu Ile Asn Ala
 1490 1495 1500

Arg Lys Ala Lys Asn Ser Val Thr Ser Leu Leu Ser Ile Ile Asn
 1505 1510 1515

Asp Leu Leu Glu Gln Leu Gly Gln Leu Asp Thr Val Asp Leu Asn
 1520 1525 1530

Lys Leu Asn Glu Ile Glu Gly Thr Leu Asn Lys Ala Lys Asp Glu
 1535 1540 1545

Met Lys Val Ser Asp Leu Asp Arg Lys Val Ser Asp Leu Glu Asn

1550 1555 1560
 Glu Ala Lys Lys Gln Glu Ala Ala Ile Met Asp Tyr Asn Arg Asp
 1565 1570 1575

 Ile Glu Glu Ile Met Lys Asp Ile Arg Asn Leu Glu Asp Ile Arg
 1580 1585 1590

 Lys Thr Leu Pro Ser Gly Cys Phe Asn Thr Pro Ser Ile Glu Lys
 1595 1600 1605

 Pro

 <210> 186
 <211> 1408
 <212> PRT
 <213> Homo sapiens

 <400> 186

 Met Lys Ala Pro Ala Val Leu Ala Pro Gly Ile Leu Val Leu Leu Phe
 1 5 10 15

 Thr Leu Val Gln Arg Ser Asn Gly Glu Cys Lys Glu Ala Leu Ala Lys
 20 25 30

 Ser Glu Met Asn Val Asn Met Lys Tyr Gln Leu Pro Asn Phe Thr Ala
 35 40 45

 Glu Thr Pro Ile Gln Asn Val Ile Leu His Glu His His Ile Phe Leu
 50 55 60

 Gly Ala Thr Asn Tyr Ile Tyr Val Leu Asn Glu Glu Asp Leu Gln Lys
 65 70 75 80

 Val Ala Glu Tyr Lys Thr Gly Pro Val Leu Glu His Pro Asp Cys Phe
 85 90 95

 Pro Cys Gln Asp Cys Ser Ser Lys Ala Asn Leu Ser Gly Gly Val Trp
 100 105 110

 Lys Asp Asn Ile Asn Met Ala Leu Val Val Asp Thr Tyr Tyr Asp Asp
 115 120 125

Gln Leu Ile Ser Cys Gly Ser Val Asn Arg Gly Thr Cys Gln Arg His
 130 135 140

Val Phe Pro His Asn His Thr Ala Asp Ile Gln Ser Glu Val His Cys
 145 150 155 160

Ile Phe Ser Pro Gln Ile Glu Glu Pro Ser Gln Cys Pro Asp Cys Val
 165 170 175

Val Ser Ala Leu Gly Ala Lys Val Leu Ser Ser Val Lys Asp Arg Phe
 180 185 190

Ile Asn Phe Phe Val Gly Asn Thr Ile Asn Ser Ser Tyr Phe Pro Asp
 195 200 205

His Pro Leu His Ser Ile Ser Val Arg Arg Leu Lys Glu Thr Lys Asp
 210 215 220

Gly Phe Met Phe Leu Thr Asp Gln Ser Tyr Ile Asp Val Leu Pro Glu
 225 230 235 240

Phe Arg Asp Ser Tyr Pro Ile Lys Tyr Val His Ala Phe Glu Ser Asn
 245 250 255

Asn Phe Ile Tyr Phe Leu Thr Val Gln Arg Glu Thr Leu Asp Ala Gln
 260 265 270

Thr Phe His Thr Arg Ile Ile Arg Phe Cys Ser Ile Asn Ser Gly Leu
 275 280 285

His Ser Tyr Met Glu Met Pro Leu Glu Cys Ile Leu Thr Glu Lys Arg
 290 295 300

Lys Lys Arg Ser Thr Lys Lys Glu Val Phe Asn Ile Leu Gln Ala Ala
 305 310 315 320

Tyr Val Ser Lys Pro Gly Ala Gln Leu Ala Arg Gln Ile Gly Ala Ser
 325 330 335

Leu Asn Asp Asp Ile Leu Phe Gly Val Phe Ala Gln Ser Lys Pro Asp
 340 345 350

Ser Ala Glu Pro Met Asp Arg Ser Ala Met Cys Ala Phe Pro Ile Lys
 355 360 365

Tyr Val Asn Asp Phe Phe Asn Lys Ile Val Asn Lys Asn Asn Val Arg
 370 375 380

Cys Leu Gln His Phe Tyr Gly Pro Asn His Glu His Cys Phe Asn Arg
 385 390 395 400

Thr Leu Leu Arg Asn Ser Ser Gly Cys Glu Ala Arg Arg Asp Glu Tyr
 405 410 415

Arg Thr Glu Phe Thr Thr Ala Leu Gln Arg Val Asp Leu Phe Met Gly
 420 425 430

Gln Phe Ser Glu Val Leu Leu Thr Ser Ile Ser Thr Phe Ile Lys Gly
 435 440 445

Asp Leu Thr Ile Ala Asn Leu Gly Thr Ser Glu Gly Arg Phe Met Gln
 450 455 460

Val Val Val Ser Arg Ser Gly Pro Ser Thr Pro His Val Asn Phe Leu
 465 470 475 480

Leu Asp Ser His Pro Val Ser Pro Glu Val Ile Val Glu His Thr Leu
 485 490 495

Asn Gln Asn Gly Tyr Thr Leu Val Ile Thr Gly Lys Lys Ile Thr Lys
 500 505 510

Ile Pro Leu Asn Gly Leu Gly Cys Arg His Phe Gln Ser Cys Ser Gln
 515 520 525

Cys Leu Ser Ala Pro Pro Phe Val Gln Cys Gly Trp Cys His Asp Lys
 530 535 540

Cys Val Arg Ser Glu Glu Cys Leu Ser Gly Thr Trp Thr Gln Gln Ile
 545 550 555 560

Cys Leu Pro Ala Ile Tyr Lys Val Phe Pro Asn Ser Ala Pro Leu Glu
 565 570 575

Gly Gly Thr Arg Leu Thr Ile Cys Gly Trp Asp Phe Gly Phe Arg Arg

580

585

590

Asn Asn Lys Phe Asp Leu Lys Lys Thr Arg Val Leu Leu Gly Asn Glu
 595 600 605

Ser Cys Thr Leu Thr Leu Ser Glu Ser Thr Met Asn Thr Leu Lys Cys
 610 615 620

Thr Val Gly Pro Ala Met Asn Lys His Phe Asn Met Ser Ile Ile Ile
 625 630 635 640

Ser Asn Gly His Gly Thr Thr Gln Tyr Ser Thr Phe Ser Tyr Val Asp
 645 650 655

Pro Val Ile Thr Ser Ile Ser Pro Lys Tyr Gly Pro Met Ala Gly Gly
 660 665 670

Thr Leu Leu Thr Leu Thr Gly Asn Tyr Leu Asn Ser Gly Asn Ser Arg
 675 680 685

His Ile Ser Ile Gly Gly Lys Thr Cys Thr Leu Lys Ser Val Ser Asn
 690 695 700

Ser Ile Leu Glu Cys Tyr Thr Pro Ala Gln Thr Ile Ser Thr Glu Phe
 705 710 715 720

Ala Val Lys Leu Lys Ile Asp Leu Ala Asn Arg Glu Thr Ser Ile Phe
 725 730 735

Ser Tyr Arg Glu Asp Pro Ile Val Tyr Glu Ile His Pro Thr Lys Ser
 740 745 750

Phe Ile Ser Thr Trp Trp Lys Glu Pro Leu Asn Ile Val Ser Phe Leu
 755 760 765

Phe Cys Phe Ala Ser Gly Gly Ser Thr Ile Thr Gly Val Gly Lys Asn
 770 775 780

Leu Asn Ser Val Ser Val Pro Arg Met Val Ile Asn Val His Glu Ala
 785 790 795 800

Gly Arg Asn Phe Thr Val Ala Cys Gln His Arg Ser Asn Ser Glu Ile
 805 810 815

Ile Cys Cys Thr Thr Pro Ser Leu Gln Gln Leu Asn Leu Gln Leu Pro
 820 825 830

Leu Lys Thr Lys Ala Phe Phe Met Leu Asp Gly Ile Leu Ser Lys Tyr
 835 840 845

Phe Asp Leu Ile Tyr Val His Asn Pro Val Phe Lys Pro Phe Glu Lys
 850 855 860

Pro Val Met Ile Ser Met Gly Asn Glu Asn Val Leu Glu Ile Lys Gly
 865 870 875 880

Asn Asp Ile Asp Pro Glu Ala Val Lys Gly Glu Val Leu Lys Val Gly
 885 890 895

Asn Lys Ser Cys Glu Asn Ile His Leu His Ser Glu Ala Val Leu Cys
 900 905 910

Thr Val Pro Asn Asp Leu Leu Lys Leu Asn Ser Glu Leu Asn Ile Glu
 915 920 925

Trp Lys Gln Ala Ile Ser Ser Thr Val Leu Gly Lys Val Ile Val Gln
 930 935 940

Pro Asp Gln Asn Phe Thr Gly Leu Ile Ala Gly Val Val Ser Ile Ser
 945 950 955 960

Thr Ala Leu Leu Leu Leu Leu Gly Phe Phe Leu Trp Leu Lys Lys Arg
 965 970 975

Lys Gln Ile Lys Asp Leu Gly Ser Glu Leu Val Arg Tyr Asp Ala Arg
 980 985 990

Val His Thr Pro His Leu Asp Arg Leu Val Ser Ala Arg Ser Val Ser
 995 1000 1005

Pro Thr Thr Glu Met Val Ser Asn Glu Ser Val Asp Tyr Arg Ala
 1010 1015 1020

Thr Phe Pro Glu Asp Gln Phe Pro Asn Ser Ser Gln Asn Gly Ser
 1025 1030 1035

Cys Arg Gln Val Gln Tyr Pro Leu Thr Asp Met Ser Pro Ile Leu
 1040 1045 1050
 Thr Ser Gly Asp Ser Asp Ile Ser Ser Pro Leu Leu Gln Asn Thr
 1055 1060 1065
 Val His Ile Asp Leu Ser Ala Leu Asn Pro Glu Leu Val Gln Ala
 1070 1075 1080
 Val Gln His Val Val Ile Gly Pro Ser Ser Leu Ile Val His Phe
 1085 1090 1095
 Asn Glu Val Ile Gly Arg Gly His Phe Gly Cys Val Tyr His Gly
 1100 1105 1110
 Thr Leu Leu Asp Asn Asp Gly Lys Lys Ile His Cys Ala Val Lys
 1115 1120 1125
 Ser Leu Asn Arg Ile Thr Asp Ile Gly Glu Val Ser Gln Phe Leu
 1130 1135 1140
 Thr Glu Gly Ile Ile Met Lys Asp Phe Ser His Pro Asn Val Leu
 1145 1150 1155
 Ser Leu Leu Gly Ile Cys Leu Arg Ser Glu Gly Ser Pro Leu Val
 1160 1165 1170
 Val Leu Pro Tyr Met Lys His Gly Asp Leu Arg Asn Phe Ile Arg
 1175 1180 1185
 Asn Glu Thr His Asn Pro Thr Val Lys Asp Leu Ile Gly Phe Gly
 1190 1195 1200
 Leu Gln Val Ala Lys Ala Met Lys Tyr Leu Ala Ser Lys Lys Phe
 1205 1210 1215
 Val His Arg Asp Leu Ala Ala Arg Asn Cys Met Leu Asp Glu Lys
 1220 1225 1230
 Phe Thr Val Lys Val Ala Asp Phe Gly Leu Ala Arg Asp Met Tyr
 1235 1240 1245

Asp Lys Glu Tyr Tyr Ser Val His Asn Lys Thr Gly Ala Lys Leu
1250 1255 1260

Pro Val Lys Trp Met Ala Leu Glu Ser Leu Gln Thr Gln Lys Phe
1265 1270 1275

Thr Thr Lys Ser Asp Val Trp Ser Phe Gly Val Val Leu Trp Glu
1280 1285 1290

Leu Met Thr Arg Gly Ala Pro Pro Tyr Pro Asp Val Asn Thr Phe
1295 1300 1305

Asp Ile Thr Val Tyr Leu Leu Gln Gly Arg Arg Leu Leu Gln Pro
1310 1315 1320

Glu Tyr Cys Pro Asp Pro Leu Tyr Glu Val Met Leu Lys Cys Trp
1325 1330 1335

His Pro Lys Ala Glu Met Arg Pro Ser Phe Ser Glu Leu Val Ser
1340 1345 1350

Arg Ile Ser Ala Ile Phe Ser Thr Phe Ile Gly Glu His Tyr Val
1355 1360 1365

His Val Asn Ala Thr Tyr Val Asn Val Lys Cys Val Ala Pro Tyr
1370 1375 1380

Pro Ser Leu Leu Ser Ser Glu Asp Asn Ala Asp Asp Glu Val Asp
1385 1390 1395

Thr Arg Pro Ala Ser Phe Trp Glu Thr Ser
1400 1405

<210> 187
<211> 577
<212> PRT
<213> Homo sapiens

<400> 187

Met Pro Lys Thr Ile Ser Val Arg Val Thr Thr Met Asp Ala Glu Leu
1 5 10 15

Glu Phe Ala Ile Gln Pro Asn Thr Thr Gly Lys Gln Leu Phe Asp Gln
20 25 30

Val Val Lys Thr Ile Gly Leu Arg Glu Val Trp Phe Phe Gly Leu Gln
 35 40 45
 Tyr Gln Asp Thr Lys Gly Phe Ser Thr Trp Leu Lys Leu Asn Lys Lys
 50 55 60
 Val Thr Ala Gln Asp Val Arg Lys Glu Ser Pro Leu Leu Phe Lys Phe
 65 70 75 80
 Arg Ala Lys Phe Tyr Pro Glu Asp Val Ser Glu Glu Leu Ile Gln Asp
 85 90 95
 Ile Thr Gln Arg Leu Phe Phe Leu Gln Val Lys Glu Gly Ile Leu Asn
 100 105 110
 Asp Asp Ile Tyr Cys Pro Pro Glu Thr Ala Val Leu Leu Ala Ser Tyr
 115 120 125
 Ala Val Gln Ser Lys Tyr Gly Asp Phe Asn Lys Glu Val His Lys Ser
 130 135 140
 Gly Tyr Leu Ala Gly Asp Lys Leu Leu Pro Gln Arg Val Leu Glu Gln
 145 150 155 160
 His Lys Leu Asn Lys Asp Gln Trp Glu Glu Arg Ile Gln Val Trp His
 165 170 175
 Glu Glu His Arg Gly Met Leu Arg Glu Asp Ala Val Leu Glu Tyr Leu
 180 185 190
 Lys Ile Ala Gln Asp Leu Glu Met Tyr Gly Val Asn Tyr Phe Ser Ile
 195 200 205
 Lys Asn Lys Lys Gly Ser Glu Leu Trp Leu Gly Val Asp Ala Leu Gly
 210 215 220
 Leu Asn Ile Tyr Glu Gln Asn Asp Arg Leu Thr Pro Lys Ile Gly Phe
 225 230 235 240
 Pro Trp Ser Glu Ile Arg Asn Ile Ser Phe Asn Asp Lys Lys Phe Val
 245 250 255

Ile Lys Pro Ile Asp Lys Lys Ala Pro Asp Phe Val Phe Tyr Ala Pro
 260 265 270

Arg Leu Arg Ile Asn Lys Arg Ile Leu Ala Leu Cys Met Gly Asn His
 275 280 285

Glu Leu Tyr Met Arg Arg Arg Lys Pro Asp Thr Ile Glu Val Gln Gln
 290 295 300

Met Lys Ala Gln Ala Arg Glu Glu Lys His Gln Lys Gln Met Glu Arg
 305 310 315 320

Ala Met Leu Glu Asn Glu Lys Lys Lys Arg Glu Met Ala Glu Lys Glu
 325 330 335

Lys Glu Lys Ile Glu Arg Glu Lys Glu Glu Leu Met Glu Arg Leu Lys
 340 345 350

Gln Ile Glu Glu Gln Thr Lys Lys Ala Gln Gln Glu Leu Glu Glu Gln
 355 360 365

Thr Arg Arg Ala Leu Glu Leu Glu Gln Glu Arg Lys Arg Ala Gln Ser
 370 375 380

Glu Ala Glu Lys Leu Ala Lys Glu Arg Gln Glu Ala Glu Glu Ala Lys
 385 390 395 400

Glu Ala Leu Leu Gln Ala Ser Arg Asp Gln Lys Lys Thr Gln Glu Gln
 405 410 415

Leu Ala Leu Glu Met Ala Glu Leu Thr Ala Arg Ile Ser Gln Leu Glu
 420 425 430

Met Ala Arg Gln Lys Lys Glu Ser Glu Ala Val Glu Trp Gln Gln Lys
 435 440 445

Ala Gln Met Val Gln Glu Asp Leu Glu Lys Thr Arg Ala Glu Leu Lys
 450 455 460

Thr Ala Met Ser Thr Pro His Val Ala Glu Pro Ala Glu Asn Glu Gln
 465 470 475 480

Asp Glu Gln Asp Glu Asn Gly Ala Glu Ala Ser Ala Asp Leu Arg Ala
 485 490 495

Asp Ala Met Ala Lys Asp Arg Ser Glu Glu Glu Arg Thr Thr Glu Ala
 500 505 510

Glu Lys Asn Glu Arg Val Gln Lys His Leu Lys Ala Leu Thr Ser Glu
 515 520 525

Leu Ala Asn Ala Arg Asp Glu Ser Lys Lys Thr Ala Asn Asp Met Ile
 530 535 540

His Ala Glu Asn Met Arg Leu Gly Arg Asp Lys Tyr Lys Thr Leu Arg
 545 550 555 560

Gln Ile Arg Gln Gly Asn Thr Lys Gln Arg Ile Asp Glu Phe Glu Ser
 565 570 575

Met

<210> 188
 <211> 2058
 <212> PRT
 <213> Homo sapiens

<400> 188

Met Asp Asn Phe Phe Thr Glu Gly Thr Arg Val Trp Leu Arg Glu Asn
 1 5 10 15

Gly Gln His Phe Pro Ser Thr Val Asn Ser Cys Ala Glu Gly Ile Val
 20 25 30

Val Phe Arg Thr Asp Tyr Gly Gln Val Phe Thr Tyr Lys Gln Ser Thr
 35 40 45

Ile Thr His Gln Lys Val Thr Ala Met His Pro Thr Asn Glu Glu Gly
 50 55 60

Val Asp Asp Met Ala Ser Leu Thr Glu Leu His Gly Gly Ser Ile Met
 65 70 75 80

Tyr Asn Leu Phe Gln Arg Tyr Lys Arg Asn Gln Ile Tyr Thr Tyr Ile
 85 90 95

Gly Ser Ile Leu Ala Ser Val Asn Pro Tyr Gln Pro Ile Ala Gly Leu
 100 105 110

Tyr Glu Pro Ala Thr Met Glu Gln Tyr Ser Arg Arg His Leu Gly Glu
 115 120 125

Leu Pro Pro His Ile Phe Ala Ile Ala Asn Glu Cys Tyr Arg Cys Leu
 130 135 140

Trp Lys Arg Tyr Asp Asn Gln Cys Ile Leu Ile Ser Gly Glu Ser Gly
 145 150 155 160

Ala Gly Lys Thr Glu Ser Thr Lys Leu Ile Leu Lys Phe Leu Ser Val
 165 170 175

Ile Ser Gln Gln Ser Leu Glu Leu Ser Leu Lys Glu Lys Thr Ser Cys
 180 185 190

Val Glu Arg Ala Ile Leu Glu Ser Ser Pro Ile Met Glu Ala Phe Gly
 195 200 205

Asn Ala Lys Thr Val Tyr Asn Asn Asn Ser Ser Arg Phe Gly Lys Phe
 210 215 220

Val Gln Leu Asn Ile Cys Gln Lys Gly Asn Ile Gln Gly Gly Arg Ile
 225 230 235 240

Val Asp Tyr Leu Leu Glu Lys Asn Arg Val Val Arg Gln Asn Pro Gly
 245 250 255

Glu Arg Asn Tyr His Ile Phe Tyr Ala Leu Leu Ala Gly Leu Glu His
 260 265 270

Glu Glu Arg Glu Glu Phe Tyr Leu Ser Thr Pro Glu Asn Tyr His Tyr
 275 280 285

Leu Asn Gln Ser Gly Cys Val Glu Asp Lys Thr Ile Ser Asp Gln Glu
 290 295 300

Ser Phe Arg Glu Val Ile Thr Ala Met Asp Val Met Gln Phe Ser Lys
 305 310 315 320

Glu Glu Val Arg Glu Val Ser Arg Leu Leu Ala Gly Ile Leu His Leu
 325 330 335

Gly Asn Ile Glu Phe Ile Thr Ala Gly Gly Ala Gln Val Ser Phe Lys
 340 345 350

Thr Ala Leu Gly Arg Ser Ala Glu Leu Leu Gly Leu Asp Pro Thr Gln
 355 360 365

Leu Thr Asp Ala Leu Thr Gln Arg Ser Met Phe Leu Arg Gly Glu Glu
 370 375 380

Ile Leu Thr Pro Leu Asn Val Gln Gln Ala Val Asp Ser Arg Asp Ser
 385 390 395 400

Leu Ala Met Ala Leu Tyr Ala Cys Cys Phe Glu Trp Val Ile Lys Lys
 405 410 415

Ile Asn Ser Arg Ile Lys Gly Asn Glu Asp Phe Lys Ser Ile Gly Ile
 420 425 430

Leu Asp Ile Phe Gly Phe Glu Asn Phe Glu Val Asn His Phe Glu Gln
 435 440 445

Phe Asn Ile Asn Tyr Ala Asn Glu Lys Leu Gln Glu Tyr Phe Asn Lys
 450 455 460

His Ile Phe Ser Leu Glu Gln Leu Glu Tyr Ser Arg Glu Gly Leu Val
 465 470 475 480

Trp Glu Asp Ile Asp Trp Ile Asp Asn Gly Glu Cys Leu Asp Leu Ile
 485 490 495

Glu Lys Lys Leu Gly Leu Leu Ala Leu Ile Asn Glu Glu Ser His Phe
 500 505 510

Pro Gln Ala Thr Asp Ser Thr Leu Leu Glu Lys Leu His Ser Gln His
 515 520 525

Ala Asn Asn His Phe Tyr Val Lys Pro Arg Val Ala Val Asn Asn Phe
 530 535 540

Gly Val Lys His Tyr Ala Gly Glu Val Gln Tyr Asp Val Arg Gly Ile
 545 550 555 560

Leu Glu Lys Asn Arg Asp Thr Phe Arg Asp Asp Leu Leu Asn Leu Leu
 565 570 575

Arg Glu Ser Arg Phe Asp Phe Ile Tyr Asp Leu Phe Glu His Val Ser
 580 585 590

Ser Arg Asn Asn Gln Asp Thr Leu Lys Cys Gly Ser Lys His Arg Arg
 595 600 605

Pro Thr Val Ser Ser Gln Phe Lys Asp Ser Leu His Ser Leu Met Ala
 610 615 620

Thr Leu Ser Ser Ser Asn Pro Phe Phe Val Arg Cys Ile Lys Pro Asn
 625 630 635 640

Met Gln Lys Met Pro Asp Gln Phe Asp Gln Ala Val Val Leu Asn Gln
 645 650 655

Leu Arg Tyr Ser Gly Met Leu Glu Thr Val Arg Ile Arg Lys Ala Gly
 660 665 670

Tyr Ala Val Arg Arg Pro Phe Gln Asp Phe Tyr Lys Arg Tyr Lys Val
 675 680 685

Leu Met Arg Asn Leu Ala Leu Pro Glu Asp Val Arg Gly Lys Cys Thr
 690 695 700

Ser Leu Leu Gln Leu Tyr Asp Ala Ser Asn Ser Glu Trp Gln Leu Gly
 705 710 715 720

Lys Thr Lys Val Phe Leu Arg Glu Ser Leu Glu Gln Lys Leu Glu Lys
 725 730 735

Arg Arg Glu Glu Glu Val Ser His Ala Ala Met Val Ile Arg Ala His
 740 745 750

Val Leu Gly Phe Leu Ala Arg Lys Gln Tyr Arg Lys Val Leu Tyr Cys
 755 760 765

Val Val Ile Ile Gln Lys Asn Tyr Arg Ala Phe Leu Leu Arg Arg Arg

770

775

780

Phe Leu His Leu Lys Lys Ala Ala Ile Val Phe Gln Lys Gln Leu Arg
 785 790 795 800

Gly Gln Ile Ala Arg Arg Val Tyr Arg Gln Leu Leu Ala Glu Lys Arg
 805 810 815

Glu Gln Glu Glu Lys Lys Lys Gln Glu Glu Glu Glu Lys Lys Lys Arg
 820 825 830

Glu Glu Glu Glu Arg Glu Arg Glu Arg Glu Arg Arg Glu Ala Glu Leu
 835 840 845

Arg Ala Gln Gln Glu Glu Glu Thr Arg Lys Gln Gln Glu Leu Glu Ala
 850 855 860

Leu Gln Lys Ser Gln Lys Glu Ala Glu Leu Thr Arg Glu Leu Glu Lys
 865 870 875 880

Gln Lys Glu Asn Lys Gln Val Glu Glu Ile Leu Arg Leu Glu Lys Glu
 885 890 895

Ile Glu Asp Leu Gln Arg Met Lys Glu Gln Gln Glu Leu Ser Leu Thr
 900 905 910

Glu Ala Ser Leu Gln Lys Leu Gln Glu Arg Arg Asp Gln Glu Leu Arg
 915 920 925

Arg Leu Glu Glu Glu Ala Cys Arg Ala Ala Gln Glu Phe Leu Glu Ser
 930 935 940

Leu Asn Phe Asp Glu Ile Asp Glu Cys Val Arg Asn Ile Glu Arg Ser
 945 950 955 960

Leu Ser Val Gly Ser Glu Phe Ser Ser Glu Leu Ala Glu Ser Ala Cys
 965 970 975

Glu Glu Lys Pro Asn Phe Asn Phe Ser Gln Pro Tyr Pro Glu Glu Glu
 980 985 990

Val Asp Glu Gly Phe Glu Ala Asp Asp Asp Ala Phe Lys Asp Ser Pro
 995 1000 1005

Asn Pro	Ser Glu His Gly His	Ser Asp Gln Arg Thr	Ser Gly Ile
1010	1015	1020	
Arg Thr	Ser Asp Asp Ser Ser	Glu Glu Asp Pro Tyr	Met Asn Asp
1025	1030	1035	
Thr Val	Val Pro Thr Ser Pro	Ser Ala Asp Ser Thr	Val Leu Leu
1040	1045	1050	
Ala Pro	Ser Val Gln Asp Ser	Gly Ser Leu His Asn	Ser Ser Ser
1055	1060	1065	
Gly Glu	Ser Thr Tyr Cys Met	Pro Gln Asn Ala Gly	Asp Leu Pro
1070	1075	1080	
Ser Pro	Asp Gly Asp Tyr Asp	Tyr Asp Gln Asp Asp	Tyr Glu Asp
1085	1090	1095	
Gly Ala	Ile Thr Ser Gly Ser	Ser Val Thr Phe Ser	Asn Ser Tyr
1100	1105	1110	
Gly Ser	Gln Trp Ser Pro Asp	Tyr Arg Cys Ser Val	Gly Thr Tyr
1115	1120	1125	
Asn Ser	Ser Gly Ala Tyr Arg	Phe Ser Ser Glu Gly	Ala Gln Ser
1130	1135	1140	
Ser Phe	Glu Asp Ser Glu Glu	Asp Phe Asp Ser Arg	Phe Asp Thr
1145	1150	1155	
Asp Asp	Glu Leu Ser Tyr Arg	Arg Asp Ser Val Tyr	Ser Cys Val
1160	1165	1170	
Thr Leu	Pro Tyr Phe His Ser	Phe Leu Tyr Met Lys	Gly Gly Leu
1175	1180	1185	
Met Asn	Ser Trp Lys Arg Arg	Trp Cys Val Leu Lys	Asp Glu Thr
1190	1195	1200	
Phe Leu	Trp Phe Arg Ser Lys	Gln Glu Ala Leu Lys	Gln Gly Trp
1205	1210	1215	

Leu His Lys Lys Gly Gly Gly Ser Ser Thr Leu Ser Arg Arg Asn
 1220 1225 1230
 Trp Lys Lys Arg Trp Phe Val Leu Arg Gln Ser Lys Leu Met Tyr
 1235 1240 1245
 Phe Glu Asn Asp Ser Glu Glu Lys Leu Lys Gly Thr Val Glu Val
 1250 1255 1260
 Arg Thr Ala Lys Glu Ile Ile Asp Asn Thr Thr Lys Glu Asn Gly
 1265 1270 1275
 Ile Asp Ile Ile Met Ala Asp Arg Thr Phe His Leu Ile Ala Glu
 1280 1285 1290
 Ser Pro Glu Asp Ala Ser Gln Trp Phe Ser Val Leu Ser Gln Val
 1295 1300 1305
 His Ala Ser Thr Asp Gln Glu Ile Gln Glu Met His Asp Glu Gln
 1310 1315 1320
 Ala Asn Pro Gln Asn Ala Val Gly Thr Leu Asp Val Gly Leu Ile
 1325 1330 1335
 Asp Ser Val Cys Ala Ser Asp Ser Pro Asp Arg Pro Asn Ser Phe
 1340 1345 1350
 Val Ile Ile Thr Ala Asn Arg Val Leu His Cys Asn Ala Asp Thr
 1355 1360 1365
 Pro Glu Glu Met His His Trp Ile Thr Leu Leu Gln Arg Ser Lys
 1370 1375 1380
 Gly Asp Thr Arg Val Glu Gly Gln Glu Phe Ile Val Arg Gly Trp
 1385 1390 1395
 Leu His Lys Glu Val Lys Asn Ser Pro Lys Met Ser Ser Leu Lys
 1400 1405 1410
 Leu Lys Lys Arg Trp Phe Val Leu Thr His Asn Ser Leu Asp Tyr
 1415 1420 1425

Tyr Lys Ser Ser Glu Lys Asn Ala Leu Lys Leu Gly Thr Leu Val
 1430 1435 1440
 Leu Asn Ser Leu Cys Ser Val Val Pro Pro Asp Glu Lys Ile Phe
 1445 1450 1455
 Lys Glu Thr Gly Tyr Trp Asn Val Thr Val Tyr Gly Arg Lys His
 1460 1465 1470
 Cys Tyr Arg Leu Tyr Thr Lys Leu Leu Asn Glu Ala Thr Arg Trp
 1475 1480 1485
 Ser Ser Ala Ile Gln Asn Val Thr Asp Thr Lys Ala Pro Ile Asp
 1490 1495 1500
 Thr Pro Thr Gln Gln Leu Ile Gln Asp Ile Lys Glu Asn Cys Leu
 1505 1510 1515
 Asn Ser Asp Val Val Glu Gln Ile Tyr Lys Arg Asn Pro Ile Leu
 1520 1525 1530
 Arg Tyr Thr His His Pro Leu His Ser Pro Leu Leu Pro Leu Pro
 1535 1540 1545
 Tyr Gly Asp Ile Asn Leu Asn Leu Leu Lys Asp Lys Gly Tyr Thr
 1550 1555 1560
 Thr Leu Gln Asp Glu Ala Ile Lys Ile Phe Asn Ser Leu Gln Gln
 1565 1570 1575
 Leu Glu Ser Met Ser Asp Pro Ile Pro Ile Ile Gln Gly Ile Leu
 1580 1585 1590
 Gln Thr Gly His Asp Leu Arg Pro Leu Arg Asp Glu Leu Tyr Cys
 1595 1600 1605
 Gln Leu Ile Lys Gln Thr Asn Lys Val Pro His Pro Gly Ser Val
 1610 1615 1620
 Gly Asn Leu Tyr Ser Trp Gln Ile Leu Thr Cys Leu Ser Cys Thr
 1625 1630 1635
 Phe Leu Pro Ser Arg Gly Ile Leu Lys Tyr Leu Lys Phe His Leu

1640		1645		1650
Lys Arg Ile Arg Glu Gln Phe Pro Gly Thr Glu Met Glu Lys Tyr				
1655		1660		1665
Ala Leu Phe Thr Tyr Glu Ser Leu Lys Lys Thr Lys Cys Arg Glu				
1670		1675		1680
Phe Val Pro Ser Arg Asp Glu Ile Glu Ala Leu Ile His Arg Gln				
1685		1690		1695
Glu Met Thr Ser Thr Val Tyr Cys His Gly Gly Gly Ser Cys Lys				
1700		1705		1710
Ile Thr Ile Asn Ser His Thr Thr Ala Gly Glu Val Val Glu Lys				
1715		1720		1725
Leu Ile Arg Gly Leu Ala Met Glu Asp Ser Arg Asn Met Phe Ala				
1730		1735		1740
Leu Phe Glu Tyr Asn Gly His Val Asp Lys Ala Ile Glu Ser Arg				
1745		1750		1755
Thr Val Val Ala Asp Val Leu Ala Lys Phe Glu Lys Leu Ala Ala				
1760		1765		1770
Thr Ser Glu Val Gly Asp Leu Pro Trp Lys Phe Tyr Phe Lys Leu				
1775		1780		1785
Tyr Cys Phe Leu Asp Thr Asp Asn Val Pro Lys Asp Ser Val Glu				
1790		1795		1800
Phe Ala Phe Met Phe Glu Gln Ala His Glu Ala Val Ile His Gly				
1805		1810		1815
His His Pro Ala Pro Glu Glu Asn Leu Gln Val Leu Ala Ala Leu				
1820		1825		1830
Arg Leu Gln Tyr Leu Gln Gly Asp Tyr Thr Leu His Ala Ala Ile				
1835		1840		1845
Pro Pro Leu Glu Glu Val Tyr Ser Leu Gln Arg Leu Lys Ala Arg				
1850		1855		1860

Ile Ser Gln Ser Thr Lys Thr Phe Thr Pro Cys Glu Arg Leu Glu
 1865 1870 1875

 Lys Arg Arg Thr Ser Phe Leu Glu Gly Thr Leu Arg Arg Ser Phe
 1880 1885 1890

 Arg Thr Gly Ser Val Val Arg Gln Lys Val Glu Glu Glu Gln Met
 1895 1900 1905

 Leu Asp Met Trp Ile Lys Glu Glu Val Ser Ser Ala Arg Ala Ser
 1910 1915 1920

 Ile Ile Asp Lys Trp Arg Lys Phe Gln Gly Met Asn Gln Glu Gln
 1925 1930 1935

 Ala Met Ala Lys Tyr Met Ala Leu Ile Lys Glu Trp Pro Gly Tyr
 1940 1945 1950

 Gly Ser Thr Leu Phe Asp Val Glu Cys Lys Glu Gly Gly Phe Pro
 1955 1960 1965

 Gln Glu Leu Trp Leu Gly Val Ser Ala Asp Ala Val Ser Val Tyr
 1970 1975 1980

 Lys Arg Gly Glu Gly Arg Pro Leu Glu Val Phe Gln Tyr Glu His
 1985 1990 1995

 Ile Leu Ser Phe Gly Ala Pro Leu Ala Asn Thr Tyr Lys Ile Val
 2000 2005 2010

 Val Asp Glu Arg Glu Leu Leu Phe Glu Thr Ser Glu Val Val Asp
 2015 2020 2025

 Val Ala Lys Leu Met Lys Ala Tyr Ile Ser Met Ile Val Lys Lys
 2030 2035 2040

 Arg Tyr Ser Thr Thr Arg Ser Ala Ser Ser Gln Gly Ser Ser Arg
 2045 2050 2055

<210> 189
 <211> 562
 <212> PRT

<213> Homo sapiens

<400> 189

Met Val Lys Ile Val Thr Val Lys Thr Gln Ala Tyr Gln Asp Gln Lys
 1 5 10 15

Pro Gly Thr Ser Gly Leu Arg Lys Arg Val Lys Val Phe Gln Ser Ser
 20 25 30

Ala Asn Tyr Ala Glu Asn Phe Ile Gln Ser Ile Ile Ser Thr Val Glu
 35 40 45

Pro Ala Gln Arg Gln Glu Ala Thr Leu Val Val Gly Gly Asp Gly Arg
 50 55 60

Phe Tyr Met Lys Glu Ala Ile Gln Leu Ile Ala Arg Ile Ala Ala Ala
 65 70 75 80

Asn Gly Ile Gly Arg Leu Val Ile Gly Gln Asn Gly Ile Leu Ser Thr
 85 90 95

Pro Ala Val Ser Cys Ile Ile Arg Lys Ile Lys Ala Ile Gly Gly Ile
 100 105 110

Ile Leu Thr Ala Ser His Asn Pro Gly Gly Pro Asn Gly Asp Phe Gly
 115 120 125

Ile Lys Phe Asn Ile Ser Asn Gly Gly Pro Ala Pro Glu Ala Ile Thr
 130 135 140

Asp Lys Ile Phe Gln Ile Ser Lys Thr Ile Glu Glu Tyr Ala Val Cys
 145 150 155 160

Pro Asp Leu Lys Val Asp Leu Gly Val Leu Gly Lys Gln Gln Phe Asp
 165 170 175

Leu Glu Asn Lys Phe Lys Pro Phe Thr Val Glu Ile Val Asp Ser Val
 180 185 190

Glu Ala Tyr Ala Thr Met Leu Arg Ser Ile Phe Asp Phe Ser Ala Leu
 195 200 205

Lys Glu Leu Leu Ser Gly Pro Asn Arg Leu Lys Ile Cys Ile Asp Ala

210		215		220
Met His Gly Val Val Gly Pro Tyr Val Lys Lys Ile Leu Cys Glu Glu				
225		230		235 240
Leu Gly Ala Pro Ala Asn Ser Ala Val Asn Cys Val Pro Leu Glu Asp				
	245		250	255
Phe Gly Gly His His Pro Asp Pro Asn Leu Thr Tyr Ala Ala Asp Leu				
	260		265	270
Val Glu Thr Met Lys Ser Gly Glu His Asp Phe Gly Ala Ala Phe Asp				
	275		280	285
Gly Asp Gly Asp Arg Asn Met Ile Leu Gly Lys His Gly Phe Phe Val				
	290		295	300
Asn Pro Ser Asp Ser Val Ala Val Ile Ala Ala Asn Ile Phe Ser Ile				
305		310		315 320
Pro Tyr Phe Gln Gln Thr Gly Val Arg Gly Phe Ala Arg Ser Met Pro				
	325		330	335
Thr Ser Gly Ala Leu Asp Arg Val Ala Ser Ala Thr Lys Ile Ala Leu				
	340		345	350
Tyr Glu Thr Pro Thr Gly Trp Lys Phe Phe Gly Asn Leu Met Asp Ala				
	355		360	365
Ser Lys Leu Ser Leu Cys Gly Glu Glu Ser Phe Gly Thr Gly Ser Asp				
	370		375	380
His Ile Arg Glu Lys Asp Gly Leu Trp Ala Val Leu Ala Trp Leu Ser				
385		390		395 400
Ile Leu Ala Thr Arg Lys Gln Ser Val Glu Asp Ile Leu Lys Asp His				
	405		410	415
Trp Gln Lys His Gly Arg Asn Phe Phe Thr Arg Tyr Asp Tyr Glu Glu				
	420		425	430
Val Glu Ala Glu Gly Ala Asn Lys Met Met Lys Asp Leu Glu Ala Leu				
	435		440	445

Met Phe Asp Arg Ser Phe Val Gly Lys Gln Phe Ser Ala Asn Asp Lys
 450 455 460

Val Tyr Thr Val Glu Lys Ala Asp Asn Phe Glu Tyr Ser Asp Pro Val
 465 470 475 480

Asp Gly Ser Ile Ser Arg Asn Gln Gly Leu Arg Leu Ile Phe Thr Asp
 485 490 495

Gly Ser Arg Ile Val Phe Arg Leu Ser Gly Thr Gly Ser Ala Gly Ala
 500 505 510

Thr Ile Arg Leu Tyr Ile Asp Ser Tyr Glu Lys Asp Val Ala Lys Ile
 515 520 525

Asn Gln Asp Pro Gln Val Met Leu Ala Pro Leu Ile Ser Ile Ala Leu
 530 535 540

Lys Val Ser Gln Leu Gln Glu Arg Thr Gly Arg Thr Ala Pro Thr Val
 545 550 555 560

Ile Thr

<210> 190
 <211> 204
 <212> PRT
 <213> Homo sapiens

<400> 190

Gly Glu Gly Glu Arg Pro Glu Glu Asp Ala Ala Ala Leu Glu Leu Ser
 1 5 10 15

Ser Asp Glu Ala Val Glu Val Glu Glu Val Ile Glu Glu Ser Arg Ala
 20 25 30

Glu Arg Ile Lys Arg Ser Gly Leu Arg Arg Val Asp Asp Phe Lys Lys
 35 40 45

Ala Phe Ser Lys Glu Lys Met Glu Lys Thr Lys Val Arg Thr Arg Glu
 50 55 60

Asn Leu Glu Lys Thr Arg Leu Lys Thr Lys Glu Asn Leu Glu Lys Thr
65 70 75 80

Arg His Thr Leu Glu Lys Arg Met Asn Lys Leu Gly Thr Arg Leu Val
85 90 95

Pro Ala Glu Arg Arg Glu Lys Leu Lys Thr Ser Arg Asp Lys Leu Arg
100 105 110

Lys Ser Phe Thr Pro Asp His Val Val Tyr Ala Arg Ser Lys Thr Ala
115 120 125

Val Tyr Lys Val Pro Pro Phe Thr Phe His Val Lys Lys Ile Arg Glu
130 135 140

Gly Gln Val Glu Val Leu Lys Ala Thr Glu Met Val Glu Val Gly Ala
145 150 155 160

Asp Asp Asp Glu Gly Gly Ala Glu Arg Gly Glu Ala Gly Asp Leu Arg
165 170 175

Arg Gly Ser Ser Pro Asp Val His Ala Leu Leu Glu Ile Thr Glu Glu
180 185 190

Ser Asp Ala Val Leu Val Asp Lys Ser Asp Ser Asp
195 200

<210> 191
<211> 345
<212> PRT
<213> Homo sapiens

<400> 191

Met Ser Leu Phe Gly Leu Leu Leu Leu Thr Ser Ala Leu Ala Gly Gln
1 5 10 15

Arg Gln Gly Thr Gln Ala Glu Ser Asn Leu Ser Ser Lys Phe Gln Phe
20 25 30

Ser Ser Asn Lys Glu Gln Asn Gly Val Gln Asp Pro Gln His Glu Arg
35 40 45

Ile Ile Thr Val Ser Thr Asn Gly Ser Ile His Ser Pro Arg Phe Pro
50 55 60

His Thr Tyr Pro Arg Asn Thr Val Leu Val Trp Arg Leu Val Ala Val
 65 70 75 80

Glu Glu Asn Val Trp Ile Gln Leu Thr Phe Asp Glu Arg Phe Gly Leu
 85 90 95

Glu Asp Pro Glu Asp Asp Ile Cys Lys Tyr Asp Phe Val Glu Val Glu
 100 105 110

Glu Pro Ser Asp Gly Thr Ile Leu Gly Arg Trp Cys Gly Ser Gly Thr
 115 120 125

Val Pro Gly Lys Gln Ile Ser Lys Gly Asn Gln Ile Arg Ile Arg Phe
 130 135 140

Val Ser Asp Glu Tyr Phe Pro Ser Glu Pro Gly Phe Cys Ile His Tyr
 145 150 155 160

Asn Ile Val Met Pro Gln Phe Thr Glu Ala Val Ser Pro Ser Val Leu
 165 170 175

Pro Pro Ser Ala Leu Pro Leu Asp Leu Leu Asn Asn Ala Ile Thr Ala
 180 185 190

Phe Ser Thr Leu Glu Asp Leu Ile Arg Tyr Leu Glu Pro Glu Arg Trp
 195 200 205

Gln Leu Asp Leu Glu Asp Leu Tyr Arg Pro Thr Trp Gln Leu Leu Gly
 210 215 220

Lys Ala Phe Val Phe Gly Arg Lys Ser Arg Val Val Asp Leu Asn Leu
 225 230 235 240

Leu Thr Glu Glu Val Arg Leu Tyr Ser Cys Thr Pro Arg Asn Phe Ser
 245 250 255

Val Ser Ile Arg Glu Glu Leu Lys Arg Thr Asp Thr Ile Phe Trp Pro
 260 265 270

Gly Cys Leu Leu Val Lys Arg Cys Gly Gly Asn Cys Ala Cys Cys Leu
 275 280 285

His Asn Cys Asn Glu Cys Gln Cys Val Pro Ser Lys Val Thr Lys Lys
 290 295 300

Tyr His Glu Val Leu Gln Leu Arg Pro Lys Thr Gly Val Arg Gly Leu
 305 310 315 320

His Lys Ser Leu Thr Asp Val Ala Leu Glu His His Glu Glu Cys Asp
 325 330 335

Cys Val Cys Arg Gly Ser Thr Gly Gly
 340 345

<210> 192
 <211> 1261
 <212> PRT
 <213> Homo sapiens

<400> 192

Met Ile Ala His Lys Gln Lys Lys Thr Lys Lys Lys Arg Ala Trp Ala
 1 5 10 15

Ser Gly Gln Leu Ser Thr Asp Ile Thr Thr Ser Glu Met Gly Leu Lys
 20 25 30

Ser Leu Ser Ser Asn Ser Ile Phe Asp Pro Asp Tyr Ile Lys Glu Leu
 35 40 45

Val Asn Asp Ile Arg Lys Phe Ser His Ile Leu Leu Tyr Leu Lys Glu
 50 55 60

Ala Ile Phe Ser Asp Cys Phe Lys Glu Val Ile His Ile Arg Leu Glu
 65 70 75 80

Glu Leu Leu Arg Val Leu Lys Ser Ile Met Asn Lys His Gln Asn Leu
 85 90 95

Asn Ser Val Asp Leu Gln Asn Ala Ala Glu Met Leu Thr Ala Lys Val
 100 105 110

Lys Ala Val Asn Phe Thr Glu Val Asn Glu Glu Asn Lys Asn Asp Leu
 115 120 125

Phe Gln Glu Val Phe Ser Ser Ile Glu Thr Leu Ala Phe Thr Phe Gly

130

135

140

Asn Ile Leu Thr Asn Phe Leu Met Gly Asp Val Gly Asn Asp Ser Phe
 145 150 155 160

Leu Arg Leu Pro Val Ser Arg Glu Thr Lys Ser Phe Glu Asn Val Ser
 165 170 175

Val Glu Ser Val Asp Ser Ser Ser Glu Lys Gly Asn Phe Ser Pro Leu
 180 185 190

Glu Leu Asp Asn Val Leu Leu Lys Asn Thr Asp Ser Ile Glu Leu Ala
 195 200 205

Leu Ser Tyr Ala Lys Thr Trp Ser Lys Tyr Thr Lys Asn Ile Val Ser
 210 215 220

Trp Val Glu Lys Lys Leu Asn Leu Glu Leu Glu Ser Thr Arg Asn Met
 225 230 235 240

Val Lys Leu Ala Glu Ala Thr Arg Thr Asn Ile Gly Ile Gln Glu Phe
 245 250 255

Met Pro Leu Gln Ser Leu Phe Thr Asn Ala Leu Leu Asn Asp Ile Glu
 260 265 270

Ser Ser His Leu Leu Gln Gln Thr Ile Ala Ala Leu Gln Ala Asn Lys
 275 280 285

Phe Val Gln Pro Leu Leu Gly Arg Lys Asn Glu Met Glu Lys Gln Arg
 290 295 300

Lys Glu Ile Lys Glu Leu Trp Lys Gln Glu Gln Asn Lys Met Leu Glu
 305 310 315 320

Ala Glu Asn Ala Leu Lys Lys Ala Lys Leu Leu Cys Met Gln Arg Gln
 325 330 335

Asp Glu Tyr Glu Lys Ala Lys Ser Ser Met Phe Arg Ala Glu Glu Glu
 340 345 350

His Leu Ser Ser Ser Gly Gly Leu Ala Lys Asn Leu Asn Lys Gln Leu
 355 360 365

Glu Lys Lys Arg Arg Leu Glu Glu Glu Ala Leu Gln Lys Val Glu Glu
 370 375 380

Ala Asp Glu Leu Tyr Lys Val Cys Val Thr Asn Val Glu Glu Arg Arg
 385 390 395 400

Asn Asp Val Glu Asn Thr Lys Arg Glu Ile Leu Ala Gln Leu Arg Thr
 405 410 415

Leu Val Phe Gln Cys Asp Leu Thr Leu Lys Ala Val Thr Val Asn Leu
 420 425 430

Phe His Met Gln His Leu Gln Ala Ala Ser Leu Ala Asp Arg Leu Gln
 435 440 445

Ser Leu Cys Gly Ser Ala Lys Leu Tyr Asp Pro Gly Gln Glu Tyr Ser
 450 455 460

Glu Phe Val Lys Ala Thr Asn Ser Thr Glu Glu Glu Lys Val Asp Gly
 465 470 475 480

Asn Val Asn Lys His Leu Asn Ser Ser Gln Pro Ser Gly Phe Gly Pro
 485 490 495

Ala Asn Ser Leu Glu Asp Val Val Arg Leu Pro Asp Ser Ser Asn Lys
 500 505 510

Ile Glu Glu Asp Arg Cys Ser Asn Ser Ala Asp Ile Thr Gly Pro Ser
 515 520 525

Phe Ile Arg Ser Trp Thr Phe Gly Met Phe Ser Asp Ser Glu Ser Thr
 530 535 540

Gly Gly Ser Ser Glu Ser Arg Ser Leu Asp Ser Glu Ser Ile Ser Pro
 545 550 555 560

Gly Asp Phe His Arg Lys Leu Pro Arg Thr Pro Ser Ser Gly Thr Met
 565 570 575

Ser Ser Ala Asp Asp Leu Asp Glu Arg Glu Pro Pro Ser Pro Ser Glu
 580 585 590

Thr Gly Pro Asn Ser Leu Gly Thr Phe Lys Lys Thr Leu Met Ser Lys
595 600 605

Ala Ala Leu Thr His Lys Phe Arg Lys Leu Arg Ser Pro Thr Lys Cys
610 615 620

Arg Asp Cys Glu Gly Ile Val Val Phe Gln Gly Val Glu Cys Glu Glu
625 630 635 640

Cys Leu Leu Val Cys His Arg Lys Cys Leu Glu Asn Leu Val Ile Ile
645 650 655

Cys Gly His Gln Lys Leu Pro Gly Lys Ile His Leu Phe Gly Ala Glu
660 665 670

Phe Thr Leu Val Ala Lys Lys Glu Pro Asp Gly Ile Pro Phe Ile Leu
675 680 685

Lys Ile Cys Ala Ser Glu Ile Glu Asn Arg Ala Leu Cys Leu Gln Gly
690 695 700

Ile Tyr Arg Val Cys Gly Asn Lys Ile Lys Thr Glu Lys Leu Cys Leu
705 710 715 720

Ala Leu Glu Asn Gly Met His Leu Val Asp Ile Ser Glu Phe Ser Ser
725 730 735

His Asp Ile Cys Asp Val Leu Lys Leu Tyr Leu Arg Gln Leu Pro Glu
740 745 750

Pro Phe Ile Leu Phe Arg Leu Tyr Lys Glu Phe Ile Asp Leu Ala Lys
755 760 765

Glu Ile Gln His Val Asn Glu Glu Gln Glu Thr Lys Lys Asn Ser Leu
770 775 780

Glu Asp Lys Lys Trp Pro Asn Met Cys Ile Glu Ile Asn Arg Ile Leu
785 790 795 800

Leu Lys Ser Lys Asp Leu Leu Arg Gln Leu Pro Ala Ser Asn Phe Asn
805 810 815

Ser Leu His Phe Leu Ile Val His Leu Lys Arg Val Val Asp His Ala
 820 825 830

Glu Glu Asn Lys Met Asn Ser Lys Asn Leu Gly Val Ile Phe Gly Pro
 835 840 845

Ser Leu Ile Arg Pro Arg Pro Gln Thr Ala Pro Ile Thr Ile Ser Ser
 850 855 860

Leu Ala Glu Tyr Ser Asn Gln Ala Arg Leu Val Glu Phe Leu Ile Thr
 865 870 875 880

Tyr Ser Gln Lys Ile Phe Asp Gly Ser Leu Gln Pro Gln Asp Val Met
 885 890 895

Cys Ser Ile Gly Val Val Asp Gln Gly Cys Phe Pro Lys Pro Leu Leu
 900 905 910

Ser Pro Glu Glu Arg Asp Ile Glu Arg Ser Met Lys Ser Leu Phe Phe
 915 920 925

Ser Ser Lys Glu Asp Ile His Thr Ser Glu Ser Glu Ser Lys Ile Phe
 930 935 940

Glu Arg Ala Thr Ser Phe Glu Glu Ser Glu Arg Lys Gln Asn Ala Leu
 945 950 955 960

Gly Lys Cys Asp Ala Cys Leu Ser Asp Lys Ala Gln Leu Leu Leu Asp
 965 970 975

Gln Glu Ala Glu Ser Ala Ser Gln Lys Ile Glu Asp Gly Lys Ala Pro
 980 985 990

Lys Pro Leu Ser Leu Lys Ser Asp Arg Ser Thr Asn Asn Val Glu Arg
 995 1000 1005

His Thr Pro Arg Thr Lys Ile Arg Pro Val Ser Leu Pro Val Asp
 1010 1015 1020

Arg Leu Leu Leu Ala Ser Pro Pro Asn Glu Arg Asn Gly Arg Asn
 1025 1030 1035

Met Gly Asn Val Asn Leu Asp Lys Phe Cys Lys Asn Pro Ala Phe

1040		1045		1050
Glu Gly Val Asn Arg Lys Asp Ala Ala Thr Thr Val Cys Ser Lys				
1055		1060		1065
Phe Asn Gly Phe Asp Gln Gln Thr Leu Gln Lys Ile Gln Asp Lys				
1070		1075		1080
Gln Tyr Glu Gln Asn Ser Leu Thr Ala Lys Thr Thr Met Ile Met				
1085		1090		1095
Pro Ser Ala Leu Gln Glu Lys Gly Val Thr Thr Ser Leu Gln Ile				
1100		1105		1110
Ser Gly Asp His Ser Ile Asn Ala Thr Gln Pro Ser Lys Pro Tyr				
1115		1120		1125
Ala Glu Pro Val Arg Ser Val Arg Glu Ala Ser Glu Arg Arg Ser				
1130		1135		1140
Ser Asp Ser Tyr Pro Leu Ala Pro Val Arg Ala Pro Arg Thr Leu				
1145		1150		1155
Gln Pro Gln His Trp Thr Thr Phe Tyr Lys Pro His Ala Pro Ile				
1160		1165		1170
Ile Ser Ile Arg Gly Asn Glu Glu Lys Pro Ala Ser Pro Ser Ala				
1175		1180		1185
Ala Cys Pro Pro Gly Thr Asp His Asp Pro His Gly Leu Val Val				
1190		1195		1200
Lys Ser Met Pro Asp Pro Asp Lys Ala Ser Ala Cys Pro Gly Gln				
1205		1210		1215
Ala Thr Gly Gln Pro Lys Glu Asp Ser Glu Glu Leu Gly Leu Pro				
1220		1225		1230
Asp Val Asn Pro Met Cys Gln Arg Pro Arg Leu Lys Arg Met Gln				
1235		1240		1245
Gln Phe Glu Asp Leu Glu Asp Glu Ile Pro Gln Phe Val				
1250		1255		1260

<210> 193
 <211> 192
 <212> PRT
 <213> Homo sapiens

<400> 193

Met Gln Ala Ile Lys Cys Val Val Val Gly Asp Gly Ala Val Gly Lys
 1 5 10 15

Thr Cys Leu Leu Ile Ser Tyr Thr Thr Asn Ala Phe Pro Gly Glu Tyr
 20 25 30

Ile Pro Thr Val Phe Asp Asn Tyr Ser Ala Asn Val Met Val Asp Ser
 35 40 45

Lys Pro Val Asn Leu Gly Leu Trp Asp Thr Ala Gly Gln Glu Asp Tyr
 50 55 60

Asp Arg Leu Arg Pro Leu Ser Tyr Pro Gln Thr Asp Val Phe Leu Ile
 65 70 75 80

Cys Phe Ser Leu Val Ser Pro Ala Ser Tyr Glu Asn Val Arg Ala Lys
 85 90 95

Trp Phe Pro Glu Val Arg His His Cys Pro Ser Thr Pro Ile Ile Leu
 100 105 110

Val Gly Thr Lys Leu Asp Leu Arg Asp Asp Lys Asp Thr Ile Glu Lys
 115 120 125

Leu Lys Glu Lys Lys Leu Ala Pro Ile Thr Tyr Pro Gln Gly Leu Ala
 130 135 140

Leu Ala Lys Glu Ile Asp Ser Val Lys Tyr Leu Glu Cys Ser Ala Leu
 145 150 155 160

Thr Gln Arg Gly Leu Lys Thr Val Phe Asp Glu Ala Ile Arg Ala Val
 165 170 175

Leu Cys Pro Gln Pro Thr Arg Gln Gln Lys Arg Ala Cys Ser Leu Leu
 180 185 190

<210> 194
 <211> 404
 <212> PRT
 <213> Homo sapiens

<400> 194

Met Asp Ser Arg Thr Lys Ser Lys Asp Tyr Cys Lys Val Ile Phe Pro
 1 5 10 15

Tyr Glu Ala Gln Asn Asp Asp Glu Leu Thr Ile Lys Glu Gly Asp Ile
 20 25 30

Val Thr Leu Ile Asn Lys Asp Cys Ile Asp Val Gly Trp Trp Glu Gly
 35 40 45

Glu Leu Asn Gly Arg Arg Gly Val Phe Pro Asp Asn Phe Val Lys Leu
 50 55 60

Leu Pro Pro Asp Phe Glu Lys Glu Gly Asn Arg Pro Lys Lys Pro Pro
 65 70 75 80

Pro Pro Ser Ala Pro Val Ile Lys Gln Gly Ala Gly Thr Thr Glu Arg
 85 90 95

Lys His Glu Ile Lys Lys Ile Pro Pro Glu Arg Pro Glu Met Leu Pro
 100 105 110

Asn Arg Thr Glu Glu Lys Glu Arg Pro Glu Arg Glu Pro Lys Leu Asp
 115 120 125

Leu Gln Lys Pro Ser Val Pro Ala Ile Pro Pro Lys Lys Pro Arg Pro
 130 135 140

Pro Lys Thr Asn Ser Leu Ser Arg Pro Gly Ala Leu Pro Pro Arg Arg
 145 150 155 160

Pro Glu Arg Pro Val Gly Pro Leu Thr His Thr Arg Gly Asp Ser Pro
 165 170 175

Lys Ile Asp Leu Ala Gly Ser Ser Leu Ser Gly Ile Leu Asp Lys Asp
 180 185 190

Leu Ser Asp Arg Ser Asn Asp Ile Asp Leu Glu Gly Phe Asp Ser Val
 195 200 205

Val Ser Ser Thr Glu Lys Leu Ser His Pro Thr Thr Ser Arg Pro Lys
 210 215 220

Ala Thr Gly Arg Arg Pro Pro Ser Gln Ser Leu Thr Ser Ser Ser Leu
 225 230 235 240

Ser Ser Pro Asp Ile Phe Asp Ser Pro Ser Pro Glu Glu Asp Lys Glu
 245 250 255

Glu His Ile Ser Leu Ala His Arg Gly Val Asp Ala Ser Lys Lys Thr
 260 265 270

Ser Lys Thr Val Thr Ile Ser Gln Val Ser Asp Asn Lys Ala Ser Leu
 275 280 285

Pro Pro Lys Pro Gly Thr Met Ala Ala Gly Gly Gly Gly Pro Ala Pro
 290 295 300

Leu Ser Ser Ala Ala Pro Ser Pro Leu Ser Ser Ser Leu Gly Thr Ala
 305 310 315 320

Gly His Arg Ala Asn Ser Pro Ser Leu Phe Gly Thr Glu Gly Lys Pro
 325 330 335

Lys Met Glu Pro Ala Ala Ser Ser Gln Ala Ala Val Glu Glu Leu Arg
 340 345 350

Thr Gln Val Arg Glu Leu Arg Ser Ile Ile Glu Thr Met Lys Asp Gln
 355 360 365

Gln Lys Arg Glu Ile Lys Gln Leu Leu Ser Glu Leu Asp Glu Glu Lys
 370 375 380

Lys Ile Arg Leu Arg Leu Gln Met Glu Val Asn Asp Ile Lys Lys Ala
 385 390 395 400

Leu Gln Ser Lys

<210> 195
 <211> 268
 <212> PRT

<213> Homo sapiens

<400> 195

Met Pro Arg Ser Phe Leu Val Lys Lys His Phe Asn Ala Ser Lys Lys
 1 5 10 15

Pro Asn Tyr Ser Glu Leu Asp Thr His Thr Val Ile Ile Ser Pro Tyr
 20 25 30

Leu Tyr Glu Ser Tyr Ser Met Pro Val Ile Pro Gln Pro Glu Ile Leu
 35 40 45

Ser Ser Gly Ala Tyr Ser Pro Ile Thr Val Trp Thr Thr Ala Ala Pro
 50 55 60

Phe His Ala Gln Leu Pro Asn Gly Leu Ser Pro Leu Ser Gly Tyr Ser
 65 70 75 80

Ser Ser Leu Gly Arg Val Ser Pro Pro Pro Pro Ser Asp Thr Ser Ser
 85 90 95

Lys Asp His Ser Gly Ser Glu Ser Pro Ile Ser Asp Glu Glu Glu Arg
 100 105 110

Leu Gln Ser Lys Leu Ser Asp Pro His Ala Ile Glu Ala Glu Lys Phe
 115 120 125

Gln Cys Asn Leu Cys Asn Lys Thr Tyr Ser Thr Phe Ser Gly Leu Ala
 130 135 140

Lys His Lys Gln Leu His Cys Asp Ala Gln Ser Arg Lys Ser Phe Ser
 145 150 155 160

Cys Lys Tyr Cys Asp Lys Glu Tyr Val Ser Leu Gly Ala Leu Lys Met
 165 170 175

His Ile Arg Thr His Thr Leu Pro Cys Val Cys Lys Ile Cys Gly Lys
 180 185 190

Ala Phe Ser Arg Pro Trp Leu Leu Gln Gly His Ile Arg Thr His Thr
 195 200 205

Gly Glu Lys Pro Phe Ser Cys Pro His Cys Asn Arg Ala Phe Ala Asp

210

215

220

Arg Ser Asn Leu Arg Ala His Leu Gln Thr His Ser Asp Val Lys Lys
 225 230 235 240

Tyr Gln Cys Lys Asn Cys Ser Lys Thr Phe Ser Arg Met Ser Leu Leu
 245 250 255

His Lys His Glu Glu Ser Gly Cys Cys Val Ala His
 260 265

<210> 196
 <211> 490
 <212> PRT
 <213> Homo sapiens
 <400> 196

Met Ser Glu Val Thr Lys Asn Ser Leu Glu Lys Ile Leu Pro Gln Leu
 1 5 10 15

Lys Cys His Phe Thr Trp Asn Leu Phe Lys Glu Asp Ser Val Ser Arg
 20 25 30

Asp Leu Glu Asp Arg Val Cys Asn Gln Ile Glu Phe Leu Asn Thr Glu
 35 40 45

Phe Lys Ala Thr Met Tyr Asn Leu Leu Ala Tyr Ile Lys His Leu Asp
 50 55 60

Gly Asn Asn Glu Ala Ala Leu Glu Cys Leu Arg Gln Ala Glu Glu Leu
 65 70 75 80

Ile Gln Gln Glu His Ala Asp Gln Ala Glu Ile Arg Ser Leu Val Thr
 85 90 95

Trp Gly Asn Tyr Ala Trp Val Tyr Tyr His Leu Gly Arg Leu Ser Asp
 100 105 110

Ala Gln Ile Tyr Val Asp Lys Val Lys Gln Thr Cys Lys Lys Phe Ser
 115 120 125

Asn Pro Tyr Ser Ile Glu Tyr Ser Glu Leu Asp Cys Glu Glu Gly Trp
 130 135 140

Thr Gln Leu Lys Cys Gly Arg Asn Glu Arg Ala Lys Val Cys Phe Glu
145 150 155 160

Lys Ala Leu Glu Glu Lys Pro Asn Asn Pro Glu Phe Ser Ser Gly Leu
165 170 175

Ala Ile Ala Met Tyr His Leu Asp Asn His Pro Glu Lys Gln Phe Ser
180 185 190

Thr Asp Val Leu Lys Gln Ala Ile Glu Leu Ser Pro Asp Asn Gln Tyr
195 200 205

Val Lys Val Leu Leu Gly Leu Lys Leu Gln Lys Met Asn Lys Glu Ala
210 215 220

Glu Gly Glu Gln Phe Val Glu Glu Ala Leu Glu Lys Ser Pro Cys Gln
225 230 235 240

Thr Asp Val Leu Arg Ser Ala Ala Lys Phe Tyr Arg Arg Lys Gly Asp
245 250 255

Leu Asp Lys Ala Ile Glu Leu Phe Gln Arg Val Leu Glu Ser Thr Pro
260 265 270

Asn Asn Gly Tyr Leu Tyr His Gln Ile Gly Cys Cys Tyr Lys Ala Lys
275 280 285

Val Arg Gln Met Gln Asn Thr Gly Glu Ser Glu Ala Ser Gly Asn Lys
290 295 300

Glu Met Ile Glu Ala Leu Lys Gln Tyr Ala Met Asp Tyr Ser Asn Lys
305 310 315 320

Ala Leu Glu Lys Gly Leu Asn Pro Leu Asn Ala Tyr Ser Asp Leu Ala
325 330 335

Glu Phe Leu Glu Thr Glu Cys Tyr Gln Thr Pro Phe Asn Lys Glu Val
340 345 350

Pro Asp Ala Glu Lys Gln Gln Ser His Gln Arg Tyr Cys Asn Leu Gln
355 360 365

Lys Tyr Asn Gly Lys Ser Glu Asp Thr Ala Val Gln His Gly Leu Glu
 370 375 380

Gly Leu Ser Ile Ser Lys Lys Ser Thr Asp Lys Glu Glu Ile Lys Asp
 385 390 395 400

Gln Pro Gln Asn Val Ser Glu Asn Leu Leu Pro Gln Asn Ala Pro Asn
 405 410 415

Tyr Trp Tyr Leu Gln Gly Leu Ile His Lys Gln Asn Gly Asp Leu Leu
 420 425 430

Gln Ala Ala Lys Cys Tyr Glu Lys Glu Leu Gly Arg Leu Leu Arg Asp
 435 440 445

Ala Pro Ser Gly Ile Gly Ser Ile Phe Leu Ser Ala Ser Glu Leu Glu
 450 455 460

Asp Gly Ser Glu Glu Met Gly Gln Gly Ala Val Ser Ser Ser Pro Arg
 465 470 475 480

Glu Leu Leu Ser Asn Ser Glu Gln Leu Asn
 485 490

<210> 197
 <211> 567
 <212> PRT
 <213> Homo sapiens

<400> 197

Met Gly Arg Gly Leu Leu Arg Gly Leu Trp Pro Leu His Ile Val Leu
 1 5 10 15

Trp Thr Arg Ile Ala Ser Thr Ile Pro Pro His Val Gln Lys Ser Val
 20 25 30

Asn Asn Asp Met Ile Val Thr Asp Asn Asn Gly Ala Val Lys Phe Pro
 35 40 45

Gln Leu Cys Lys Phe Cys Asp Val Arg Phe Ser Thr Cys Asp Asn Gln
 50 55 60

Lys Ser Cys Met Ser Asn Cys Ser Ile Thr Ser Ile Cys Glu Lys Pro
 65 70 75 80

Gln Glu Val Cys Val Ala Val Trp Arg Lys Asn Asp Glu Asn Ile Thr
 85 90 95

Leu Glu Thr Val Cys His Asp Pro Lys Leu Pro Tyr His Asp Phe Ile
 100 105 110

Leu Glu Asp Ala Ala Ser Pro Lys Cys Ile Met Lys Glu Lys Lys Lys
 115 120 125

Pro Gly Glu Thr Phe Phe Met Cys Ser Cys Ser Ser Asp Glu Cys Asn
 130 135 140

Asp Asn Ile Ile Phe Ser Glu Glu Tyr Asn Thr Ser Asn Pro Asp Leu
 145 150 155 160

Leu Leu Val Ile Phe Gln Val Thr Gly Ile Ser Leu Leu Pro Pro Leu
 165 170 175

Gly Val Ala Ile Ser Val Ile Ile Ile Phe Tyr Cys Tyr Arg Val Asn
 180 185 190

Arg Gln Gln Lys Leu Ser Ser Thr Trp Glu Thr Gly Lys Thr Arg Lys
 195 200 205

Leu Met Glu Phe Ser Glu His Cys Ala Ile Ile Leu Glu Asp Asp Arg
 210 215 220

Ser Asp Ile Ser Ser Thr Cys Ala Asn Asn Ile Asn His Asn Thr Glu
 225 230 235 240

Leu Leu Pro Ile Glu Leu Asp Thr Leu Val Gly Lys Gly Arg Phe Ala
 245 250 255

Glu Val Tyr Lys Ala Lys Leu Lys Gln Asn Thr Ser Glu Gln Phe Glu
 260 265 270

Thr Val Ala Val Lys Ile Phe Pro Tyr Glu Glu Tyr Ala Ser Trp Lys
 275 280 285

Thr Glu Lys Asp Ile Phe Ser Asp Ile Asn Leu Lys His Glu Asn Ile
 290 295 300

Leu Gln Phe Leu Thr Ala Glu Glu Arg Lys Thr Glu Leu Gly Lys Gln
 305 310 315 320

Tyr Trp Leu Ile Thr Ala Phe His Ala Lys Gly Asn Leu Gln Glu Tyr
 325 330 335

Leu Thr Arg His Val Ile Ser Trp Glu Asp Leu Arg Lys Leu Gly Ser
 340 345 350

Ser Leu Ala Arg Gly Ile Ala His Leu His Ser Asp His Thr Pro Cys
 355 360 365

Gly Arg Pro Lys Met Pro Ile Val His Arg Asp Leu Asn Ser Ser Asn
 370 375 380

Ile Leu Val Lys Asn Asp Leu Thr Cys Cys Leu Cys Asp Phe Gly Leu
 385 390 395 400

Ser Leu Arg Leu Asp Pro Thr Leu Ser Val Asp Asp Leu Ala Asn Ser
 405 410 415

Gly Gln Val Gly Thr Ala Arg Tyr Met Ala Pro Glu Val Leu Glu Ser
 420 425 430

Arg Met Asn Leu Glu Asn Ala Glu Ser Phe Lys Gln Thr Asp Val Tyr
 435 440 445

Ser Met Ala Leu Val Leu Trp Glu Met Thr Ser Arg Cys Asn Ala Val
 450 455 460

Gly Glu Val Lys Asp Tyr Glu Pro Pro Phe Gly Ser Lys Val Arg Glu
 465 470 475 480

His Pro Cys Val Glu Ser Met Lys Asp Asn Val Leu Arg Asp Arg Gly
 485 490 495

Arg Pro Glu Ile Pro Ser Phe Trp Leu Asn His Gln Gly Ile Gln Met
 500 505 510

Val Cys Glu Thr Leu Thr Glu Cys Trp Asp His Asp Pro Glu Ala Arg
 515 520 525

Leu Thr Ala Gln Cys Val Ala Glu Arg Phe Ser Glu Leu Glu His Leu
 530 535 540

Asp Arg Leu Ser Gly Arg Ser Cys Ser Glu Glu Lys Ile Pro Glu Asp
 545 550 555 560

Gly Ser Leu Asn Thr Thr Lys
 565

<210> 198
 <211> 425
 <212> PRT
 <213> Homo sapiens

<400> 198

Met Ser Ser Ile Leu Pro Phe Thr Pro Pro Ile Val Lys Arg Leu Leu
 1 5 10 15

Gly Trp Lys Lys Gly Glu Gln Asn Gly Gln Glu Glu Lys Trp Cys Glu
 20 25 30

Lys Ala Val Lys Ser Leu Val Lys Lys Leu Lys Lys Thr Gly Gln Leu
 35 40 45

Asp Glu Leu Glu Lys Ala Ile Thr Thr Gln Asn Val Asn Thr Lys Cys
 50 55 60

Ile Thr Ile Pro Arg Ser Leu Asp Gly Arg Leu Gln Val Ser His Arg
 65 70 75 80

Lys Gly Leu Pro His Val Ile Tyr Cys Arg Leu Trp Arg Trp Pro Asp
 85 90 95

Leu His Ser His His Glu Leu Arg Ala Met Glu Leu Cys Glu Phe Ala
 100 105 110

Phe Asn Met Lys Lys Asp Glu Val Cys Val Asn Pro Tyr His Tyr Gln
 115 120 125

Arg Val Glu Thr Pro Val Leu Pro Pro Val Leu Val Pro Arg His Thr
 130 135 140

Glu Ile Pro Ala Glu Phe Pro Pro Leu Asp Asp Tyr Ser His Ser Ile
 145 150 155 160

Pro Glu Asn Thr Asn Phe Pro Ala Gly Ile Glu Pro Gln Ser Asn Ile
 165 170 175

Pro Glu Thr Pro Pro Pro Gly Tyr Leu Ser Glu Asp Gly Glu Thr Ser
 180 185 190

Asp His Gln Met Asn His Ser Met Asp Ala Gly Ser Pro Asn Leu Ser
 195 200 205

Pro Asn Pro Met Ser Pro Ala His Asn Asn Leu Asp Leu Gln Pro Val
 210 215 220

Thr Tyr Cys Glu Pro Ala Phe Trp Cys Ser Ile Ser Tyr Tyr Glu Leu
 225 230 235 240

Asn Gln Arg Val Gly Glu Thr Phe His Ala Ser Gln Pro Ser Met Thr
 245 250 255

Val Asp Gly Phe Thr Asp Pro Ser Asn Ser Glu Arg Phe Cys Leu Gly
 260 265 270

Leu Leu Ser Asn Val Asn Arg Asn Ala Ala Val Glu Leu Thr Arg Arg
 275 280 285

His Ile Gly Arg Gly Val Arg Leu Tyr Tyr Ile Gly Gly Glu Val Phe
 290 295 300

Ala Glu Cys Leu Ser Asp Ser Ala Ile Phe Val Gln Ser Pro Asn Cys
 305 310 315 320

Asn Gln Arg Tyr Gly Trp His Pro Ala Thr Val Cys Lys Ile Pro Pro
 325 330 335

Gly Cys Asn Leu Lys Ile Phe Asn Asn Gln Glu Phe Ala Ala Leu Leu
 340 345 350

Ala Gln Ser Val Asn Gln Gly Phe Glu Ala Val Tyr Gln Leu Thr Arg
 355 360 365

Met Cys Thr Ile Arg Met Ser Phe Val Lys Gly Trp Gly Ala Glu Tyr
 370 375 380

Arg Arg Gln Thr Val Thr Ser Thr Pro Cys Trp Ile Glu Leu His Leu
 385 390 395 400

Asn Gly Pro Leu Gln Trp Leu Asp Lys Val Leu Thr Gln Met Gly Ser
 405 410 415

Pro Ser Ile Arg Cys Ser Ser Val Ser
 420 425

<210> 199
 <211> 655
 <212> PRT
 <213> Homo sapiens

<400> 199

Met Gly Thr Ser Pro Ser Ser Ser Thr Ala Leu Ala Ser Cys Ser Arg
 1 5 10 15

Ile Ala Arg Arg Ala Thr Ala Thr Met Ile Ala Gly Ser Leu Leu Leu
 20 25 30

Leu Gly Phe Leu Ser Thr Thr Thr Ala Gln Pro Glu Gln Lys Ala Ser
 35 40 45

Asn Leu Ile Gly Thr Tyr Arg His Val Asp Arg Ala Thr Gly Gln Val
 50 55 60

Leu Thr Cys Asp Lys Cys Pro Ala Gly Thr Tyr Val Ser Glu His Cys
 65 70 75 80

Thr Asn Thr Ser Leu Arg Val Cys Ser Ser Cys Pro Val Gly Thr Phe
 85 90 95

Thr Arg His Glu Asn Gly Ile Glu Lys Cys His Asp Cys Ser Gln Pro
 100 105 110

Cys Pro Trp Pro Met Ile Glu Lys Leu Pro Cys Ala Ala Leu Thr Asp
 115 120 125

Arg Glu Cys Thr Cys Pro Pro Gly Met Phe Gln Ser Asn Ala Thr Cys
 130 135 140

Ala Pro His Thr Val Cys Pro Val Gly Trp Gly Val Arg Lys Lys Gly

334

Pro Ser Ala Ile Val Glu Lys Ala Gly Leu Lys Lys Ser Met Thr Pro
 385 390 395 400

Thr Gln Asn Arg Glu Lys Trp Ile Tyr Tyr Cys Asn Gly His Gly Ile
 405 410 415

Asp Ile Leu Lys Leu Val Ala Ala Gln Val Gly Ser Gln Trp Lys Asp
 420 425 430

Ile Tyr Gln Phe Leu Cys Asn Ala Ser Glu Arg Glu Val Ala Ala Phe
 435 440 445

Ser Asn Gly Tyr Thr Ala Asp His Glu Arg Ala Tyr Ala Ala Leu Gln
 450 455 460

His Trp Thr Ile Arg Gly Pro Glu Ala Ser Leu Ala Gln Leu Ile Ser
 465 470 475 480

Ala Leu Arg Gln His Arg Arg Asn Asp Val Val Glu Lys Ile Arg Gly
 485 490 495

Leu Met Glu Asp Thr Thr Gln Leu Glu Thr Asp Lys Leu Ala Leu Pro
 500 505 510

Met Ser Pro Ser Pro Leu Ser Pro Ser Pro Ile Pro Ser Pro Asn Ala
 515 520 525

Lys Leu Glu Asn Ser Ala Leu Leu Thr Val Glu Pro Ser Pro Gln Asp
 530 535 540

Lys Asn Lys Gly Phe Phe Val Asp Glu Ser Glu Pro Leu Leu Arg Cys
 545 550 555 560

Asp Ser Thr Ser Ser Gly Ser Ser Ala Leu Ser Arg Asn Gly Ser Phe
 565 570 575

Ile Thr Lys Glu Lys Lys Asp Thr Val Leu Arg Gln Val Arg Leu Asp
 580 585 590

Pro Cys Asp Leu Gln Pro Ile Phe Asp Asp Met Leu His Phe Leu Asn
 595 600 605

Pro Glu Glu Leu Arg Val Ile Glu Glu Ile Pro Gln Ala Glu Asp Lys
 610 615 620

Leu Asp Arg Leu Phe Glu Ile Ile Gly Val Lys Ser Gln Glu Ala Ser
 625 630 635 640

Gln Thr Leu Leu Asp Ser Val Tyr Ser His Leu Pro Asp Leu Leu
 645 650 655

<210> 200
 <211> 207
 <212> PRT
 <213> Homo sapiens

<400> 200

Met Ser Ser Asp Arg Gln Arg Ser Asp Asp Glu Ser Pro Ser Thr Ser
 1 5 10 15

Ser Gly Ser Ser Asp Ala Asp Gln Arg Asp Pro Ala Ala Pro Glu Pro
 20 25 30

Glu Glu Gln Glu Glu Arg Lys Pro Ser Ala Thr Gln Gln Lys Lys Asn
 35 40 45

Thr Lys Leu Ser Ser Lys Thr Thr Ala Lys Leu Ser Thr Ser Ala Lys
 50 55 60

Arg Ile Gln Lys Glu Leu Ala Glu Ile Thr Leu Asp Pro Pro Pro Asn
 65 70 75 80

Cys Ser Ala Gly Pro Lys Gly Asp Asn Ile Tyr Glu Trp Arg Ser Thr
 85 90 95

Ile Leu Gly Pro Pro Gly Ser Val Tyr Glu Gly Gly Val Phe Phe Leu
 100 105 110

Asp Ile Thr Phe Ser Ser Asp Tyr Pro Phe Lys Pro Pro Lys Val Thr
 115 120 125

Phe Arg Thr Arg Ile Tyr His Cys Asn Ile Asn Ser Gln Gly Val Ile
 130 135 140

Cys Leu Asp Ile Leu Lys Asp Asn Trp Ser Pro Ala Leu Thr Ile Ser

145 150 155 160
 Lys Val Leu Leu Ser Ile Cys Ser Leu Leu Thr Asp Cys Asn Pro Ala
 165 170 175
 Asp Pro Leu Val Gly Ser Ile Ala Thr Gln Tyr Leu Thr Asn Arg Ala
 180 185 190
 Glu His Asp Arg Ile Ala Arg Gln Trp Thr Lys Arg Tyr Ala Thr
 195 200 205

 <210> 201
 <211> 572
 <212> PRT
 <213> Homo sapiens

 <400> 201
 Met Ala Ala Pro Arg Pro Ser Pro Ala Ile Ser Val Ser Val Ser Ala
 1 5 10 15

 Pro Ala Phe Tyr Ala Pro Gln Lys Lys Phe Gly Pro Val Val Ala Pro
 20 25 30

 Lys Pro Lys Val Asn Pro Phe Arg Pro Gly Asp Ser Glu Pro Pro Pro
 35 40 45

 Ala Pro Gly Ala Gln Arg Ala Gln Met Gly Arg Val Gly Glu Ile Pro
 50 55 60

 Pro Pro Pro Pro Glu Asp Phe Pro Leu Pro Pro Pro Pro Leu Ala Gly
 65 70 75 80

 Asp Gly Asp Asp Ala Glu Gly Ala Leu Gly Gly Ala Phe Pro Pro Pro
 85 90 95

 Pro Pro Pro Ile Glu Glu Ser Phe Pro Pro Ala Pro Leu Glu Glu Glu
 100 105 110

 Ile Phe Pro Ser Pro Pro Pro Pro Pro Glu Glu Glu Gly Gly Pro Glu
 115 120 125

 Ala Pro Ile Pro Pro Pro Pro Gln Pro Arg Glu Lys Val Ser Ser Ile
 130 135 140

Asp Leu Glu Ile Asp Ser Leu Ser Ser Leu Leu Asp Asp Met Thr Lys
 145 150 155 160

Asn Asp Pro Phe Lys Ala Arg Val Ser Ser Gly Tyr Val Pro Pro Pro
 165 170 175

Val Ala Thr Pro Phe Ser Ser Lys Ser Ser Thr Lys Pro Ala Ala Gly
 180 185 190

Gly Thr Ala Pro Leu Pro Pro Trp Lys Ser Pro Ser Ser Ser Gln Pro
 195 200 205

Leu Pro Gln Val Pro Ala Pro Ala Gln Ser Gln Thr Gln Phe His Val
 210 215 220

Gln Pro Gln Pro Gln Pro Lys Pro Gln Val Gln Leu His Val Gln Ser
 225 230 235 240

Gln Thr Gln Pro Val Ser Leu Ala Asn Thr Gln Pro Arg Gly Pro Pro
 245 250 255

Ala Ser Ser Pro Ala Pro Ala Pro Lys Phe Ser Pro Val Thr Pro Lys
 260 265 270

Phe Thr Pro Val Ala Ser Lys Phe Ser Pro Gly Ala Pro Gly Gly Ser
 275 280 285

Gly Ser Gln Pro Asn Gln Lys Leu Gly His Pro Glu Ala Leu Ser Ala
 290 295 300

Gly Thr Gly Ser Pro Gln Pro Pro Ser Phe Thr Tyr Ala Gln Gln Arg
 305 310 315 320

Glu Lys Pro Arg Val Gln Glu Lys Gln His Pro Val Pro Pro Pro Ala
 325 330 335

Gln Asn Gln Asn Gln Val Arg Ser Pro Gly Ala Pro Gly Pro Leu Thr
 340 345 350

Leu Lys Glu Val Glu Glu Leu Glu Gln Leu Thr Gln Gln Leu Met Gln
 355 360 365

Asp Met Glu His Pro Gln Arg Gln Asn Val Ala Val Asn Glu Leu Cys
 370 375 380

Gly Arg Cys His Gln Pro Leu Ala Arg Ala Gln Pro Ala Val Arg Ala
 385 390 395 400

Leu Gly Gln Leu Phe His Ile Ala Cys Phe Thr Cys His Gln Cys Ala
 405 410 415

Gln Gln Leu Gln Gly Gln Gln Phe Tyr Ser Leu Glu Gly Ala Pro Tyr
 420 425 430

Cys Glu Gly Cys Tyr Thr Asp Thr Leu Glu Lys Cys Asn Thr Cys Gly
 435 440 445

Glu Pro Ile Thr Asp Arg Met Leu Arg Ala Thr Gly Lys Ala Tyr His
 450 455 460

Pro His Cys Phe Thr Cys Val Val Cys Ala Arg Pro Leu Glu Gly Thr
 465 470 475 480

Ser Phe Ile Val Asp Gln Ala Asn Arg Pro His Cys Val Pro Asp Tyr
 485 490 495

His Lys Gln Tyr Ala Pro Arg Cys Ser Val Cys Ser Glu Pro Ile Met
 500 505 510

Pro Glu Pro Gly Arg Asp Glu Thr Val Arg Val Val Ala Leu Asp Lys
 515 520 525

Asn Phe His Met Lys Cys Tyr Lys Cys Glu Asp Cys Gly Lys Pro Leu
 530 535 540

Ser Ile Glu Ala Asp Asp Asn Gly Cys Phe Pro Leu Asp Gly His Val
 545 550 555 560

Leu Cys Arg Lys Cys His Thr Ala Arg Ala Gln Thr
 565 570

<210> 202
 <211> 141
 <212> PRT
 <213> Homo sapiens

<400> 202

Met Thr Lys Gln His Glu Leu Gly Gly Leu Leu Ala Leu Val Gln Asn
 1 5 10 15

Cys Gln Ser Glu Met Asn Ile Lys Asp Ser Arg Ala Val Gly Leu Ser
 20 25 30

Val Lys Arg Leu Cys Ile Ser Phe Val Asp Glu Phe Cys Glu Arg Thr
 35 40 45

Glu Arg Pro Leu Tyr Leu Ala Gln Gly Leu Phe Met Lys Arg Glu Thr
 50 55 60

Tyr Trp Glu Val Gln Asp Ser Gly Ile Ser Pro Leu Leu Leu Leu Leu
 65 70 75 80

Ser Thr Ala Leu Asp Cys Ser Pro Glu Ala Glu Thr Arg Gln Ser Pro
 85 90 95

Gly Gly Arg Lys Met Leu Gln Glu Pro Thr Leu Ser Met Ser Leu Gln
 100 105 110

Ile Leu Thr Gly Phe Leu Trp Val Gln Leu Trp Asn Trp Glu Thr Phe
 115 120 125

Leu Arg Ile Arg Thr His Ser Thr Asp Ala Ser Cys Pro
 130 135 140

<210> 203
 <211> 430
 <212> PRT
 <213> Homo sapiens

<400> 203

Met Asp Glu Gln Pro Arg Leu Met His Ser His Ala Gly Val Gly Met
 1 5 10 15

Ala Gly His Pro Gly Leu Ser Gln His Leu Gln Asp Gly Ala Gly Gly
 20 25 30

Thr Glu Gly Glu Gly Gly Arg Lys Gln Asp Ile Gly Asp Ile Leu Gln
 35 40 45

Gln Ile Met Thr Ile Thr Asp Gln Ser Leu Asp Glu Ala Gln Ala Arg
 50 55 60

Lys His Ala Leu Asn Cys His Arg Met Lys Pro Ala Leu Phe Asn Val
 65 70 75 80

Leu Cys Glu Ile Lys Glu Lys Thr Val Leu Ser Ile Arg Gly Ala Gln
 85 90 95

Glu Glu Glu Pro Thr Asp Pro Gln Leu Met Arg Leu Asp Asn Met Leu
 100 105 110

Leu Ala Glu Gly Val Ala Gly Pro Glu Lys Gly Gly Gly Ser Ala Ala
 115 120 125

Ala Ala Ala Ala Ala Ala Ala Ser Gly Gly Ala Gly Ser Asp Asn Ser
 130 135 140

Val Glu His Ser Asp Tyr Arg Ala Lys Leu Ser Gln Ile Arg Gln Ile
 145 150 155 160

Tyr His Thr Glu Leu Glu Lys Tyr Glu Gln Ala Cys Asn Glu Phe Thr
 165 170 175

Thr His Val Met Asn Leu Leu Arg Glu Gln Ser Arg Thr Arg Pro Ile
 180 185 190

Ser Pro Lys Glu Ile Glu Arg Met Val Ser Ile Ile His Arg Lys Phe
 195 200 205

Ser Ser Ile Gln Met Gln Leu Lys Gln Ser Thr Cys Glu Ala Val Met
 210 215 220

Ile Leu Arg Ser Arg Phe Leu Asp Ala Arg Arg Lys Arg Arg Asn Phe
 225 230 235 240

Asn Lys Gln Ala Thr Glu Ile Leu Asn Glu Tyr Phe Tyr Ser His Leu
 245 250 255

Ser Asn Pro Tyr Pro Ser Glu Glu Ala Lys Glu Glu Leu Ala Lys Lys
 260 265 270

Cys Gly Ile Thr Val Ser Gln Val Ser Asn Trp Phe Gly Asn Lys Arg

275 280 285
 Ile Arg Tyr Lys Lys Asn Ile Gly Lys Phe Gln Glu Glu Ala Asn Ile
 290 295 300
 Tyr Ala Ala Lys Thr Ala Val Thr Ala Thr Asn Val Ser Ala His Gly
 305 310 315 320
 Ser Gln Ala Asn Ser Pro Ser Thr Pro Asn Ser Ala Gly Ser Ser Ser
 325 330 335
 Ser Phe Asn Met Ser Asn Ser Gly Asp Leu Phe Met Ser Val Gln Ser
 340 345 350
 Leu Asn Gly Asp Ser Tyr Gln Gly Ala Gln Val Gly Ala Asn Val Gln
 355 360 365
 Ser Gln Val Asp Thr Leu Arg His Val Ile Ser Gln Thr Gly Gly Tyr
 370 375 380
 Ser Asp Gly Leu Ala Ala Ser Gln Met Tyr Ser Pro Gln Gly Ile Ser
 385 390 395 400
 Ala Asn Gly Gly Trp Gln Asp Ala Thr Thr Pro Ser Ser Val Thr Ser
 405 410 415
 Pro Thr Glu Gly Pro Gly Ser Val His Ser Asp Thr Ser Asn
 420 425 430

 <210> 204
 <211> 384
 <212> PRT
 <213> Homo sapiens

 <400> 204

 Ala Arg Gly Val Ala Ser Met Thr Met Asn Val Ile Gln Thr Val Pro
 1 5 10 15

 Asn Leu Asp Trp Leu Ser Val Trp Ile Lys Ala Tyr Ala Phe Val His
 20 25 30

 Thr Gly Asp Asn Ser Arg Ala Ile Ser Thr Ile Cys Ser Leu Glu Lys
 35 40 45

Lys Ser Leu Leu Arg Asp Asn Val Asp Leu Leu Gly Ser Leu Ala Asp
 50 55 60

Leu Tyr Phe Arg Ala Gly Asp Asn Lys Asn Ser Val Leu Lys Phe Glu
 65 70 75 80

Gln Ala Gln Met Leu Asp Pro Tyr Leu Ile Lys Gly Met Asp Val Tyr
 85 90 95

Gly Tyr Leu Leu Ala Arg Glu Gly Arg Leu Glu Asp Val Glu Asn Leu
 100 105 110

Gly Cys Arg Leu Phe Asn Ile Ser Asp Gln His Ala Glu Pro Trp Val
 115 120 125

Val Ser Gly Cys His Ser Phe Tyr Ser Lys Arg Tyr Ser Arg Ala Leu
 130 135 140

Tyr Leu Gly Ala Lys Ala Ile Gln Leu Asn Ser Asn Ser Val Gln Ala
 145 150 155 160

Leu Leu Leu Lys Gly Ala Ala Leu Arg Asn Met Gly Arg Val Gln Glu
 165 170 175

Ala Ile Ile His Phe Arg Glu Ala Ile Arg Leu Ala Pro Cys Arg Leu
 180 185 190

Asp Cys Tyr Glu Gly Leu Ile Glu Cys Tyr Leu Ala Ser Asn Ser Ile
 195 200 205

Arg Glu Ala Met Val Met Ala Asn Asn Val Tyr Lys Thr Leu Gly Ala
 210 215 220

Asn Ala Gln Thr Leu Thr Leu Leu Ala Thr Val Cys Leu Glu Asp Pro
 225 230 235 240

Val Thr Gln Glu Lys Ala Lys Thr Leu Leu Asp Lys Ala Leu Thr Gln
 245 250 255

Arg Pro Asp Tyr Ile Lys Ala Val Val Lys Lys Ala Glu Leu Leu Ser
 260 265 270

Arg Glu Gln Lys Tyr Glu Asp Gly Ile Ala Leu Leu Arg Asn Ala Leu
 275 280 285

Ala Asn Gln Ser Asp Cys Val Leu His Arg Ile Leu Gly Asp Phe Leu
 290 295 300

Val Ala Val Asn Glu Tyr Gln Glu Ala Met Asp Gln Tyr Ser Ile Ala
 305 310 315 320

Leu Ser Leu Asp Pro Asn Asp Gln Lys Ser Leu Glu Gly Met Gln Lys
 325 330 335

Met Glu Lys Glu Glu Ser Pro Thr Asp Ala Thr Gln Glu Glu Asp Val
 340 345 350

Asp Asp Met Glu Gly Ser Gly Glu Glu Gly Asp Leu Glu Gly Ser Asp
 355 360 365

Ser Glu Ala Ala Gln Trp Ala Asp Gln Glu Gln Trp Phe Gly Met Gln
 370 375 380

<210> 205
 <211> 1659
 <212> PRT
 <213> Homo sapiens

<400> 205

Met Glu Ala Pro Ser Gly Ser Glu Pro Gly Gly Asp Gly Ala Gly Asp
 1 5 10 15

Cys Ala His Pro Asp Pro Arg Ala Pro Gly Ala Ala Ala Pro Ser Ser
 20 25 30

Gly Pro Gly Pro Cys Ala Ala Ala Arg Glu Ser Glu Arg Gln Leu Arg
 35 40 45

Leu Arg Leu Cys Val Leu Asn Glu Ile Leu Gly Thr Glu Arg Asp Tyr
 50 55 60

Val Gly Thr Leu Arg Phe Leu Gln Ser Ala Phe Leu His Arg Ile Arg
 65 70 75 80

Gln Asn Val Ala Asp Ser Val Glu Lys Gly Leu Thr Glu Glu Asn Val
 85 90 95

Lys Val Leu Phe Ser Asn Ile Glu Asp Ile Leu Glu Val His Lys Asp
 100 105 110

Phe Leu Ala Ala Leu Glu Tyr Cys Leu His Pro Glu Pro Gln Ser Gln
 115 120 125

His Glu Leu Gly Asn Val Phe Leu Lys Phe Lys Asp Lys Phe Cys Val
 130 135 140

Tyr Glu Glu Tyr Cys Ser Asn His Glu Lys Ala Leu Arg Leu Leu Val
 145 150 155 160

Glu Leu Asn Lys Ile Pro Thr Val Arg Ala Phe Leu Leu Ser Cys Met
 165 170 175

Leu Leu Gly Gly Arg Lys Thr Thr Asp Ile Pro Leu Glu Gly Tyr Leu
 180 185 190

Leu Ser Pro Ile Gln Arg Ile Cys Lys Tyr Pro Leu Leu Leu Lys Glu
 195 200 205

Leu Ala Lys Arg Thr Pro Gly Lys His Pro Asp His Pro Ala Val Gln
 210 215 220

Ser Ala Leu Gln Ala Met Lys Thr Val Cys Ser Asn Ile Asn Glu Thr
 225 230 235 240

Lys Arg Gln Met Glu Lys Leu Glu Ala Leu Glu Gln Leu Gln Ser His
 245 250 255

Ile Glu Gly Trp Glu Gly Ser Asn Leu Thr Asp Ile Cys Thr Gln Leu
 260 265 270

Leu Leu Gln Gly Thr Leu Leu Lys Ile Ser Ala Gly Asn Ile Gln Glu
 275 280 285

Arg Ala Phe Phe Leu Phe Asp Asn Leu Leu Val Tyr Cys Lys Arg Lys
 290 295 300

Ser Arg Val Thr Gly Ser Lys Lys Ser Thr Lys Arg Thr Lys Ser Ile
 305 310 315 320

Asn Gly Ser Leu Tyr Ile Phe Arg Gly Arg Ile Asn Thr Glu Val Met
 325 330 335

Glu Val Glu Asn Val Glu Asp Gly Thr Ala Asp Tyr His Ser Asn Gly
 340 345 350

Tyr Thr Val Thr Asn Gly Trp Lys Ile His Asn Thr Ala Lys Asn Lys
 355 360 365

Trp Phe Val Cys Met Ala Lys Thr Ala Glu Glu Lys Gln Lys Trp Leu
 370 375 380

Asp Ala Ile Ile Arg Glu Arg Glu Gln Arg Glu Ser Leu Lys Leu Gly
 385 390 395 400

Met Glu Arg Asp Ala Tyr Val Met Ile Ala Glu Lys Gly Glu Lys Leu
 405 410 415

Tyr His Met Met Met Asn Lys Lys Val Asn Leu Ile Lys Asp Arg Arg
 420 425 430

Arg Lys Leu Ser Thr Val Pro Lys Cys Phe Leu Gly Asn Glu Phe Val
 435 440 445

Ala Trp Leu Leu Glu Ile Gly Glu Ile Ser Lys Thr Glu Glu Gly Val
 450 455 460

Asn Leu Gly Gln Ala Leu Leu Glu Asn Gly Ile Ile His His Val Ser
 465 470 475 480

Asp Lys His Gln Phe Lys Asn Glu Gln Val Met Tyr Arg Phe Arg Tyr
 485 490 495

Asp Asp Gly Thr Tyr Lys Ala Arg Ser Glu Leu Glu Asp Ile Met Ser
 500 505 510

Lys Gly Val Arg Leu Tyr Cys Arg Leu His Ser Leu Tyr Thr Pro Val
 515 520 525

Ile Lys Asp Arg Asp Tyr His Leu Lys Thr Tyr Lys Ser Val Leu Pro
 530 535 540

Gly Ser Lys Leu Val Asp Trp Leu Leu Ala Gln Gly Asp Cys Gln Thr
 545 550 555 560
 Arg Glu Glu Ala Val Ala Leu Gly Val Gly Leu Cys Asn Asn Gly Phe
 565 570 575
 Met His His Val Leu Glu Lys Ser Glu Phe Arg Asp Glu Ser Gln Tyr
 580 585 590
 Phe Arg Phe His Ala Asp Glu Glu Met Glu Gly Thr Ser Ser Lys Asn
 595 600 605
 Lys Gln Leu Arg Asn Asp Phe Lys Leu Val Glu Asn Ile Leu Ala Lys
 610 615 620
 Arg Leu Leu Ile Leu Pro Gln Glu Glu Asp Tyr Gly Phe Asp Ile Glu
 625 630 635 640
 Glu Lys Asn Lys Ala Val Val Val Lys Ser Val Gln Arg Gly Ser Leu
 645 650 655
 Ala Glu Val Ala Gly Leu Gln Val Gly Arg Lys Ile Tyr Ser Ile Asn
 660 665 670
 Glu Asp Leu Val Phe Leu Arg Pro Phe Ser Glu Val Glu Ser Ile Leu
 675 680 685
 Asn Gln Ser Phe Cys Ser Arg Arg Pro Leu Arg Leu Leu Val Ala Thr
 690 695 700
 Lys Ala Lys Glu Ile Ile Lys Ile Pro Asp Gln Pro Asp Thr Leu Cys
 705 710 715 720
 Phe Gln Ile Arg Gly Ala Ala Pro Pro Tyr Val Tyr Ala Val Gly Arg
 725 730 735
 Gly Ser Glu Ala Met Ala Ala Gly Leu Cys Ala Gly Gln Cys Ile Leu
 740 745 750
 Lys Val Asn Gly Ser Asn Val Met Asn Asp Gly Ala Pro Glu Val Leu
 755 760 765
 Glu His Phe Gln Ala Phe Arg Ser Arg Arg Glu Glu Ala Leu Gly Leu

770

775

780

Tyr Gln Trp Ile Tyr His Thr His Glu Asp Ala Gln Glu Ala Arg Ala
 785 790 795 800

Ser Gln Glu Ala Ser Thr Glu Asp Pro Ser Gly Glu Gln Ala Gln Glu
 805 810 815

Glu Asp Gln Ala Asp Ser Ala Phe Pro Leu Leu Ser Leu Gly Pro Arg
 820 825 830

Leu Ser Leu Cys Glu Asp Ser Pro Met Val Thr Leu Thr Val Asp Asn
 835 840 845

Val His Leu Glu His Gly Val Val Tyr Glu Tyr Val Ser Thr Ala Gly
 850 855 860

Val Arg Cys His Val Leu Glu Lys Ile Val Glu Pro Arg Gly Cys Phe
 865 870 875 880

Gly Leu Thr Ala Lys Ile Leu Glu Ala Phe Ala Ala Asn Asp Ser Val
 885 890 895

Phe Val Glu Asn Cys Arg Arg Leu Met Ala Leu Ser Ser Ala Ile Val
 900 905 910

Thr Met Pro His Phe Glu Phe Arg Asn Ile Cys Asp Thr Lys Leu Glu
 915 920 925

Ser Ile Gly Gln Arg Ile Ala Cys Tyr Gln Glu Phe Ala Ala Gln Leu
 930 935 940

Lys Ser Arg Val Ser Pro Pro Phe Lys Gln Ala Pro Leu Glu Pro His
 945 950 955 960

Pro Leu Cys Gly Leu Asp Phe Cys Pro Thr Asn Cys His Ile Asn Leu
 965 970 975

Met Glu Val Ser Tyr Pro Lys Thr Thr Pro Ser Val Gly Arg Ser Phe
 980 985 990

Ser Ile Arg Phe Gly Arg Lys Pro Ser Leu Ile Gly Leu Asp Pro Glu
 995 1000 1005

Gln Gly	His Leu Asn Pro Met	Ser Tyr Thr Gln His	Cys Ile Thr
1010	1015	1020	
Thr Met	Ala Ala Pro Ser Trp	Lys Cys Leu Pro Ala	Ala Glu Gly
1025	1030	1035	
Asp Pro	Gln Gly Gln Gly Leu	His Asp Gly Ser Phe	Gly Pro Ala
1040	1045	1050	
Ser Gly	Thr Leu Gly Gln Glu	Asp Arg Gly Leu Ser	Phe Leu Leu
1055	1060	1065	
Lys Gln	Glu Asp Arg Glu Ile	Gln Asp Ala Tyr Leu	Gln Leu Phe
1070	1075	1080	
Thr Lys	Leu Asp Val Ala Leu	Lys Glu Met Lys Gln	Tyr Val Thr
1085	1090	1095	
Gln Ile	Asn Arg Leu Leu Ser	Thr Ile Thr Glu Pro	Thr Ser Gly
1100	1105	1110	
Gly Ser	Cys Asp Ala Ser Leu	Ala Glu Glu Ala Ser	Ser Leu Pro
1115	1120	1125	
Leu Val	Ser Glu Glu Ser Glu	Met Asp Arg Ser Asp	His Gly Gly
1130	1135	1140	
Ile Lys	Lys Val Cys Phe Lys	Val Ala Glu Glu Asp	Gln Glu Asp
1145	1150	1155	
Ser Gly	His Asp Thr Met Ser	Tyr Arg Asp Ser Tyr	Ser Glu Cys
1160	1165	1170	
Asn Ser	Asn Arg Asp Ser Val	Leu Ser Tyr Thr Ser	Val Arg Ser
1175	1180	1185	
Asn Ser	Ser Tyr Leu Gly Ser	Asp Glu Met Gly Ser	Gly Asp Glu
1190	1195	1200	
Leu Pro	Cys Asp Met Arg Ile	Pro Ser Asp Lys Gln	Asp Lys Leu
1205	1210	1215	

His Gly Cys Leu Glu His Leu Phe Asn Gln Val Asp Ser Ile Asn
 1220 1225 1230
 Ala Leu Leu Lys Gly Pro Val Met Ser Arg Ala Phe Glu Glu Thr
 1235 1240 1245
 Lys His Phe Pro Met Asn His Ser Leu Gln Glu Phe Lys Gln Lys
 1250 1255 1260
 Glu Glu Cys Thr Ile Arg Gly Arg Ser Leu Ile Gln Ile Ser Ile
 1265 1270 1275
 Gln Glu Asp Pro Trp Asn Leu Pro Asn Ser Ile Lys Thr Leu Val
 1280 1285 1290
 Asp Asn Ile Gln Arg Tyr Val Glu Asp Gly Lys Asn Gln Leu Leu
 1295 1300 1305
 Leu Ala Leu Leu Lys Cys Thr Asp Thr Glu Leu Gln Leu Arg Arg
 1310 1315 1320
 Asp Ala Ile Phe Cys Gln Ala Leu Val Ala Ala Val Cys Thr Phe
 1325 1330 1335
 Ser Glu Gln Leu Leu Ala Ala Leu Gly Tyr Arg Tyr Asn Asn Asn
 1340 1345 1350
 Gly Glu Tyr Glu Glu Ser Ser Arg Asp Ala Ser Arg Lys Trp Leu
 1355 1360 1365
 Glu Gln Val Ala Ala Thr Gly Val Leu Leu His Cys Gln Ser Leu
 1370 1375 1380
 Leu Ser Pro Ala Thr Val Lys Glu Glu Arg Thr Met Leu Glu Asp
 1385 1390 1395
 Ile Trp Val Thr Leu Ser Glu Leu Asp Asn Val Thr Phe Ser Phe
 1400 1405 1410
 Lys Gln Leu Asp Glu Asn Tyr Val Ala Asn Thr Asn Val Phe Tyr
 1415 1420 1425

His Ile Glu Gly Ser Arg Gln Ala Leu Lys Val Ile Phe Tyr Leu
 1430 1435 1440
 Asp Ser Tyr His Phe Ser Lys Leu Pro Ser Arg Leu Glu Gly Gly
 1445 1450 1455
 Ala Ser Leu Arg Leu His Thr Ala Leu Phe Thr Lys Val Leu Glu
 1460 1465 1470
 Asn Val Glu Gly Leu Pro Ser Pro Gly Ser Gln Ala Ala Glu Asp
 1475 1480 1485
 Leu Gln Gln Asp Ile Asn Ala Gln Ser Leu Glu Lys Val Gln Gln
 1490 1495 1500
 Tyr Tyr Arg Lys Leu Arg Ala Phe Tyr Leu Glu Arg Ser Asn Leu
 1505 1510 1515
 Pro Thr Asp Ala Ser Thr Thr Ala Val Lys Ile Asp Gln Leu Ile
 1520 1525 1530
 Arg Pro Ile Asn Ala Leu Asp Glu Leu Cys Arg Leu Met Lys Ser
 1535 1540 1545
 Phe Val His Pro Lys Pro Gly Ala Ala Gly Ser Val Gly Ala Gly
 1550 1555 1560
 Leu Ile Pro Ile Ser Ser Glu Leu Cys Tyr Arg Leu Gly Ala Cys
 1565 1570 1575
 Gln Met Val Met Cys Gly Thr Gly Met Gln Arg Ser Thr Leu Ser
 1580 1585 1590
 Val Ser Leu Glu Gln Ala Ala Ile Leu Ala Arg Ser His Gly Leu
 1595 1600 1605
 Leu Pro Lys Cys Ile Met Gln Ala Thr Asp Ile Met Arg Lys Gln
 1610 1615 1620
 Gly Pro Arg Val Glu Ile Leu Ala Lys Asn Leu Arg Val Lys Asp
 1625 1630 1635
 Gln Met Pro Gln Gly Ala Pro Arg Leu Tyr Arg Leu Cys Gln Pro

1640

1645

1650

Pro Val Asp Gly Asp Leu
1655

<210> 206

<211> 175

<212> PRT

<213> Homo sapiens

<400> 206

Met Glu Lys Ile Pro Val Ser Ala Phe Leu Leu Leu Val Ala Leu Ser
1 5 10 15

Tyr Thr Leu Ala Arg Asp Thr Thr Val Lys Pro Gly Ala Lys Lys Asp
20 25 30

Thr Lys Asp Ser Arg Pro Lys Leu Pro Gln Thr Leu Ser Arg Gly Trp
35 40 45

Gly Asp Gln Leu Ile Trp Thr Gln Thr Tyr Glu Glu Ala Leu Tyr Lys
50 55 60

Ser Lys Thr Ser Asn Lys Pro Leu Met Ile Ile His His Leu Asp Glu
65 70 75 80

Cys Pro His Ser Gln Ala Leu Lys Lys Val Phe Ala Glu Asn Lys Glu
85 90 95

Ile Gln Lys Leu Ala Glu Gln Phe Val Leu Leu Asn Leu Val Tyr Glu
100 105 110

Thr Thr Asp Lys His Leu Ser Pro Asp Gly Gln Tyr Val Pro Arg Ile
115 120 125

Met Phe Val Asp Pro Ser Leu Thr Val Arg Ala Asp Ile Thr Gly Arg
130 135 140

Tyr Ser Asn Arg Leu Tyr Ala Tyr Glu Pro Ala Asp Thr Ala Leu Leu
145 150 155 160

Leu Asp Asn Met Lys Lys Ala Leu Lys Leu Leu Lys Thr Glu Leu
165 170 175

<210> 207
 <211> 196
 <212> PRT
 <213> Homo sapiens

<400> 207

Met Ala Ala Ile Arg Lys Lys Leu Val Val Val Gly Asp Gly Ala Cys
 1 5 10 15

Gly Lys Thr Cys Leu Leu Ile Val Phe Ser Lys Asp Glu Phe Pro Glu
 20 25 30

Val Tyr Val Pro Thr Val Phe Glu Asn Tyr Val Ala Asp Ile Glu Val
 35 40 45

Asp Gly Lys Gln Val Glu Leu Ala Leu Trp Asp Thr Ala Gly Gln Glu
 50 55 60

Asp Tyr Asp Arg Leu Arg Pro Leu Ser Tyr Pro Asp Thr Asp Val Ile
 65 70 75 80

Leu Met Cys Phe Ser Val Asp Ser Pro Asp Ser Leu Glu Asn Ile Pro
 85 90 95

Glu Lys Trp Val Pro Glu Val Lys His Phe Cys Pro Asn Val Pro Ile
 100 105 110

Ile Leu Val Ala Asn Lys Lys Asp Leu Arg Ser Asp Glu His Val Arg
 115 120 125

Thr Glu Leu Ala Arg Met Lys Gln Glu Pro Val Arg Thr Asp Asp Gly
 130 135 140

Arg Ala Met Ala Val Arg Ile Gln Ala Tyr Asp Tyr Leu Glu Cys Ser
 145 150 155 160

Ala Lys Thr Lys Glu Gly Val Arg Glu Val Phe Glu Thr Ala Thr Arg
 165 170 175

Ala Ala Leu Gln Lys Arg Tyr Gly Ser Gln Asn Gly Cys Ile Asn Cys
 180 185 190

Cys Lys Val Leu

195

<210> 208
 <211> 291
 <212> PRT
 <213> Homo sapiens
 <400> 208

```

Met Glu Lys Leu Ala Ala Ser Thr Glu Pro Gln Gly Pro Arg Pro Val
1          5          10          15

Leu Gly Arg Glu Ser Val Gln Val Pro Asp Asp Gln Asp Phe Arg Ser
          20          25          30

Phe Arg Ser Glu Cys Glu Ala Glu Val Gly Trp Asn Leu Thr Tyr Ser
          35          40          45

Arg Ala Gly Val Ser Val Trp Val Gln Ala Val Glu Met Asp Arg Thr
          50          55          60

Leu His Lys Ile Lys Cys Arg Met Glu Cys Cys Asp Val Pro Ala Glu
65          70          75          80

Thr Leu Tyr Asp Val Leu His Asp Ile Glu Tyr Arg Lys Lys Trp Asp
          85          90          95

Ser Asn Val Ile Glu Thr Phe Asp Ile Ala Arg Leu Thr Val Asn Ala
          100          105          110

Asp Val Gly Tyr Tyr Ser Trp Arg Cys Pro Lys Pro Leu Lys Asn Arg
          115          120          125

Asp Val Ile Thr Leu Arg Ser Trp Leu Pro Met Gly Ala Asp Tyr Ile
          130          135          140

Ile Met Asn Tyr Ser Val Lys His Pro Lys Tyr Pro Pro Arg Lys Asp
145          150          155          160

Leu Val Arg Ala Val Ser Ile Gln Thr Gly Tyr Leu Ile Gln Ser Thr
          165          170          175

Gly Pro Lys Ser Cys Val Ile Thr Tyr Leu Ala Gln Val Asp Pro Lys
          180          185          190

```

Gly Ser Leu Pro Lys Trp Val Val Asn Lys Ser Ser Gln Phe Leu Ala
 195 200 205

Pro Lys Ala Met Lys Lys Met Tyr Lys Ala Cys Leu Lys Tyr Pro Glu
 210 215 220

Trp Lys Gln Lys His Leu Pro His Phe Lys Pro Trp Leu His Pro Glu
 225 230 235 240

Gln Ser Pro Leu Pro Ser Leu Ala Leu Ser Glu Leu Ser Val Gln His
 245 250 255

Ala Asp Ser Leu Glu Asn Ile Asp Glu Ser Ala Val Ala Glu Ser Arg
 260 265 270

Glu Glu Arg Met Gly Gly Ala Gly Gly Glu Gly Ser Asp Asp Asp Thr
 275 280 285

Ser Leu Thr
 290

<210> 209
 <211> 358
 <212> PRT
 <213> Homo sapiens

<400> 209

Met Ser Ala Asp Ala Ala Ala Gly Ala Pro Leu Pro Arg Leu Cys Cys
 1 5 10 15

Leu Glu Lys Gly Pro Asn Gly Tyr Gly Phe His Leu His Gly Glu Lys
 20 25 30

Gly Lys Leu Gly Gln Tyr Ile Arg Leu Val Glu Pro Gly Ser Pro Ala
 35 40 45

Glu Lys Ala Gly Leu Leu Ala Gly Asp Arg Leu Val Glu Val Asn Gly
 50 55 60

Glu Asn Val Glu Lys Glu Thr His Gln Gln Val Val Ser Arg Ile Arg
 65 70 75 80

Ala Ala Leu Asn Ala Val Arg Leu Leu Val Val Asp Pro Glu Thr Asp

85	90	95
Glu Gln Leu Gln Lys Leu Gly Val	Gln Val Arg Glu Glu Leu Leu Arg	
100	105	110
Ala Gln Glu Ala Pro Gly Gln Ala Glu Pro Pro Ala Ala Ala Glu Val		
115	120	125
Gln Gly Ala Gly Asn Glu Asn Glu Pro Arg Glu Ala Asp Lys Ser His		
130	135	140
Pro Glu Gln Arg Glu Leu Arg Pro Arg Leu Cys Thr Met Lys Lys Gly		
145	150	155
Pro Ser Gly Tyr Gly Phe Asn Leu His Ser Asp Lys Ser Lys Pro Gly		
165	170	175
Gln Phe Ile Arg Ser Val Asp Pro Asp Ser Pro Ala Glu Ala Ser Gly		
180	185	190
Leu Arg Ala Gln Asp Arg Ile Val Glu Val Asn Gly Val Cys Met Glu		
195	200	205
Gly Lys Gln His Gly Asp Val Val Ser Ala Ile Arg Ala Gly Gly Asp		
210	215	220
Glu Thr Lys Leu Leu Val Val Asp Arg Glu Thr Asp Glu Phe Phe Lys		
225	230	235
Lys Cys Arg Val Ile Pro Ser Gln Glu His Leu Asn Gly Pro Leu Pro		
245	250	255
Val Pro Phe Thr Asn Gly Glu Ile Gln Lys Glu Asn Ser Arg Glu Ala		
260	265	270
Leu Ala Glu Ala Ala Leu Glu Ser Pro Arg Pro Ala Leu Val Arg Ser		
275	280	285
Ala Ser Ser Asp Thr Ser Glu Glu Leu Asn Ser Gln Asp Ser Pro Pro		
290	295	300
Lys Gln Asp Ser Thr Ala Pro Ser Ser Thr Ser Ser Ser Asp Pro Ile		
305	310	315
		320

Leu Asp Phe Asn Ile Ser Leu Ala Met Ala Lys Glu Arg Ala His Gln
 325 330 335

Lys Arg Ser Ser Lys Arg Ala Pro Gln Met Asp Trp Ser Lys Lys Asn
 340 345 350

Glu Leu Phe Ser Asn Leu
 355

<210> 210
 <211> 345
 <212> PRT
 <213> Homo sapiens

<400> 210

Met Gln Leu Glu Ile Gln Val Ala Leu Asn Phe Ile Ile Ser Tyr Leu
 1 5 10 15

Tyr Asn Lys Leu Pro Arg Arg Arg Val Asn Ile Phe Gly Glu Glu Leu
 20 25 30

Glu Arg Leu Leu Lys Lys Lys Tyr Glu Gly His Trp Tyr Pro Glu Lys
 35 40 45

Pro Tyr Lys Gly Ser Gly Phe Arg Cys Ile His Ile Gly Glu Lys Val
 50 55 60

Asp Pro Val Ile Glu Gln Ala Ser Lys Glu Ser Gly Leu Asp Ile Asp
 65 70 75 80

Asp Val Arg Gly Asn Leu Pro Gln Asp Leu Ser Val Trp Ile Asp Pro
 85 90 95

Phe Glu Val Ser Tyr Gln Ile Gly Glu Lys Gly Pro Val Lys Val Leu
 100 105 110

Tyr Val Asp Asp Asn Asn Glu Asn Gly Cys Glu Leu Asp Lys Glu Ile
 115 120 125

Lys Asn Ser Phe Asn Pro Glu Ala Gln Val Phe Met Pro Ile Ser Asp
 130 135 140

Pro Ala Ser Ser Val Ser Ser Ser Pro Ser Pro Pro Phe Gly His Ser
145 150 155 160

Ala Ala Val Ser Pro Thr Phe Met Pro Arg Ser Thr Gln Pro Leu Thr
165 170 175

Phe Thr Thr Ala Thr Phe Ala Ala Thr Lys Phe Gly Ser Thr Lys Met
180 185 190

Lys Asn Ser Gly Arg Ser Asn Lys Val Ala Arg Thr Ser Pro Ile Asn
195 200 205

Leu Gly Leu Asn Val Asn Asp Leu Leu Lys Gln Lys Ala Ile Ser Ser
210 215 220

Ser Met His Ser Leu Tyr Gly Leu Gly Leu Gly Ser Gln Gln Gln Pro
225 230 235 240

Gln Gln Gln Gln Gln Pro Ala Gln Pro Pro Pro Pro Pro Pro Pro Pro
245 250 255

Gln Gln Gln Gln Gln Gln Lys Thr Ser Ala Leu Ser Pro Asn Ala Lys
260 265 270

Glu Phe Ile Phe Pro Asn Met Gln Gly Gln Gly Ser Ser Thr Asn Gly
275 280 285

Met Phe Pro Gly Asp Ser Pro Leu Asn Leu Ser Pro Leu Gln Tyr Ser
290 295 300

Asn Ala Phe Asp Val Phe Ala Ala Tyr Gly Gly Leu Asn Glu Lys Ser
305 310 315 320

Phe Val Asp Gly Leu Asn Phe Ser Leu Asn Asn Met Gln Tyr Ser Asn
325 330 335

Gln Gln Phe Gln Pro Val Met Ala Asn
340 345

<210> 211
<211> 84
<212> PRT
<213> Homo sapiens

<400> 211

Met Ala Thr Met Glu Asn Lys Val Ile Cys Ala Leu Val Leu Val Ser
 1 5 10 15

Met Leu Ala Leu Gly Thr Leu Ala Glu Ala Gln Thr Glu Thr Cys Thr
 20 25 30

Val Ala Pro Arg Glu Arg Gln Asn Cys Gly Phe Pro Gly Val Thr Pro
 35 40 45

Ser Gln Cys Ala Asn Lys Gly Cys Cys Phe Asp Asp Thr Val Arg Gly
 50 55 60

Val Pro Trp Cys Phe Tyr Pro Asn Thr Ile Asp Val Pro Pro Glu Glu
 65 70 75 80

Glu Cys Glu Phe

<210> 212

<211> 522

<212> PRT

<213> Homo sapiens

<400> 212

Gly Phe Leu Pro Ala Thr Lys Asn Leu Leu Asn Glu Lys Asn His Gly
 1 5 10 15

Val Leu His Thr Ser Val Val Leu Leu Thr Glu Met Cys Glu Arg Ser
 20 25 30

Pro Asp Met Leu Ala His Phe Arg Glu Asn Glu Lys Leu Val Pro Gln
 35 40 45

Leu Val Arg Ile Leu Lys Asn Leu Ile Met Ser Gly Tyr Ser Pro Gly
 50 55 60

His Asp Val Ser Gly Ile Ser Asp Pro Phe Leu Gln Val Arg Ile Leu
 65 70 75 80

Arg Leu Leu Arg Ile Leu Gly Arg Asn Asp Asp Asp Ser Ser Glu Ala
 85 90 95

Met Asn Asp Ile Leu Ala Gln Val Ala Thr Asn Thr Glu Thr Ser Lys
 100 105 110

Asn Val Gly Asn Ala Ile Leu Tyr Glu Thr Val Leu Thr Ile Met Asp
 115 120 125

Ile Lys Ser Glu Ser Gly Leu Arg Val Leu Ala Ile Asn Ile Leu Gly
 130 135 140

Arg Phe Leu Leu Asn Asn Asp Lys Asn Ile Arg Tyr Val Ala Leu Thr
 145 150 155 160

Ser Leu Leu Lys Thr Val Gln Thr Asp His Asn Ala Val Gln Arg His
 165 170 175

Arg Ser Thr Ile Val Asp Cys Leu Lys Asp Leu Asp Val Ser Ile Lys
 180 185 190

Arg Arg Ala Met Glu Leu Ser Phe Ala Leu Val Asn Gly Asn Asn Ile
 195 200 205

Arg Gly Met Met Lys Glu Leu Leu Tyr Phe Leu Asp Ser Cys Glu Pro
 210 215 220

Glu Phe Lys Ala Asp Cys Ala Ser Gly Ile Phe Leu Ala Ala Glu Lys
 225 230 235 240

Tyr Ala Pro Ser Lys Arg Trp His Ile Asp Thr Ile Met Arg Val Leu
 245 250 255

Thr Thr Ala Gly Ser Tyr Val Arg Asp Asp Ala Val Pro Asn Leu Ile
 260 265 270

Gln Leu Ile Thr Asn Ser Val Glu Met His Ala Tyr Thr Val Gln Arg
 275 280 285

Leu Tyr Lys Ala Ile Leu Gly Asp Tyr Ser Gln Gln Pro Leu Val Gln
 290 295 300

Val Ala Ala Trp Cys Ile Gly Glu Tyr Gly Asp Leu Leu Val Ser Gly
 305 310 315 320

Gln Cys Glu Glu Glu Glu Pro Ile Gln Val Thr Glu Asp Glu Val Leu

325

330

335

Asp Ile Leu Glu Ser Val Leu Ile Ser Asn Met Ser Thr Ser Val Thr
 340 345 350

Arg Gly Tyr Ala Leu Thr Ala Ile Met Lys Leu Ser Thr Arg Phe Thr
 355 360 365

Cys Thr Val Asn Arg Ile Lys Lys Val Val Ser Ile Tyr Gly Ser Ser
 370 375 380

Ile Asp Val Glu Leu Gln Arg Arg Ala Val Glu Tyr Asn Ala Leu Phe
 385 390 395 400

Lys Lys Tyr Asp His Met Arg Ser Ala Leu Leu Glu Arg Met Pro Val
 405 410 415

Met Glu Lys Val Thr Thr Asn Gly Pro Thr Glu Ile Val Gln Thr Asn
 420 425 430

Gly Glu Thr Glu Pro Ala Pro Leu Glu Thr Lys Pro Pro Pro Ser Gly
 435 440 445

Pro Gln Pro Thr Ser Gln Ala Asn Asp Leu Leu Asp Leu Leu Gly Gly
 450 455 460

Asn Asp Ile Thr Pro Val Ile Pro Thr Ala Pro Thr Ser Lys Pro Ser
 465 470 475 480

Ser Ala Gly Gly Glu Leu Leu Asp Leu Leu Gly Asp Ile Asn Leu Thr
 485 490 495

Gly Ser His Ser Val Ser Gln Ala Gly Val Gln Trp Asp Tyr Leu Gly
 500 505 510

Ser Leu Gln Pro Leu Pro Pro Ala Phe Arg
 515 520

<210> 213
 <211> 1704
 <212> PRT
 <213> Homo sapiens

<400> 213

Met Ala Val Leu Arg Gln Leu Ala Leu Leu Leu Trp Lys Asn Tyr Thr
 1 5 10 15
 Leu Gln Lys Arg Lys Val Leu Val Thr Val Leu Glu Leu Phe Leu Pro
 20 25 30
 Leu Leu Phe Pro Gly Ile Leu Ile Trp Leu Arg Leu Lys Ile Gln Ser
 35 40 45
 Glu Asn Val Pro Asn Ala Thr Ile Tyr Pro Gly Gln Ser Ile Gln Glu
 50 55 60
 Leu Pro Leu Phe Phe Thr Phe Pro Pro Pro Gly Asp Thr Trp Glu Leu
 65 70 75 80
 Ala Tyr Ile Pro Ser His Ser Asp Ala Ala Lys Thr Val Thr Glu Thr
 85 90 95
 Val Arg Arg Ala Leu Val Ile Asn Met Arg Val Arg Gly Phe Pro Ser
 100 105 110
 Glu Lys Asp Phe Glu Asp Tyr Ile Arg Tyr Asp Asn Cys Ser Ser Ser
 115 120 125
 Val Leu Ala Ala Val Val Phe Glu His Pro Phe Asn His Ser Lys Glu
 130 135 140
 Pro Leu Pro Leu Ala Val Lys Tyr His Leu Arg Phe Ser Tyr Thr Arg
 145 150 155 160
 Arg Asn Tyr Met Trp Thr Gln Thr Gly Ser Phe Phe Leu Lys Glu Thr
 165 170 175
 Glu Gly Trp His Thr Thr Ser Leu Phe Pro Leu Phe Pro Asn Pro Gly
 180 185 190
 Pro Arg Glu Leu Thr Ser Pro Asp Gly Gly Glu Pro Gly Tyr Ile Arg
 195 200 205
 Glu Gly Phe Leu Ala Val Gln His Ala Val Asp Arg Ala Ile Met Glu
 210 215 220

Tyr His Ala Asp Ala Ala Thr Arg Gln Leu Phe Gln Arg Leu Thr Val
 225 230 235 240
 Thr Ile Lys Arg Phe Pro Tyr Pro Pro Phe Ile Ala Asp Pro Phe Leu
 245 250 255
 Val Ala Ile Gln Tyr Gln Leu Pro Leu Leu Leu Leu Ser Phe Thr
 260 265 270
 Tyr Thr Ala Leu Thr Ile Ala Arg Ala Val Val Gln Glu Lys Glu Arg
 275 280 285
 Arg Leu Lys Glu Tyr Met Arg Met Met Gly Leu Ser Ser Trp Leu His
 290 295 300
 Trp Ser Ala Trp Phe Leu Leu Phe Phe Leu Phe Leu Leu Ile Ala Ala
 305 310 315 320
 Ser Phe Met Thr Leu Leu Phe Cys Val Lys Val Lys Pro Asn Val Ala
 325 330 335
 Val Leu Ser Arg Ser Asp Pro Ser Leu Val Leu Ala Phe Leu Leu Cys
 340 345 350
 Phe Ala Ile Ser Thr Ile Ser Phe Ser Phe Met Val Ser Thr Phe Phe
 355 360 365
 Ser Lys Ala Asn Met Ala Ala Ala Phe Gly Gly Phe Leu Tyr Phe Phe
 370 375 380
 Thr Tyr Ile Pro Tyr Phe Phe Val Ala Pro Arg Tyr Asn Trp Met Thr
 385 390 395 400
 Leu Ser Gln Lys Leu Cys Ser Cys Leu Leu Ser Asn Val Ala Met Ala
 405 410 415
 Met Gly Ala Gln Leu Ile Gly Lys Phe Glu Ala Lys Gly Met Gly Ile
 420 425 430
 Gln Trp Arg Asp Leu Leu Ser Pro Val Asn Val Asp Asp Asp Phe Cys
 435 440 445
 Phe Gly Gln Val Leu Gly Met Leu Leu Leu Asp Ser Val Leu Tyr Gly

450 455 460
 Leu Val Thr Trp Tyr Met Glu Ala Val Phe Pro Gly Gln Phe Gly Val
 465 470 475 480
 Pro Gln Pro Trp Tyr Phe Phe Ile Met Pro Ser Tyr Trp Cys Gly Lys
 485 490 495
 Pro Arg Ala Val Ala Gly Lys Glu Glu Glu Asp Ser Asp Pro Glu Lys
 500 505 510
 Ala Leu Arg Asn Glu Tyr Phe Glu Ala Glu Pro Glu Asp Leu Val Ala
 515 520 525
 Gly Ile Lys Ile Lys His Leu Ser Lys Val Phe Arg Val Gly Asn Lys
 530 535 540
 Asp Arg Ala Ala Val Arg Asp Leu Asn Leu Asn Leu Tyr Glu Gly Gln
 545 550 555 560
 Ile Thr Val Leu Leu Gly His Asn Gly Ala Gly Lys Thr Thr Thr Leu
 565 570 575
 Ser Met Leu Thr Gly Leu Phe Pro Pro Thr Ser Gly Arg Ala Tyr Ile
 580 585 590
 Ser Gly Tyr Glu Ile Ser Gln Asp Met Val Gln Ile Arg Lys Ser Leu
 595 600 605
 Gly Leu Cys Pro Gln His Asp Ile Leu Phe Asp Asn Leu Thr Val Ala
 610 615 620
 Glu His Leu Tyr Phe Tyr Ala Gln Leu Lys Gly Leu Ser Arg Gln Lys
 625 630 635 640
 Cys Pro Glu Glu Val Lys Gln Met Leu His Ile Ile Gly Leu Glu Asp
 645 650 655
 Lys Trp Asn Ser Arg Ser Arg Phe Leu Ser Gly Gly Met Arg Arg Lys
 660 665 670
 Leu Ser Ile Gly Ile Ala Leu Ile Ala Gly Ser Lys Val Leu Ile Leu
 675 680 685

Asp Glu Pro Thr Ser Gly Met Asp Ala Ile Ser Arg Arg Ala Ile Trp
 690 695 700

Asp Leu Leu Gln Arg Gln Lys Ser Asp Arg Thr Ile Val Leu Thr Thr
 705 710 715 720

His Phe Met Asp Glu Ala Asp Leu Leu Gly Asp Arg Ile Ala Ile Met
 725 730 735

Ala Lys Gly Glu Leu Gln Cys Cys Gly Ser Ser Leu Phe Leu Lys Gln
 740 745 750

Lys Tyr Gly Ala Gly Tyr His Met Thr Leu Val Lys Glu Pro His Cys
 755 760 765

Asn Pro Glu Asp Ile Ser Gln Leu Val His His His Val Pro Asn Ala
 770 775 780

Thr Leu Glu Ser Ser Ala Gly Ala Glu Leu Ser Phe Ile Leu Pro Arg
 785 790 795 800

Glu Ser Thr His Arg Phe Glu Gly Leu Phe Ala Lys Leu Glu Lys Lys
 805 810 815

Gln Lys Glu Leu Gly Ile Ala Ser Phe Gly Ala Ser Ile Thr Thr Met
 820 825 830

Glu Glu Val Phe Leu Arg Val Gly Lys Leu Val Asp Ser Ser Met Asp
 835 840 845

Ile Gln Ala Ile Gln Leu Pro Ala Leu Gln Tyr Gln His Glu Arg Arg
 850 855 860

Ala Ser Asp Trp Ala Val Asp Ser Asn Leu Cys Gly Ala Met Asp Pro
 865 870 875 880

Ser Asp Gly Ile Gly Ala Leu Ile Glu Glu Glu Arg Thr Ala Val Lys
 885 890 895

Leu Asn Thr Gly Leu Ala Leu His Cys Gln Gln Phe Trp Ala Met Phe
 900 905 910

Leu Lys Lys Ala Ala Tyr Ser Trp Arg Glu Trp Lys Met Val Ala Ala
 915 920 925

Gln Val Leu Val Pro Leu Thr Cys Val Thr Leu Ala Leu Leu Ala Ile
 930 935 940

Asn Tyr Ser Ser Glu Leu Phe Asp Asp Pro Met Leu Arg Leu Thr Leu
 945 950 955 960

Gly Glu Tyr Gly Arg Thr Val Val Pro Phe Ser Val Pro Gly Thr Ser
 965 970 975

Gln Leu Gly Gln Gln Leu Ser Glu His Leu Lys Asp Ala Leu Gln Ala
 980 985 990

Glu Gly Gln Glu Pro Arg Glu Val Leu Gly Asp Leu Glu Glu Phe Leu
 995 1000 1005

Ile Phe Arg Ala Ser Val Glu Gly Gly Gly Phe Asn Glu Arg Cys
 1010 1015 1020

Leu Val Ala Ala Ser Phe Arg Asp Val Gly Glu Arg Thr Val Val
 1025 1030 1035

Asn Ala Leu Phe Asn Asn Gln Ala Tyr His Ser Pro Ala Thr Ala
 1040 1045 1050

Leu Ala Val Val Asp Asn Leu Leu Phe Lys Leu Leu Cys Gly Pro
 1055 1060 1065

His Ala Ser Ile Val Val Ser Asn Phe Pro Gln Pro Arg Ser Ala
 1070 1075 1080

Leu Gln Ala Ala Lys Asp Gln Phe Asn Glu Gly Arg Lys Gly Phe
 1085 1090 1095

Asp Ile Ala Leu Asn Leu Leu Phe Ala Met Ala Phe Leu Ala Ser
 1100 1105 1110

Thr Phe Ser Ile Leu Ala Val Ser Glu Arg Ala Val Gln Ala Lys
 1115 1120 1125

His Val	Gln Phe Val Ser Gly	Val His Val Ala Ser	Phe Trp Leu
1130	1135	1140	
Ser Ala	Leu Leu Trp Asp Leu	Ile Ser Phe Leu Ile	Pro Ser Leu
1145	1150	1155	
Leu Leu	Leu Val Val Phe Lys	Ala Phe Asp Val Arg	Ala Phe Thr
1160	1165	1170	
Arg Asp	Gly His Met Ala Asp	Thr Leu Leu Leu Leu	Leu Leu Tyr
1175	1180	1185	
Gly Trp	Ala Ile Ile Pro Leu	Met Tyr Leu Met Asn	Phe Phe Phe
1190	1195	1200	
Leu Gly	Ala Ala Thr Ala Tyr	Thr Arg Leu Thr Ile	Phe Asn Ile
1205	1210	1215	
Leu Ser	Gly Ile Ala Thr Phe	Leu Met Val Thr Ile	Met Arg Ile
1220	1225	1230	
Pro Ala	Val Lys Leu Glu Glu	Leu Ser Lys Thr Leu	Asp His Val
1235	1240	1245	
Phe Leu	Val Leu Pro Asn His	Cys Leu Gly Met Ala	Val Ser Ser
1250	1255	1260	
Phe Tyr	Glu Asn Tyr Glu Thr	Arg Arg Tyr Cys Thr	Ser Ser Glu
1265	1270	1275	
Val Ala	Ala His Tyr Cys Lys	Lys Tyr Asn Ile Gln	Tyr Gln Glu
1280	1285	1290	
Asn Phe	Tyr Ala Trp Ser Ala	Pro Gly Val Gly Arg	Phe Val Ala
1295	1300	1305	
Ser Met	Ala Ala Ser Gly Cys	Ala Tyr Leu Ile Leu	Leu Phe Leu
1310	1315	1320	
Ile Glu	Thr Asn Leu Leu Gln	Arg Leu Arg Gly Ile	Leu Cys Ala
1325	1330	1335	
Leu Arg	Arg Arg Arg Thr Leu	Thr Glu Leu Tyr Thr	Arg Met Pro

1340		1345		1350
Val Leu Pro Glu Asp Gln Asp	Val Ala Asp Glu Arg Thr Arg Ile			
1355	1360	1365		
Leu Ala Pro Ser Pro Asp Ser	Leu Leu His Thr Pro Leu Ile Ile			
1370	1375	1380		
Lys Glu Leu Ser Lys Val Tyr	Glu Gln Arg Val Pro Leu Leu Ala			
1385	1390	1395		
Val Asp Arg Leu Ser Leu Ala	Val Gln Lys Gly Glu Cys Phe Gly			
1400	1405	1410		
Leu Leu Gly Phe Asn Gly Ala	Gly Lys Thr Thr Thr Phe Lys Met			
1415	1420	1425		
Leu Thr Gly Glu Glu Ser Leu	Thr Ser Gly Asp Ala Phe Val Gly			
1430	1435	1440		
Gly His Arg Ile Ser Ser Asp	Val Gly Lys Val Arg Gln Arg Ile			
1445	1450	1455		
Gly Tyr Cys Pro Gln Phe Asp	Ala Leu Leu Asp His Met Thr Gly			
1460	1465	1470		
Arg Glu Met Leu Val Met Tyr	Ala Arg Leu Arg Gly Ile Pro Glu			
1475	1480	1485		
Arg His Ile Gly Ala Cys Val	Glu Asn Thr Leu Arg Gly Leu Leu			
1490	1495	1500		
Leu Glu Pro His Ala Asn Lys	Leu Val Arg Thr Tyr Ser Gly Gly			
1505	1510	1515		
Asn Lys Arg Lys Leu Ser Thr	Gly Ile Ala Leu Ile Gly Glu Pro			
1520	1525	1530		
Ala Val Ile Phe Leu Asp Glu	Pro Ser Thr Gly Met Asp Pro Val			
1535	1540	1545		
Ala Arg Arg Leu Leu Trp Asp	Thr Val Ala Arg Ala Arg Glu Ser			
1550	1555	1560		

Gly Lys Ala Ile Ile Ile Thr Ser His Ser Met Glu Glu Cys Glu
1565 1570 1575

Ala Leu Cys Thr Arg Leu Ala Ile Met Val Gln Gly Gln Phe Lys
1580 1585 1590

Cys Leu Gly Ser Pro Gln His Leu Lys Ser Lys Phe Gly Ser Gly
1595 1600 1605

Tyr Ser Leu Arg Ala Lys Val Gln Ser Glu Gly Gln Gln Glu Ala
1610 1615 1620

Leu Glu Glu Phe Lys Ala Phe Val Asp Leu Thr Phe Pro Gly Ser
1625 1630 1635

Val Leu Glu Asp Glu His Gln Gly Met Val His Tyr His Leu Pro
1640 1645 1650

Gly Arg Asp Leu Ser Trp Ala Lys Val Phe Gly Ile Leu Glu Lys
1655 1660 1665

Ala Lys Glu Lys Tyr Gly Val Asp Asp Tyr Ser Val Ser Gln Ile
1670 1675 1680

Ser Leu Glu Gln Val Phe Leu Ser Phe Ala His Leu Gln Pro Pro
1685 1690 1695

Thr Ala Glu Glu Gly Arg
1700

<210> 214
<211> 674
<212> PRT
<213> Homo sapiens

<400> 214

Met Ala Ala Phe Ser Val Gly Thr Ala Met Asn Ala Ser Ser Tyr Ser
1 5 10 15

Ala Glu Met Thr Glu Pro Lys Ser Val Cys Val Ser Val Asp Glu Val
20 25 30

Val Ser Ser Asn Met Glu Ala Thr Glu Thr Asp Leu Leu Asn Gly His
 35 40 45
 Leu Lys Lys Val Asp Asn Asn Leu Thr Glu Ala Gln Arg Phe Ser Ser
 50 55 60
 Leu Pro Arg Arg Ala Ala Val Asn Ile Glu Phe Arg Asp Leu Ser Tyr
 65 70 75 80
 Ser Val Pro Glu Gly Pro Trp Trp Arg Lys Lys Gly Tyr Lys Thr Leu
 85 90 95
 Leu Lys Gly Ile Ser Gly Lys Phe Asn Ser Gly Glu Leu Val Ala Ile
 100 105 110
 Met Gly Pro Ser Gly Ala Gly Lys Ser Thr Leu Met Asn Ile Leu Ala
 115 120 125
 Gly Tyr Arg Glu Thr Gly Met Lys Gly Ala Val Leu Ile Asn Gly Leu
 130 135 140
 Pro Arg Asp Leu Arg Cys Phe Arg Lys Val Ser Cys Tyr Ile Met Gln
 145 150 155 160
 Asp Asp Met Leu Leu Pro His Leu Thr Val Gln Glu Ala Met Met Val
 165 170 175
 Ser Ala His Leu Lys Leu Gln Glu Lys Asp Glu Gly Arg Arg Glu Met
 180 185 190
 Val Lys Glu Ile Leu Thr Ala Leu Gly Leu Leu Ser Cys Ala Asn Thr
 195 200 205
 Arg Thr Gly Ser Leu Ser Gly Gly Gln Arg Lys Arg Leu Ala Ile Ala
 210 215 220
 Leu Glu Leu Val Asn Asn Pro Pro Val Met Phe Phe Asp Glu Pro Thr
 225 230 235 240
 Ser Gly Leu Asp Ser Ala Ser Cys Phe Gln Val Val Ser Leu Met Lys
 245 250 255
 Gly Leu Ala Gln Gly Gly Arg Ser Ile Ile Cys Thr Ile His Gln Pro

260 265 270
 Ser Ala Lys Leu Phe Glu Leu Phe Asp Gln Leu Tyr Val Leu Ser Gln
 275 280 285
 Gly Gln Cys Val Tyr Arg Gly Lys Val Cys Asn Leu Val Pro Tyr Leu
 290 295 300
 Arg Asp Leu Gly Leu Asn Cys Pro Thr Tyr His Asn Pro Ala Asp Phe
 305 310 315 320
 Val Met Glu Val Ala Ser Gly Glu Tyr Gly Asp Gln Asn Ser Arg Leu
 325 330 335
 Val Arg Ala Val Arg Glu Gly Met Cys Asp Ser Asp His Lys Arg Asp
 340 345 350
 Leu Gly Gly Asp Ala Glu Val Asn Pro Phe Leu Trp His Arg Pro Ser
 355 360 365
 Glu Glu Val Lys Gln Thr Lys Arg Leu Lys Gly Leu Arg Lys Asp Ser
 370 375 380
 Ser Ser Met Glu Gly Cys His Ser Phe Ser Ala Ser Cys Leu Thr Gln
 385 390 395 400
 Phe Cys Ile Leu Phe Lys Arg Thr Phe Leu Ser Ile Met Arg Asp Ser
 405 410 415
 Val Leu Thr His Leu Arg Ile Thr Ser His Ile Gly Ile Gly Leu Leu
 420 425 430
 Ile Gly Leu Leu Tyr Leu Gly Ile Gly Asn Glu Thr Lys Lys Val Leu
 435 440 445
 Ser Asn Ser Gly Phe Leu Phe Phe Ser Met Leu Phe Leu Met Phe Ala
 450 455 460
 Ala Leu Met Pro Thr Val Leu Thr Phe Pro Leu Glu Met Gly Val Phe
 465 470 475 480
 Leu Arg Glu His Leu Asn Tyr Trp Tyr Ser Leu Lys Ala Tyr Tyr Leu
 485 490 495

Ala Lys Thr Met Ala Asp Val Pro Phe Gln Ile Met Phe Pro Val Ala
 500 505 510

Tyr Cys Ser Ile Val Tyr Trp Met Thr Ser Gln Pro Ser Asp Ala Val
 515 520 525

Arg Phe Val Leu Phe Ala Ala Leu Gly Thr Met Thr Ser Leu Val Ala
 530 535 540

Gln Ser Leu Gly Leu Leu Ile Gly Ala Ala Ser Thr Ser Leu Gln Val
 545 550 555 560

Ala Thr Phe Val Gly Pro Val Thr Ala Ile Pro Val Leu Leu Phe Ser
 565 570 575

Gly Phe Phe Val Ser Phe Asp Thr Ile Pro Thr Tyr Leu Gln Trp Met
 580 585 590

Ser Tyr Ile Ser Tyr Val Arg Tyr Gly Phe Glu Gly Val Ile Leu Ser
 595 600 605

Ile Tyr Gly Leu Asp Arg Glu Asp Leu His Cys Asp Ile Asp Glu Thr
 610 615 620

Cys His Phe Gln Lys Ser Glu Ala Ile Leu Arg Glu Leu Asp Val Glu
 625 630 635 640

Asn Ala Lys Leu Tyr Leu Asp Phe Ile Val Leu Gly Ile Phe Phe Ile
 645 650 655

Ser Leu Arg Leu Ile Ala Tyr Leu Val Leu Arg Tyr Lys Ile Arg Ala
 660 665 670

Glu Arg

<210> 215
 <211> 149
 <212> PRT
 <213> Homo sapiens
 <400> 215

Met Ala Asp Gln Leu Thr Glu Glu Gln Ile Ala Glu Phe Lys Glu Ala
 1 5 10 15

Phe Ser Leu Phe Asp Lys Asp Gly Asp Gly Thr Ile Thr Thr Lys Glu
 20 25 30

Leu Gly Thr Val Met Arg Ser Leu Gly Gln Asn Pro Thr Glu Ala Glu
 35 40 45

Leu Gln Asp Met Ile Asn Glu Val Asp Ala Asp Gly Asn Gly Thr Ile
 50 55 60

Asp Phe Pro Glu Phe Leu Thr Met Met Ala Arg Lys Met Lys Asp Thr
 65 70 75 80

Asp Ser Glu Glu Glu Ile Arg Glu Ala Phe Arg Val Phe Asp Lys Asp
 85 90 95

Gly Asn Gly Tyr Ile Ser Ala Ala Glu Leu Arg His Val Met Thr Asn
 100 105 110

Leu Gly Glu Lys Leu Thr Asp Glu Glu Val Asp Glu Met Ile Arg Glu
 115 120 125

Ala Asp Ile Asp Gly Asp Gly Gln Val Asn Tyr Glu Glu Phe Val Gln
 130 135 140

Met Met Thr Ala Lys
 145

<210> 216
 <211> 354
 <212> PRT
 <213> Homo sapiens

<400> 216

Met Pro Arg Arg Ser Leu His Ala Ala Ala Val Leu Leu Leu Val Ile
 1 5 10 15

Leu Lys Glu Gln Pro Ser Ser Pro Ala Pro Val Asn Gly Ser Lys Trp
 20 25 30

Thr Tyr Phe Gly Pro Asp Gly Glu Asn Ser Trp Ser Lys Lys Tyr Pro
 35 40 45

Ser Cys Gly Gly Leu Leu Gln Ser Pro Ile Asp Leu His Ser Asp Ile
 50 55 60

Leu Gln Tyr Asp Ala Ser Leu Thr Pro Leu Glu Phe Gln Gly Tyr Asn
 65 70 75 80

Leu Ser Ala Asn Lys Gln Phe Leu Leu Thr Asn Asn Gly His Ser Val
 85 90 95

Lys Leu Asn Leu Pro Ser Asp Met His Ile Gln Gly Leu Gln Ser Arg
 100 105 110

Tyr Ser Ala Thr Gln Leu His Leu His Trp Gly Asn Pro Asn Asp Pro
 115 120 125

His Gly Ser Glu His Thr Val Ser Gly Gln His Phe Ala Ala Glu Leu
 130 135 140

His Ile Val His Tyr Asn Ser Asp Leu Tyr Pro Asp Ala Ser Thr Ala
 145 150 155 160

Ser Asn Lys Ser Glu Gly Leu Ala Val Leu Ala Val Leu Ile Glu Met
 165 170 175

Gly Ser Phe Asn Pro Ser Tyr Asp Lys Ile Phe Ser His Leu Gln His
 180 185 190

Val Lys Tyr Lys Gly Gln Glu Ala Phe Val Pro Gly Phe Asn Ile Glu
 195 200 205

Glu Leu Leu Pro Glu Arg Thr Ala Glu Tyr Tyr Arg Tyr Arg Gly Ser
 210 215 220

Leu Thr Thr Pro Pro Cys Asn Pro Thr Val Leu Trp Thr Val Phe Arg
 225 230 235 240

Asn Pro Val Gln Ile Ser Gln Glu Gln Leu Leu Ala Leu Glu Thr Ala
 245 250 255

Leu Tyr Cys Thr His Met Asp Asp Pro Ser Pro Arg Glu Met Ile Asn
 260 265 270

Asn Phe Arg Gln Val Gln Lys Phe Asp Glu Arg Leu Val Tyr Thr Ser
 275 280 285

Phe Ser Gln Val Gln Val Cys Thr Ala Ala Gly Leu Ser Leu Gly Ile
 290 295 300

Ile Leu Ser Leu Ala Leu Ala Gly Ile Leu Gly Ile Cys Ile Val Val
 305 310 315 320

Val Val Ser Ile Trp Leu Phe Arg Arg Lys Ser Ile Lys Lys Gly Asp
 325 330 335

Asn Lys Gly Val Ile Tyr Lys Pro Ala Thr Lys Met Glu Thr Glu Ala
 340 345 350

His Ala

<210> 217
 <211> 244
 <212> PRT
 <213> Homo sapiens

<400> 217

Met Glu Leu Phe Leu Ala Gly Arg Arg Val Leu Val Thr Gly Ala Gly
 1 5 10 15

Lys Gly Ile Gly Arg Gly Thr Val Gln Ala Leu His Ala Thr Gly Ala
 20 25 30

Arg Val Val Ala Val Ser Arg Thr Gln Ala Asp Leu Asp Ser Leu Val
 35 40 45

Arg Glu Cys Pro Gly Ile Glu Pro Val Cys Val Asp Leu Gly Asp Trp
 50 55 60

Glu Ala Thr Glu Arg Ala Leu Gly Ser Val Gly Pro Val Asp Leu Leu
 65 70 75 80

Val Asn Asn Ala Ala Val Ala Leu Leu Gln Pro Phe Leu Glu Val Thr
 85 90 95

Lys Glu Ala Phe Asp Arg Ser Phe Glu Val Asn Leu Arg Ala Val Ile

100

105

110

Gln Val Ser Gln Ile Val Ala Arg Gly Leu Ile Ala Arg Gly Val Pro
 115 120 125

Gly Ala Ile Val Asn Val Ser Ser Gln Cys Ser Gln Arg Ala Val Thr
 130 135 140

Asn His Ser Val Tyr Cys Ser Thr Lys Gly Ala Leu Asp Met Leu Thr
 145 150 155 160

Lys Val Met Ala Leu Glu Leu Gly Pro His Lys Ile Arg Val Asn Ala
 165 170 175

Val Asn Pro Thr Val Val Met Thr Ser Met Gly Gln Ala Thr Trp Ser
 180 185 190

Asp Pro His Lys Ala Lys Thr Met Leu Asn Arg Ile Pro Leu Gly Lys
 195 200 205

Phe Ala Glu Val Glu His Val Val Asn Ala Ile Leu Phe Leu Leu Ser
 210 215 220

Asp Arg Ser Gly Met Thr Thr Gly Ser Thr Leu Pro Val Glu Gly Gly
 225 230 235 240

Phe Trp Ala Cys

<210> 218

<211> 756

<212> PRT

<213> Homo sapiens

<400> 218

Met Ala Glu Ala His Gln Ala Val Ala Phe Gln Phe Thr Val Thr Pro
 1 5 10 15

Asp Gly Ile Asp Leu Arg Leu Ser His Glu Ala Leu Arg Gln Ile Tyr
 20 25 30

Leu Ser Gly Leu His Ser Trp Lys Lys Lys Phe Ile Arg Phe Lys Asn
 35 40 45

Gly Ile Ile Thr Gly Val Tyr Pro Ala Ser Pro Ser Ser Trp Leu Ile
 50 55 60

Val Val Val Gly Val Met Thr Thr Met Tyr Ala Lys Ile Asp Pro Ser
 65 70 75 80

Leu Gly Ile Ile Ala Lys Ile Asn Arg Thr Leu Glu Thr Ala Asn Cys
 85 90 95

Met Ser Ser Gln Thr Lys Asn Val Val Ser Gly Val Leu Phe Gly Thr
 100 105 110

Gly Leu Trp Val Ala Leu Ile Val Thr Met Arg Tyr Ser Leu Lys Val
 115 120 125

Leu Leu Ser Tyr His Gly Trp Met Phe Thr Glu His Gly Lys Met Ser
 130 135 140

Arg Ala Thr Lys Ile Trp Met Gly Met Val Lys Ile Phe Ser Gly Arg
 145 150 155 160

Lys Pro Met Leu Tyr Ser Phe Gln Thr Ser Leu Pro Arg Leu Pro Val
 165 170 175

Pro Ala Val Lys Asp Thr Val Asn Arg Tyr Leu Gln Ser Val Arg Pro
 180 185 190

Leu Met Lys Glu Glu Asp Phe Lys Arg Met Thr Ala Leu Ala Gln Asp
 195 200 205

Phe Ala Val Gly Leu Gly Pro Arg Leu Gln Trp Tyr Leu Lys Leu Lys
 210 215 220

Ser Trp Trp Ala Thr Asn Tyr Val Ser Asp Trp Trp Glu Glu Tyr Ile
 225 230 235 240

Tyr Leu Arg Gly Arg Gly Pro Leu Met Val Asn Ser Asn Tyr Tyr Ala
 245 250 255

Met Asp Leu Leu Tyr Ile Leu Pro Thr His Ile Gln Ala Ala Arg Ala
 260 265 270

Gly Asn Ala Ile His Ala Ile Leu Leu Tyr Arg Arg Lys Leu Asp Arg
 275 280 285

Glu Glu Ile Lys Pro Ile Arg Leu Leu Gly Ser Thr Ile Pro Leu Cys
 290 295 300

Ser Ala Gln Trp Glu Arg Met Phe Asn Thr Ser Arg Ile Pro Gly Glu
 305 310 315 320

Glu Thr Asp Thr Ile Gln His Met Arg Asp Ser Lys His Ile Val Val
 325 330 335

Tyr His Arg Gly Arg Tyr Phe Lys Val Trp Leu Tyr His Asp Gly Arg
 340 345 350

Leu Leu Lys Pro Arg Glu Met Glu Gln Gln Met Gln Arg Ile Leu Asp
 355 360 365

Asn Thr Ser Glu Pro Gln Pro Gly Glu Ala Arg Leu Ala Ala Leu Thr
 370 375 380

Ala Gly Asp Arg Val Pro Trp Ala Arg Cys Arg Gln Ala Tyr Phe Gly
 385 390 395 400

Arg Gly Lys Asn Lys Gln Ser Leu Asp Ala Val Glu Lys Ala Ala Phe
 405 410 415

Phe Val Thr Leu Asp Glu Thr Glu Glu Gly Tyr Arg Ser Glu Asp Pro
 420 425 430

Asp Thr Ser Met Asp Ser Tyr Ala Lys Ser Leu Leu His Gly Arg Cys
 435 440 445

Tyr Asp Arg Trp Phe Asp Lys Ser Phe Thr Phe Val Val Phe Lys Asn
 450 455 460

Gly Lys Met Gly Leu Asn Ala Glu His Ser Trp Ala Asp Ala Pro Ile
 465 470 475 480

Val Ala His Leu Trp Glu Tyr Val Met Ser Ile Asp Ser Leu Gln Leu
 485 490 495

Gly Tyr Ala Glu Asp Gly His Cys Lys Gly Asp Ile Asn Pro Asn Ile

500					505					510					
Pro	Tyr	Pro	Thr	Arg	Leu	Gln	Trp	Asp	Ile	Pro	Gly	Glu	Cys	Gln	Glu
		515					520					525			
Val	Ile	Glu	Thr	Ser	Leu	Asn	Thr	Ala	Asn	Leu	Leu	Ala	Asn	Asp	Val
	530					535					540				
Asp	Phe	His	Ser	Phe	Pro	Phe	Val	Ala	Phe	Gly	Lys	Gly	Ile	Ile	Lys
545					550					555					560
Lys	Cys	Arg	Thr	Ser	Pro	Asp	Ala	Phe	Val	Gln	Leu	Ala	Leu	Gln	Leu
				565					570					575	
Ala	His	Tyr	Lys	Asp	Met	Gly	Lys	Phe	Cys	Leu	Thr	Tyr	Glu	Ala	Ser
			580					585					590		
Met	Thr	Arg	Leu	Phe	Arg	Glu	Gly	Arg	Thr	Glu	Thr	Val	Arg	Ser	Cys
		595					600					605			
Thr	Thr	Glu	Ser	Cys	Asp	Phe	Val	Arg	Ala	Met	Val	Asp	Pro	Ala	Gln
	610					615					620				
Thr	Val	Glu	Gln	Arg	Leu	Lys	Leu	Phe	Lys	Leu	Ala	Ser	Glu	Lys	His
625					630					635					640
Gln	His	Met	Tyr	Arg	Leu	Ala	Met	Thr	Gly	Ser	Gly	Ile	Asp	Arg	His
				645					650					655	
Leu	Phe	Cys	Leu	Tyr	Val	Val	Ser	Lys	Tyr	Leu	Ala	Val	Glu	Ser	Pro
			660					665					670		
Phe	Leu	Lys	Glu	Val	Leu	Ser	Glu	Pro	Trp	Arg	Leu	Ser	Thr	Ser	Gln
		675					680					685			
Thr	Pro	Gln	Gln	Gln	Val	Glu	Leu	Phe	Asp	Leu	Glu	Asn	Asn	Pro	Glu
	690					695					700				
Tyr	Val	Ser	Ser	Gly	Gly	Gly	Phe	Gly	Pro	Val	Ala	Asp	Asp	Gly	Tyr
705					710				715						720
Gly	Val	Ser	Tyr	Ile	Leu	Val	Gly	Glu	Asn	Leu	Ile	Asn	Phe	His	Ile
				725					730					735	

Ser Ser Lys Phe Ser Cys Pro Glu Thr Gly Ile Ile Ser Gln Gly Pro
 740 745 750

Ser Ser Asp Thr
 755

<210> 219
 <211> 509
 <212> PRT
 <213> Homo sapiens

<400> 219

Met Gly Cys Ser Ala Lys Ala Arg Trp Ala Ala Gly Ala Leu Gly Val
 1 5 10 15

Ala Gly Leu Leu Cys Ala Val Leu Gly Ala Val Met Ile Val Met Val
 20 25 30

Pro Ser Leu Ile Lys Gln Gln Val Leu Lys Asn Val Arg Ile Asp Pro
 35 40 45

Ser Ser Leu Ser Phe Asn Met Trp Lys Glu Ile Pro Ile Pro Phe Tyr
 50 55 60

Leu Ser Val Tyr Phe Phe Asp Val Met Asn Pro Ser Glu Ile Leu Lys
 65 70 75 80

Gly Glu Lys Pro Gln Val Arg Glu Arg Gly Pro Tyr Val Tyr Arg Glu
 85 90 95

Ser Arg His Lys Ser Asn Ile Thr Phe Asn Asn Asn Asp Thr Val Ser
 100 105 110

Phe Leu Glu Tyr Arg Thr Phe Gln Phe Gln Pro Ser Lys Ser His Gly
 115 120 125

Ser Glu Ser Asp Tyr Ile Val Met Pro Asn Ile Leu Val Leu Gly Ala
 130 135 140

Ala Val Met Met Glu Asn Lys Pro Met Thr Leu Lys Leu Ile Met Thr
 145 150 155 160

Leu Ala Phe Thr Thr Leu Gly Glu Arg Ala Phe Met Asn Arg Thr Val
 165 170 175

Gly Glu Ile Met Trp Gly Tyr Lys Asp Pro Leu Val Asn Leu Ile Asn
 180 185 190

Lys Tyr Phe Pro Gly Met Phe Pro Phe Lys Asp Lys Phe Gly Leu Phe
 195 200 205

Ala Glu Leu Asn Asn Ser Asp Ser Gly Leu Phe Thr Val Phe Thr Gly
 210 215 220

Val Gln Asn Ile Ser Arg Ile His Leu Val Asp Lys Trp Asn Gly Leu
 225 230 235 240

Ser Lys Val Asp Phe Trp His Ser Asp Gln Cys Asn Met Ile Asn Gly
 245 250 255

Thr Ser Gly Gln Met Trp Pro Pro Phe Met Thr Pro Glu Ser Ser Leu
 260 265 270

Glu Phe Tyr Ser Pro Glu Ala Cys Arg Ser Met Lys Leu Met Tyr Lys
 275 280 285

Glu Ser Gly Val Phe Glu Gly Ile Pro Thr Tyr Arg Phe Val Ala Pro
 290 295 300

Lys Thr Leu Phe Ala Asn Gly Ser Ile Tyr Pro Pro Asn Glu Gly Phe
 305 310 315 320

Cys Pro Cys Leu Glu Ser Gly Ile Gln Asn Val Ser Thr Cys Arg Phe
 325 330 335

Ser Ala Pro Leu Phe Leu Ser His Pro His Phe Leu Asn Ala Asp Pro
 340 345 350

Val Leu Ala Glu Ala Val Thr Gly Leu His Pro Asn Gln Glu Ala His
 355 360 365

Ser Leu Phe Leu Asp Ile His Pro Val Thr Gly Ile Pro Met Asn Cys
 370 375 380

Ser Val Lys Leu Gln Leu Ser Leu Tyr Met Lys Ser Val Ala Gly Ile

382

Leu Gln Gly Ala Arg Ile Leu Gly Ile Pro Val Ile Val Thr Glu Gln
85 90 95

Tyr Pro Lys Gly Leu Gly Ser Thr Val Gln Glu Ile Asp Leu Thr Gly
100 105 110

Val Lys Leu Val Leu Pro Lys Thr Lys Phe Ser Met Val Leu Pro Glu
115 120 125

Val Glu Ala Ala Leu Ala Glu Ile Pro Gly Val Arg Ser Val Val Leu
130 135 140

Phe Gly Val Glu Thr His Val Cys Ile Gln Gln Thr Ala Leu Glu Leu
145 150 155 160

Val Gly Arg Gly Val Glu Val His Ile Val Ala Asp Ala Thr Ser Ser
165 170 175

Arg Ser Met Met Asp Arg Met Phe Ala Arg Leu Thr Ser Arg Ser Asn
180 185 190

Gly Asp His Ser Asp His Glu
195

<210> 221
<211> 283
<212> PRT
<213> Homo sapiens

<400> 221

Met Thr Ser Gly Pro Gly Gly Pro Ala Ala Ala Ala Gly Gly Arg Lys
1 5 10 15

Glu Asn His Gln Trp Tyr Val Cys Asn Arg Glu Lys Leu Cys Glu Ser
20 25 30

Leu Gln Ala Val Phe Val Gln Ser Tyr Leu Asp Gln Gly Thr Gln Ile
35 40 45

Phe Leu Asn Asn Ser Ile Glu Lys Ser Gly Trp Leu Phe Ile Gln Leu
50 55 60

Tyr His Ser Phe Val Ser Ser Val Phe Ser Leu Phe Met Ser Arg Thr

65		70		75		80
Ser Ile Asn Gly	Leu Leu Gly Arg Gly	Ser Met Phe Val Phe	Ser Pro			
	85	90	95			
Asp Gln Phe Gln Arg Leu Leu Lys Ile Asn Pro Asp Trp Lys Thr His						
	100	105	110			
Arg Leu Leu Asp Leu Gly Ala Gly Asp Gly Glu Val Thr Lys Ile Met						
	115	120	125			
Ser Pro His Phe Glu Glu Ile Tyr Ala Thr Glu Leu Ser Glu Thr Met						
	130	135	140			
Ile Trp Gln Leu Gln Lys Lys Lys Tyr Arg Val Leu Gly Ile Asn Glu						
	145	150	155			160
Trp Gln Asn Thr Gly Phe Gln Tyr Asp Val Ile Ser Cys Leu Asn Leu						
	165	170	175			
Leu Asp Arg Cys Asp Gln Pro Leu Thr Leu Leu Lys Asp Ile Arg Ser						
	180	185	190			
Val Leu Glu Pro Thr Arg Gly Arg Val Ile Leu Ala Leu Val Leu Pro						
	195	200	205			
Phe His Pro Tyr Val Glu Asn Val Gly Gly Lys Trp Glu Lys Pro Ser						
	210	215	220			
Glu Ile Leu Glu Ile Lys Gly Gln Asn Trp Glu Glu Gln Val Asn Ser						
	225	230	235			240
Leu Pro Glu Val Phe Arg Lys Ala Gly Phe Val Ile Glu Ala Phe Thr						
	245	250	255			
Arg Leu Pro Tyr Leu Cys Glu Gly Asp Met Tyr Asn Asp Tyr Tyr Val						
	260	265	270			
Leu Asp Asp Ala Val Phe Val Leu Lys Pro Val						
	275	280				
<210>	222					
<211>	220					

<212> PRT

<213> Homo sapiens

<400> 222

Met Ser Met Gly Leu Glu Ile Thr Gly Thr Ala Leu Ala Val Leu Gly
 1 5 10 15

Trp Leu Gly Thr Ile Val Cys Cys Ala Leu Pro Met Trp Arg Val Ser
 20 25 30

Ala Phe Ile Gly Ser Asn Ile Ile Thr Ser Gln Asn Ile Trp Glu Gly
 35 40 45

Leu Trp Met Asn Cys Val Val Gln Ser Thr Gly Gln Met Gln Cys Lys
 50 55 60

Val Tyr Asp Ser Leu Leu Ala Leu Pro Gln Asp Leu Gln Ala Ala Arg
 65 70 75 80

Ala Leu Ile Val Val Ala Ile Leu Leu Ala Ala Phe Gly Leu Leu Val
 85 90 95

Ala Leu Val Gly Ala Gln Cys Thr Asn Cys Val Gln Asp Asp Thr Ala
 100 105 110

Lys Ala Lys Ile Thr Ile Val Ala Gly Val Leu Phe Leu Leu Ala Ala
 115 120 125

Leu Leu Thr Leu Val Pro Val Ser Trp Ser Ala Asn Thr Ile Ile Arg
 130 135 140

Asp Phe Tyr Asn Pro Val Val Pro Glu Ala Gln Lys Arg Glu Met Gly
 145 150 155 160

Ala Gly Leu Tyr Val Gly Trp Ala Ala Ala Ala Leu Gln Leu Leu Gly
 165 170 175

Gly Ala Leu Leu Cys Cys Ser Cys Pro Pro Arg Glu Lys Lys Tyr Thr
 180 185 190

Ala Thr Lys Val Val Tyr Ser Ala Pro Arg Ser Thr Gly Pro Gly Ala
 195 200 205

Ser Leu Gly Thr Gly Tyr Asp Arg Lys Asp Tyr Val
 210 215 220

<210> 223
 <211> 251
 <212> PRT
 <213> Homo sapiens

<400> 223

Met Glu Gly Gly Ala Ala Ala Thr Pro Thr Ala Leu Pro Tyr Tyr
 1 5 10 15

Val Ala Phe Ser Gln Leu Leu Gly Leu Thr Leu Val Ala Met Thr Gly
 20 25 30

Ala Trp Leu Gly Leu Tyr Arg Gly Gly Ile Ala Trp Glu Ser Asp Leu
 35 40 45

Gln Phe Asn Ala His Pro Leu Cys Met Val Ile Gly Leu Ile Phe Leu
 50 55 60

Gln Gly Asn Ala Leu Leu Val Tyr Arg Val Phe Arg Asn Glu Ala Lys
 65 70 75 80

Arg Thr Thr Lys Val Leu His Gly Leu Leu His Ile Phe Ala Leu Val
 85 90 95

Ile Ala Leu Val Gly Leu Val Ala Val Phe Asp Tyr His Arg Lys Lys
 100 105 110

Gly Tyr Ala Asp Leu Tyr Ser Leu His Ser Trp Cys Gly Ile Leu Val
 115 120 125

Phe Val Leu Tyr Phe Val Gln Trp Leu Val Gly Phe Ser Phe Phe Leu
 130 135 140

Phe Pro Gly Ala Ser Phe Ser Leu Arg Ser Arg Tyr Arg Pro Gln His
 145 150 155 160

Ile Phe Phe Gly Ala Thr Ile Phe Leu Leu Pro Val Gly Thr Ala Leu
 165 170 175

Leu Gly Leu Lys Glu Ala Leu Leu Phe Asn Leu Gly Gly Lys Tyr Ser
 180 185 190

Ala Phe Glu Pro Glu Gly Val Leu Ala Asn Val Leu Gly Leu Leu Leu
 195 200 205

Ala Cys Phe Gly Gly Ala Val Leu Tyr Ile Leu Thr Arg Ala Asp Trp
 210 215 220

Lys Arg Pro Ser Gln Ala Glu Glu Gln Ala Leu Ser Met Asp Phe Lys
 225 230 235 240

Thr Leu Arg Gln Gly Asp Ser Pro Gly Ser Gln
 245 250

<210> 224
 <211> 401
 <212> PRT
 <213> Homo sapiens

<400> 224

Tyr Val Cys Asn Cys Ser Val Val Gly Ser Leu Asn Val Asn Arg Cys
 1 5 10 15

Asn Gln Thr Thr Gly Gln Cys Glu Cys Arg Pro Gly Tyr Gln Gly Leu
 20 25 30

His Cys Glu Thr Cys Lys Glu Gly Phe Tyr Leu Asn Tyr Thr Ser Gly
 35 40 45

Leu Cys Gln Pro Cys Asp Cys Ser Pro His Gly Ala Leu Ser Ile Pro
 50 55 60

Cys Asn Ser Ser Gly Lys Cys Gln Cys Lys Val Gly Val Ile Gly Ser
 65 70 75 80

Ile Cys Asp Arg Cys Gln Asp Gly Tyr Tyr Gly Phe Ser Lys Asn Gly
 85 90 95

Cys Leu Pro Cys Gln Cys Asn Asn Arg Ser Ala Ser Cys Asp Ala Leu
 100 105 110

Thr Gly Ala Cys Leu Asn Cys Gln Glu Asn Ser Lys Gly Asn His Cys
 115 120 125

Glu Glu Cys Lys Glu Gly Phe Tyr Gln Ser Pro Asp Ala Thr Lys Glu
 130 135 140

Cys Leu Arg Cys Pro Cys Ser Ala Val Thr Ser Thr Gly Ser Cys Ser
 145 150 155 160

Ile Lys Ser Ser Glu Leu Glu Pro Glu Cys Asp Gln Cys Lys Asp Gly
 165 170 175

Tyr Ile Gly Pro Asn Cys Asn Lys Cys Glu Asn Gly Tyr Tyr Asn Phe
 180 185 190

Asp Ser Ile Cys Arg Lys Cys Gln Cys His Gly His Val Asp Pro Val
 195 200 205

Lys Thr Pro Lys Ile Cys Lys Pro Glu Ser Gly Glu Cys Ile Asn Cys
 210 215 220

Leu His Asn Thr Thr Gly Phe Trp Cys Glu Asn Cys Leu Glu Gly Tyr
 225 230 235 240

Val His Asp Leu Glu Gly Asn Cys Ile Lys Lys Glu Val Ile Leu Pro
 245 250 255

Thr Pro Glu Gly Ser Thr Ile Leu Val Ser Asn Ala Ser Leu Thr Thr
 260 265 270

Ser Val Pro Thr Pro Val Ile Asn Ser Thr Phe Thr Pro Thr Thr Leu
 275 280 285

Gln Thr Ile Phe Ser Val Ser Thr Ser Glu Asn Ser Thr Ser Ala Leu
 290 295 300

Ala Asp Val Ser Trp Thr Gln Phe Asn Ile Ile Ile Leu Thr Val Ile
 305 310 315 320

Ile Ile Val Val Val Leu Leu Met Gly Phe Val Gly Ala Val Tyr Met
 325 330 335

Tyr Arg Glu Tyr Gln Asn Arg Lys Leu Asn Ala Pro Phe Trp Thr Ile
 340 345 350

Glu Leu Lys Glu Asp Asn Ile Ser Phe Ser Ser Tyr His Asp Ser Ile

355

360

365

Pro Asn Ala Asp Val Ser Gly Leu Leu Glu Asp Asp Gly Asn Glu Val
 370 375 380

Ala Pro Asn Gly Gln Leu Thr Leu Thr Thr Pro Ile His Asn Tyr Lys
 385 390 395 400

Ala

<210> 225
 <211> 686
 <212> PRT
 <213> Homo sapiens

<400> 225

Met Lys Pro Ser Trp Leu Gln Cys Arg Lys Val Thr Ser Ala Gly Gly
 1 5 10 15

Leu Gly Gly Pro Leu Pro Gly Ser Ser Pro Ala Arg Gly Ala Gly Ala
 20 25 30

Ala Leu Arg Ala Leu Val Val Pro Gly Pro Arg Gly Gly Leu Gly Gly
 35 40 45

Arg Gly Cys Arg Ala Leu Ser Ser Gly Ser Gly Ser Glu Tyr Lys Thr
 50 55 60

His Phe Ala Ala Ser Val Thr Asp Pro Glu Arg Phe Trp Gly Lys Ala
 65 70 75 80

Ala Glu Gln Ile Ser Trp Tyr Lys Pro Trp Thr Lys Thr Leu Glu Asn
 85 90 95

Lys His Ser Pro Ser Thr Arg Trp Phe Val Glu Gly Met Leu Asn Ile
 100 105 110

Cys Tyr Asn Ala Val Asp Arg His Ile Glu Asn Gly Lys Gly Asp Lys
 115 120 125

Ile Ala Ile Ile Tyr Asp Ser Pro Val Thr Asn Thr Lys Ala Thr Phe
 130 135 140

Thr Tyr Lys Glu Val Leu Glu Gln Val Ser Lys Leu Ala Gly Val Leu
 145 150 155 160

Val Lys His Gly Ile Lys Lys Gly Asp Thr Val Val Ile Tyr Met Pro
 165 170 175

Met Ile Pro Gln Ala Met Tyr Thr Met Leu Ala Cys Ala Arg Ile Gly
 180 185 190

Ala Ile His Ser Leu Ile Phe Gly Gly Phe Ala Ser Lys Glu Leu Ser
 195 200 205

Ser Arg Ile Asp His Val Lys Pro Lys Val Val Val Thr Ala Ser Phe
 210 215 220

Gly Ile Glu Pro Gly Arg Arg Val Glu Tyr Val Pro Leu Val Glu Glu
 225 230 235 240

Ala Leu Lys Ile Gly Gln His Lys Pro Asp Lys Ile Leu Ile Tyr Asn
 245 250 255

Arg Pro Asn Met Glu Ala Val Pro Leu Ala Pro Gly Arg Asp Leu Asp
 260 265 270

Trp Asp Glu Glu Met Ala Lys Ala Gln Ser His Asp Cys Val Pro Val
 275 280 285

Leu Ser Glu His Pro Leu Tyr Ile Leu Tyr Thr Ser Gly Thr Thr Gly
 290 295 300

Leu Pro Lys Gly Val Ile Arg Pro Thr Gly Gly Tyr Ala Val Met Leu
 305 310 315 320

His Trp Ser Met Ser Ser Ile Tyr Gly Leu Gln Pro Gly Glu Val Trp
 325 330 335

Trp Ala Ala Ser Asp Leu Gly Trp Val Val Gly His Ser Tyr Ile Cys
 340 345 350

Tyr Gly Pro Leu Leu His Gly Asn Thr Thr Val Leu Tyr Glu Gly Lys
 355 360 365

Pro Val Gly Thr Pro Asp Ala Gly Ala Tyr Phe Arg Val Leu Ala Glu
 370 375 380

His Gly Val Ala Ala Leu Phe Thr Ala Pro Thr Ala Ile Arg Ala Ile
 385 390 395 400

Arg Gln Gln Asp Pro Gly Ala Ala Leu Gly Lys Gln Tyr Ser Leu Thr
 405 410 415

Arg Phe Lys Thr Leu Phe Val Ala Gly Glu Arg Cys Asp Val Glu Thr
 420 425 430

Leu Glu Trp Ser Lys Asn Val Phe Arg Val Pro Val Leu Asp His Trp
 435 440 445

Trp Gln Thr Glu Thr Gly Ser Pro Ile Thr Ala Ser Cys Val Gly Leu
 450 455 460

Gly Asn Ser Lys Thr Pro Pro Pro Gly Gln Ala Gly Lys Ser Val Pro
 465 470 475 480

Gly Tyr Asn Val Met Ile Leu Asp Asp Asn Met Gln Lys Leu Lys Ala
 485 490 495

Arg Cys Leu Gly Asn Ile Val Val Lys Leu Pro Leu Pro Pro Gly Ala
 500 505 510

Phe Ser Gly Leu Trp Lys Asn Gln Glu Ala Phe Lys His Leu Tyr Phe
 515 520 525

Glu Lys Phe Pro Gly Tyr Tyr Asp Thr Met Asp Ala Gly Tyr Met Asp
 530 535 540

Glu Glu Gly Tyr Leu Tyr Val Met Ser Arg Val Asp Asp Val Ile Asn
 545 550 555 560

Val Ala Gly His Arg Ile Ser Ala Gly Ala Ile Glu Glu Ser Ile Leu
 565 570 575

Ser His Gly Thr Val Ala Asp Cys Ala Val Val Gly Lys Glu Asp Pro
 580 585 590

Leu Lys Gly His Val Pro Leu Ala Leu Cys Val Leu Arg Lys Asp Ile

595

600

605

Asn Ala Thr Glu Glu Gln Val Leu Glu Glu Ile Val Lys His Val Arg
 610 615 620

Gln Asn Ile Gly Pro Val Ala Ala Phe Arg Asn Ala Val Phe Val Lys
 625 630 635 640

Gln Leu Pro Lys Thr Arg Ser Gly Lys Ile Pro Arg Ser Ala Leu Ser
 645 650 655

Ala Ile Val Asn Gly Lys Pro Tyr Lys Ile Thr Ser Thr Ile Glu Asp
 660 665 670

Pro Ser Ile Phe Gly His Val Glu Glu Met Leu Lys Gln Ala
 675 680 685

<210> 226
 <211> 225
 <212> PRT
 <213> Homo sapiens

<400> 226

Met Ala Ala Ala Gly Gly Gly Gly Gly Gly Ala Ala Ala Ala Gly Arg
 1 5 10 15

Ala Tyr Ser Phe Lys Val Val Leu Leu Gly Glu Gly Cys Val Gly Lys
 20 25 30

Thr Ser Leu Val Leu Arg Tyr Cys Glu Asn Lys Phe Asn Asp Lys His
 35 40 45

Ile Thr Thr Leu Gln Ala Ser Phe Leu Thr Lys Lys Leu Asn Ile Gly
 50 55 60

Gly Lys Arg Val Asn Leu Ala Ile Trp Asp Thr Ala Gly Gln Glu Arg
 65 70 75 80

Phe His Ala Leu Gly Pro Ile Tyr Tyr Arg Asp Ser Asn Gly Ala Ile
 85 90 95

Leu Val Tyr Asp Ile Thr Asp Glu Asp Ser Phe Gln Lys Val Lys Asn
 100 105 110

Trp Val Lys Glu Leu Arg Lys Met Leu Gly Asn Glu Ile Cys Leu Cys
 115 120 125

Ile Val Gly Asn Lys Ile Asp Leu Glu Lys Glu Arg His Val Ser Ile
 130 135 140

Gln Glu Ala Glu Ser Tyr Ala Glu Ser Val Gly Ala Lys His Tyr His
 145 150 155 160

Thr Ser Ala Lys Gln Asn Lys Gly Ile Glu Glu Leu Phe Leu Asp Leu
 165 170 175

Cys Lys Arg Met Ile Glu Thr Ala Gln Val Asp Glu Arg Ala Lys Gly
 180 185 190

Asn Gly Ser Ser Gln Pro Gly Thr Ala Arg Arg Gly Val Gln Ile Ile
 195 200 205

Asp Asp Glu Pro Gln Ala Gln Thr Ser Gly Gly Gly Cys Cys Ser Ser
 210 215 220

Gly
 225

<210> 227
 <211> 380
 <212> PRT
 <213> Homo sapiens

<400> 227

Met Gly Ser Thr Asp Ser Lys Leu Asn Phe Arg Lys Ala Val Ile Gln
 1 5 10 15

Leu Thr Thr Lys Thr Gln Pro Val Glu Ala Thr Asp Asp Ala Phe Trp
 20 25 30

Asp Gln Phe Trp Ala Asp Thr Ala Thr Ser Val Gln Asp Val Phe Ala
 35 40 45

Leu Val Pro Ala Ala Glu Ile Arg Ala Val Arg Glu Glu Ser Pro Ser
 50 55 60

Asn Leu Ala Thr Leu Cys Tyr Lys Ala Val Glu Lys Leu Val Gln Gly

65		70		75		80									
Ala	Glu	Ser	Gly	Cys	His	Ser	Glu	Lys	Glu	Lys	Gln	Ile	Val	Leu	Asn
			85					90						95	
Cys	Ser	Arg	Leu	Leu	Thr	Arg	Val	Leu	Pro	Tyr	Ile	Phe	Glu	Asp	Pro
			100					105					110		
Asp	Trp	Arg	Gly	Phe	Phe	Trp	Ser	Thr	Val	Pro	Gly	Ala	Gly	Arg	Gly
		115					120					125			
Gly	Gly	Glu	Glu	Asp	Asp	Glu	His	Ala	Arg	Pro	Leu	Ala	Glu	Ser	Leu
	130					135					140				
Leu	Leu	Ala	Ile	Ala	Asp	Leu	Leu	Phe	Cys	Pro	Asp	Phe	Thr	Val	Gln
145					150					155					160
Ser	His	Arg	Arg	Ser	Thr	Val	Asp	Ser	Ala	Glu	Asp	Val	His	Ser	Leu
				165					170					175	
Asp	Ser	Cys	Glu	Tyr	Ile	Trp	Glu	Ala	Gly	Val	Gly	Phe	Ala	His	Ser
			180					185					190		
Pro	Gln	Pro	Asn	Tyr	Ile	His	Asp	Met	Asn	Arg	Met	Glu	Leu	Leu	Lys
		195					200					205			
Leu	Leu	Leu	Thr	Cys	Phe	Ser	Glu	Ala	Met	Tyr	Leu	Pro	Pro	Ala	Pro
	210					215					220				
Glu	Ser	Gly	Ser	Thr	Asn	Pro	Trp	Val	Gln	Phe	Phe	Cys	Ser	Thr	Glu
225					230					235					240
Asn	Arg	His	Ala	Leu	Pro	Leu	Phe	Thr	Ser	Leu	Leu	Asn	Thr	Val	Cys
			245					250						255	
Ala	Tyr	Asp	Pro	Val	Gly	Tyr	Gly	Ile	Pro	Tyr	Asn	His	Leu	Leu	Phe
			260					265					270		
Ser	Asp	Tyr	Arg	Glu	Pro	Leu	Val	Glu	Glu	Ala	Ala	Gln	Val	Leu	Ile
		275					280					285			
Val	Thr	Leu	Asp	His	Asp	Ser	Ala	Ser	Ser	Ala	Ser	Pro	Thr	Val	Asp
	290					295					300				

Gly Thr Thr Thr Gly Thr Ala Met Asp Asp Ala Asp Pro Pro Gly Pro
305 310 315 320

Glu Asn Leu Phe Val Asn Tyr Leu Ser Arg Ile His Arg Glu Glu Asp
325 330 335

Phe Gln Phe Ile Leu Lys Gly Ile Ala Arg Leu Leu Ser Asn Leu Leu
340 345 350

Leu Gln Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
355 360 365

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
370 375 380

<210> 228
<211> 144
<212> PRT
<213> Homo sapiens

<400> 228

Met Cys Arg Val Gln Thr His Gly Cys His Pro Leu Arg Ser Val Thr
1 5 10 15

Val Arg Pro Asp Pro Ser Pro Ala Ala Pro Pro Pro His Pro Gly Pro
20 25 30

Pro Arg Gln Leu Ser Gln Gly Ala Gln Ala Cys Leu Ala Pro Gln Pro
35 40 45

Ser Gly Asn Pro Ala Arg Arg Pro Leu Gln Val Gly Ser Gly Pro Gln
50 55 60

Val Ala Lys Gln Arg Gln Gln Gln Pro Arg Leu Thr Pro Cys Pro Ser
65 70 75 80

Leu Trp Arg Pro Gly Thr Pro Ala Ile Ser Thr Thr Trp Val Arg Leu
85 90 95

Ser Leu Ser Gly Ser Pro Ala Arg Val Pro Pro Gly Val Leu Gly His
100 105 110

Leu Arg Gly Ser Leu Met Gly Gln Ala Gly Gln Ser Glu Leu Arg Ala
 115 120 125

Leu Ser Gly Trp Cys Pro Asn Leu Ser Thr Pro His Ser Phe Pro Pro
 130 135 140

<210> 229
 <211> 141
 <212> PRT
 <213> Homo sapiens

<400> 229

Met Thr Lys Gln His Glu Leu Gly Gly Leu Leu Ala Leu Val Gln Asn
 1 5 10 15

Cys Gln Ser Glu Met Asn Ile Lys Asp Ser Arg Ala Val Gly Leu Ser
 20 25 30

Val Lys Arg Leu Cys Ile Ser Phe Val Asp Glu Phe Cys Glu Arg Thr
 35 40 45

Glu Arg Pro Leu Tyr Leu Ala Gln Gly Leu Phe Met Lys Arg Glu Thr
 50 55 60

Tyr Trp Glu Val Gln Asp Ser Gly Ile Ser Pro Leu Leu Leu Leu Leu
 65 70 75 80

Ser Thr Ala Leu Asp Cys Ser Pro Glu Ala Glu Thr Arg Gln Ser Pro
 85 90 95

Gly Gly Arg Lys Met Leu Gln Glu Pro Thr Leu Ser Met Ser Leu Gln
 100 105 110

Ile Leu Thr Gly Phe Leu Trp Val Gln Leu Trp Asn Trp Glu Thr Phe
 115 120 125

Leu Arg Ile Arg Thr His Ser Thr Asp Ala Ser Cys Pro
 130 135 140

<210> 230
 <211> 161
 <212> PRT
 <213> Homo sapiens

<400> 230

Met Ser Tyr Leu Ser Gly Ser Ser Ala Ser Pro Ala Arg Arg Leu Gly
1 5 10 15

Val Val Lys Val Val Pro Arg Pro Cys Leu Gln Trp Leu Glu Asn Pro
20 25 30

Gly Gly Cys Leu Gly Pro Ser Gly Gln Arg Glu Ala Gly Ser Ser Ser
35 40 45

Pro Gly Asp Cys Gly His Ile Gly Ala Cys Leu Gly Leu Glu Gly Gln
50 55 60

Val Thr Ser Pro Ala Thr Leu Pro Ser Leu Leu Trp Gly Pro His Phe
65 70 75 80

Arg Ala Thr Leu Pro Glu Ala His Ala Ser Ile His Ser Phe Ser Ala
85 90 95

Leu Asn Leu Ile His Lys Gln Pro Pro Pro Phe Pro Phe Pro Ser His
100 105 110

Ser Val Asp Val Ile Leu Pro Pro Pro Val Ser Ile Leu Arg Gln Ala
115 120 125

Ser Lys Glu Ala Leu Thr Leu Leu Pro Lys Trp Cys Phe Leu Lys Asn
130 135 140

Thr Ile Thr Thr Leu Gly Ala Ile Phe Ser His Leu Pro Val Phe Arg
145 150 155 160

Met

<210> 231
<211> 132
<212> PRT
<213> Homo sapiens

<400> 231

Met Arg Ala Ile Asn Ile Ala Asp Glu Leu Pro Arg Ser Arg Ala Arg
1 5 10 15

Lys Leu Ala Asp Glu Gln Leu Ser Ser Val Ile Gln Asp Met Ala Val

20

25

30

Arg Gln His Leu Leu Thr Asn Leu Val Glu Val Asp Gly Arg Phe Val
 35 40 45

Trp Arg Val Asn Leu Asp Ala Leu Thr Gln His Leu Asp Lys Ile Leu
 50 55 60

Ala Phe Pro Gln Arg Gln Glu Ser Tyr Leu Gly Pro Thr Leu Phe Leu
 65 70 75 80

Leu Gly Gly Asn Ser Gln Phe Val His Pro Ser His His Pro Glu Ile
 85 90 95

Met Arg Leu Phe Pro Arg Ala Gln Met Gln Thr Val Pro Asn Ala Gly
 100 105 110

His Trp Ile His Ala Asp Arg Pro Gln Asp Phe Ile Ala Ala Ile Arg
 115 120 125

Gly Phe Leu Val
 130

<210> 232

<211> 328

<212> PRT

<213> Homo sapiens

<400> 232

Met Leu Pro Arg Val Gly Cys Pro Ala Leu Pro Leu Pro Pro Pro Pro
 1 5 10 15

Leu Leu Pro Leu Leu Pro Leu Leu Leu Leu Leu Gly Ala Ser Gly
 20 25 30

Gly Gly Gly Gly Ala Arg Ala Glu Val Leu Phe Arg Cys Pro Pro Cys
 35 40 45

Thr Pro Glu Arg Leu Ala Ala Cys Gly Pro Pro Pro Val Ala Pro Pro
 50 55 60

Ala Ala Val Ala Ala Val Ala Gly Gly Ala Arg Met Pro Cys Ala Glu
 65 70 75 80

Leu Val Arg Glu Pro Gly Cys Gly Cys Cys Ser Val Cys Ala Arg Leu
 85 90 95

Glu Gly Glu Ala Cys Gly Val Tyr Thr Pro Arg Cys Gly Gln Gly Leu
 100 105 110

Arg Cys Tyr Pro His Pro Gly Ser Glu Leu Pro Leu Gln Ala Leu Val
 115 120 125

Met Gly Glu Gly Thr Cys Glu Lys Arg Arg Asp Ala Glu Tyr Gly Ala
 130 135 140

Ser Pro Glu Gln Val Ala Asp Asn Gly Asp Asp His Ser Glu Gly Gly
 145 150 155 160

Leu Val Glu Asn His Val Asp Ser Thr Met Asn Met Leu Gly Gly Gly
 165 170 175

Gly Ser Ala Gly Arg Lys Pro Leu Lys Ser Gly Met Lys Glu Leu Ala
 180 185 190

Val Phe Arg Glu Lys Val Thr Glu Gln His Arg Gln Met Gly Lys Gly
 195 200 205

Gly Lys His His Leu Gly Leu Glu Glu Pro Lys Lys Leu Arg Pro Pro
 210 215 220

Pro Ala Arg Thr Pro Cys Gln Gln Glu Leu Asp Gln Val Leu Glu Arg
 225 230 235 240

Ile Ser Thr Met Arg Leu Pro Asp Glu Arg Gly Pro Leu Glu His Leu
 245 250 255

Tyr Ser Leu His Ile Pro Asn Cys Asp Lys His Gly Leu Tyr Asn Leu
 260 265 270

Lys Gln Cys Lys Met Ser Leu Asn Gly Gln Arg Gly Glu Cys Trp Cys
 275 280 285

Val Asn Pro Asn Thr Gly Lys Leu Ile Gln Gly Ala Pro Thr Ile Arg
 290 295 300

Gly Asp Pro Glu Cys His Leu Phe Tyr Asn Glu Gln Gln Glu Ala Cys
 305 310 315 320

Gly Val His Thr Gln Arg Met Gln
 325

<210> 233
 <211> 417
 <212> PRT
 <213> Homo sapiens

<400> 233

Met Ala Val Glu Thr Thr Val His Thr His Leu Ser Ala Ser Pro Pro
 1 5 10 15

Gln Gly Ser Pro Tyr Asp His Thr Pro Gly Met Ala Gly Ser Leu Gly
 20 25 30

Tyr His Pro Tyr Ala Ala Pro Leu Gly Ser Tyr Pro Tyr Gly Asp Pro
 35 40 45

Ala Tyr Arg Lys Asn Ala Thr Arg Asp Ala Thr Ala Thr Leu Lys Ala
 50 55 60

Trp Leu Asn Glu His Arg Lys Asn Pro Tyr Pro Thr Lys Gly Glu Lys
 65 70 75 80

Ile Met Leu Ala Ile Ile Thr Lys Met Thr Leu Thr Gln Val Ser Thr
 85 90 95

Trp Phe Ala Asn Ala Arg Arg Arg Leu Lys Lys Glu Asn Lys Met Thr
 100 105 110

Trp Thr Pro Arg Asn Arg Ser Glu Asp Glu Glu Glu Glu Glu Asn Ile
 115 120 125

Asp Leu Glu Lys Asn Asp Glu Asp Glu Pro Gln Lys Pro Glu Asp Lys
 130 135 140

Gly Asp Pro Glu Gly Pro Glu Ala Gly Gly Ala Glu Gln Lys Ala Ala
 145 150 155 160

Ser Gly Cys Glu Arg Leu Gln Gly Pro Pro Thr Pro Ala Gly Lys Glu
 165 170 175

Thr Glu Gly Ser Leu Ser Asp Ser Asp Phe Lys Glu Pro Pro Ser Glu
 180 185 190

Gly Arg Leu Asp Ala Leu Gln Gly Pro Pro Arg Thr Gly Gly Pro Ser
 195 200 205

Pro Ala Gly Pro Ala Ala Ala Arg Leu Ala Glu Asp Pro Ala Pro His
 210 215 220

Tyr Pro Ala Gly Ala Pro Ala Pro Gly Pro His Pro Ala Ala Gly Glu
 225 230 235 240

Val Pro Pro Gly Pro Gly Gly Pro Ser Val Ile His Ser Pro Pro Pro
 245 250 255

Pro Pro Pro Pro Ala Val Leu Ala Lys Pro Lys Leu Trp Ser Leu Ala
 260 265 270

Glu Ile Ala Thr Leu Ser Asp Lys Val Lys Asp Gly Gly Gly Gly Asn
 275 280 285

Glu Gly Ser Pro Cys Pro Pro Cys Pro Gly Pro Ile Ala Gly Gln Ala
 290 295 300

Leu Gly Gly Ser Arg Ala Ser Pro Ala Pro Ala Pro Ser Arg Ser Pro
 305 310 315 320

Ser Ala Gln Cys Pro Phe Pro Gly Gly Thr Val Leu Ser Arg Pro Leu
 325 330 335

Tyr Tyr Thr Ala Pro Phe Tyr Pro Gly Tyr Thr Asn Tyr Gly Ser Phe
 340 345 350

Gly His Leu His Gly His Pro Gly Pro Gly Pro Gly Pro Thr Thr Gly
 355 360 365

Pro Gly Ser His Phe Asn Gly Leu Asn Gln Thr Val Leu Asn Arg Ala
 370 375 380

Asp Ala Leu Ala Lys Asp Pro Lys Met Leu Arg Ser Gln Ser Gln Leu
 385 390 395 400

Asp Leu Cys Lys Asp Ser Pro Tyr Glu Leu Lys Lys Gly Met Ser Asp
 405 410 415

Ile

<210> 234
 <211> 257
 <212> PRT
 <213> Homo sapiens

<400> 234

Met Ser Gly His Lys Cys Ser Tyr Pro Trp Asp Leu Gln Asp Arg Tyr
 1 5 10 15

Ala Gln Asp Lys Ser Val Val Asn Lys Met Gln Gln Lys Tyr Trp Glu
 20 25 30

Thr Lys Gln Ala Phe Ile Lys Ala Thr Gly Lys Lys Glu Asp Glu His
 35 40 45

Val Val Ala Ser Asp Ala Asp Leu Asp Ala Lys Leu Glu Leu Phe His
 50 55 60

Ser Ile Gln Arg Thr Cys Leu Asp Leu Ser Lys Ala Ile Val Leu Tyr
 65 70 75 80

Gln Lys Arg Ile Cys Phe Leu Ser Gln Glu Glu Asn Glu Leu Gly Lys
 85 90 95

Phe Leu Arg Ser Gln Gly Phe Gln Asp Lys Thr Arg Ala Gly Lys Met
 100 105 110

Met Gln Ala Thr Gly Lys Ala Leu Cys Phe Ser Ser Gln Gln Arg Leu
 115 120 125

Ala Leu Arg Asn Pro Leu Cys Arg Phe His Gln Glu Val Glu Thr Phe
 130 135 140

Arg His Arg Ala Ile Ser Asp Thr Trp Leu Thr Val Asn Arg Met Glu
 145 150 155 160

Gln Cys Arg Thr Glu Tyr Arg Gly Ala Leu Leu Trp Met Lys Asp Val

165

170

175

Ser Gln Glu Leu Asp Pro Asp Leu Tyr Lys Gln Met Glu Lys Phe Arg
 180 185 190

Lys Val Gln Thr Gln Val Arg Leu Ala Lys Lys Asn Phe Asp Lys Leu
 195 200 205

Lys Met Asp Val Cys Gln Lys Val Asp Leu Leu Gly Ala Ser Arg Cys
 210 215 220

Asn Leu Leu Ser His Met Leu Ala Thr Tyr Gln Leu Ala Trp Asp Gln
 225 230 235 240

Trp Gln Gly Pro Arg Asn Leu Lys Val Leu Thr Lys Met Thr Cys Cys
 245 250 255

Cys

<210> 235
 <211> 395
 <212> PRT
 <213> Homo sapiens

<400> 235

Met Asp Leu Gly Ile Pro Asp Leu Leu Asp Ala Trp Leu Glu Pro Pro
 1 5 10 15

Glu Asp Ile Phe Ser Thr Gly Ser Val Leu Glu Leu Gly Leu His Cys
 20 25 30

Pro Pro Leu Glu Val Pro Val Thr Arg Leu Gln Glu Gln Gly Leu Gln
 35 40 45

Gly Trp Lys Ser Gly Gly Asp Arg Gly Cys Gly Leu Gln Glu Ser Glu
 50 55 60

Pro Glu Asp Phe Leu Lys Leu Phe Ile Asp Pro Asn Glu Val Tyr Cys
 65 70 75 80

Ser Glu Ala Ser Pro Gly Ser Asp Ser Gly Ile Ser Glu Asp Pro Cys
 85 90 95

His Pro Asp Ser Pro Pro Ala Pro Arg Ala Thr Ser Ser Pro Met Leu
 100 105 110

Tyr Glu Val Val Tyr Glu Ala Gly Ala Leu Glu Arg Met Gln Gly Glu
 115 120 125

Thr Gly Pro Asn Val Gly Leu Ile Ser Ile Gln Leu Asp Gln Trp Ser
 130 135 140

Pro Ala Phe Met Val Pro Asp Ser Cys Met Val Ser Glu Leu Pro Phe
 145 150 155 160

Asp Ala His Ala His Ile Leu Pro Arg Ala Gly Thr Val Ala Pro Val
 165 170 175

Pro Cys Thr Thr Leu Leu Pro Cys Gln Thr Leu Phe Leu Thr Asp Glu
 180 185 190

Glu Lys Arg Leu Leu Gly Gln Glu Gly Val Ser Leu Pro Ser His Leu
 195 200 205

Pro Leu Thr Lys Ala Glu Glu Arg Val Leu Lys Lys Val Arg Arg Lys
 210 215 220

Ile Arg Asn Lys Gln Ser Ala Gln Asp Ser Arg Arg Arg Lys Lys Glu
 225 230 235 240

Tyr Ile Asp Gly Leu Glu Ser Arg Val Ala Ala Cys Ser Ala Gln Asn
 245 250 255

Gln Glu Leu Gln Lys Lys Val Gln Glu Leu Glu Arg His Asn Ile Ser
 260 265 270

Leu Val Ala Gln Leu Arg Gln Leu Gln Thr Leu Ile Ala Gln Thr Ser
 275 280 285

Asn Lys Ala Ala Gln Thr Ser Thr Cys Val Leu Ile Leu Leu Phe Ser
 290 295 300

Leu Ala Leu Ile Ile Leu Pro Ser Phe Ser Pro Phe Gln Ser Arg Pro
 305 310 315 320

Glu Gly Leu Lys Leu Ile Ser Asp Ile Ile Arg Glu Lys Met Gly Ile
130 135 140

Asp Ile Ser Val Leu Met Gly Ala Asn Ile Ala Asn Glu Val Ala Ala
145 150 155 160

Glu Lys Phe Cys Glu Thr Thr Ile Gly Ser Lys Val Met Glu Asn Gly
165 170 175

Leu Leu Phe Lys Glu Leu Leu Gln Thr Pro Asn Phe Arg Ile Thr Val
180 185 190

Val Asp Asp Ala Asp Thr Val Glu Leu Cys Gly Ala Leu Lys Asn Ile
195 200 205

Val Ala Val Gly Ala Gly Phe Cys Asp Gly Leu Arg Cys Gly Asp Asn
210 215 220

Thr Lys Ala Ala Val Ile Arg Leu Gly Leu Met Glu Met Ile Ala Phe
225 230 235 240

Ala Arg Ile Phe Cys Lys Gly Gln Val Ser Thr Ala Thr Phe Leu Glu
245 250 255

Ser Cys Gly Val Ala Asp Leu Ile Thr Thr Cys Tyr Gly Gly Arg Asn
260 265 270

Arg Arg Val Ala Glu Ala Phe Ala Arg Thr Gly Lys Thr Ile Glu Glu
275 280 285

Leu Glu Lys Glu Met Leu Asn Gly Gln Lys Leu Gln Gly Pro Gln Thr
290 295 300

Ser Ala Glu Val Tyr Arg Ile Leu Lys Gln Lys Gly Leu Leu Asp Lys
305 310 315 320

Phe Pro Leu Phe Thr Ala Val Tyr Gln Ile Cys Tyr Glu Ser Arg Pro
325 330 335

Val Gln Glu Met Leu Ser Cys Leu Gln Ser His Pro Glu His Thr
340 345 350

<210> 237
 <211> 871
 <212> PRT
 <213> Homo sapiens

<400> 237

Met Asp Leu Lys Leu Arg Ala Ala Ser Pro Ile Ile Thr Leu Val Ala
 1 5 10 15

Leu Asp Glu Ala Leu Asp Asn Tyr Thr Ile Thr Phe Leu Ile Arg Gly
 20 25 30

Val Ala Ile Gly Gln Thr Ser Leu Thr Ala Ser Val Thr Asn Lys Ala
 35 40 45

Gly Gln Arg Ile Asn Ser Ala Pro Gln Gln Ile Glu Val Phe Pro Pro
 50 55 60

Phe Arg Leu Met Pro Arg Lys Val Thr Leu Leu Ile Gly Ala Thr Met
 65 70 75 80

Gln Val Thr Ser Glu Gly Gly Pro Gln Pro Gln Ser Asn Ile Leu Phe
 85 90 95

Ser Ile Ser Asn Glu Ser Val Ala Leu Val Ser Ala Ala Gly Leu Val
 100 105 110

Gln Gly Leu Ala Ile Gly Asn Gly Thr Val Ser Gly Leu Val Gln Ala
 115 120 125

Val Asp Ala Glu Thr Gly Lys Val Val Ile Ile Ser Gln Asp Leu Val
 130 135 140

Gln Val Glu Val Leu Leu Leu Arg Ala Val Arg Ile Arg Ala Pro Ile
 145 150 155 160

Met Arg Met Arg Thr Gly Thr Gln Met Pro Ile Tyr Val Thr Gly Ile
 165 170 175

Thr Asn His Gln Asn Pro Phe Ser Phe Gly Asn Ala Val Pro Gly Leu
 180 185 190

Thr Phe His Trp Ser Val Thr Lys Arg Asp Val Leu Asp Leu Arg Gly

195	200	205
Arg His His Glu Ala Ser Ile Arg Leu Pro Ser Gln Tyr Asn Phe Ala		
210	215	220
Met Asn Val Leu Gly Arg Val Lys Gly Arg Thr Gly Leu Arg Val Val		
225	230	235
Val Lys Ala Val Asp Pro Thr Ser Gly Gln Leu Tyr Gly Leu Ala Arg		
	245	250
		255
Glu Leu Ser Asp Glu Ile Gln Val Gln Val Phe Glu Lys Leu Gln Leu		
	260	265
		270
Leu Asn Pro Glu Ile Glu Ala Glu Gln Ile Leu Met Ser Pro Asn Ser		
	275	280
		285
Tyr Ile Lys Leu Gln Thr Asn Arg Asp Gly Ala Ala Ser Leu Ser Tyr		
290	295	300
Arg Val Leu Asp Gly Pro Glu Lys Val Pro Val Val His Val Asp Glu		
305	310	315
		320
Lys Gly Phe Leu Ala Ser Gly Ser Met Ile Gly Thr Ser Thr Ile Glu		
	325	330
		335
Val Ile Ala Gln Glu Pro Phe Gly Ala Asn Gln Thr Ile Ile Val Ala		
	340	345
		350
Val Lys Val Ser Pro Val Ser Tyr Leu Arg Val Ser Met Ser Pro Val		
	355	360
		365
Leu His Thr Gln Asn Lys Glu Ala Leu Val Ala Val Pro Leu Gly Met		
370	375	380
Thr Val Thr Phe Thr Val His Phe His Asp Asn Ser Gly Asp Val Phe		
385	390	395
		400
His Ala His Ser Ser Val Leu Asn Phe Ala Thr Asn Arg Asp Asp Phe		
	405	410
		415
Val Gln Ile Gly Lys Gly Pro Thr Asn Asn Thr Cys Val Val Arg Thr		
	420	425
		430

Val Ser Val Gly Leu Thr Leu Leu Arg Val Trp Asp Ala Glu His Pro
 435 440 445

Gly Leu Ser Asp Phe Met Pro Leu Pro Val Leu Gln Ala Ile Ser Pro
 450 455 460

Glu Leu Ser Gly Ala Met Val Val Gly Asp Val Leu Cys Leu Ala Thr
 465 470 475 480

Val Leu Thr Ser Leu Glu Gly Leu Ser Gly Thr Trp Ser Ser Ser Ala
 485 490 495

Asn Ser Ile Leu His Ile Asp Pro Lys Thr Gly Val Ala Val Ala Arg
 500 505 510

Ala Val Gly Ser Val Thr Val Tyr Tyr Glu Val Ala Gly His Leu Arg
 515 520 525

Thr Tyr Lys Glu Val Val Val Ser Val Pro Gln Arg Ile Met Ala Arg
 530 535 540

His Leu His Pro Ile Gln Thr Ser Phe Gln Glu Ala Thr Ala Ser Lys
 545 550 555 560

Val Ile Val Ala Val Gly Asp Arg Ser Ser Asn Leu Arg Gly Glu Cys
 565 570 575

Thr Pro Thr Gln Arg Glu Val Ile Gln Ala Leu His Pro Glu Thr Leu
 580 585 590

Ile Ser Cys Gln Ser Gln Phe Lys Pro Ala Val Phe Asp Phe Pro Ser
 595 600 605

Gln Asp Val Phe Thr Val Glu Pro Gln Phe Asp Thr Ala Leu Gly Gln
 610 615 620

Tyr Phe Cys Ser Ile Thr Met His Arg Leu Thr Asp Lys Gln Arg Lys
 625 630 635 640

His Leu Ser Met Lys Lys Thr Ala Leu Val Val Ser Ala Ser Leu Ser
 645 650 655

Ser Ser His Phe Ser Thr Glu Gln Val Gly Ala Glu Val Pro Phe Ser
660 665 670

Pro Gly Leu Phe Ala Asp Gln Ala Glu Ile Leu Leu Ser Asn His Tyr
675 680 685

Thr Ser Ser Glu Ile Arg Val Phe Gly Ala Pro Glu Val Leu Glu Asn
690 695 700

Leu Glu Val Lys Ser Gly Ser Pro Ala Val Leu Ala Phe Ala Lys Glu
705 710 715 720

Lys Ser Phe Gly Trp Pro Ser Phe Ile Thr Tyr Thr Val Gly Val Leu
725 730 735

Asp Pro Ala Ala Gly Ser Gln Gly Pro Leu Ser Thr Thr Leu Thr Phe
740 745 750

Ser Ser Pro Val Thr Asn Gln Ala Ile Ala Ile Pro Val Thr Val Ala
755 760 765

Phe Val Val Asp Arg Arg Gly Pro Gly Pro Tyr Gly Ala Ser Leu Phe
770 775 780

Gln His Phe Leu Asp Ser Tyr Gln Val Met Phe Phe Thr Leu Phe Ala
785 790 795 800

Leu Leu Ala Gly Thr Ala Val Met Ile Ile Ala Tyr His Thr Val Cys
805 810 815

Thr Pro Arg Asp Leu Ala Val Pro Ala Ala Leu Thr Pro Arg Ala Ser
820 825 830

Pro Gly His Ser Pro His Tyr Phe Ala Ala Ser Ser Pro Thr Ser Pro
835 840 845

Asn Ala Leu Pro Pro Ala Arg Lys Ala Ser Pro Pro Ser Gly Leu Trp
850 855 860

Ser Pro Ala Tyr Ala Ser His
865 870

<210> 238
 <211> 728
 <212> PRT
 <213> Homo sapiens

<400> 238

Leu Pro Ala Cys Arg Leu Cys His Arg Arg Glu His Gly Arg Thr Val
 1 5 10 15

Cys Ser Gly Val Asp Thr Lys Leu Lys Phe Thr Leu Glu Pro Ser Leu
 20 25 30

Gly Gln Asn Gly Phe Gln Gln Trp Tyr Asp Ala Leu Lys Ala Val Ala
 35 40 45

Arg Leu Ser Thr Gly Ile Pro Lys Glu Trp Arg Arg Lys Val Trp Leu
 50 55 60

Thr Leu Ala Asp His Tyr Leu His Ser Ile Ala Ile Asp Trp Asp Lys
 65 70 75 80

Thr Met Arg Phe Thr Phe Asn Glu Arg Ser Asn Pro Asp Asp Asp Ser
 85 90 95

Met Gly Ile Gln Ile Val Lys Asp Leu His Arg Thr Gly Cys Ser Ser
 100 105 110

Tyr Cys Gly Gln Glu Ala Glu Gln Asp Arg Val Val Leu Lys Arg Val
 115 120 125

Leu Leu Ala Tyr Ala Arg Trp Asn Lys Thr Val Gly Tyr Cys Gln Gly
 130 135 140

Phe Asn Ile Leu Ala Ala Leu Ile Leu Glu Val Met Glu Gly Asn Glu
 145 150 155 160

Gly Asp Ala Leu Lys Ile Met Ile Tyr Leu Ile Asp Lys Val Leu Pro
 165 170 175

Glu Ser Tyr Phe Val Asn Asn Leu Arg Ala Leu Ser Val Asp Met Ala
 180 185 190

Val Phe Arg Asp Leu Leu Arg Met Lys Leu Pro Glu Leu Ser Gln His
 195 200 205

Leu Asp Thr Leu Gln Arg Thr Ala Asn Lys Glu Ser Gly Gly Gly Tyr
 210 215 220

Glu Pro Pro Leu Thr Asn Val Phe Thr Met Gln Trp Phe Leu Thr Leu
 225 230 235 240

Phe Ala Thr Cys Leu Pro Asn Gln Thr Val Leu Lys Ile Trp Asp Ser
 245 250 255

Val Phe Phe Glu Gly Ser Glu Ile Ile Leu Arg Val Ser Leu Ala Ile
 260 265 270

Trp Ala Lys Leu Gly Glu Gln Ile Glu Cys Cys Glu Thr Ala Asp Glu
 275 280 285

Phe Tyr Ser Thr Met Gly Arg Leu Thr Gln Glu Met Leu Glu Asn Asp
 290 295 300

Leu Leu Gln Ser His Glu Leu Met Gln Thr Val Tyr Ser Met Ala Pro
 305 310 315 320

Phe Pro Phe Pro Gln Leu Ala Glu Leu Arg Glu Lys Tyr Thr Tyr Asn
 325 330 335

Ile Thr Pro Phe Pro Ala Thr Val Lys Pro Thr Ser Val Ser Gly Arg
 340 345 350

His Ser Lys Ala Arg Asp Ser Asp Glu Glu Asn Asp Pro Asp Asp Glu
 355 360 365

Asp Ala Val Val Asn Ala Val Gly Cys Leu Gly Pro Phe Ser Gly Phe
 370 375 380

Leu Ala Pro Glu Leu Gln Lys Tyr Gln Lys Gln Ile Lys Glu Pro Asn
 385 390 395 400

Glu Glu Gln Ser Leu Arg Ser Asn Asn Ile Ala Glu Leu Ser Pro Gly
 405 410 415

Ala Ile Asn Ser Cys Arg Ser Glu Tyr His Ala Ala Phe Asn Ser Met
 420 425 430

Met Met Glu Arg Met Thr Thr Asp Ile Asn Ala Leu Lys Arg Gln Tyr
 435 440 445

Ser Arg Ile Lys Lys Lys Gln Gln Gln Gln Val His Gln Val Tyr Ile
 450 455 460

Arg Ala Asp Lys Gly Pro Val Thr Ser Ile Leu Pro Ser Gln Val Asn
 465 470 475 480

Ser Ser Pro Val Ile Asn His Leu Leu Leu Gly Lys Lys Met Lys Met
 485 490 495

Thr Asn Arg Ala Ala Lys Asn Ala Val Ile His Ile Pro Gly His Thr
 500 505 510

Gly Gly Lys Ile Ser Pro Val Pro Tyr Glu Asp Leu Lys Thr Lys Leu
 515 520 525

Asn Ser Pro Trp Arg Thr His Ile Arg Val His Lys Lys Asn Met Pro
 530 535 540

Arg Thr Lys Ser His Pro Gly Cys Gly Asp Thr Val Gly Leu Ile Asp
 545 550 555 560

Glu Gln Asn Glu Ala Ser Lys Thr Asn Gly Leu Gly Ala Ala Glu Ala
 565 570 575

Phe Pro Ser Gly Cys Thr Ala Thr Ala Gly Arg Glu Gly Ser Ser Pro
 580 585 590

Glu Gly Ser Thr Arg Arg Thr Ile Glu Gly Gln Ser Pro Glu Pro Val
 595 600 605

Phe Gly Asp Ala Asp Val Asp Val Ser Ala Val Gln Ala Lys Leu Gly
 610 615 620

Ala Leu Glu Leu Asn Gln Arg Asp Ala Ala Ala Glu Thr Glu Leu Arg
 625 630 635 640

Val His Pro Pro Cys Gln Arg His Cys Pro Glu Pro Pro Ser Ala Pro
 645 650 655

Glu Glu Asn Lys Ala Thr Ser Lys Ala Pro Gln Gly Ser Asn Ser Lys
 660 665 670

Thr Pro Ile Phe Ser Pro Phe Pro Ser Val Lys Pro Leu Arg Lys Ser
 675 680 685

Ala Thr Ala Arg Asn Leu Gly Leu Tyr Gly Pro Thr Glu Arg Thr Pro
 690 695 700

Thr Val His Phe Pro Gln Met Ser Arg Ser Phe Ser Lys Pro Gly Gly
 705 710 715 720

Gly Asn Ser Gly Thr Lys Lys Arg
 725

<210> 239
 <211> 787
 <212> PRT
 <213> Homo sapiens

<400> 239

Asp Leu Tyr Leu Leu Leu Ser Tyr Ser Asp Lys Lys Asp His Leu
 1 5 10 15

Thr Val Glu Glu Leu Ala Gln Phe Leu Lys Val Glu Gln Lys Met Asn
 20 25 30

Asn Val Thr Thr Asp Tyr Cys Leu Asp Ile Ile Lys Lys Phe Glu Val
 35 40 45

Ser Glu Glu Asn Lys Val Lys Asn Val Leu Gly Ile Glu Gly Phe Thr
 50 55 60

Asn Phe Met Arg Ser Pro Ala Cys Asp Ile Phe Asn Pro Leu His His
 65 70 75 80

Glu Val Tyr Gln Asp Met Asp Gln Pro Leu Cys Asn Tyr Tyr Ile Ala
 85 90 95

Ser Ser His Asn Thr Tyr Leu Thr Gly Asp Gln Leu Leu Ser Gln Ser
 100 105 110

Lys Val Asp Met Tyr Ala Arg Val Leu Gln Glu Gly Cys Arg Cys Val
 115 120 125

Glu Val Asp Cys Trp Asp Gly Pro Asp Gly Glu Pro Val Val His His
 130 135 140

Gly Tyr Thr Leu Thr Ser Lys Ile Leu Phe Arg Asp Val Val Glu Thr
 145 150 155 160

Ile Asn Lys His Ala Phe Val Lys Asn Glu Phe Pro Val Ile Leu Ser
 165 170 175

Ile Glu Asn His Cys Ser Ile Gln Gln Gln Arg Lys Ile Ala Gln Tyr
 180 185 190

Leu Lys Gly Ile Phe Gly Asp Lys Leu Asp Leu Ser Ser Val Asp Thr
 195 200 205

Gly Glu Cys Lys Gln Leu Pro Ser Pro Gln Ser Leu Lys Gly Lys Ile
 210 215 220

Leu Val Lys Gly Lys Lys Leu Pro Tyr His Leu Gly Asp Asp Ala Glu
 225 230 235 240

Glu Gly Glu Val Ser Asp Glu Asp Ser Ala Asp Glu Ile Glu Asp Glu
 245 250 255

Cys Lys Phe Lys Leu His Tyr Ser Asn Gly Thr Thr Glu His Gln Val
 260 265 270

Glu Ser Phe Ile Arg Lys Lys Leu Glu Ser Leu Leu Lys Glu Ser Gln
 275 280 285

Ile Arg Asp Lys Glu Asp Pro Asp Ser Phe Thr Val Arg Ala Leu Leu
 290 295 300

Lys Ala Thr His Glu Gly Leu Asn Ala His Leu Lys Gln Ser Pro Asp
 305 310 315 320

Val Lys Glu Ser Gly Lys Lys Ser His Gly Arg Ser Leu Met Thr Asn
 325 330 335

Phe Gly Lys His Lys Lys Thr Thr Lys Ser Arg Ser Lys Ser Tyr Ser
 340 345 350

Thr Asp Asp Glu Glu Asp Thr Gln Gln Ser Thr Gly Lys Glu Gly Gly
 355 360 365

Gln Leu Tyr Arg Leu Gly Arg Arg Arg Lys Thr Met Lys Leu Cys Arg
 370 375 380

Glu Leu Ser Asp Leu Val Val Tyr Thr Asn Ser Val Ala Ala Gln Asp
 385 390 395 400

Ile Val Asp Asp Gly Thr Thr Gly Asn Val Leu Ser Phe Ser Glu Thr
 405 410 415

Arg Ala His Gln Val Val Gln Gln Lys Ser Glu Gln Phe Met Ile Tyr
 420 425 430

Asn Gln Lys Gln Leu Thr Arg Ile Tyr Pro Ser Ala Tyr Arg Ile Asp
 435 440 445

Ser Ser Asn Phe Asn Pro Leu Pro Tyr Trp Asn Ala Gly Cys Gln Leu
 450 455 460

Val Ala Leu Asn Tyr Gln Ser Glu Gly Arg Met Met Gln Leu Asn Arg
 465 470 475 480

Ala Lys Phe Lys Ala Asn Gly Asn Cys Gly Tyr Val Leu Lys Pro Gln
 485 490 495

Gln Met Cys Lys Gly Thr Phe Asn Pro Phe Ser Gly Asp Pro Leu Pro
 500 505 510

Ala Asn Pro Lys Lys Gln Leu Ile Leu Lys Val Ile Ser Gly Gln Gln
 515 520 525

Leu Pro Lys Pro Pro Asp Ser Met Phe Gly Asp Arg Gly Glu Ile Ile
 530 535 540

Asp Pro Phe Val Glu Val Glu Ile Ile Gly Leu Pro Val Asp Cys Cys
 545 550 555 560

Lys Asp Gln Thr Arg Val Val Asp Asp Asn Gly Phe Asn Pro Val Trp
 565 570 575

Glu Glu Thr Leu Thr Phe Thr Val His Met Pro Glu Ile Ala Leu Val
 580 585 590

Arg Phe Leu Val Trp Asp His Asp Pro Ile Gly Arg Asp Phe Val Gly
 595 600 605

Gln Arg Thr Val Thr Phe Ser Ser Leu Val Pro Gly Tyr Arg His Val
 610 615 620

Tyr Leu Glu Gly Leu Thr Glu Ala Ser Ile Phe Val His Ile Thr Ile
 625 630 635 640

Asn Glu Ile Tyr Gly Lys Trp Ser Pro Leu Ile Leu Asn Pro Ser Tyr
 645 650 655

Thr Ile Leu His Phe Leu Gly Ala Thr Lys Asn Arg Gln Leu Gln Gly
 660 665 670

Leu Lys Gly Leu Phe Asn Lys Asn Pro Arg His Ser Ser Ser Glu Asn
 675 680 685

Asn Ser His Tyr Val Arg Lys Arg Ser Ile Gly Asp Arg Ile Leu Arg
 690 695 700

Arg Thr Ala Ser Ala Pro Ala Lys Gly Arg Lys Lys Ser Lys Met Gly
 705 710 715 720

Phe Gln Glu Met Val Glu Ile Lys Asp Ser Val Ser Glu Ala Thr Arg
 725 730 735

Asp Gln Asp Gly Val Leu Arg Arg Thr Thr Arg Ser Leu Gln Ala Arg
 740 745 750

Pro Val Ser Met Pro Val Asp Arg Asn Leu Leu Gly Ala Leu Ser Leu
 755 760 765

Pro Val Ser Glu Thr Ala Lys Asp Ile Glu Gly Lys Glu Asn Ser Leu
 770 775 780

Val Gln Ile
 785

<210> 240

<211> 665
 <212> PRT
 <213> Homo sapiens

<400> 240

Met Ala His Glu Met Ile Gly Thr Gln Ile Val Thr Glu Arg Leu Val
 1 5 10 15

Ala Leu Leu Glu Ser Gly Thr Glu Lys Val Leu Leu Ile Asp Ser Arg
 20 25 30

Pro Phe Val Glu Tyr Asn Thr Ser His Ile Leu Glu Ala Ile Asn Ile
 35 40 45

Asn Cys Ser Lys Leu Met Lys Arg Arg Leu Gln Gln Asp Lys Val Leu
 50 55 60

Ile Thr Glu Leu Ile Gln His Ser Ala Lys His Lys Val Asp Ile Asp
 65 70 75 80

Cys Ser Gln Lys Val Val Val Tyr Asp Gln Ser Ser Gln Asp Val Ala
 85 90 95

Ser Leu Ser Ser Asp Cys Phe Leu Thr Val Leu Leu Gly Lys Leu Glu
 100 105 110

Lys Ser Phe Asn Ser Val His Leu Leu Ala Gly Gly Phe Ala Glu Phe
 115 120 125

Ser Arg Cys Phe Pro Gly Leu Cys Glu Gly Lys Ser Thr Leu Val Pro
 130 135 140

Thr Cys Ile Ser Gln Pro Cys Leu Pro Val Ala Asn Ile Gly Pro Thr
 145 150 155 160

Arg Ile Leu Pro Asn Leu Tyr Leu Gly Cys Gln Arg Asp Val Leu Asn
 165 170 175

Lys Glu Leu Met Gln Gln Asn Gly Ile Gly Tyr Val Leu Asn Ala Ser
 180 185 190

Asn Thr Cys Pro Lys Pro Asp Phe Ile Pro Glu Ser His Phe Leu Arg
 195 200 205

Val Pro Val Asn Asp Ser Phe Cys Glu Lys Ile Leu Pro Trp Leu Asp
 210 215 220

Lys Ser Val Asp Phe Ile Glu Lys Ala Lys Ala Ser Asn Gly Cys Val
 225 230 235 240

Leu Val His Cys Leu Ala Gly Ile Ser Arg Ser Ala Thr Ile Ala Ile
 245 250 255

Ala Tyr Ile Met Lys Arg Met Asp Met Ser Leu Asp Glu Ala Tyr Arg
 260 265 270

Phe Val Lys Glu Lys Arg Pro Thr Ile Ser Pro Asn Phe Asn Phe Leu
 275 280 285

Gly Gln Leu Leu Asp Tyr Glu Lys Lys Ile Lys Asn Gln Thr Gly Ala
 290 295 300

Ser Gly Pro Lys Ser Lys Leu Lys Leu Leu His Leu Glu Lys Pro Asn
 305 310 315 320

Glu Pro Val Pro Ala Val Ser Glu Gly Gly Gln Lys Ser Glu Thr Pro
 325 330 335

Leu Ser Pro Pro Cys Ala Asp Ser Ala Thr Ser Glu Ala Ala Gly Gln
 340 345 350

Arg Pro Val His Pro Ala Ser Val Pro Ser Val Pro Ser Val Gln Pro
 355 360 365

Ser Leu Leu Glu Asp Ser Pro Leu Val Gln Ala Leu Ser Gly Leu His
 370 375 380

Leu Ser Ala Asp Arg Leu Glu Asp Ser Asn Lys Leu Lys Arg Ser Phe
 385 390 395 400

Ser Leu Asp Ile Lys Ser Val Ser Tyr Ser Ala Ser Met Ala Ala Ser
 405 410 415

Leu His Gly Phe Ser Ser Ser Glu Asp Ala Leu Glu Tyr Tyr Lys Pro
 420 425 430

Ser Thr Thr Leu Asp Gly Thr Asn Lys Leu Cys Gln Phe Ser Pro Val
 435 440 445

Gln Glu Leu Ser Glu Gln Thr Pro Glu Thr Ser Pro Asp Lys Glu Glu
 450 455 460

Ala Ser Ile Pro Lys Lys Leu Gln Thr Ala Arg Pro Ser Asp Ser Gln
 465 470 475 480

Ser Lys Arg Leu His Ser Val Arg Thr Ser Ser Ser Gly Thr Ala Gln
 485 490 495

Arg Ser Leu Leu Ser Pro Leu His Arg Ser Gly Ser Val Glu Asp Asn
 500 505 510

Tyr His Thr Ser Phe Leu Phe Gly Leu Ser Thr Ser Gln Gln His Leu
 515 520 525

Thr Lys Ser Ala Gly Leu Gly Leu Lys Gly Trp His Ser Asp Ile Leu
 530 535 540

Ala Pro Gln Thr Ser Thr Pro Ser Leu Thr Ser Ser Trp Tyr Phe Ala
 545 550 555 560

Thr Glu Ser Ser His Phe Tyr Ser Ala Ser Ala Ile Tyr Gly Gly Ser
 565 570 575

Ala Ser Tyr Ser Ala Tyr Ser Cys Ser Gln Leu Pro Thr Cys Gly Asp
 580 585 590

Gln Val Tyr Ser Val Arg Arg Arg Gln Lys Pro Ser Asp Arg Ala Asp
 595 600 605

Ser Arg Arg Ser Trp His Glu Glu Ser Pro Phe Glu Lys Gln Phe Lys
 610 615 620

Arg Arg Ser Cys Gln Met Glu Phe Gly Glu Ser Ile Met Ser Glu Asn
 625 630 635 640

Arg Ser Arg Glu Glu Leu Gly Lys Val Gly Ser Gln Ser Ser Phe Ser
 645 650 655

Gly Ser Met Glu Ile Ile Glu Val Ser

660

665

<210> 241
 <211> 563
 <212> PRT
 <213> Homo sapiens

<400> 241

Met Trp Ala Val Leu Arg Leu Ala Leu Arg Pro Cys Ala Arg Ala Ser
 1 5 10 15

Pro Ala Gly Pro Arg Ala Tyr His Gly Asp Ser Val Ala Ser Leu Gly
 20 25 30

Thr Gln Pro Asp Leu Gly Ser Ala Leu Tyr Gln Glu Asn Tyr Lys Gln
 35 40 45

Met Lys Ala Leu Val Asn Gln Leu His Glu Arg Val Glu His Ile Lys
 50 55 60

Leu Gly Gly Gly Glu Lys Ala Arg Ala Leu His Ile Ser Arg Gly Lys
 65 70 75 80

Leu Leu Pro Arg Glu Arg Ile Asp Asn Leu Ile Asp Pro Gly Ser Pro
 85 90 95

Phe Leu Glu Leu Ser Gln Phe Ala Gly Tyr Gln Leu Tyr Asp Asn Glu
 100 105 110

Glu Val Pro Gly Gly Gly Ile Ile Thr Gly Ile Gly Arg Val Ser Gly
 115 120 125

Val Glu Cys Met Ile Ile Ala Asn Asp Ala Thr Val Lys Gly Gly Ala
 130 135 140

Tyr Tyr Pro Val Thr Val Lys Lys Gln Leu Arg Ala Gln Glu Ile Ala
 145 150 155 160

Met Gln Asn Arg Leu Pro Cys Ile Tyr Leu Val Asp Ser Gly Gly Ala
 165 170 175

Tyr Leu Pro Arg Gln Ala Asp Val Phe Pro Asp Arg Asp His Phe Gly
 180 185 190

Arg Thr Phe Tyr Asn Gln Ala Ile Met Ser Ser Lys Asn Ile Ala Gln
 195 200 205

Ile Ala Val Val Met Gly Ser Cys Thr Ala Gly Gly Ala Tyr Val Pro
 210 215 220

Ala Met Ala Asp Glu Asn Ile Ile Val Arg Lys Gln Gly Thr Ile Phe
 225 230 235 240

Leu Ala Gly Pro Pro Leu Val Lys Ala Ala Thr Gly Glu Glu Val Ser
 245 250 255

Ala Glu Asp Leu Gly Gly Ala Asp Leu His Cys Arg Lys Ser Gly Val
 260 265 270

Ser Asp His Trp Ala Leu Asp Asp His His Ala Leu His Leu Thr Arg
 275 280 285

Lys Val Val Arg Asn Leu Asn Tyr Gln Lys Lys Leu Asp Val Thr Ile
 290 295 300

Glu Pro Ser Glu Glu Pro Leu Phe Pro Ala Asp Glu Leu Tyr Gly Ile
 305 310 315 320

Val Gly Ala Asn Leu Lys Arg Ser Phe Asp Val Arg Glu Val Ile Ala
 325 330 335

Arg Ile Val Asp Gly Ser Arg Phe Thr Glu Phe Lys Ala Phe Tyr Gly
 340 345 350

Asp Thr Leu Val Thr Gly Phe Ala Arg Ile Phe Gly Tyr Pro Val Gly
 355 360 365

Ile Val Gly Asn Asn Gly Val Leu Phe Ser Glu Ser Ala Lys Lys Gly
 370 375 380

Thr His Phe Val Gln Leu Cys Cys Gln Arg Asn Ile Pro Leu Leu Phe
 385 390 395 400

Leu Gln Asn Ile Thr Gly Phe Met Val Gly Arg Glu Tyr Glu Ala Glu
 405 410 415

Gly Ile Ala Lys Asp Gly Ala Lys Met Val Ala Ala Val Ala Cys Ala
 420 425 430

Gln Val Pro Lys Ile Thr Leu Ile Ile Gly Gly Ser Tyr Gly Ala Gly
 435 440 445

Asn Tyr Gly Met Cys Gly Arg Ala Tyr Ser Pro Arg Phe Leu Tyr Ile
 450 455 460

Trp Pro Asn Ala Arg Ile Ser Val Met Gly Gly Glu Gln Ala Ala Asn
 465 470 475 480

Val Leu Ala Thr Ile Thr Lys Asp Gln Arg Ala Arg Glu Gly Lys Gln
 485 490 495

Phe Ser Ser Ala Asp Glu Ala Ala Leu Lys Glu Pro Ile Ile Lys Lys
 500 505 510

Phe Glu Glu Glu Gly Asn Pro Tyr Tyr Ser Ser Ala Arg Val Trp Asp
 515 520 525

Asp Gly Ile Ile Asp Pro Ala Asp Thr Arg Leu Val Leu Gly Leu Ser
 530 535 540

Phe Ser Ala Ala Leu Asn Ala Pro Ile Glu Lys Thr Asp Phe Gly Ile
 545 550 555 560

Phe Arg Met

<210> 242
 <211> 758
 <212> PRT
 <213> Homo sapiens

<400> 242

Met Ala Glu Pro Arg Gln Glu Phe Glu Val Met Glu Asp His Ala Gly
 1 5 10 15

Thr Tyr Gly Leu Gly Asp Arg Lys Asp Gln Gly Gly Tyr Thr Met His
 20 25 30

Gln Asp Gln Glu Gly Asp Thr Asp Ala Gly Leu Lys Glu Ser Pro Leu
 35 40 45

Gln Thr Pro Thr Glu Asp Gly Ser Glu Glu Pro Gly Ser Glu Thr Ser
 50 55 60

Asp Ala Lys Ser Thr Pro Thr Ala Glu Asp Val Thr Ala Pro Leu Val
 65 70 75 80

Asp Glu Gly Ala Pro Gly Lys Gln Ala Ala Ala Gln Pro His Thr Glu
 85 90 95

Ile Pro Glu Gly Thr Thr Ala Glu Glu Ala Gly Ile Gly Asp Thr Pro
 100 105 110

Ser Leu Glu Asp Glu Ala Ala Gly His Val Thr Gln Glu Pro Glu Ser
 115 120 125

Gly Lys Val Val Gln Glu Gly Phe Leu Arg Glu Pro Gly Pro Pro Gly
 130 135 140

Leu Ser His Gln Leu Met Ser Gly Met Pro Gly Ala Pro Leu Leu Pro
 145 150 155 160

Glu Gly Pro Arg Glu Ala Thr Arg Gln Pro Ser Gly Thr Gly Pro Glu
 165 170 175

Asp Thr Glu Gly Gly Arg His Ala Pro Glu Leu Leu Lys His Gln Leu
 180 185 190

Leu Gly Asp Leu His Gln Glu Gly Pro Pro Leu Lys Gly Ala Gly Gly
 195 200 205

Lys Glu Arg Pro Gly Ser Lys Glu Glu Val Asp Glu Asp Arg Asp Val
 210 215 220

Asp Glu Ser Ser Pro Gln Asp Ser Pro Pro Ser Lys Ala Ser Pro Ala
 225 230 235 240

Gln Asp Gly Arg Pro Pro Gln Thr Ala Ala Arg Glu Ala Thr Ser Ile
 245 250 255

Pro Gly Phe Pro Ala Glu Gly Ala Ile Pro Leu Pro Val Asp Phe Leu
 260 265 270

Ser Lys Val Ser Thr Glu Ile Pro Ala Ser Glu Pro Asp Gly Pro Ser
 275 280 285

Val Gly Arg Ala Lys Gly Gln Asp Ala Pro Leu Glu Phe Thr Phe His
 290 295 300

Val Glu Ile Thr Pro Asn Val Gln Lys Glu Gln Ala His Ser Glu Glu
 305 310 315 320

His Leu Gly Arg Ala Ala Phe Pro Gly Ala Pro Gly Glu Gly Pro Glu
 325 330 335

Ala Arg Gly Pro Ser Leu Gly Glu Asp Thr Lys Glu Ala Asp Leu Pro
 340 345 350

Glu Pro Ser Glu Lys Gln Pro Ala Ala Ala Pro Arg Gly Lys Pro Val
 355 360 365

Ser Arg Val Pro Gln Leu Lys Ala Arg Met Val Ser Lys Ser Lys Asp
 370 375 380

Gly Thr Gly Ser Asp Asp Lys Lys Ala Lys Thr Ser Thr Arg Ser Ser
 385 390 395 400

Ala Lys Thr Leu Lys Asn Arg Pro Cys Leu Ser Pro Lys Leu Pro Thr
 405 410 415

Pro Gly Ser Ser Asp Pro Leu Ile Gln Pro Ser Ser Pro Ala Val Cys
 420 425 430

Pro Glu Pro Pro Ser Ser Pro Lys His Val Ser Ser Val Thr Ser Arg
 435 440 445

Thr Gly Ser Ser Gly Ala Lys Glu Met Lys Leu Lys Gly Ala Asp Gly
 450 455 460

Lys Thr Lys Ile Ala Thr Pro Arg Gly Ala Ala Pro Pro Gly Gln Lys
 465 470 475 480

Gly Gln Ala Asn Ala Thr Arg Ile Pro Ala Lys Thr Pro Pro Ala Pro
 485 490 495

Lys Thr Pro Pro Ser Ser Gly Glu Pro Pro Lys Ser Gly Asp Arg Ser
 500 505 510

Gly Tyr Ser Ser Pro Gly Ser Pro Gly Thr Pro Gly Ser Arg Ser Arg
 515 520 525

Thr Pro Ser Leu Pro Thr Pro Pro Thr Arg Glu Pro Lys Lys Val Ala
 530 535 540

Val Val Arg Thr Pro Pro Lys Ser Pro Ser Ser Ala Lys Ser Arg Leu
 545 550 555 560

Gln Thr Ala Pro Val Pro Met Pro Asp Leu Lys Asn Val Lys Ser Lys
 565 570 575

Ile Gly Ser Thr Glu Asn Leu Lys His Gln Pro Gly Gly Gly Lys Val
 580 585 590

Gln Ile Ile Asn Lys Lys Leu Asp Leu Ser Asn Val Gln Ser Lys Cys
 595 600 605

Gly Ser Lys Asp Asn Ile Lys His Val Pro Gly Gly Gly Ser Val Gln
 610 615 620

Ile Val Tyr Lys Pro Val Asp Leu Ser Lys Val Thr Ser Lys Cys Gly
 625 630 635 640

Ser Leu Gly Asn Ile His His Lys Pro Gly Gly Gly Gln Val Glu Val
 645 650 655

Lys Ser Glu Lys Leu Asp Phe Lys Asp Arg Val Gln Ser Lys Ile Gly
 660 665 670

Ser Leu Asp Asn Ile Thr His Val Pro Gly Gly Gly Asn Lys Lys Ile
 675 680 685

Glu Thr His Lys Leu Thr Phe Arg Glu Asn Ala Lys Ala Lys Thr Asp
 690 695 700

His Gly Ala Glu Ile Val Tyr Lys Ser Pro Val Val Ser Gly Asp Thr
 705 710 715 720

Ser Pro Arg His Leu Ser Asn Val Ser Ser Thr Gly Ser Ile Asp Met

725

730

735

Val Asp Ser Pro Gln Leu Ala Thr Leu Ala Asp Glu Val Ser Ala Ser
 740 745 750

Leu Ala Lys Gln Gly Leu
 755

<210> 243
 <211> 547
 <212> PRT
 <213> Homo sapiens

<400> 243

Met Glu Asn Asp Glu Ser Ala Lys Glu Glu Lys Ser Asp Leu Lys Glu
 1 5 10 15

Lys Ser Thr Gly Ser Lys Lys Ala Asn Arg Phe His Pro Tyr Ser Lys
 20 25 30

Asp Lys Asn Ser Gly Thr Gly Glu Lys Lys Gly Pro Asn Arg Asn Arg
 35 40 45

Val Phe Ile Ser Asn Ile Pro Tyr Asp Met Lys Trp Gln Ala Ile Lys
 50 55 60

Asp Leu Met Arg Glu Lys Val Gly Glu Val Thr Tyr Val Glu Leu Phe
 65 70 75 80

Lys Asp Ala Glu Gly Lys Ser Arg Gly Cys Gly Val Val Glu Phe Lys
 85 90 95

Asp Glu Glu Phe Val Lys Lys Ala Leu Glu Thr Met Asn Lys Tyr Asp
 100 105 110

Leu Ser Gly Arg Arg Val Asn Ile Lys Glu Asp Pro Asp Gly Glu Asn
 115 120 125

Ala Arg Arg Ala Leu Gln Arg Thr Gly Thr Ser Phe Gln Gly Ser His
 130 135 140

Ala Ser Asp Val Gly Ser Gly Leu Val Asn Leu Pro Pro Ser Ile Leu
 145 150 155 160

Asn Asn Pro Asn Ile Pro Pro Glu Val Ile Ser Asn Leu Gln Ala Gly
 165 170 175

Arg Leu Gly Ser Thr Ile Phe Val Ala Asn Leu Asp Phe Lys Val Gly
 180 185 190

Trp Lys Lys Leu Lys Glu Val Phe Ser Ile Ala Gly Thr Val Lys Ala
 195 200 205

Gly Ser Tyr Lys Glu Asp Lys Asp Gly Lys Ser Arg Gly Met Gly Thr
 210 215 220

Val Thr Phe Glu Gln Ala Ile Glu Ala Val Gln Ala Ile Ser Met Phe
 225 230 235 240

Asn Gly Gln Phe Leu Phe Asp Arg Pro Met His Val Lys Met Asp Asp
 245 250 255

Lys Ser Val Pro His Glu Glu Tyr Arg Ser Pro Asp Gly Lys Thr Pro
 260 265 270

Gln Leu Pro Arg Gly Leu Gly Gly Ile Gly Met Gly Leu Gly Pro Gly
 275 280 285

Gly Gln Pro Ile Ser Ala Ser Gln Leu Asn Ile Gly Gly Val Met Gly
 290 295 300

Asn Leu Gly Pro Gly Gly Met Gly Met Asp Gly Pro Gly Phe Gly Gly
 305 310 315 320

Met Asn Arg Ile Gly Gly Gly Ile Gly Phe Gly Gly Leu Glu Ala Met
 325 330 335

Asn Ser Met Gly Gly Phe Gly Gly Val Gly Arg Met Gly Glu Leu Tyr
 340 345 350

Arg Gly Ala Met Thr Ser Ser Met Glu Arg Asp Phe Gly His Arg Asp
 355 360 365

Ile Gly Leu Ser Arg Gly Phe Gly Asp Ser Phe Gly Arg Leu Gly Ser
 370 375 380

Ala Met Ile Gly Gly Ile Thr Gly Arg Ile Gly Ser Ser Asn Met Gly
385 390 395 400

Pro Val Gly Ser Gly Ile Ser Gly Gly Met Gly Ser Met Asn Ser Val
405 410 415

Thr Gly Gly Met Gly Met Gly Leu Asp Arg Met Ser Ser Ser Phe Asp
420 425 430

Arg Met Gly Pro Gly Ile Gly Ala Ile Leu Glu Arg Ser Ile Asp Met
435 440 445

Asp Arg Gly Phe Leu Ser Gly Pro Met Gly Ser Gly Met Arg Glu Arg
450 455 460

Ile Gly Ser Lys Gly Asn Gln Ile Phe Val Arg Asn Leu Pro Phe Asp
465 470 475 480

Leu Thr Trp Gln Lys Leu Lys Glu Lys Phe Ser Gln Cys Gly His Val
485 490 495

Met Phe Ala Glu Ile Lys Met Glu Asn Gly Lys Ser Lys Gly Cys Gly
500 505 510

Thr Val Arg Phe Asp Ser Pro Glu Ser Ala Glu Lys Ala Cys Arg Ile
515 520 525

Met Asn Gly Ile Lys Ile Ser Gly Arg Glu Ile Asp Val Arg Leu Asp
530 535 540

Arg Asn Ala
545

<210> 244
<211> 1022
<212> PRT
<213> Homo sapiens

<400> 244

Met Asn Asn Asn Trp Asn Val Cys Phe Phe Leu Phe Cys Pro Ser Ile
1 5 10 15

Thr Arg Thr Phe Ala Ser Gly Lys Thr Glu Lys Val Ile Phe Gln Ala
20 25 30

Leu Lys Glu Leu Gly Leu Pro Ser Gly Lys Asn Asp Glu Ile Glu Pro
 35 40 45

Thr Ala Phe Ser Tyr Glu Lys Phe Tyr Glu Leu Thr Gln Lys Ile Cys
 50 55 60

Pro Arg Thr Asp Ile Glu Asp Leu Phe Lys Lys Ile Asn Gly Asp Lys
 65 70 75 80

Thr Asp Tyr Leu Thr Val Asp Gln Leu Val Ser Phe Leu Asn Glu His
 85 90 95

Gln Arg Asp Pro Arg Leu Asn Glu Ile Leu Phe Pro Phe Tyr Asp Ala
 100 105 110

Lys Arg Ala Met Gln Ile Ile Glu Met Tyr Glu Pro Asp Glu Asp Leu
 115 120 125

Lys Lys Lys Gly Leu Ile Ser Ser Asp Gly Phe Cys Arg Tyr Leu Met
 130 135 140

Ser Asp Glu Asn Ala Pro Val Phe Leu Asp Arg Leu Glu Leu Tyr Gln
 145 150 155 160

Glu Met Asp His Pro Leu Ala His Tyr Phe Ile Ser Ser Ser His Asn
 165 170 175

Thr Tyr Leu Thr Gly Arg Gln Phe Gly Gly Lys Ser Ser Val Glu Met
 180 185 190

Tyr Arg Gln Val Leu Leu Ala Gly Cys Arg Cys Val Glu Leu Asp Cys
 195 200 205

Trp Asp Gly Lys Gly Glu Asp Gln Glu Pro Ile Ile Thr His Gly Lys
 210 215 220

Ala Met Cys Thr Asp Ile Leu Phe Lys Asp Val Ile Gln Ala Ile Lys
 225 230 235 240

Glu Thr Ala Phe Val Thr Ser Glu Tyr Pro Val Ile Leu Ser Phe Glu
 245 250 255

Asn His Cys Ser Lys Tyr Gln Gln Tyr Lys Met Ser Lys Tyr Cys Glu
 260 265 270

Asp Leu Phe Gly Asp Leu Leu Leu Lys Gln Ala Leu Glu Ser His Pro
 275 280 285

Leu Glu Pro Gly Arg Pro Leu Pro Ser Pro Asn Asp Leu Lys Arg Lys
 290 295 300

Ile Leu Ile Lys Asn Lys Arg Leu Lys Pro Glu Val Glu Lys Lys Gln
 305 310 315 320

Leu Glu Ala Leu Arg Ser Met Met Glu Ala Gly Glu Ser Ala Ser Pro
 325 330 335

Ala Asn Ile Leu Glu Asp Asp Asn Glu Glu Glu Ile Glu Ser Ala Asp
 340 345 350

Gln Glu Glu Glu Ala His Pro Glu Phe Lys Phe Gly Asn Glu Leu Ser
 355 360 365

Ala Asp Asp Leu Gly His Lys Glu Ala Val Ala Asn Ser Val Lys Lys
 370 375 380

Gly Leu Val Thr Val Glu Asp Glu Gln Ala Trp Met Ala Ser Tyr Lys
 385 390 395 400

Tyr Val Gly Ala Thr Thr Asn Ile His Pro Tyr Leu Ser Thr Met Ile
 405 410 415

Asn Tyr Ala Gln Pro Val Lys Phe Gln Gly Phe His Val Ala Glu Glu
 420 425 430

Arg Asn Ile His Tyr Asn Met Ser Ser Phe Asn Glu Ser Val Gly Leu
 435 440 445

Gly Tyr Leu Lys Thr His Ala Ile Glu Phe Val Asn Tyr Asn Lys Arg
 450 455 460

Gln Met Ser Arg Ile Tyr Pro Lys Gly Gly Arg Val Asp Ser Ser Asn
 465 470 475 480

Tyr Met Pro Gln Ile Phe Trp Asn Ala Gly Cys Gln Met Val Ser Leu
 485 490 495

Asn Tyr Gln Thr Pro Asp Leu Ala Met Gln Leu Asn Gln Gly Lys Phe
 500 505 510

Glu Tyr Asn Gly Ser Cys Gly Tyr Leu Leu Lys Pro Asp Phe Met Arg
 515 520 525

Arg Pro Asp Arg Thr Phe Asp Pro Phe Ser Glu Thr Pro Val Asp Gly
 530 535 540

Val Ile Ala Ala Thr Cys Ser Val Gln Val Ile Ser Gly Gln Phe Leu
 545 550 555 560

Ser Asp Lys Lys Ile Gly Thr Tyr Val Glu Val Asp Met Tyr Gly Leu
 565 570 575

Pro Thr Asp Thr Ile Arg Lys Glu Phe Arg Thr Arg Met Val Met Asn
 580 585 590

Asn Gly Leu Asn Pro Val Tyr Asn Glu Glu Ser Leu Val Phe Arg Lys
 595 600 605

Val Ile Leu Pro Asp Leu Ala Val Leu Arg Ile Ala Val Tyr Asp Asp
 610 615 620

Asn Asn Lys Leu Ile Gly Gln Arg Ile Pro Pro Leu Asp Gly Leu Gln
 625 630 635 640

Ala Gly Tyr Arg His Ile Ser Leu Arg Asn Glu Gly Asn Lys Pro Leu
 645 650 655

Ser Leu Pro Thr Ile Phe Cys Asn Ile Val Leu Lys Thr Tyr Val Pro
 660 665 670

Asp Gly Phe Gly Asp Ile Val Asp Ala Leu Ser Asp Pro Lys Thr Phe
 675 680 685

Leu Ser Ile Thr Glu Lys Arg Ala Asp Gln Met Arg Ala Met Gly Ile
 690 695 700

Glu Thr Ser Asp Ile Ala Asp Val Pro Ser Asp Thr Ser Lys Asn Asp

705	710	715	720
Lys Lys Gly Lys Ala Asn Thr Ala Lys Ala Asn Val Thr Pro Gln Ser	725	730	735
Ser Ser Glu Leu Arg Pro Thr Thr Thr Ala Ala Leu Pro Ser Gly Val	740	745	750
Glu Ala Lys Lys Gly Ile Glu Leu Ile Pro Gln Val Arg Ile Glu Asp	755	760	765
Leu Lys Gln Met Lys Ala Tyr Leu Lys His Leu Lys Lys Gln Gln Lys	770	775	780
Glu Leu Asn Ser Leu Lys Lys Lys His Ala Lys Glu His Ser Thr Met	785	790	795
Gln Lys Leu His Cys Thr Gln Val Asp Lys Ile Val Ala Gln Tyr Asp	805	810	815
Lys Glu Lys Ser Thr His Glu Lys Ile Leu Glu Lys Ala Met Lys Lys	820	825	830
Lys Gly Gly Ser Asn Cys Leu Glu Met Lys Lys Glu Thr Glu Ile Lys	835	840	845
Ile Gln Thr Leu Thr Ser Asp His Lys Ser Lys Val Lys Glu Ile Val	850	855	860
Ala Gln His Thr Lys Glu Trp Ser Glu Met Ile Asn Thr His Ser Ala	865	870	875
Glu Glu Gln Glu Ile Arg Asp Leu His Leu Ser Gln Gln Cys Glu Leu	885	890	895
Leu Lys Lys Leu Leu Ile Asn Ala His Glu Gln Gln Thr Gln Gln Leu	900	905	910
Lys Leu Ser His Asp Arg Glu Ser Lys Glu Met Arg Ala His Gln Ala	915	920	925
Lys Ile Ser Met Glu Asn Ser Lys Ala Ile Ser Gln Asp Lys Ser Ile	930	935	940

Lys Asn Lys Ala Glu Arg Glu Arg Arg Val Arg Glu Leu Asn Ser Ser
 945 950 955 960

Asn Thr Lys Lys Phe Leu Glu Glu Arg Lys Arg Leu Ala Met Lys Gln
 965 970 975

Ser Lys Glu Met Asp Gln Leu Lys Lys Val Gln Leu Glu His Leu Glu
 980 985 990

Phe Leu Glu Lys Gln Asn Glu Gln Ala Lys Glu Met Gln Gln Met Val
 995 1000 1005

Lys Leu Glu Ala Glu Met Asp Arg Arg Pro Ala Thr Val Val
 1010 1015 1020

<210> 245
 <211> 335
 <212> PRT
 <213> Homo sapiens

<400> 245

Met Gly Ser Ala Ser Pro Gly Leu Ser Ser Val Ser Pro Ser His Leu
 1 5 10 15

Leu Leu Pro Pro Asp Thr Val Ser Arg Thr Gly Leu Glu Lys Ala Ala
 20 25 30

Ala Gly Ala Val Gly Leu Glu Arg Arg Asp Trp Ser Pro Ser Pro Pro
 35 40 45

Ala Thr Pro Glu Gln Gly Leu Ser Ala Phe Tyr Leu Ser Tyr Phe Asp
 50 55 60

Met Leu Tyr Pro Glu Asp Ser Ser Trp Ala Ala Lys Ala Pro Gly Ala
 65 70 75 80

Ser Ser Arg Glu Glu Pro Pro Glu Glu Pro Glu Gln Cys Pro Val Ile
 85 90 95

Asp Ser Gln Ala Pro Ala Gly Ser Leu Asp Leu Val Pro Gly Gly Leu
 100 105 110

Thr Leu Glu Glu His Ser Leu Glu Gln Val Gln Ser Met Val Val Gly
 115 120 125

Glu Val Leu Lys Asp Ile Glu Thr Ala Cys Lys Leu Leu Asn Ile Thr
 130 135 140

Ala Asp Pro Met Asp Trp Ser Pro Ser Asn Val Gln Lys Trp Leu Leu
 145 150 155 160

Trp Thr Glu His Gln Tyr Arg Leu Pro Pro Met Gly Lys Ala Phe Gln
 165 170 175

Glu Leu Ala Gly Lys Glu Leu Cys Ala Met Ser Glu Glu Gln Phe Arg
 180 185 190

Gln Arg Ser Pro Leu Gly Gly Asp Val Leu His Ala His Leu Asp Ile
 195 200 205

Trp Lys Ser Ala Ala Trp Met Lys Glu Arg Thr Ser Pro Gly Ala Ile
 210 215 220

His Tyr Cys Ala Ser Thr Ser Glu Glu Ser Trp Thr Asp Ser Glu Val
 225 230 235 240

Asp Ser Ser Cys Ser Gly Gln Pro Ile His Leu Trp Gln Phe Leu Lys
 245 250 255

Glu Leu Leu Leu Lys Pro His Ser Tyr Gly Arg Phe Ile Arg Trp Leu
 260 265 270

Asn Lys Glu Lys Gly Ile Phe Lys Ile Glu Asp Ser Ala Gln Val Ala
 275 280 285

Arg Leu Trp Gly Ile Arg Lys Asn Arg Pro Ala Met Asn Tyr Asp Lys
 290 295 300

Leu Ser Arg Ser Ile Arg Gln Tyr Tyr Lys Lys Gly Ile Ile Arg Lys
 305 310 315 320

Pro Asp Ile Ser Gln Arg Leu Val Tyr Gln Phe Val His Pro Ile
 325 330 335

<210> 246

<211> 174
 <212> PRT
 <213> Homo sapiens

<400> 246

Met Ala Ala Ala Met Val Pro Gly Arg Ser Glu Ser Trp Glu Arg Gly
 1 5 10 15

Glu Pro Gly Arg Pro Ala Leu Tyr Phe Cys Gly Ser Ile Arg Gly Gly
 20 25 30

Arg Glu Asp Arg Thr Leu Tyr Glu Arg Ile Val Ser Arg Leu Arg Arg
 35 40 45

Phe Gly Thr Val Leu Thr Glu His Val Ala Ala Ala Glu Leu Gly Ala
 50 55 60

Arg Gly Glu Glu Ala Ala Gly Gly Asp Arg Leu Ile His Glu Gln Asp
 65 70 75 80

Leu Glu Trp Leu Gln Gln Ala Asp Val Val Val Ala Glu Val Thr Gln
 85 90 95

Pro Ser Leu Gly Val Gly Tyr Glu Leu Gly Arg Ala Val Ala Phe Asn
 100 105 110

Lys Arg Ile Leu Cys Leu Phe Arg Pro Gln Ser Gly Arg Val Leu Ser
 115 120 125

Ala Met Ile Arg Gly Ala Ala Asp Gly Ser Arg Phe Gln Val Trp Asp
 130 135 140

Tyr Glu Glu Gly Glu Val Glu Ala Leu Leu Asp Arg Tyr Phe Glu Ala
 145 150 155 160

Asp Pro Pro Gly Gln Val Ala Ala Ser Pro Asp Pro Thr Thr
 165 170

<210> 247
 <211> 665
 <212> PRT
 <213> Homo sapiens
 <400> 247

Met Ala His Glu Met Ile Gly Thr Gln Ile Val Thr Glu Arg Leu Val
 1 5 10 15

Ala Leu Leu Glu Ser Gly Thr Glu Lys Val Leu Leu Ile Asp Ser Arg
 20 25 30

Pro Phe Val Glu Tyr Asn Thr Ser His Ile Leu Glu Ala Ile Asn Ile
 35 40 45

Asn Cys Ser Lys Leu Met Lys Arg Arg Leu Gln Gln Asp Lys Val Leu
 50 55 60

Ile Thr Glu Leu Ile Gln His Ser Ala Lys His Lys Val Asp Ile Asp
 65 70 75 80

Cys Ser Gln Lys Val Val Val Tyr Asp Gln Ser Ser Gln Asp Val Ala
 85 90 95

Ser Leu Ser Ser Asp Cys Phe Leu Thr Val Leu Leu Gly Lys Leu Glu
 100 105 110

Lys Ser Phe Asn Ser Val His Leu Leu Ala Gly Gly Phe Ala Glu Phe
 115 120 125

Ser Arg Cys Phe Pro Gly Leu Cys Glu Gly Lys Ser Thr Leu Val Pro
 130 135 140

Thr Cys Ile Ser Gln Pro Cys Leu Pro Val Ala Asn Ile Gly Pro Thr
 145 150 155 160

Arg Ile Leu Pro Asn Leu Tyr Leu Gly Cys Gln Arg Asp Val Leu Asn
 165 170 175

Lys Glu Leu Met Gln Gln Asn Gly Ile Gly Tyr Val Leu Asn Ala Ser
 180 185 190

Asn Thr Cys Pro Lys Pro Asp Phe Ile Pro Glu Ser His Phe Leu Arg
 195 200 205

Val Pro Val Asn Asp Ser Phe Cys Glu Lys Ile Leu Pro Trp Leu Asp
 210 215 220

Lys Ser Val Asp Phe Ile Glu Lys Ala Lys Ala Ser Asn Gly Cys Val

225 230 235 240
 Leu Val His Cys Leu Ala Gly Ile Ser Arg Ser Ala Thr Ile Ala Ile
 245 250 255
 Ala Tyr Ile Met Lys Arg Met Asp Met Ser Leu Asp Glu Ala Tyr Arg
 260 265 270
 Phe Val Lys Glu Lys Arg Pro Thr Ile Ser Pro Asn Phe Asn Phe Leu
 275 280 285
 Gly Gln Leu Leu Asp Tyr Glu Lys Lys Ile Lys Asn Gln Thr Gly Ala
 290 295 300
 Ser Gly Pro Lys Ser Lys Leu Lys Leu Leu His Leu Glu Lys Pro Asn
 305 310 315 320
 Glu Pro Val Pro Ala Val Ser Glu Gly Gly Gln Lys Ser Glu Thr Pro
 325 330 335
 Leu Ser Pro Pro Cys Ala Asp Ser Ala Thr Ser Glu Ala Ala Gly Gln
 340 345 350
 Arg Pro Val His Pro Ala Ser Val Pro Ser Val Pro Ser Val Gln Pro
 355 360 365
 Ser Leu Leu Glu Asp Ser Pro Leu Val Gln Ala Leu Ser Gly Leu His
 370 375 380
 Leu Ser Ala Asp Arg Leu Glu Asp Ser Asn Lys Leu Lys Arg Ser Phe
 385 390 395 400
 Ser Leu Asp Ile Lys Ser Val Ser Tyr Ser Ala Ser Met Ala Ala Ser
 405 410 415
 Leu His Gly Phe Ser Ser Ser Glu Asp Ala Leu Glu Tyr Tyr Lys Pro
 420 425 430
 Ser Thr Thr Leu Asp Gly Thr Asn Lys Leu Cys Gln Phe Ser Pro Val
 435 440 445
 Gln Glu Leu Ser Glu Gln Thr Pro Glu Thr Ser Pro Asp Lys Glu Glu
 450 455 460

Ala Ser Ile Pro Lys Lys Leu Gln Thr Ala Arg Pro Ser Asp Ser Gln
465 470 475 480

Ser Lys Arg Leu His Ser Val Arg Thr Ser Ser Ser Gly Thr Ala Gln
485 490 495

Arg Ser Leu Leu Ser Pro Leu His Arg Ser Gly Ser Val Glu Asp Asn
500 505 510

Tyr His Thr Ser Phe Leu Phe Gly Leu Ser Thr Ser Gln Gln His Leu
515 520 525

Thr Lys Ser Ala Gly Leu Gly Leu Lys Gly Trp His Ser Asp Ile Leu
530 535 540

Ala Pro Gln Thr Ser Thr Pro Ser Leu Thr Ser Ser Trp Tyr Phe Ala
545 550 555 560

Thr Glu Ser Ser His Phe Tyr Ser Ala Ser Ala Ile Tyr Gly Gly Ser
565 570 575

Ala Ser Tyr Ser Ala Tyr Ser Cys Ser Gln Leu Pro Thr Cys Gly Asp
580 585 590

Gln Val Tyr Ser Val Arg Arg Arg Gln Lys Pro Ser Asp Arg Ala Asp
595 600 605

Ser Arg Arg Ser Trp His Glu Glu Ser Pro Phe Glu Lys Gln Phe Lys
610 615 620

Arg Arg Ser Cys Gln Met Glu Phe Gly Glu Ser Ile Met Ser Glu Asn
625 630 635 640

Arg Ser Arg Glu Glu Leu Gly Lys Val Gly Ser Gln Ser Ser Phe Ser
645 650 655

Gly Ser Met Glu Ile Ile Glu Val Ser
660 665

<210> 248
<211> 301
<212> PRT

<213> Homo sapiens

<400> 248

Met Lys Ser Asn Pro Ala Ile Gln Ala Ala Ile Asp Leu Thr Ala Gly
 1 5 10 15

Ala Ala Gly Gly Thr Ala Cys Val Leu Thr Gly Gln Pro Phe Asp Thr
 20 25 30

Met Lys Val Lys Met Gln Thr Phe Pro Asp Leu Tyr Arg Gly Leu Thr
 35 40 45

Asp Cys Cys Leu Lys Thr Tyr Ser Gln Val Gly Phe Arg Gly Phe Tyr
 50 55 60

Lys Gly Thr Ser Pro Ala Leu Ile Ala Asn Ile Ala Glu Asn Ser Val
 65 70 75 80

Leu Phe Met Cys Tyr Gly Phe Cys Gln Gln Val Val Arg Lys Val Ala
 85 90 95

Gly Leu Asp Lys Gln Ala Lys Leu Ser Asp Leu Gln Asn Ala Ala Ala
 100 105 110

Gly Ser Phe Ala Ser Ala Phe Ala Ala Leu Val Leu Cys Pro Thr Glu
 115 120 125

Leu Val Lys Cys Arg Leu Gln Thr Met Tyr Glu Met Glu Thr Ser Gly
 130 135 140

Lys Ile Ala Lys Ser Gln Asn Thr Val Trp Ser Val Ile Lys Ser Ile
 145 150 155 160

Leu Arg Lys Asp Gly Pro Leu Gly Phe Tyr His Gly Leu Ser Ser Thr
 165 170 175

Leu Leu Arg Glu Val Pro Gly Tyr Phe Phe Phe Phe Gly Gly Tyr Glu
 180 185 190

Leu Ser Arg Ser Phe Phe Ala Ser Gly Arg Ser Lys Asp Glu Leu Gly
 195 200 205

Pro Val Pro Leu Met Leu Ser Gly Gly Val Gly Gly Ile Cys Leu Trp

210 215 220
 Leu Ala Val Tyr Pro Val Asp Cys Ile Lys Ser Arg Ile Gln Val Leu
 225 230 235 240
 Ser Met Ser Gly Lys Gln Ala Gly Phe Ile Arg Thr Phe Ile Asn Val
 245 250 255
 Val Lys Asn Glu Gly Ile Thr Ala Leu Tyr Ser Gly Leu Lys Pro Thr
 260 265 270
 Met Ile Arg Ala Phe Pro Ala Asn Gly Ala Leu Phe Leu Ala Tyr Glu
 275 280 285
 Tyr Ser Arg Lys Leu Met Met Asn Gln Leu Glu Ala Tyr
 290 295 300

 <210> 249
 <211> 337
 <212> PRT
 <213> Homo sapiens

 <400> 249
 Met Ala Ala Pro Arg Asp Asn Val Thr Leu Leu Phe Lys Leu Tyr Cys
 1 5 10 15
 Leu Ala Val Met Thr Leu Met Ala Ala Val Tyr Thr Ile Ala Leu Arg
 20 25 30
 Tyr Thr Arg Thr Ser Asp Lys Glu Leu Tyr Phe Ser Thr Thr Ala Val
 35 40 45
 Cys Ile Thr Glu Val Ile Lys Leu Leu Leu Ser Val Gly Ile Leu Ala
 50 55 60
 Lys Glu Thr Gly Ser Leu Gly Arg Phe Lys Ala Ser Leu Arg Glu Asn
 65 70 75 80
 Val Leu Gly Ser Pro Lys Glu Leu Leu Lys Leu Ser Val Pro Ser Leu
 85 90 95
 Val Tyr Ala Val Gln Asn Asn Met Ala Phe Leu Ala Leu Ser Asn Leu
 100 105 110

Asp Ala Ala Val Tyr Gln Val Thr Tyr Gln Leu Lys Ile Pro Cys Thr
 115 120 125

Ala Leu Cys Thr Val Leu Met Leu Asn Arg Thr Leu Ser Lys Leu Gln
 130 135 140

Trp Val Ser Val Phe Met Leu Cys Ala Gly Val Thr Leu Val Gln Trp
 145 150 155 160

Lys Pro Ala Gln Ala Thr Lys Val Val Val Glu Gln Asn Pro Leu Leu
 165 170 175

Gly Phe Gly Ala Ile Ala Ile Ala Val Leu Cys Ser Gly Phe Ala Gly
 180 185 190

Val Tyr Phe Glu Lys Val Leu Lys Ser Ser Asp Thr Ser Leu Trp Val
 195 200 205

Arg Asn Ile Gln Met Tyr Leu Ser Gly Ile Ile Val Thr Leu Ala Gly
 210 215 220

Val Tyr Leu Ser Asp Gly Ala Glu Ile Lys Glu Lys Gly Phe Phe Tyr
 225 230 235 240

Gly Tyr Thr Tyr Tyr Val Trp Phe Val Ile Phe Leu Ala Ser Val Gly
 245 250 255

Gly Leu Tyr Thr Ser Val Val Val Lys Tyr Thr Asp Asn Ile Met Lys
 260 265 270

Gly Phe Ser Ala Ala Ala Ala Ile Val Leu Ser Thr Ile Ala Ser Val
 275 280 285

Met Leu Phe Gly Leu Gln Ile Thr Leu Thr Phe Ala Leu Gly Thr Leu
 290 295 300

Leu Val Cys Val Ser Ile Tyr Leu Tyr Gly Leu Pro Arg Gln Asp Thr
 305 310 315 320

Thr Ser Ile Gln Gln Gly Glu Thr Ala Ser Lys Glu Arg Val Ile Gly
 325 330 335

Val

<210> 250
 <211> 487
 <212> PRT
 <213> Homo sapiens

<400> 250

Met Met His Phe Lys Ser Gly Leu Glu Leu Thr Glu Leu Gln Asn Met
 1 5 10 15

Thr Val Pro Glu Asp Asp Asn Ile Ser Asn Asp Ser Asn Asp Phe Thr
 20 25 30

Glu Val Glu Asn Gly Gln Ile Asn Ser Lys Phe Ile Ser Asp Arg Glu
 35 40 45

Ser Arg Arg Ser Leu Thr Asn Ser His Leu Glu Lys Lys Lys Cys Asp
 50 55 60

Glu Tyr Ile Pro Gly Thr Thr Ser Leu Gly Met Ser Val Phe Asn Leu
 65 70 75 80

Ser Asn Ala Ile Met Gly Ser Gly Ile Leu Gly Leu Ala Phe Ala Leu
 85 90 95

Ala Asn Thr Gly Ile Leu Leu Phe Leu Val Leu Leu Thr Ser Val Thr
 100 105 110

Leu Leu Ser Ile Tyr Ser Ile Asn Leu Leu Leu Ile Cys Ser Lys Glu
 115 120 125

Thr Gly Cys Met Val Tyr Glu Lys Leu Gly Glu Gln Val Phe Gly Thr
 130 135 140

Thr Gly Lys Phe Val Ile Phe Gly Ala Thr Ser Leu Gln Asn Thr Gly
 145 150 155 160

Ala Met Leu Ser Tyr Leu Phe Ile Val Lys Asn Glu Leu Pro Ser Ala
 165 170 175

Ile Lys Phe Leu Met Gly Lys Glu Glu Thr Phe Ser Ala Trp Tyr Val
 180 185 190

Asp Gly Arg Val Leu Val Val Ile Val Thr Phe Gly Ile Ile Leu Pro
 195 200 205

Leu Cys Leu Leu Lys Asn Leu Gly Tyr Leu Gly Tyr Thr Ser Gly Phe
 210 215 220

Ser Leu Ser Cys Met Val Phe Phe Leu Ile Val Val Ile Tyr Lys Lys
 225 230 235 240

Phe Gln Ile Pro Cys Ile Val Pro Glu Leu Asn Ser Thr Ile Ser Ala
 245 250 255

Asn Ser Thr Asn Ala Asp Thr Cys Thr Pro Lys Tyr Val Thr Phe Asn
 260 265 270

Ser Lys Thr Val Tyr Ala Leu Pro Thr Ile Ala Phe Ala Phe Val Cys
 275 280 285

His Pro Ser Val Leu Pro Ile Tyr Ser Glu Leu Lys Asp Arg Ser Gln
 290 295 300

Lys Lys Met Gln Met Val Ser Asn Ile Ser Phe Phe Ala Met Phe Val
 305 310 315 320

Met Tyr Phe Leu Thr Ala Ile Phe Gly Tyr Leu Thr Phe Tyr Asp Asn
 325 330 335

Val Gln Ser Asp Leu Leu His Lys Tyr Gln Ser Lys Asp Asp Ile Leu
 340 345 350

Ile Leu Thr Val Arg Leu Ala Val Ile Val Ala Val Ile Leu Thr Val
 355 360 365

Pro Val Leu Phe Phe Thr Val Arg Ser Ser Leu Phe Glu Leu Ala Lys
 370 375 380

Lys Thr Lys Phe Asn Leu Cys Arg His Thr Val Val Thr Cys Ile Leu
 385 390 395 400

Leu Val Val Ile Asn Leu Leu Val Ile Phe Ile Pro Ser Met Lys Asp
 405 410 415

Ile Phe Gly Val Val Gly Val Thr Ser Ala Asn Met Leu Ile Phe Ile
 420 425 430

Leu Pro Ser Ser Leu Tyr Leu Lys Ile Thr Asp Gln Asp Gly Asp Lys
 435 440 445

Gly Thr Gln Arg Ile Trp Ala Ala Leu Phe Leu Gly Leu Gly Val Leu
 450 455 460

Phe Ser Leu Val Ser Ile Pro Leu Val Ile Tyr Asp Trp Ala Cys Ser
 465 470 475 480

Ser Ser Ser Asp Glu Gly His
 485

<210> 251
 <211> 528
 <212> PRT
 <213> Homo sapiens

<400> 251

Met Ala Gly Ser Asp Thr Ala Pro Phe Leu Ser Gln Ala Asp Asp Pro
 1 5 10 15

Asp Asp Gly Pro Val Pro Gly Thr Pro Gly Leu Pro Gly Ser Thr Gly
 20 25 30

Asn Pro Lys Ser Glu Glu Pro Glu Val Pro Asp Gln Glu Gly Leu Gln
 35 40 45

Arg Ile Thr Gly Leu Ser Pro Gly Arg Ser Ala Leu Ile Val Ala Val
 50 55 60

Leu Cys Tyr Ile Asn Leu Leu Asn Tyr Met Asp Arg Phe Thr Val Ala
 65 70 75 80

Gly Val Leu Pro Asp Ile Glu Gln Phe Phe Asn Ile Gly Asp Ser Ser
 85 90 95

Ser Gly Leu Ile Gln Thr Val Phe Ile Ser Ser Tyr Met Val Leu Ala
 100 105 110

Pro Val Phe Gly Tyr Leu Gly Asp Arg Tyr Asn Arg Lys Tyr Leu Met

115 120 125
 Cys Gly Gly Ile Ala Phe Trp Ser Leu Val Thr Leu Gly Ser Ser Phe
 130 135 140
 Ile Pro Gly Glu His Phe Trp Leu Leu Leu Leu Thr Arg Gly Leu Val
 145 150 155 160
 Gly Val Gly Glu Ala Ser Tyr Ser Thr Ile Ala Pro Thr Leu Ile Ala
 165 170 175
 Asp Leu Phe Val Ala Asp Gln Arg Ser Arg Met Leu Ser Ile Phe Tyr
 180 185 190
 Phe Ala Ile Pro Val Gly Ser Gly Leu Gly Tyr Ile Ala Gly Ser Lys
 195 200 205
 Val Lys Asp Met Ala Gly Asp Trp His Trp Ala Leu Arg Val Thr Pro
 210 215 220
 Gly Leu Gly Val Val Ala Val Leu Leu Leu Phe Leu Val Val Arg Glu
 225 230 235 240
 Pro Pro Arg Gly Ala Val Glu Arg His Ser Asp Leu Pro Pro Leu Asn
 245 250 255
 Pro Thr Ser Trp Trp Ala Asp Leu Arg Ala Leu Ala Arg Asn Pro Ser
 260 265 270
 Phe Val Leu Ser Ser Leu Gly Phe Thr Ala Val Ala Phe Val Thr Gly
 275 280 285
 Ser Leu Ala Leu Trp Ala Pro Ala Phe Leu Leu Arg Ser Arg Val Val
 290 295 300
 Leu Gly Glu Thr Pro Pro Cys Leu Pro Gly Asp Ser Cys Ser Ser Ser
 305 310 315 320
 Asp Ser Leu Ile Phe Gly Leu Ile Thr Cys Leu Thr Gly Val Leu Gly
 325 330 335
 Val Gly Leu Gly Val Glu Ile Ser Arg Arg Leu Arg His Ser Asn Pro
 340 345 350

Arg Ala Asp Pro Leu Val Cys Ala Thr Gly Leu Leu Gly Ser Ala Pro
 355 360 365

Phe Leu Phe Leu Ser Leu Ala Cys Ala Arg Gly Ser Ile Val Ala Thr
 370 375 380

Tyr Ile Phe Ile Phe Ile Gly Glu Thr Leu Leu Ser Met Asn Trp Ala
 385 390 395 400

Ile Val Ala Asp Ile Leu Leu Tyr Val Val Ile Pro Thr Arg Arg Ser
 405 410 415

Thr Ala Glu Ala Phe Gln Ile Val Leu Ser His Leu Leu Gly Asp Ala
 420 425 430

Gly Ser Pro Tyr Leu Ile Gly Leu Ile Ser Asp Arg Leu Arg Arg Asn
 435 440 445

Trp Pro Pro Ser Phe Leu Ser Glu Phe Arg Ala Leu Gln Phe Ser Leu
 450 455 460

Met Leu Cys Ala Phe Val Gly Ala Leu Gly Gly Ala Ala Phe Leu Gly
 465 470 475 480

Thr Ala Ile Phe Ile Glu Ala Asp Arg Arg Arg Ala Gln Leu His Val
 485 490 495

Gln Gly Leu Leu His Glu Ala Gly Ser Thr Asp Asp Arg Ile Val Val
 500 505 510

Pro Gln Arg Gly Arg Ser Thr Arg Val Pro Val Ala Ser Val Leu Ile
 515 520 525

<210> 252
 <211> 418
 <212> PRT
 <213> Homo sapiens

<400> 252

Met Ala Pro Thr Gln Gly Pro Arg Ala Pro Leu Glu Phe Gly Gly Pro
 1 5 10 15

Leu Gly Ala Ala Ala Leu Leu Leu Leu Leu Pro Ala Thr Met Phe His
 20 25 30

Leu Leu Leu Ala Ala Arg Ser Gly Pro Ala Arg Leu Leu Gly Pro Pro
 35 40 45

Ala Ser Leu Pro Gly Leu Glu Val Leu Trp Ser Pro Arg Ala Leu Leu
 50 55 60

Leu Trp Leu Ala Trp Leu Gly Leu Gln Ala Ala Leu Tyr Leu Leu Pro
 65 70 75 80

Ala Arg Lys Val Ala Glu Gly Gln Glu Leu Lys Asp Lys Ser Arg Leu
 85 90 95

Arg Tyr Pro Ile Asn Gly Phe Gln Ala Leu Val Leu Thr Ala Leu Leu
 100 105 110

Val Gly Leu Gly Met Ser Ala Gly Leu Pro Leu Gly Ala Leu Pro Glu
 115 120 125

Met Leu Leu Pro Leu Ala Phe Val Ala Thr Leu Thr Ala Phe Ile Phe
 130 135 140

Ser Leu Phe Leu Tyr Met Lys Ala Gln Val Ala Pro Val Ser Ala Leu
 145 150 155 160

Ala Pro Gly Gly Asn Ser Gly Asn Pro Ile Tyr Asp Phe Phe Leu Gly
 165 170 175

Arg Glu Leu Asn Pro Arg Ile Cys Phe Phe Asp Phe Lys Tyr Phe Cys
 180 185 190

Glu Leu Arg Pro Gly Leu Ile Gly Trp Val Leu Ile Asn Leu Ala Leu
 195 200 205

Leu Met Lys Glu Ala Glu Leu Arg Gly Ser Pro Ser Leu Ala Met Trp
 210 215 220

Leu Val Asn Gly Phe Gln Leu Leu Tyr Val Gly Asp Ala Leu Trp His
 225 230 235 240

Glu Glu Ala Val Leu Thr Thr Met Asp Ile Thr His Asp Gly Phe Gly

245 250 255
 Phe Met Leu Ala Phe Gly Asp Met Ala Trp Val Pro Phe Thr Tyr Ser
 260 265 270
 Leu Gln Ala Gln Phe Leu Leu His His Pro Gln Pro Leu Gly Leu Pro
 275 280 285
 Met Ala Ser Val Ile Cys Leu Ile Asn Ala Ile Gly Tyr Tyr Ile Phe
 290 295 300
 Arg Gly Ala Asn Ser Gln Lys Asn Thr Phe Arg Lys Asn Pro Ser Asp
 305 310 315 320
 Pro Arg Val Ala Gly Leu Glu Thr Ile Ser Thr Ala Thr Gly Arg Lys
 325 330 335
 Leu Leu Val Ser Gly Trp Trp Gly Met Val Arg His Pro Asn Tyr Leu
 340 345 350
 Gly Asp Leu Ile Met Ala Leu Ala Trp Ser Leu Pro Cys Gly Val Ser
 355 360 365
 His Leu Leu Pro Tyr Phe Tyr Leu Leu Tyr Phe Thr Ala Leu Leu Val
 370 375 380
 His Arg Glu Ala Arg Asp Glu Arg Gln Cys Leu Gln Lys Tyr Gly Leu
 385 390 395 400
 Ala Trp Gln Glu Tyr Cys Arg Arg Val Pro Tyr Arg Ile Met Pro Tyr
 405 410 415

Ile Tyr

<210> 253
 <211> 1281
 <212> PRT
 <213> Homo sapiens

<400> 253

Met Val Arg Lys Lys Asn Pro Pro Leu Arg Asn Val Ala Ser Glu Gly
 1 5 10 15

Glu Gly Gln Ile Leu Glu Pro Ile Gly Thr Glu Ser Lys Val Ser Gly
 20 25 30

Lys Asn Lys Glu Phe Ser Ala Asp Gln Met Ser Glu Asn Thr Asp Gln
 35 40 45

Ser Asp Ala Ala Glu Leu Asn His Lys Glu Glu His Ser Leu His Val
 50 55 60

Gln Asp Pro Ser Ser Ser Ser Lys Lys Asp Leu Lys Ser Ala Val Leu
 65 70 75 80

Ser Glu Lys Ala Gly Phe Asn Tyr Glu Ser Pro Ser Lys Gly Gly Asn
 85 90 95

Phe Pro Ser Phe Pro His Asp Glu Val Thr Asp Arg Asn Met Leu Ala
 100 105 110

Phe Ser Ser Pro Ala Ala Gly Gly Val Cys Glu Pro Leu Lys Ser Pro
 115 120 125

Gln Arg Ala Glu Ala Asp Asp Pro Gln Asp Met Ala Cys Thr Pro Ser
 130 135 140

Gly Asp Ser Leu Glu Thr Lys Glu Asp Gln Lys Met Ser Pro Lys Ala
 145 150 155 160

Thr Glu Glu Thr Gly Gln Ala Gln Ser Gly Gln Ala Asn Cys Gln Gly
 165 170 175

Leu Ser Pro Val Ser Val Ala Ser Lys Asn Pro Gln Val Pro Ser Asp
 180 185 190

Gly Gly Val Arg Leu Asn Lys Ser Lys Thr Asp Leu Leu Val Asn Asp
 195 200 205

Asn Pro Asp Pro Ala Pro Leu Ser Pro Glu Leu Gln Asp Phe Lys Cys
 210 215 220

Asn Ile Cys Gly Tyr Gly Tyr Tyr Gly Asn Asp Pro Thr Asp Leu Ile
 225 230 235 240

Lys His Phe Arg Lys Tyr His Leu Gly Leu His Asn Arg Thr Arg Gln
 245 250 255
 Asp Ala Glu Leu Asp Ser Lys Ile Leu Ala Leu His Asn Met Val Gln
 260 265 270
 Phe Ser His Ser Lys Asp Phe Gln Lys Val Asn Arg Ser Val Phe Ser
 275 280 285
 Gly Val Leu Gln Asp Ile Asn Ser Ser Arg Pro Val Leu Leu Asn Gly
 290 295 300
 Thr Tyr Asp Val Gln Val Thr Ser Gly Gly Thr Phe Ile Gly Ile Gly
 305 310 315 320
 Arg Lys Thr Pro Asp Cys Gln Gly Asn Thr Lys Tyr Phe Arg Cys Lys
 325 330 335
 Phe Cys Asn Phe Thr Tyr Met Gly Asn Ser Ser Thr Glu Leu Glu Gln
 340 345 350
 His Phe Leu Gln Thr His Pro Asn Lys Ile Lys Ala Ser Leu Pro Ser
 355 360 365
 Ser Glu Val Ala Lys Pro Ser Glu Lys Asn Ser Asn Lys Ser Ile Pro
 370 375 380
 Ala Leu Gln Ser Ser Asp Ser Gly Asp Leu Gly Lys Trp Gln Asp Lys
 385 390 395 400
 Ile Thr Val Lys Ala Gly Asp Asp Thr Pro Val Gly Tyr Ser Val Pro
 405 410 415
 Ile Lys Pro Leu Asp Ser Ser Arg Gln Asn Gly Thr Glu Ala Thr Ser
 420 425 430
 Tyr Tyr Trp Cys Lys Phe Cys Ser Phe Ser Cys Glu Ser Ser Ser Ser
 435 440 445
 Leu Lys Leu Leu Glu His Tyr Gly Lys Gln His Gly Ala Val Gln Ser
 450 455 460
 Gly Gly Leu Asn Pro Glu Leu Asn Asp Lys Leu Ser Arg Gly Ser Val

465 470 475 480
 Ile Asn Gln Asn Asp Leu Ala Lys Ser Ser Glu Gly Glu Thr Met Thr
 485 490 495
 Lys Thr Asp Lys Ser Ser Ser Gly Ala Lys Lys Lys Asp Phe Ser Ser
 500 505 510
 Lys Gly Ala Glu Asp Asn Met Val Thr Ser Tyr Asn Cys Gln Phe Cys
 515 520 525
 Asp Phe Arg Tyr Ser Lys Ser His Gly Pro Asp Val Ile Val Val Gly
 530 535 540
 Pro Leu Leu Arg His Tyr Gln Gln Leu His Asn Ile His Lys Cys Thr
 545 550 555 560
 Ile Lys His Cys Pro Phe Cys Pro Arg Gly Leu Cys Ser Pro Glu Lys
 565 570 575
 His Leu Gly Glu Ile Thr Tyr Pro Phe Ala Cys Arg Lys Ser Asn Cys
 580 585 590
 Ser His Cys Ala Leu Leu Leu Leu His Leu Ser Pro Gly Ala Ala Gly
 595 600 605
 Ser Ser Arg Val Lys His Gln Cys His Gln Cys Ser Phe Thr Thr Pro
 610 615 620
 Asp Val Asp Val Leu Leu Phe His Tyr Glu Ser Val His Glu Ser Gln
 625 630 635 640
 Ala Ser Asp Val Lys Gln Glu Ala Asn His Leu Gln Gly Ser Asp Gly
 645 650 655
 Gln Gln Ser Val Lys Glu Ser Lys Glu His Ser Cys Thr Lys Cys Asp
 660 665 670
 Phe Ile Thr Gln Val Glu Glu Glu Ile Ser Arg His Tyr Arg Arg Ala
 675 680 685
 His Ser Cys Tyr Lys Cys Arg Gln Cys Ser Phe Thr Ala Ala Asp Thr
 690 695 700

Gln Ser Leu Leu Glu His Phe Asn Thr Val His Cys Gln Glu Gln Asp
 705 710 715 720
 Ile Thr Thr Ala Asn Gly Glu Glu Asp Gly His Ala Ile Ser Thr Ile
 725 730 735
 Lys Glu Glu Pro Lys Ile Asp Phe Arg Val Tyr Asn Leu Leu Thr Pro
 740 745 750
 Asp Ser Lys Met Gly Glu Pro Val Ser Glu Ser Val Val Lys Arg Glu
 755 760 765
 Lys Leu Glu Glu Lys Asp Gly Leu Lys Glu Lys Val Trp Thr Glu Ser
 770 775 780
 Ser Ser Asp Asp Leu Arg Asn Val Thr Trp Arg Gly Ala Asp Ile Leu
 785 790 795 800
 Arg Gly Ser Pro Ser Tyr Thr Gln Ala Ser Leu Gly Leu Leu Thr Pro
 805 810 815
 Val Ser Gly Thr Gln Glu Gln Thr Lys Thr Leu Arg Asp Ser Pro Asn
 820 825 830
 Val Glu Ala Ala His Leu Ala Arg Pro Ile Tyr Gly Leu Ala Val Glu
 835 840 845
 Thr Lys Gly Phe Leu Gln Gly Ala Pro Ala Gly Gly Glu Lys Ser Gly
 850 855 860
 Ala Leu Pro Gln Gln Tyr Pro Ala Ser Gly Glu Asn Lys Ser Lys Asp
 865 870 875 880
 Glu Ser Gln Ser Leu Leu Arg Arg Arg Arg Gly Ser Gly Val Phe Cys
 885 890 895
 Ala Asn Cys Leu Thr Thr Lys Thr Ser Leu Trp Arg Lys Asn Ala Asn
 900 905 910
 Gly Gly Tyr Val Cys Asn Ala Cys Gly Leu Tyr Gln Lys Leu His Ser
 915 920 925

Thr Pro Arg Pro Leu Asn Ile Ile Lys Gln Asn Asn Gly Glu Gln Ile
 930 935 940

Ile Arg Arg Arg Thr Arg Lys Arg Leu Asn Pro Glu Ala Leu Gln Ala
 945 950 955 960

Glu Gln Leu Asn Lys Gln Gln Arg Gly Ser Asn Glu Glu Gln Val Asn
 965 970 975

Gly Ser Pro Leu Glu Arg Arg Ser Glu Asp His Leu Thr Glu Ser His
 980 985 990

Gln Arg Glu Ile Pro Leu Pro Ser Leu Ser Lys Tyr Glu Ala Gln Gly
 995 1000 1005

Ser Leu Thr Lys Ser His Ser Ala Gln Gln Pro Val Leu Val Ser
 1010 1015 1020

Gln Thr Leu Asp Ile His Lys Arg Met Gln Pro Leu His Ile Gln
 1025 1030 1035

Ile Lys Ser Pro Gln Glu Ser Thr Gly Asp Pro Gly Asn Ser Ser
 1040 1045 1050

Ser Val Ser Glu Gly Lys Gly Ser Ser Glu Arg Gly Ser Pro Ile
 1055 1060 1065

Glu Lys Tyr Met Arg Pro Ala Lys His Pro Asn Tyr Ser Pro Pro
 1070 1075 1080

Gly Ser Pro Ile Glu Lys Tyr Gln Tyr Pro Leu Phe Gly Leu Pro
 1085 1090 1095

Phe Val His Asn Asp Phe Gln Ser Glu Ala Asp Trp Leu Arg Phe
 1100 1105 1110

Trp Ser Lys Tyr Lys Leu Ser Val Pro Gly Asn Pro His Tyr Leu
 1115 1120 1125

Ser His Val Pro Gly Leu Pro Asn Pro Cys Gln Asn Tyr Val Pro
 1130 1135 1140

Tyr Pro Thr Phe Asn Leu Pro Pro His Phe Ser Ala Val Gly Ser
1145 1150 1155

Asp Asn Asp Ile Pro Leu Asp Leu Ala Ile Lys His Ser Arg Pro
1160 1165 1170

Gly Pro Thr Ala Asn Gly Ala Ser Lys Glu Lys Thr Lys Ala Pro
1175 1180 1185

Pro Asn Val Lys Asn Glu Gly Pro Leu Asn Val Val Lys Thr Glu
1190 1195 1200

Lys Val Asp Arg Ser Thr Gln Asp Glu Leu Ser Thr Lys Cys Val
1205 1210 1215

His Cys Gly Ile Val Phe Leu Asp Glu Val Met Tyr Ala Leu His
1220 1225 1230

Met Ser Cys His Gly Asp Ser Gly Pro Phe Gln Cys Ser Ile Cys
1235 1240 1245

Gln His Leu Cys Thr Asp Lys Tyr Asp Phe Thr Thr His Ile Gln
1250 1255 1260

Arg Gly Leu His Arg Asn Asn Ala Gln Val Glu Lys Asn Gly Lys
1265 1270 1275

Pro Lys Glu
1280

<210> 254
<211> 822
<212> PRT
<213> Homo sapiens

<400> 254

Met Val Ser Trp Gly Arg Phe Ile Cys Leu Val Val Val Thr Met Ala
1 5 10 15

Thr Leu Ser Leu Ala Arg Pro Ser Phe Ser Leu Val Glu Asp Thr Thr
20 25 30

Leu Glu Pro Glu Glu Pro Pro Thr Lys Tyr Gln Ile Ser Gln Pro Glu
35 40 45

Val Tyr Val Ala Ala Pro Gly Glu Ser Leu Glu Val Arg Cys Leu Leu
 50 55 60

Lys Asp Ala Ala Val Ile Ser Trp Thr Lys Asp Gly Val His Leu Gly
 65 70 75 80

Pro Asn Asn Arg Thr Val Leu Ile Gly Glu Tyr Leu Gln Ile Lys Gly
 85 90 95

Ala Thr Pro Arg Asp Ser Gly Leu Tyr Ala Cys Thr Ala Ser Arg Thr
 100 105 110

Val Asp Ser Glu Thr Trp Tyr Phe Met Val Asn Val Thr Asp Ala Ile
 115 120 125

Ser Ser Gly Asp Asp Glu Asp Asp Thr Asp Gly Ala Glu Asp Phe Val
 130 135 140

Ser Glu Asn Ser Asn Asn Lys Arg Ala Pro Tyr Trp Thr Asn Thr Glu
 145 150 155 160

Lys Met Glu Lys Arg Leu His Ala Val Pro Ala Ala Asn Thr Val Lys
 165 170 175

Phe Arg Cys Pro Ala Gly Gly Asn Pro Met Pro Thr Met Arg Trp Leu
 180 185 190

Lys Asn Gly Lys Glu Phe Lys Gln Glu His Arg Ile Gly Gly Tyr Lys
 195 200 205

Val Arg Asn Gln His Trp Ser Leu Ile Met Glu Ser Val Val Pro Ser
 210 215 220

Asp Lys Gly Asn Tyr Thr Cys Val Val Glu Asn Glu Tyr Gly Ser Ile
 225 230 235 240

Asn His Thr Tyr His Leu Asp Val Val Glu Arg Ser Pro His Arg Pro
 245 250 255

Ile Leu Gln Ala Gly Leu Pro Ala Asn Ala Ser Thr Val Val Gly Gly
 260 265 270

Asp Val Glu Phe Val Cys Lys Val Tyr Ser Asp Ala Gln Pro His Ile
 275 280 285

Gln Trp Ile Lys His Val Glu Lys Asn Gly Ser Lys Tyr Gly Pro Asp
 290 295 300

Gly Leu Pro Tyr Leu Lys Val Leu Lys His Ser Gly Ile Asn Ser Ser
 305 310 315 320

Asn Ala Glu Val Leu Ala Leu Phe Asn Val Thr Glu Ala Asp Ala Gly
 325 330 335

Glu Tyr Ile Cys Lys Val Ser Asn Tyr Ile Gly Gln Ala Asn Gln Ser
 340 345 350

Ala Trp Leu Thr Val Leu Pro Lys Gln Gln Ala Pro Gly Arg Glu Lys
 355 360 365

Glu Ile Thr Ala Ser Pro Asp Tyr Leu Glu Ile Ala Ile Tyr Cys Ile
 370 375 380

Gly Val Phe Leu Ile Ala Cys Met Val Val Thr Val Ile Leu Cys Arg
 385 390 395 400

Met Lys Asn Thr Thr Lys Lys Pro Asp Phe Ser Ser Gln Pro Ala Val
 405 410 415

His Lys Leu Thr Lys Arg Ile Pro Leu Arg Arg Gln Val Thr Val Ser
 420 425 430

Ala Glu Ser Ser Ser Met Asn Ser Asn Thr Pro Leu Val Arg Ile
 435 440 445

Thr Thr Arg Leu Ser Ser Thr Ala Asp Thr Pro Met Leu Ala Gly Val
 450 455 460

Ser Glu Tyr Glu Leu Pro Glu Asp Pro Lys Trp Glu Phe Pro Arg Asp
 465 470 475 480

Lys Leu Thr Leu Gly Lys Pro Leu Gly Glu Gly Cys Phe Gly Gln Val
 485 490 495

Val Met Ala Glu Ala Val Gly Ile Asp Lys Asp Lys Pro Lys Glu Ala
500 505 510

Val Thr Val Ala Val Lys Met Leu Lys Asp Asp Ala Thr Glu Lys Asp
515 520 525

Leu Ser Asp Leu Val Ser Glu Met Glu Met Met Lys Met Ile Gly Lys
530 535 540

His Lys Asn Ile Ile Asn Leu Leu Gly Ala Cys Thr Gln Asp Gly Pro
545 550 555 560

Leu Tyr Val Ile Val Glu Tyr Ala Ser Lys Gly Asn Leu Arg Glu Tyr
565 570 575

Leu Arg Ala Arg Arg Pro Pro Gly Met Glu Tyr Ser Tyr Asp Ile Asn
580 585 590

Arg Val Pro Glu Glu Gln Met Thr Phe Lys Asp Leu Val Ser Cys Thr
595 600 605

Tyr Gln Leu Ala Arg Gly Met Glu Tyr Leu Ala Ser Gln Lys Cys Ile
610 615 620

His Arg Asp Leu Ala Ala Arg Asn Val Leu Val Thr Glu Asn Asn Val
625 630 635 640

Met Lys Ile Ala Asp Phe Gly Leu Ala Arg Asp Ile Asn Asn Ile Asp
645 650 655

Tyr Tyr Lys Lys Thr Thr Asn Gly Arg Leu Pro Val Lys Trp Met Ala
660 665 670

Pro Glu Ala Leu Phe Asp Arg Val Tyr Thr His Gln Ser Asp Val Trp
675 680 685

Ser Phe Gly Val Leu Met Trp Glu Ile Phe Thr Leu Gly Gly Ser Pro
690 695 700

Tyr Pro Gly Ile Pro Val Glu Glu Leu Phe Lys Leu Leu Lys Glu Gly
705 710 715 720

His Arg Met Asp Lys Pro Ala Asn Cys Thr Asn Glu Leu Tyr Met Met

725

730

735

Met Arg Asp Cys Trp His Ala Val Pro Ser Gln Arg Pro Thr Phe Lys
 740 745 750

Gln Leu Val Glu Asp Leu Asp Arg Ile Leu Thr Leu Thr Thr Asn Glu
 755 760 765

Glu Tyr Leu Asp Leu Ser Gln Pro Leu Glu Gln Tyr Ser Pro Ser Tyr
 770 775 780

Pro Asp Thr Arg Ser Ser Cys Ser Ser Gly Asp Asp Ser Val Phe Ser
 785 790 795 800

Pro Asp Pro Met Pro Tyr Glu Pro Cys Leu Pro Gln Tyr Pro His Ile
 805 810 815

Asn Gly Ser Val Lys Thr
 820

<210> 255
 <211> 167
 <212> PRT
 <213> Homo sapiens

<400> 255

Met Leu Val Leu Leu Ala Phe Ile Ile Ala Phe His Ile Thr Ser Ala
 1 5 10 15

Ala Leu Leu Phe Ile Ala Thr Val Asp Asn Ala Trp Trp Val Gly Asp
 20 25 30

Glu Phe Phe Ala Asp Val Trp Arg Ile Cys Thr Asn Asn Thr Asn Cys
 35 40 45

Thr Val Ile Asn Asp Ser Phe Gln Glu Tyr Ser Thr Leu Gln Ala Val
 50 55 60

Gln Ala Thr Met Ile Leu Ser Thr Ile Leu Cys Cys Ile Ala Phe Phe
 65 70 75 80

Ile Phe Val Leu Gln Leu Phe Arg Leu Lys Gln Gly Glu Arg Phe Val
 85 90 95

Leu Thr Ser Ile Ile Gln Leu Met Ser Cys Leu Cys Val Met Ile Ala
 100 105 110

Ala Ser Ile Tyr Thr Asp Arg Arg Glu Asp Ile His Asp Lys Asn Ala
 115 120 125

Lys Phe Tyr Pro Val Thr Arg Glu Gly Ser Tyr Gly Tyr Ser Tyr Ile
 130 135 140

Leu Ala Trp Val Ala Phe Ala Cys Thr Phe Ile Ser Gly Met Met Tyr
 145 150 155 160

Leu Ile Leu Arg Lys Arg Lys
 165

<210> 256
 <211> 38
 <212> PRT
 <213> Homo sapiens

<400> 256

Met Ser Glu Phe Trp His Lys Leu Gly Cys Cys Val Val Glu Lys Pro
 1 5 10 15

Gln Pro Val Ser Leu Pro Thr Pro His Pro Asn Pro Lys Ser Ser Gln
 20 25 30

Leu Leu Cys Ala Val Arg
 35

<210> 257
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 257
 tcctcacact aagagggcag a

21

<210> 258
 <211> 21
 <212> DNA
 <213> Homo sapiens

<400> 258
 acctcaacac aaccaagcat c

21

<210> 259
<211> 21
<212> DNA
<213> Homo sapiens

<400> 259
tcagtgagta caacgccaca g 21

<210> 260
<211> 21
<212> DNA
<213> Homo sapiens

<400> 260
cttctcctgg atgcttgtct g 21

<210> 261
<211> 21
<212> DNA
<213> Homo sapiens

<400> 261
ccaccttcac tgtgacgaaa t 21

<210> 262
<211> 21
<212> DNA
<213> Homo sapiens

<400> 262
ccagatgtgc aggaaagaga g 21

<210> 263
<211> 21
<212> DNA
<213> Homo sapiens

<400> 263
agctgtctgc acatctggat t 21

<210> 264
<211> 21
<212> DNA
<213> Homo sapiens

<400> 264
cctggggtcc aagtattcaa t 21

<210> 265
<211> 21

<212> DNA
<213> Homo sapiens

<400> 265 21
catcaagcca tgaaaggtgt t

<210> 266
<211> 21
<212> DNA
<213> Homo sapiens

<400> 266 21
acaaagagcc accaggattt t

<210> 267
<211> 21
<212> DNA
<213> Homo sapiens

<400> 267 21
gaactgatgt tcccaagtgg a

<210> 268
<211> 21
<212> DNA
<213> Homo sapiens

<400> 268 21
aaccaggttc aggaaagcat t

<210> 269
<211> 20
<212> DNA
<213> Homo sapiens

<400> 269 20
tttcgtgaac aagcacctga

<210> 270
<211> 20
<212> DNA
<213> Homo sapiens

<400> 270 20
atgagctcaa aggcaaagga

<210> 271
<211> 21
<212> DNA
<213> Homo sapiens

<400> 271
gttttaaaatc cggattggca t 21

<210> 272
<211> 21
<212> DNA
<213> Homo sapiens

<400> 272
gtggccgtga taatttttga a 21

<210> 273
<211> 21
<212> DNA
<213> Homo sapiens

<400> 273
aaaatggaag gaaattgggt g 21

<210> 274
<211> 21
<212> DNA
<213> Homo sapiens

<400> 274
tgcccagaat accaatgtct c 21

<210> 275
<211> 20
<212> DNA
<213> Homo sapiens

<400> 275
tcggtgaatt caaggaccat 20

<210> 276
<211> 20
<212> DNA
<213> Homo sapiens

<400> 276
gctgccttca aggatctcac 20

<210> 277
<211> 20
<212> DNA
<213> Homo sapiens

<400> 277
tgccaggtaa agctctgtcc 20

<210> 278
<211> 20
<212> DNA
<213> Homo sapiens

<400> 278 20
gtcctgtgga tgagcatgtg

<210> 279
<211> 21
<212> DNA
<213> Homo sapiens

<400> 279 21
atctccagag ctgcgtttac c

<210> 280
<211> 21
<212> DNA
<213> Homo sapiens

<400> 280 21
ttcacccgta aggcaactaat g

<210> 281
<211> 21
<212> DNA
<213> Homo sapiens

<400> 281 21
tatggttatg tggatgcagc a

<210> 282
<211> 21
<212> DNA
<213> Homo sapiens

<400> 282 21
agatgactcg atggtccaca c

<210> 283
<211> 20
<212> DNA
<213> Homo sapiens

<400> 283 20
ccgagtaagc caaaaaccaa

<210> 284
<211> 20

<212> DNA
<213> Homo sapiens

<400> 284
ctcatccatg ggctgtagt 20

<210> 285
<211> 21
<212> DNA
<213> Homo sapiens

<400> 285
ggtgaggaac tttcaccaac a 21

<210> 286
<211> 21
<212> DNA
<213> Homo sapiens

<400> 286
cttgagtcct ggcttggtga g 21

<210> 287
<211> 21
<212> DNA
<213> Homo sapiens

<400> 287
tacttgggtg agtccttgtg g 21

<210> 288
<211> 21
<212> DNA
<213> Homo sapiens

<400> 288
gactcttagg cctgtggctc t 21

<210> 289
<211> 21
<212> DNA
<213> Homo sapiens

<400> 289
ggagtaaggt gtccgaggaa c 21

<210> 290
<211> 21
<212> DNA
<213> Homo sapiens

<400> 290 21
ctgacatttg gccactgttt t

<210> 291
<211> 21
<212> DNA
<213> Homo sapiens

<400> 291 21
cctgtaacat agcccgaaac a

<210> 292
<211> 21
<212> DNA
<213> Homo sapiens

<400> 292 21
agttgtctcc atccacacag g

<210> 293
<211> 21
<212> DNA
<213> Homo sapiens

<400> 293 21
acgtgtatgc agatggaaag g

<210> 294
<211> 21
<212> DNA
<213> Homo sapiens

<400> 294 21
cagaggctgt gacgttgtgt a

<210> 295
<211> 21
<212> DNA
<213> Homo sapiens

<400> 295 21
aatttgtgca gttgggagat g

<210> 296
<211> 21
<212> DNA
<213> Homo sapiens

<400> 296 21
tgatctctac cctgcagctg t

<210> 297
<211> 21
<212> DNA
<213> Homo sapiens

<400> 297
catctgactt cacctgtggg t 21

<210> 298
<211> 21
<212> DNA
<213> Homo sapiens

<400> 298
ttctgactgt ccctgctgac t 21

<210> 299
<211> 21
<212> DNA
<213> Homo sapiens

<400> 299
accccgacgt cttctaccta a 21

<210> 300
<211> 21
<212> DNA
<213> Homo sapiens

<400> 300
gcagataggc atcaaacacg t 21

<210> 301
<211> 21
<212> DNA
<213> Homo sapiens

<400> 301
agttccctgg gcataatgag t 21

<210> 302
<211> 21
<212> DNA
<213> Homo sapiens

<400> 302
aacatgagag cttgggatcc t 21

<210> 303
<211> 20

<212> DNA
<213> Homo sapiens

<400> 303 20
agccgaatcc actctcatgt

<210> 304
<211> 20
<212> DNA
<213> Homo sapiens

<400> 304 20
taacaaggca cagcaagcag

<210> 305
<211> 21
<212> DNA
<213> Homo sapiens

<400> 305 21
ctcagacctt tgccttctc t

<210> 306
<211> 21
<212> DNA
<213> Homo sapiens

<400> 306 21
tccggctcag actgaataag a

<210> 307
<211> 20
<212> DNA
<213> Homo sapiens

<400> 307 20
cacacatggg catttgctta

<210> 308
<211> 20
<212> DNA
<213> Homo sapiens

<400> 308 20
ggatatgcag tgggaaggaa

<210> 309
<211> 21
<212> DNA
<213> Homo sapiens

<400> 309
caccgagaat ccttacacca a 21

<210> 310
<211> 21
<212> DNA
<213> Homo sapiens

<400> 310
cagaatccat cctccttcct c 21

<210> 311
<211> 21
<212> DNA
<213> Homo sapiens

<400> 311
catgcacaca cacacagaat g 21

<210> 312
<211> 21
<212> DNA
<213> Homo sapiens

<400> 312
tttcctttgg aaactgggat t 21

<210> 313
<211> 21
<212> DNA
<213> Homo sapiens

<400> 313
cttgctgaat tcaactctgc c 21

<210> 314
<211> 21
<212> DNA
<213> Homo sapiens

<400> 314
aaaccacaga gtggtcattg c 21

<210> 315
<211> 21
<212> DNA
<213> Homo sapiens

<400> 315
aggagaagga agacaagcca g 21

<210> 316
<211> 21
<212> DNA
<213> Homo sapiens

<400> 316
cttgctgatt tcgtcttcag g 21

<210> 317
<211> 21
<212> DNA
<213> Homo sapiens

<400> 317
ctgcttgaga ctgttctggc t 21

<210> 318
<211> 21
<212> DNA
<213> Homo sapiens

<400> 318
gattagaggg cttcctcatg g 21

<210> 319
<211> 21
<212> DNA
<213> Homo sapiens

<400> 319
caaggggaag aggtacctga c 21

<210> 320
<211> 21
<212> DNA
<213> Homo sapiens

<400> 320
tctgtcacag cgagaatcct t 21

<210> 321
<211> 20
<212> DNA
<213> Homo sapiens

<400> 321
gactctgggc gtctctgaag 20

<210> 322
<211> 20

<212> DNA
<213> Homo sapiens

<400> 322
cagcaacaag ccagtctcaa 20

<210> 323
<211> 21
<212> DNA
<213> Homo sapiens

<400> 323
acatcatgag ttggtccttg c 21

<210> 324
<211> 21
<212> DNA
<213> Homo sapiens

<400> 324
aatctgcaat gccacaggta g 21

<210> 325
<211> 20
<212> DNA
<213> Homo sapiens

<400> 325
tcctcataca tggcctcaca 20

<210> 326
<211> 20
<212> DNA
<213> Homo sapiens

<400> 326
tgtcggcacc actcataaaa 20

<210> 327
<211> 20
<212> DNA
<213> Homo sapiens

<400> 327
ggtgcagggtt gacactgaaa 20

<210> 328
<211> 20
<212> DNA
<213> Homo sapiens

<400> 328 20
aaggttcacc aggacacagg

<210> 329
<211> 21
<212> DNA
<213> Homo sapiens

<400> 329 21
atcacaggca tcatcatcct c

<210> 330
<211> 21
<212> DNA
<213> Homo sapiens

<400> 330 21
ggttgtcagc tcctgtttct g

<210> 331
<211> 20
<212> DNA
<213> Homo sapiens

<400> 331 20
gggggtgtagg tgggagtcac

<210> 332
<211> 20
<212> DNA
<213> Homo sapiens

<400> 332 20
agtgccttca gccaaaatgt

<210> 333
<211> 21
<212> DNA
<213> Homo sapiens

<400> 333 21
gccatcctct tgataagctg a

<210> 334
<211> 21
<212> DNA
<213> Homo sapiens

<400> 334 21
tcttcccagg attctctttg g

<210> 335
<211> 21
<212> DNA
<213> Homo sapiens

<400> 335
gattgcagat cctatgcagg a 21

<210> 336
<211> 21
<212> DNA
<213> Homo sapiens

<400> 336
gcatccagga caacacaaag t 21

<210> 337
<211> 20
<212> DNA
<213> Homo sapiens

<400> 337
aaggtggagc aaacacaacc 20

<210> 338
<211> 20
<212> DNA
<213> Homo sapiens

<400> 338
tccacttggc tttctgtcct 20

<210> 339
<211> 21
<212> DNA
<213> Homo sapiens

<400> 339
caagtgccca tttaggtttg a 21

<210> 340
<211> 21
<212> DNA
<213> Homo sapiens

<400> 340
actgacagat ggctcatttg g 21

<210> 341
<211> 21

<212> DNA
<213> Homo sapiens

<400> 341
gaacaccaga gacactcctg c 21

<210> 342
<211> 21
<212> DNA
<213> Homo sapiens

<400> 342
acatcctggt aggtgatgca g 21

<210> 343
<211> 20
<212> DNA
<213> Homo sapiens

<400> 343
cgcatctgtc cagcatctta 20

<210> 344
<211> 19
<212> DNA
<213> Homo sapiens

<400> 344
caaaaccggg acgctaact 19

<210> 345
<211> 21
<212> DNA
<213> Homo sapiens

<400> 345
agaaacagtg gatcacgttg g 21

<210> 346
<211> 21
<212> DNA
<213> Homo sapiens

<400> 346
ttccaaggga atacccaaaa c 21

<210> 347
<211> 20
<212> DNA
<213> Homo sapiens

<400> 347
gtttccactt ttcccagtgc 20

<210> 348
<211> 22
<212> DNA
<213> Homo sapiens

<400> 348
tcacatgaaa cgattctctg ct 22

<210> 349
<211> 21
<212> DNA
<213> Homo sapiens

<400> 349
aatgtcaaaa gtgtgggcaa g 21

<210> 350
<211> 21
<212> DNA
<213> Homo sapiens

<400> 350
atgtggaccg agtaaaggct t 21

<210> 351
<211> 21
<212> DNA
<213> Homo sapiens

<400> 351
cagtcccggg tagatatcca t 21

<210> 352
<211> 21
<212> DNA
<213> Homo sapiens

<400> 352
tcttcggcta gtttgggtctc a 21

<210> 353
<211> 21
<212> DNA
<213> Homo sapiens

<400> 353
tgatttgcca cagttggtgt a 21

<210> 354
<211> 21
<212> DNA
<213> Homo sapiens

<400> 354
ctaggtatgc gtctctgcag g 21

<210> 355
<211> 21
<212> DNA
<213> Homo sapiens

<400> 355
cagcctgggtt tacaaattcc a 21

<210> 356
<211> 21
<212> DNA
<213> Homo sapiens

<400> 356
tgggggaaaac taaggcaaag t 21

<210> 357
<211> 21
<212> DNA
<213> Homo sapiens

<400> 357
caacaatgaa gcctgctctt c 21

<210> 358
<211> 21
<212> DNA
<213> Homo sapiens

<400> 358
cctgcttcag tgagagaatg g 21

<210> 359
<211> 21
<212> DNA
<213> Homo sapiens

<400> 359
aggaccgggtt catcaacttc t 21

<210> 360
<211> 21

<212> DNA
<213> Homo sapiens

<400> 360
tcaatgtagg actgggccgt c 21

<210> 361
<211> 21
<212> DNA
<213> Homo sapiens

<400> 361
aaatgggtgcc ttcaagacct t 21

<210> 362
<211> 21
<212> DNA
<213> Homo sapiens

<400> 362
ccggcctata ctcctacaag g 21

<210> 363
<211> 21
<212> DNA
<213> Homo sapiens

<400> 363
taatgggtggc ctgaacaagg c 21

<210> 364
<211> 21
<212> DNA
<213> Homo sapiens

<400> 364
agttggccca agtccttaa a 21

<210> 365
<211> 20
<212> DNA
<213> Homo sapiens

<400> 365
catggaggag ccatacaaca 20

<210> 366
<211> 20
<212> DNA
<213> Homo sapiens

<400> 366
tttgtcctgc tcccaaattc 20

<210> 367
<211> 21
<212> DNA
<213> Homo sapiens

<400> 367
tgctttgtat gagaccccaa c 21

<210> 368
<211> 21
<212> DNA
<213> Homo sapiens

<400> 368
catctttctc acggatgtgg t 21

<210> 369
<211> 21
<212> DNA
<213> Homo sapiens

<400> 369
agaagacaga gaggtcagcc c 21

<210> 370
<211> 21
<212> DNA
<213> Homo sapiens

<400> 370
tgggacccta attttctgga c 21

<210> 371
<211> 20
<212> DNA
<213> Homo sapiens

<400> 371
acccttgagt tttcgctct 20

<210> 372
<211> 20
<212> DNA
<213> Homo sapiens

<400> 372
ggatcaaagc aaaacctgga 20

<210> 373
<211> 21
<212> DNA
<213> Homo sapiens

<400> 373
gccccttttg tataggactg c 21

<210> 374
<211> 21
<212> DNA
<213> Homo sapiens

<400> 374
aattccagtg aggcacaaat g 21

<210> 375
<211> 21
<212> DNA
<213> Homo sapiens

<400> 375
caagacctgc cttctcatca g 21

<210> 376
<211> 21
<212> DNA
<213> Homo sapiens

<400> 376
gaagacgtcc gtctgtggat a 21

<210> 377
<211> 21
<212> DNA
<213> Homo sapiens

<400> 377
caattctctc agcagacctg g 21

<210> 378
<211> 21
<212> DNA
<213> Homo sapiens

<400> 378
accacggagt caaaaccttc t 21

<210> 379
<211> 21

<212> DNA
<213> Homo sapiens

<400> 379
ccccaaggca catactgtta a 21

<210> 380
<211> 21
<212> DNA
<213> Homo sapiens

<400> 380
tgcccattgt tgaactaaag c 21

<210> 381
<211> 20
<212> DNA
<213> Homo sapiens

<400> 381
gaacatgctg accaagcaga 20

<210> 382
<211> 20
<212> DNA
<213> Homo sapiens

<400> 382
cagttgtgtc cacccttcct 20

<210> 383
<211> 21
<212> DNA
<213> Homo sapiens

<400> 383
aacaatactg gctgacc g 21

<210> 384
<211> 21
<212> DNA
<213> Homo sapiens

<400> 384
catggagtgt gatcactgtg g 21

<210> 385
<211> 20
<212> DNA
<213> Homo sapiens

<400> 385
ggactgcagt gtggagttca 20

<210> 386
<211> 20
<212> DNA
<213> Homo sapiens

<400> 386
gagaggggag ggagacagac 20

<210> 387
<211> 21
<212> DNA
<213> Homo sapiens

<400> 387
ggtttataag cctttgccag g 21

<210> 388
<211> 21
<212> DNA
<213> Homo sapiens

<400> 388
gtgggaaaag tcacactgca t 21

<210> 389
<211> 21
<212> DNA
<213> Homo sapiens

<400> 389
ctcctcctaa ttgcagtgt g 21

<210> 390
<211> 21
<212> DNA
<213> Homo sapiens

<400> 390
gtgatagatt ctggtgcgga a 21

<210> 391
<211> 20
<212> DNA
<213> Homo sapiens

<400> 391
cctcaggtcc aactccatgt 20

<210> 392
<211> 20
<212> DNA
<213> Homo sapiens

<400> 392
gtgcccgaat ttttgatttg 20

<210> 393
<211> 20
<212> DNA
<213> Homo sapiens

<400> 393
agccttgtct cccttgattt 20

<210> 394
<211> 20
<212> DNA
<213> Homo sapiens

<400> 394
tcagttgccc ctctacaacc 20

<210> 395
<211> 20
<212> DNA
<213> Homo sapiens

<400> 395
aagccctgg attctcactc 20

<210> 396
<211> 20
<212> DNA
<213> Homo sapiens

<400> 396
gccaggacac cttcagagag 20

<210> 397
<211> 19
<212> DNA
<213> Homo sapiens

<400> 397
aagagcctcc caaaggaaa 19

<210> 398
<211> 20

<212> DNA
<213> Homo sapiens

<400> 398
gggaaatgaa agtggcaaga 20

<210> 399
<211> 21
<212> DNA
<213> Homo sapiens

<400> 399
ttgttggttt tattctcccc c 21

<210> 400
<211> 21
<212> DNA
<213> Homo sapiens

<400> 400
cagttggaat caaaaggac a 21

<210> 401
<211> 21
<212> DNA
<213> Homo sapiens

<400> 401
agtgaggaag ccaaagagga g 21

<210> 402
<211> 21
<212> DNA
<213> Homo sapiens

<400> 402
tttggcagca taaatattgg c 21

<210> 403
<211> 20
<212> DNA
<213> Homo sapiens

<400> 403
cagagaggga accaccagag 20

<210> 404
<211> 20
<212> DNA
<213> Homo sapiens

<400> 404
ccctggggaa attaaaatga 20

<210> 405
<211> 20
<212> DNA
<213> Homo sapiens

<400> 405
ctctgtcggg aaaggagaga 20

<210> 406
<211> 20
<212> DNA
<213> Homo sapiens

<400> 406
gaactttgac gacaccgaca 20

<210> 407
<211> 21
<212> DNA
<213> Homo sapiens

<400> 407
ctctggccag agataccaca g 21

<210> 408
<211> 21
<212> DNA
<213> Homo sapiens

<400> 408
catcaagggt ttgttgcttg t 21

<210> 409
<211> 21
<212> DNA
<213> Homo sapiens

<400> 409
aactatgtgg ccgacattga g 21

<210> 410
<211> 21
<212> DNA
<213> Homo sapiens

<400> 410
cacccagaag cacatgagaa t 21

<210> 411
<211> 21
<212> DNA
<213> Homo sapiens

<400> 411
cctgaagaac cgtgatgtca t 21

<210> 412
<211> 21
<212> DNA
<213> Homo sapiens

<400> 412
ctgtgctctg gatgaggtag c 21

<210> 413
<211> 21
<212> DNA
<213> Homo sapiens

<400> 413
cacatcccct ttcttgacaa a 21

<210> 414
<211> 21
<212> DNA
<213> Homo sapiens

<400> 414
gatgaggcac tcagtgagga g 21

<210> 415
<211> 21
<212> DNA
<213> Homo sapiens

<400> 415
ttgaaaccta attttgtggc g 21

<210> 416
<211> 21
<212> DNA
<213> Homo sapiens

<400> 416
aaatgttgac acgtctcctg g 21

<210> 417
<211> 21

<212> DNA
<213> Homo sapiens

<400> 417
cctaataacca tcgacgtccc t 21

<210> 418
<211> 21
<212> DNA
<213> Homo sapiens

<400> 418
agctctggga ctaatcaccg t 21

<210> 419
<211> 21
<212> DNA
<213> Homo sapiens

<400> 419
aaaaggctga caaactgacc a 21

<210> 420
<211> 21
<212> DNA
<213> Homo sapiens

<400> 420
tcacagccta ggtaagagcc a 21

<210> 421
<211> 21
<212> DNA
<213> Homo sapiens

<400> 421
caggtacgaa ttttgcggtt a 21

<210> 422
<211> 21
<212> DNA
<213> Homo sapiens

<400> 422
tcgcaatcca ctctctgact t 21

<210> 423
<211> 21
<212> DNA
<213> Homo sapiens

<400> 423
ctccttcagc ttcattgggtca g 21

<210> 424
<211> 21
<212> DNA
<213> Homo sapiens

<400> 424
tctgggtcag agtcatccag t 21

<210> 425
<211> 21
<212> DNA
<213> Homo sapiens

<400> 425
caaccagca gattttgtca t 21

<210> 426
<211> 21
<212> DNA
<213> Homo sapiens

<400> 426
cgaggtctct cttgtggtct g 21

<210> 427
<211> 21
<212> DNA
<213> Homo sapiens

<400> 427
tctttgcatt gagattggtc c 21

<210> 428
<211> 21
<212> DNA
<213> Homo sapiens

<400> 428
accgtgaaaa atgcacatct c 21

<210> 429
<211> 21
<212> DNA
<213> Homo sapiens

<400> 429
ccttcaatcc gtcctatgac a 21

<210> 430
<211> 21
<212> DNA
<213> Homo sapiens

<400> 430
ggaagcagct cttcaatgtt g 21

<210> 431
<211> 21
<212> DNA
<213> Homo sapiens

<400> 431
gagtgaatgc agtaaaccctt a 21

<210> 432
<211> 21
<212> DNA
<213> Homo sapiens

<400> 432
cactcagcag aaagaggatg g 21

<210> 433
<211> 21
<212> DNA
<213> Homo sapiens

<400> 433
catcgaggac gctacttcaa g 21

<210> 434
<211> 21
<212> DNA
<213> Homo sapiens

<400> 434
aaaataggcc tgacgacacc t 21

<210> 435
<211> 21
<212> DNA
<213> Homo sapiens

<400> 435
ttggacaaac tgggaagatt g 21

<210> 436
<211> 21

<212> DNA
<213> Homo sapiens

<400> 436
acgtactggg catagtgcac c 21

<210> 437
<211> 21
<212> DNA
<213> Homo sapiens

<400> 437
ggggatatta ttagcgtggg a 21

<210> 438
<211> 21
<212> DNA
<213> Homo sapiens

<400> 438
tgccgcttct acttctggta a 21

<210> 439
<211> 21
<212> DNA
<213> Homo sapiens

<400> 439
tccactcaca' tttcctatcg g 21

<210> 440
<211> 21
<212> DNA
<213> Homo sapiens

<400> 440
gattccattt acggggaaaa a 21

<210> 441
<211> 21
<212> DNA
<213> Homo sapiens

<400> 441
aacctgcatg gactgtgaaa c 21

<210> 442
<211> 21
<212> DNA
<213> Homo sapiens

<400> 442
aatatcaagt gccccttcca g 21

<210> 443
<211> 21
<212> DNA
<213> Homo sapiens

<400> 443
gcaagtatag cgcatttgag c 21

<210> 444
<211> 21
<212> DNA
<213> Homo sapiens

<400> 444
cgtcttgaag tccatggaga g 21

<210> 445
<211> 21
<212> DNA
<213> Homo sapiens

<400> 445
ttagatctga agccctgggt t 21

<210> 446
<211> 21
<212> DNA
<213> Homo sapiens

<400> 446
tgcttgggtga acataacacc a 21

<210> 447
<211> 21
<212> DNA
<213> Homo sapiens

<400> 447
agaagaaaaa cccaaatggc a 21

<210> 448
<211> 22
<212> DNA
<213> Homo sapiens

<400> 448
tccatagtgg tttttaccag ca 22

<210> 551
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 551
auggcugcag auccacacut t 21

<210> 552
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 552
caggaacacc gucaggaact t 21

<210> 553
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 553
gcaaagagaa uucccgcaat t 21

<210> 554
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 554
guccagcagu accacuucct t 21

<210> 555
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 546
gcuuguagau guugcccugt t 21

<210> 547
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 547
gugcgcgucg uacacuugct t 21

<210> 548
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 548
gagggcagac agcaagcgt t 21

<210> 549
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 549
ugguacaacu gcccagaugt t 21

<210> 550
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 550
uugucaaagg agugcguagt t 21

<220>
<223> Synthesized Oligonucleotide.

<400> 541
uugcggaau ucucuugct t 21

<210> 542
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 542
ggaaguggua cugcuggact t 21

<210> 543
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 543
cuuccagaag cgccuguuct t 21

<210> 544
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 544
gagccccgua ugcacugugt t 21

<210> 545
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 545
cuacaccuuc accguggagt t 21

<210> 546
<211> 21

<400> 536 21
ccgcuugcug ucugcccuct t

<210> 537
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 537 21
caucugggca guuguacat t

<210> 538
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 538 21
cuacgcacuc cuuugacaat t

<210> 539
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 539 21
aguguggauc ugcagccaut t

<210> 540
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 540 21
guuccugacg guguuccugt t

<210> 541
<211> 21
<212> DNA
<213> Artificial Sequence

<212> DNA
<213> Homo sapiens

<400> 531
agccgagcca catcgct

17

<210> 532
<211> 19
<212> DNA
<213> Homo sapiens

<400> 532
gtgaccaggc gcccaatac

19

<210> 533
<211> 28
<212> DNA
<213> Homo sapiens

<400> 533
caaatccgtt gactccgacc ttcacctt

28

<210> 534
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 534
cagggcaaca ucuacaagct t

21

<210> 535
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 535
gcaaguguac gacgcgcact t

21

<210> 536
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<210> 525
<211> 21
<212> DNA
<213> Homo sapiens

<400> 525
ttcatgcgtg aaagtgtgaa g 21

<210> 526
<211> 22
<212> DNA
<213> Homo sapiens

<400> 526
tttgatcaaa ggggtgtcatc ag 22

<210> 527
<211> 20
<212> DNA
<213> Homo sapiens

<400> 527
ggtagggagc ttctcagcaa 20

<210> 528
<211> 20
<212> DNA
<213> Homo sapiens

<400> 528
gttagcccag aggagctcaa 20

<210> 529
<211> 20
<212> DNA
<213> Homo sapiens

<400> 529
cacagaaaac acccccactt 20

<210> 530
<211> 20
<212> DNA
<213> Homo sapiens

<400> 530
actgtatgga ggcccagttg 20

<210> 531
<211> 17

<400> 518
gcctgcagag atctcacttt g 21

<210> 519
<211> 21
<212> DNA
<213> Homo sapiens

<400> 519
acaggatggg cctctctatg t 21

<210> 520
<211> 21
<212> DNA
<213> Homo sapiens

<400> 520
tcctcaggaa cacggttaat g 21

<210> 521
<211> 21
<212> DNA
<213> Homo sapiens

<400> 521
acaccttggg accaccaatc a 21

<210> 522
<211> 21
<212> DNA
<213> Homo sapiens

<400> 522
ggtctcttgc cttcatccag t 21

<210> 523
<211> 20
<212> DNA
<213> Homo sapiens

<400> 523
gcacgcctt cttcatcttc 20

<210> 524
<211> 20
<212> DNA
<213> Homo sapiens

<400> 524
cgtagctgcc ttctctggtc 20

<212> DNA
<213> Homo sapiens

<400> 512
ctctgcctcc ttcatcaaca g 21

<210> 513
<211> 21
<212> DNA
<213> Homo sapiens

<400> 513
agaaggactt ctccagcaag g 21

<210> 514
<211> 21
<212> DNA
<213> Homo sapiens

<400> 514
ctgggacaga atggacagtg t 21

<210> 515
<211> 20
<212> DNA
<213> Homo sapiens

<400> 515
tggccattca gacagcatta 20

<210> 516
<211> 20
<212> DNA
<213> Homo sapiens

<400> 516
cagctacttg ggaggctgag 20

<210> 517
<211> 20
<212> DNA
<213> Homo sapiens

<400> 517
gggcccactt gactcattta 20

<210> 518
<211> 21
<212> DNA
<213> Homo sapiens

<210> 506
<211> 21
<212> DNA
<213> Homo sapiens

<400> 506
ttccaccacc actttttag c 21

<210> 507
<211> 21
<212> DNA
<213> Homo sapiens

<400> 507
tggcaaacac tggaatccta c 21

<210> 508
<211> 21
<212> DNA
<213> Homo sapiens

<400> 508
tctgtagaga ggtggctcca a 21

<210> 509
<211> 21
<212> DNA
<213> Homo sapiens

<400> 509
cggatgctca gcatcttcta c 21

<210> 510
<211> 21
<212> DNA
<213> Homo sapiens

<400> 510
actaccagga acagcagcag a 21

<210> 511
<211> 21
<212> DNA
<213> Homo sapiens

<400> 511
aggcaatccg atttacgact t 21

<210> 512
<211> 21

<400> 499
atgtgccctc acatctgttt c 21

<210> 500
<211> 21
<212> DNA
<213> Homo sapiens

<400> 500
gggttttaac agcagggtag c 21

<210> 501
<211> 21
<212> DNA
<213> Homo sapiens

<400> 501
gaaatcagtc taccaagggg c 21

<210> 502
<211> 21
<212> DNA
<213> Homo sapiens

<400> 502
cgactttgca atcttgacac a 21

<210> 503
<211> 21
<212> DNA
<213> Homo sapiens

<400> 503
gaagagtggg caaacatgaa a 21

<210> 504
<211> 21
<212> DNA
<213> Homo sapiens

<400> 504
cccacctggg agtaagtctt c 21

<210> 505
<211> 21
<212> DNA
<213> Homo sapiens

<400> 505
ccaggtgacc taccagttga a 21

<212> DNA

<213> Homo sapiens

<400> 493

tcggtcttgg ctacttgaag a

21

<210> 494

<211> 21

<212> DNA

<213> Homo sapiens

<400> 494

cagcggtcca gaaaatctga g

21

<210> 495

<211> 21

<212> DNA

<213> Homo sapiens

<400> 495

aaggagttgc tactcaagcc c

21

<210> 496

<211> 21

<212> DNA

<213> Homo sapiens

<400> 496

cttgtaatac tggcggatgg a

21

<210> 497

<211> 21

<212> DNA

<213> Homo sapiens

<400> 497

ccatccttgg gtgtaggcta t

21

<210> 498

<211> 21

<212> DNA

<213> Homo sapiens

<400> 498

ctcgaagtat cgatccagca g

21

<210> 499

<211> 21

<212> DNA

<213> Homo sapiens

<210> 487
<211> 21
<212> DNA
<213> Homo sapiens

<400> 487
actatgggat gtgtggcaga g 21

<210> 488
<211> 21
<212> DNA
<213> Homo sapiens

<400> 488
gctcttttaa agccgcttca t 21

<210> 489
<211> 21
<212> DNA
<213> Homo sapiens

<400> 489
aaagaggctg accttccaga g 21

<210> 490
<211> 21
<212> DNA
<213> Homo sapiens

<400> 490
aaggcaaggc ctatttttca a 21

<210> 491
<211> 21
<212> DNA
<213> Homo sapiens

<400> 491
gaagcaatga atagcatggg a 21

<210> 492
<211> 21
<212> DNA
<213> Homo sapiens

<400> 492
ccattcctcc agtcacactg t 21

<210> 493
<211> 21

<400> 480
ctgaaggact gaagggagct t 21

<210> 481
<211> 21
<212> DNA
<213> Homo sapiens

<400> 481
acatgctgtg tggtagaggc t 21

<210> 482
<211> 21
<212> DNA
<213> Homo sapiens

<400> 482
aacatgcatg cattgtacca a 21

<210> 483
<211> 21
<212> DNA
<213> Homo sapiens

<400> 483
ttccaggaag aacatcattg c 21

<210> 484
<211> 21
<212> DNA
<213> Homo sapiens

<400> 484
cttttccttc agggaaaccaa g 21

<210> 485
<211> 21
<212> DNA
<213> Homo sapiens

<400> 485
ttctcagcca aagcagatgt t 21

<210> 486
<211> 21
<212> DNA
<213> Homo sapiens

<400> 486
tgcttctcct cagcaatttg t 21

<212> DNA
<213> Homo sapiens

<400> 474
aagtatctga gatggcccg t 21

<210> 475
<211> 21
<212> DNA
<213> Homo sapiens

<400> 475
ctctggaatg gactgaagct g 21

<210> 476
<211> 21
<212> DNA
<213> Homo sapiens

<400> 476
aaaagtccag gagctggaga g 21

<210> 477
<211> 21
<212> DNA
<213> Homo sapiens

<400> 477
cacctcatca caacaccctc t 21

<210> 478
<211> 21
<212> DNA
<213> Homo sapiens

<400> 478
tgctaggatc caccctccta t 21

<210> 479
<211> 21
<212> DNA
<213> Homo sapiens

<400> 479
ctcttccag ctctgattc t 21

<210> 480
<211> 21
<212> DNA
<213> Homo sapiens

<210> 468
<211> 21
<212> DNA
<213> Homo sapiens

<400> 468
gcattccagc tatcacctga a 21

<210> 469
<211> 21
<212> DNA
<213> Homo sapiens

<400> 469
cacctctact ccctgcacat c 21

<210> 470
<211> 21
<212> DNA
<213> Homo sapiens

<400> 470
agaagagatg acactcgggg t 21

<210> 471
<211> 21
<212> DNA
<213> Homo sapiens

<400> 471
tttggctaaa gacccgaaaa t 21

<210> 472
<211> 21
<212> DNA
<213> Homo sapiens

<400> 472
tctctctctc tcggtgatgg a 21

<210> 473
<211> 21
<212> DNA
<213> Homo sapiens

<400> 473
gagcaggaaa gatgatgcaa g 21

<210> 474
<211> 21

<400> 461
gaccaacacc tctcctaagg g 21

<210> 462
<211> 21
<212> DNA
<213> Homo sapiens

<400> 462
gttgggaggg gaccatagtt a 21

<210> 463
<211> 21
<212> DNA
<213> Homo sapiens

<400> 463
gaaatagcaa aaacaaggcc c 21

<210> 464
<211> 21
<212> DNA
<213> Homo sapiens

<400> 464
caatgcagca catgctagaa a 21

<210> 465
<211> 21
<212> DNA
<213> Homo sapiens

<400> 465
cagaatgtaa aggggtgggga t 21

<210> 466
<211> 21
<212> DNA
<213> Homo sapiens

<400> 466
ccctgagacc tggtttacct c 21

<210> 467
<211> 21
<212> DNA
<213> Homo sapiens

<400> 467
gatggcagct atgaagtcct g 21

<212> DNA

<213> Homo sapiens

<400> 455

tcctcaaaca caaaatccca g

21

<210> 456

<211> 21

<212> DNA

<213> Homo sapiens

<400> 456

ctcctactat gggcctccaa c

21

<210> 457

<211> 21

<212> DNA

<213> Homo sapiens

<400> 457

gaagcagatc gtcttgaact g

21

<210> 458

<211> 21

<212> DNA

<213> Homo sapiens

<400> 458

gctcatcatc ctcttctccc t

21

<210> 459

<211> 21

<212> DNA

<213> Homo sapiens

<400> 459

tccaatagc ttgtggatca g

21

<210> 460

<211> 21

<212> DNA

<213> Homo sapiens

<400> 460

atcaaccagg aagccaactt t

21

<210> 461

<211> 21

<212> DNA

<213> Homo sapiens

<210> 449
<211> 21
<212> DNA
<213> Homo sapiens

<400> 449
tgcggtaccag gattgggttaa g 21

<210> 450
<211> 21
<212> DNA
<213> Homo sapiens

<400> 450
gatgtccaac aaaacggtca t 21

<210> 451
<211> 21
<212> DNA
<213> Homo sapiens

<400> 451
tgagcatggg atacttttgg g 21

<210> 452
<211> 21
<212> DNA
<213> Homo sapiens

<400> 452
aagcttatag gaatgggcca g 21

<210> 453
<211> 21
<212> DNA
<213> Homo sapiens

<400> 453
tgggaaaatt taaaaccac a 21

<210> 454
<211> 21
<212> DNA
<213> Homo sapiens

<400> 454
tcaaagtgcc ctttggtagt g 21

<210> 455
<211> 21

<400> 555
gaacaggcgc uucuggaagt t

21

<210> 556
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 556
cacagugcau acggggcuct t

21

<210> 557
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthesized Oligonucleotide.

<400> 557
cuccacggug aagguguagt t

21

THIS PAGE BLANK (USPTO)

CORRECTED VERSION

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
11 March 2004 (11.03.2004)

PCT

(10) International Publication Number
WO 2004/020583 A2

(51) International Patent Classification⁷: C12N
(21) International Application Number:
PCT/US2003/026491
(22) International Filing Date: 26 August 2003 (26.08.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/406,385 27 August 2002 (27.08.2002) US
(71) Applicant (for all designated States except US): BRIS-
TOL-MYERS SQUIBB COMPANY [US/US]; P. O. Box
4000, Route 206 and Provinceline Road, Princeton, NJ
08543-4000 (US).
(72) Inventors; and
(75) Inventors/Applicants (for US only): HUANG, Fei
[CN/US]; 12 Castleton Road, Princeton, NJ 08540 (US).


HAN, Xia [CN/US]; 1 JFK Blvd. Apt. 42G, Somerset,
NJ 08873 (US). REEVES, Karen, A. [JM/US]; 112 Hon-
eysuckle Drive, Ewing, NJ 08638 (US). AMLER, Lucas
[DE/US]; 103 Brandon Road, Pennington, NJ 08534 (US).
FAIRCHILD, Craig, R. [US/US]; 768 Dawes Drive,
Yardley, PA 19067 (US). LEE, Francis, Y. [—/US];
363 Lang Court, Yardley, PA 19067 (US). SHAW, Peter
[GB/US]; 7 Concord Lane, Yardley, PA 19067 (US).

(74) Agents: D'AMICO, Stephen, C. et al.; Bristol-Myers
Squibb Company, P.O. Box 4000, Route 206 and Province-
line Road, Princeton, NJ 08543-4000 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,
SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: IDENTIFICATION OF POLYNUCLEOTIDES FOR PREDICTING ACTIVITY OF COMPOUNDS THAT INTER-
ACT WITH AND/OR MODULATE PROTEIN TYROSINE KINASES AND/OR PROTEIN TYROSINE KINASE PATHWAYS IN
BREAST CELLS



(57) Abstract: The present invention describes polynucleotides that have been discovered to correlate to the relative intrinsic sensitivity or resistance of cells, e.g., breast cell lines, to treatment with compounds that interact with and modulate, e.g., inhibit, protein tyrosine kinases, such as, for example, members of the Src family of tyrosine kinases, e.g., Src, Fgr, Fyn, Yes, Blk, Hck, Lck and Lyn, as well as other protein tyrosine kinases, including, Bcr-abl, Jak, PDGFR, c-kit and Eph receptors. These polynucleotides have been shown, through a weighted voting cross validation program, to have utility in predicting the resistance and sensitivity of breast cell lines to the compounds. The expression level or phosphorylation status of some polynucleotides is regulated by treatment with a particular protein tyrosine kinase inhibitor compound, thus indicating that these polynucleotides are involved in the protein tyrosine kinase signal transduction pathway, e.g., Src tyrosine kinase. Such polynucleotides, whose expression levels correlate highly with drug sensitivity or resistance and which are modulated by treatment with the compounds, comprise polynucleotide predictor or marker sets useful in methods of predicting drug response, and as prognostic or diagnostic indicators in disease management, particularly in those disease areas, e.g., breast cancer, in which signaling through the protein tyrosine kinase pathway, such as the Src tyrosine kinase pathway, is involved with

the disease process.

WO 2004/020583 A2



(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU,

Published:

— without international search report and to be republished upon receipt of that report

(48) Date of publication of this corrected version:

28 April 2005

(15) Information about Correction:

see PCT Gazette No. 17/2005 of 28 April 2005, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)